

Page no. _____
from _____ 2.3

Table no.	Title	Page no.
2.1.1	Changed trends in the dietary supply of fat from 1967-99	2.3
2.1.2	Average yearly oil consumption growth assumptions	2.4
2.1.3	Recommended dietary allowances of fats in the world	2.6
2.3.1	World oil crops primary production (Mt)	2.9
2.3.2	FAO predicted values of world production of major oil crops	2.10
2.4.1	Urban-rural differences in chronic disease risk in developing societies	2.13
2.5.1	Fat composition of some regional Indian meals	2.21
2.6	FSSAI specifications for edible oils	2.26
2.7	Time line for deep-fat-frying	2.28
2.8	Assignment of classes and descriptions when judging degree of browning during frying process	2.30
2.9.3.1	Effects of physical and chemical reactions during deep fat frying	2.39
2.9.3.2	Volatile and nonvolatile degradation products from frying oil	2.41
2.9.3.1	Factors affecting oil degradation	2.42
2.9.3.3.1	Polar compounds (PC) in used frying fats from different sources	2.50
2.9.3.3.2	Classification of degradation products	2.50
2.9.3.4	Adverse effects of dietary trans fatty acids on risk factors for chronic disease	2.53
2.9.4	Inherent stability of oils use in frying	2.54
4.3.2.1	Frying operation variables for french fries	4.11
4.3.2.2	Frying operation variables for bhajias	4.12
5.1.1	General information of Gujarati housewives	5.4
5.1.2.1	Association between exercise and prevalence of NCDs and GI problems in Gujarati housewives	5.6
5.1.2.2	Association of obesity with other co-morbidities of Gujarati housewives	5.6
5.1.4	Frequency of consumption of deep fried, shallow fried and deep fried sweets prepared at home and its association with the prevalence of NCDs and GI problems in the housewives of urban Vadodara	5.10
5.1.5	Frequency of consumption of deep fried, shallow fried and deep fried sweets purchased from market and its association with the prevalence of NCDs and GI problems in the housewives of urban Vadodara	5.12
5.1.6	Association between eating out frequency and prevalence of NCDs and GI problems in Gujarati housewives	5.14

5.1.7.1	Type of oil used by Gujarati housewives for cooking per month in kg (kilogram)	5.16
5.1.7.2	<i>Vanaspati</i> consumption and its association with prevalence of NCDs and GI problems	5.16
5.1.7.3	Butter consumption and its association with prevalence of NCDs and GI problems	5.17
5.1.7.4	Knowledge on daily intake of edible oil by Gujarati housewives and their perception regarding health consequences of excessive fried food intake	5.17
5.1.8.1	Use of leftover fried oil and containers use for storage	5.18
5.1.8.2	Association between frying practices and prevalence of NCDs and GI problems in Gujarati housewives	5.18
5.1.9	Knowledge on refrying and filtration of fried oil before storage	5.20
5.1.10	Changes observed in fresh oil upon storage of fresh oil	5.21
5.1.11.1	Knowledge on oil blends and <i>trans</i> fats of Gujarati housewives	5.22
5.1.11.2	Education profile association with knowledge on <i>trans</i> fats	5.23
5.2.1.1	Mean sensory scores of french fries fried in CSO and GNO at intermittent duration of frying	5.34
5.2.1.2	Correlation coefficient of flavor with odor, greasiness, overall acceptability and taste scores of french fries fried in CSO and GNO oil at intermittent intervals	5.38
5.2.2.1	Mean sensory scores of bhajias fried in CSO and GNO at intermittent duration of frying	5.40
5.2.2.2	Correlation coefficient of flavor with odor, greasiness scores and overall acceptability of bhajias fried in CSO and GNO at intermittent intervals	5.46
5.2.4.1	Total oil used after 25 h of intermittent french fries frying	5.51
5.2.4.2	Total oil used after 25 h of intermittent bhajias frying	5.51
5.3.1.1	Totox value of GNO and CSO at intermittent intervals of french fries frying	5.65
5.3.1.2	Iodine value (mg I ₂ /g of oil) of GNO and CSO at intermittent intervals of french fries frying	5.66
5.3.1.3	Changes in acid value (mg KOH/g) of GNO and CSO at intermittent intervals of french fries frying	5.67
5.3.1.4	Fatty acid profile (g/100 g fat) of cottonseed oil (CSO) and groundnut oil (GNO) at intermittent intervals	5.71
5.3.1.5	Change in color of GNO and CSO at intermittent intervals of french fries frying	5.74
5.3.2.1	Totox value of GNO and CSO at intermittent intervals of bhajias frying	5.78

5.3.2.2	Iodine value (mg I ₂ /g of oil) of GNO and CSO at intermittent intervals of bhajias frying	5.78
5.3.2.3	Acid value (mg KOH/g of sample) of GNO and CSO at intermittent intervals of bhajias frying	5.80
5.3.2.4	Fatty acid profile (g/100 g fat) of cottonseed oil (CSO) and groundnut oil (GNO) at intermittent intervals of bhajias frying	5.83
5.3.2.5	Change in color of GNO and CSO at intermittent intervals of bhajias frying	5.86
5.3.3.1	Correlation coefficient of sensory attributes with chemical parameters of french fries fried in CSO and GNO	5.88
5.3.3.2	Correlation coefficient of sensory attributes with chemical parameters of bhajias fried in CSO and GNO	5.90
5.4.2	General information of staff members working at Jan aahar	5.103
5.4.3.1	Knowledge scores on food hygiene aspects of kitchen staff at Jan aahar	5.105
5.4.3.2	Knowledge scores on nutrition and health aspects of kitchen staff at Jan aahar	5.106
5.4.3.3	Knowledge scores on personal hygiene of kitchen staff at Jan aahar	5.107
5.4.4	Observed personal hygiene practices of cooks, cleaners and waiters at Jan aahar	5.109
5.4.5 (a)	Observed practices of available infrastructure facility on food hygiene, unit hygiene and environmental hygiene in Jan aahar	5.111
5.4.5 (b)	Observed available infrastructure facilities in Jan aahar	5.112
5.4.6	Frying practices of cooks at Jan aahar- a food joint at Vadodara railway station	5.114