CONTENTS OF TABLES

- I.I Tables for calculating the covariance matrix for n=5 to IO equally spaced values of x for r= 0.20(0.0I)0.79.
- 2.I Percentage efficiences of the ratio of linear estimat-or of \boldsymbol{f} .
- 2.2 Biases in the ratio of linear estimates i.e. equations (2.6) and (2.8).
- 2.3 Multipliers $\psi^2/\{s^{2x}(I-s)\}$ in the asymptotic variance of various estimators for increasing variance model.
- 3.I Efficiences of two Quadratic Estimators.
- 3.2 Comparison of Biases in two Quadratic estimators.
- 3.3 Values of k/l for zero bias for two cases.
- 3.4 Bias in Patterson's Quadratic estimators.
- 3.5 Bias in Khatri and Shah's modified Quadratic estimators.
- 4.1 Values of U_x and V_y for n=6 to I4.
- 4.2 Percentage efficiences of the estimates of \mathcal{S} obtained from equation (4.3) using U and V of Table 4.1.
- 5.1 Values of U_x , V_x and Z_x for n=7 to 14.
- 5.2 Percentage efficiencies of the estimators of \mathcal{S} obtained from equation (5.3) using U_x, V_x and Z_y of Table 5.I for n=14 for all values of \mathcal{S} .
- 5.3 Percentage efficiencies of the estimates of \Im obtained from equation (5.3) using U, V and Z for \Im =0 and I and for n=7 to 14.