LIST OF TABLES

,

•

1.1	Data on bond distance (A ^O) and angles (^O) of d-AHT	After Page No. 3
1.2	Distances between N-O atoms	3
1.3	Information about some physical properties of d-AHT	6
2.1	Magnification of objectives and eye-pieces used in C-Z VERTIVAL Microscope	17
-5•1	Molar concentration of TA (d-tartaric acid) in distilled water at 35°C.	92
5 .2	Molar concentration of FS (feed solution - ammonium chloride) in distilled water at 35°C.	94
5,3	Data on crystal morphology, gel pH, molar concentrations of TA for a fixed molar concentration of FS	107
5•4	Data on crystal morphology, gel pH, molar concentration of FS for a fixed molar concentration of TA	1.07
6.1	Crystal dimension along growth axis, morphology for varying concentrations of tartaric acid	114
6,2	Growth rate of needle-shaped crystals for different gel ages	117

~

: T-	2 :
------	-----

6,3	Data on number density of d-AHT crystals and their weights for varying concentrations of FS and gel pH	119
7.1	Assay of Ammonium chloride, given by manufacturer, Sarabhai M. Chemicals, Baroda, India	130
7.2	Assay of d-tartaric acid given by manufacturer, Sarabhai M. Chemicals, Baroda, India	130
7.3	Percentage of d-AHT elements	. 131
7.4	Analysis of X-ray powder photograph	134
7 •5	(a) Sketch of orthorhombic disphenoidal crystal with symbols of faces	153
	(b) Observed and calculated inter- facial angles	
7,6	(a) Sketch of sphenoidal crystal with symbols of faces	154
	(b) Observed and calculated inter- facial angles	
7.7	Readings of optical rotation for different concentrations of d-AHT aqueous solution	156
7.8	Characteristics of synthetic d-AHT crystals grown in silica gel	159

: T-3 :

8 .1	Shape cycle of etch pits produced by varying quantity of crystalline	170
	trichloroacetic acid in 100 c.c. of glacial acetic acid at 30°C on a cleavage surface of d-AHT	

- 8.2 Schematic diagram of etch pits 170 produced by formic acid at 30° , on a cleavage surface of d-AHC
- 9.1 Information of different indenters 179 used for hardness studies of materials
- 10.1 Logarithms of diagonal of vickers 208 indentation mark measured along [001] direction and of corresponding applied load for different quenching temperatures (T_Q) on cleavage plane (010)
- 10.2 Logarithms of diagonals of vickers 208 indentation mark measured normal to [001] i.e. along [100] direction and of corresponding applied load for different quenching temperatures (T_Q) on cleavage plane (010)

208

- 10.3 Logarithms of diagonals of knoop indentation mark having longer diagonal along [001] direction and of corresponding applied load for different quenching temperatures (T_Q) on cleavage plane (010).
- 10.4 Logarithms of average of two diagonals 208 of vickers indentation mark and of corresponding applied load for different quenching temperatures (T_Q) on cleavage plane (O10)

208

- 10.5 Logarithms of two diagonals of vickers indentation mark measured along [001] direction in case of cleavage (010) and m(110) plane and along 101 direction in the case of (111) plane and normal to it in all cases and logarithms of corresponding applied load at room temperature
- 10.6 Logarithms of diagonals of vickers 208 indentation (average) and knoop indentation mark for different d-AHT planes and of corresponding applied load at room temperature
- 10.7 Slopes n_1 , n_2 and constants a_1 and a_2 213 for two regions LLR and HLR of log p vs. log d graphs and also peak P_k at kink, for vickers indentations (where average of two diagonal lengths were taken) on d-AHT cleavage plane
- 10.8 Slopes n_1 , n_2 and constants a_1 and a_2 213 for two regions LLR and HLR of log p vs. log d graphs and also peak P_k at kink, for knoop indentation on d-AHT cleavage plane
- 10.9 Slopes n₁, n₂ and constants a₁ and a₂ 213 for two regions LLR and HLR of log p vs. log d graphs and also peak P_k at kink, for vickers indentation mark (where diagonal length of indentation mark measured along [001] direction)

- 10.10 Slopes n₁, n₂ and constants a₁ and a₂ 213 for two regions LLR and HLR of log p vs. log d graphs and also peak P_k at kink, for vickers indentation mark (where diagonal length of indentation mark measured normal to [001] direction i.e. along [100] direction)
- 10.11 Slopes n₁, n₂ and constants a₁ and a₂ 213 for two regions LLR and HLR of log p vs. log d graphs and also peak P_k at kink, for vickers (average of two diagonal lengths) and knoop indentation for different d-AHT planes
- 10.12 Slopes n₁, n₂ and constants a₁ and a₂ 213 for two regions LLR and HLR of log p vs. log d graphs and also peak P_k at kink, for two diagonal lengths of vickers indentation for different d-AHT planes
- 11.1 Vickers hardness numbers (average) on 226 d-AHT cleavage plane (010) for different quenching temperatures
- 11.2 Knoop hardness numbers along [1001] on 226 d-AHP cleavage plane (010) for different quenching temperature

- 11.3 Vickers hardness numbers along [001] 226 direction on d-AHT cleavage plane (010) for different quenching temperatures
- 11.4 Vickers hardness numbers normal to 226 [001] direction on d-AHT cleavage plane (010) for different quenching temperatures.
- 11.5 Hardness numbers (vickers and Knoop) 226 on (010), (110) and (111) planes of d-AHT
- 11.6 Hardness numbers (Vickers in two 226 normal directions) on (010), (110) and (111) planes of d-AHT
- 11.7 Variation of hardness number(average) 229 in HLR on a d-AHT cleavage plane with quenching temperature
- 11.8 Percentage deviations of the constant 231 c (= $\frac{\pi}{P_Q}^k$) from its mean value for different quenching temperature
- 11.9 Variation of vickers hardness number 232 (H_v) along different directions on a d-AHT cleavage plane with quenching temperatures (T_Q)

11.10	Comparison of values of vickers and	232
	knoop hardness numbers on different	·
	d-AHT planes at room temperature	

- 12.1 Zero-sum method : Plots of log p vs. 238 log d for room temperature for vickers indentation
- 12.2 Zero-sum method : Plots of log p vs. 238 log d for room temperature for vickers (average length of diagonals) and knoop indentations
- 12.3 Statistical estimation : Plots of 239 log p vs. log d for room temperature for vickers indentations
- 12.4 Statistical estimation : Plots of 239 log p vs. log d for room temperature for vickers (average length of diagonals) and knoop indentations
- 12.5 Zero-sum method : Plots of log p 240 vs. log d for different quenching temperatures for vickers indentation
- 12.6 Statistical estimation : Plots of 240 log p vs. log d for different quenching temperatures for vickers indentation

- 12.7 Zero-sum method : Plots of log p 240 vs. log d for different quenching temperatures for vickers (average length of two diagonals) and knoop indentations.
- 12.8 Statistical estimation : Plots of 240 log p vs. log d for different quenching temperatures for vickers (average length of two diagonals) and knoop indentations
- 12.9 Calculated and observed slopes of 240 straight line plots log HT_{Ω} vs. log T_{Ω}