

## INDEX

<b>ACKNOWLEDGEMENT</b>	<b>I</b>
<b>EXECUTIVE SUMMARY</b>	<b>IV</b>
<b>LIST OF TABLE</b>	<b>X</b>
<b>LIST OF FIGURE</b>	<b>XII</b>
<b>LIST OF GRAPH</b>	<b>XIII</b>
<b>LIST OF PIE CHART</b>	<b>XV</b>
<b>LIST OF PLATE</b>	<b>XVI</b>
<b>LIST OF IMAGE</b>	<b>XVII</b>
<b>ABBREVIATIONS</b>	<b>XIX</b>

<b>Chapter</b>	<b>Title</b>	<b>Page</b>
<b>1</b>	<b>INTRODUCTION</b>	<b>1-26</b>
	1.1 FLOOD	5
	1.2 FLOOD HAZARD MAPPING	6
	1.3 TAPI RIVER BASIN	6
	1.3.1 TAPI RIVER	6
	1.3.2 BASIN PHYSIOGRAPHY	8
	1.3.3 RIVER SYSTEM	8
	1.3.4 IMPORTANT TRIBUTORIES	9
	1.3.5 RAINFALL	11
	1.4 THE UKAI MULTIPURPOSE PROJECT	11
	1.4.1 SALIENT FEATURES OF UKAI DAM	12
	1.4.2 UKAI DAM RESERVOIR	16
	1.4.3 DAM AND SPILLWAY	16
	1.4.4 POWER FACILITIES	16
	1.4.5 PROJECT BENEFITS	17

Chapter	Title	Page
1.5	FLOOD SITUATION IN SURAT CITY	17
1.6	IMPACTS OF PAST FLOOD IN SURAT CITY	19
1.6.1	DAMAGES AND LOSSES DUE TO FLOOD-AUG' 2006	19
1.6.1.1	DAMAGES ON FLOOD EMBANKMENT AND RETAINING WALL	19
1.6.1.2	SMC LOSSES	19
1.6.1.3	OTHER LOSSES	19
1.6.1.4	ESTIMATED COST OF DAMAGES IN LACS	20
1.6.2	DISASTER MANAGEMENT OF TAPI RIVER FLOOD' 2006-SURAT	20
1.6.2.1	ORGANIZATIONS IN THE FIELD OF FLOOD MANAGEMENT	20
1.6.2.2	FLOOD AREAS OF OPERATION AT SURAT DURING FLOOD 2006	20
1.6.3	RELIEF AND RESCUE	20
1.6.3.1	DOCUMENTATION	20
1.6.3.2	ENVIRONMENT ENGINEERING WORKS AND RESTORATION SERVICES	21
1.6.3.3	EARTH MOVING EQUIPMENT DEPLOYED	21
1.6.3.4	FLOOD PROTECTION WORKS	21
1.7	CAUSES OF TAPI RIVER FLOOD – 2006	21
1.8	RESEARCH STUDY AREA AND OBJECTIVES	22
1.8.1	UKAI DAM	22
1.8.2	SURAT CITY	22
1.8.3	RESEARCH STUDY AREA	22
1.8.4	RESEARCH OBJECTIVE	24
1.9	NECESSITY OF PRESENT STUDY	25
1.10	METHODOLOGY	25
<b>2</b>	<b>LITERATURE REVIEW</b>	<b>27-40</b>
2.1	REVIEWS FOR RESEARCH PAPER AT INTERNATIONAL LEVEL	27
2.2	REVIEWS FOR RESEARCH PAPER AT NATIONAL LEVEL	32

Chapter	Title	Page
	GUJARAT	
2.4	REVIEW FOR FLOOD PROTECTION WORKS PROPOSED BY SURAT IRRIGATION CIRCLE	37
2.5	LITERATURE REVIEW SUMMARY	38
2.6	DRAWBACKS, DISADVANTAGES AND LIMITATIONS OF EXISTING MODELS AND POLICIES	39
2.6.1	DRAWBACKS AND LIMITATIONS OF EXISTING DISTORTED PHYSICAL DISTORTED MODEL AT GERI, GOTRI, AND VADODARA	39
2.6.2	DISADVANTAGES AND LIMITATIONS OF CHARIMA MATHEMATICAL MODEL AT CWPRS AT KHADAKWASLA, PUNE	40
<b>3</b>	<b>DATA COLLECTION AND INTERPRETATION</b>	<b>41-92</b>
3.1	TOPOGRAPHIC DATA	44
3.2	HYDROLOGIC DATA	47
3.3	HYDRAULIC DATA	49
3.4	SEDIMENT DATA	52
3.5	VALIDATION OF DATA	53
3.6	REMOTE SENSING CARTOSAT-1 IMAGE DATA	56
3.7	DISTORTED PHYSICAL MODEL DATA	56
3.7.1	TOPOGRAPHICAL DATA	56
3.7.2	MODEL SCALE AND FEATURES	59
3.7.3	SIZE OF MODEL	59
3.7.4	MODEL APPLICATION	60
3.8	GATE RESERVOIR OPERATION REGISTER DATA	60
3.9	DEFORESTATION AND HISTORICAL CHANGE DATA	61
3.10	EXISTING RESERVOIR OPERATION DATA	65
3.11	TIDAL WAVE DATA	69
3.12	DATA INTERPRETATION	72

Chapter	Title	Page
<b>4</b>	<b>MODELLING OF WATER SURFACE PROFILE USING ARIIMA MODEL AND CRITICAL ANALYSIS OF SHORT TERM AND LONG TERM MEASURES TO MITIGATE TAPI RIVER FLOOD</b>	<b>93-128</b>
4.1	ARIMA - 1D MATHEMATICAL MODEL	93
4.1.1	INPUT DATA REQUIREMENTS	95
4.1.2	SOLUTION OF WATER FLOW EQUATIONS	95
4.1.3	MODEL ASSUMPTIONS	96
4.1.4	MODEL EQUATIONS	96
4.2	FLOW CHART FOR MODEL PROGRAMMING	103
4.2.1	METHODOLOGY	103
4.3	TAPI RIVER WATER SURFACE PROFILE AT DIFFERENT LOCATION OF SURAT CITY	104
4.4	VALIDATION OF MATHEMATICAL MODEL BY COMPARING OBSERVED FLOOD WATER LEVELS	111
4.4.1	MATHEMATICAL MODEL STUDIES	111
4.4.2	SIMULATION OF SEPTEMBER 1998 FLOOD	111
4.4.3	FLOOD LEVEL PREDICTIONS FOR 28315 M <sup>3</sup> /S (10 LAC CUSECS) DISCHARGE (WITHOUT FLOOD EMBANKMENT DOWNSTREAM OF NEHRU BRIDGE)	112
4.4.4	NEED OF FLOOD PROTECTIONS WORKS ALONG RIGHT BANK FROM BHATA TO MAGDALLA BRIDGE AND FURTHER DOWNSTREAM UP TO KRIBHCO / L & T JETTY	112
4.4.5	FLOOD LEVEL PREDICTIONS FOR 28315 M <sup>3</sup> /S (10 LAC CUSECS) WITH FLOOD EMBANKMENTS FROM NEHRU BRIDGE TO HAZIRA AND NEHRU BRIDGE TO MAGDALLA BRIDGE	113
4.4.6	VALIDATION OF MODEL ROUGHNESS AND WATER SURFACE	114
4.4.6.1	ROUGHNESS AND WATER SURFACE WIDTHS IN MODEL	114
4.5	SIMULATIONS OF SEPTEMBER 1998 FLOOD WITH TIDEL WAVE EFFECT	122



Chapter	Title	Page
4.5.1	STUDIES WITH 28315 M <sup>3</sup> /S (10 LAC CFS) DISCHARGE WITH SEPTEMBER 1998 TIDAL LEVELS	122
4.6	DISCUSSIONS	123
4.6.1	Tapi Floods of 1994 and 1998 at Surat	123
4.6.2	IMMEDIATE MEASURES	123
4.6.2.1	EFFECTIVE OPERATION UKAI RESERVOIR	123
4.6.2.2	REVIEW OF UKAI RESERVOIR OPERATION POLICY	124
4.6.2.3	DETAILED STUDIES ON UKAI RESERVOIR OPERATION	124
4.6.2.4	DEVELOPMENT OF A MATHEMATICAL MODEL OF ENTIRE TAPI RIVER CHANNEL NETWORK U/S OF UKAI	125
4.6.3	LONG TERM MEASURES	127
4.6.3.1	DIVERTING PART OF TAPI FLOOD TO ADJOINING CREEKS ON NORTH	127
4.6.3.2	PROVISION OF FLOOD EMBANKMENT FORM NEHRU BRIDGE TO MAGDALLA BRIDGE ON BOTH BANKS	128
<b>5</b>	<b>STUDY OF EARLY FLOOD WARNING SYSTEM IN THE TAPI RIVER BASIN</b>	<b>129-156</b>
5.1	FLOOD WARNING	129
5.1.1	HATHNUR DAM LOCATED U/S FROM UKAI DAM	130
5.1.2	UKAI DAM	131
5.1.3	SURAT	131
5.1.4	IMPROVEMENTS CONTEMPLATED	132
5.1.5	ORIGIN TO DEDTALAI	132
5.1.6	GIDHADE TO UKAI	133
5.1.7	FLOOD ROUTING STUDIES	133
5.1.7.1	METHOD OF FLOOD ROUTING	133
5.2	PREPARATION OF RIVER CROSS SECTION WITH RESPECT TO CARING CAPACITY WHILE RIVER FLOW THROUGH SURAT CITY	145
5.3	DETERMINATION OF PEAK FLOOD FREQUENCY PROBABILITY BY CALIFORNIA METHOD	149

Chapter	Title	Page
<b>6</b>	<b>METHODOLOGIES AND ANALYSIS</b>	<b>157-209</b>
6.1	DEVELOPMENT OF SIMULATION MODEL	157
6.1.1	METHODOLOGY FOR SIMULATION MODEL	157
6.1.2	CONSTRAINTS FOR SIMULATION	158
6.1.3	SPECIMEN CALCULATION	160
6.2	REAL TIME MICROSOFT EXCEL PROGRAM FOR DIFFERENT FLOOD SITUATIONS (FOR RELEASE DECISION)	177
6.2.1	FORECAST BASED RESERVOIR OPERATION (FBRO)	177
6.2.2	METHODOLOGY FOR FBRO	177
6.3	ANALYSIS OF TAPI RIVER: FLOOD RISK ASSESSMENT FOR SURAT CITY BY USING GIS	180
6.3.1	METHODOLOGY	180
6.3.2	SOFTWARE USED OPEN SOURCE	181
6.3.3	DATA PROCESSING	181
6.3.4	AUTO GENERATION OF CONTOUR	181
6.4	ANALYSIS FOR SIMULATION MODEL	184
6.5	ANALYSIS FOR FBRO	188
6.6	ANALYSIS OF FLOOD RISK MAP BY USING GIS	188
6.6.1	DIGITAL ELEVATION MODEL (DEM) GENERATION	188
6.6.2	TRIANGULATED IRREGULAR NETWORK (TIN)	190
6.6.3	CONTOUR GENERATION	191
6.6.4	SLOPE	191
6.6.5	ASPECT MAP	192
6.6.6	HYDROLOGICAL FEATURE EXTENTION	193
6.6.7	FLOOD RISK ASSESSMENT	194
6.6.8	IMPACT ON HIGH DENSITY AREAS	197
6.6.9	IMPACT ON KATARGAM	198
6.6.10	IMPACT ON ADAJAN	199
6.6.11	IMPACT ON HAZIRA	200
6.6.12	IMPACT ON URBAN DEVELOPMENT	201

Chapter	Title	Page
	6.6.13 DEVELOPMENT OF RIVER FRONT	203
	6.6.14 FLOOD RISK ASSESSMENT: A METHODOLOGICAL FRAMEWORK	204
	6.6.15 DISCUSSION	205
	6.6.16 WITHOUT EMBANKMENT	205
	6.6.17 WITH EMBANKMENT	205
	6.6.18 VALIDATION OF FLOOD HAZARD MAPPING USING RS AND GIS	207
<b>7</b>	<b>PROBABLE SOLUTIONS FOR MINIMIZATION OF IMPACTS OF TAPI RIVER FLOOD</b>	<b>210-225</b>
	7.1 SOLUTIONS TO MINIMIZE TAPI RIVER FLOOD IMPACTS	210
	7.1.1 ARIMA 1 – D MATHEMATICAL MODEL	210
	7.1.2 GRAPHICAL TECHNIQUES	210
	7.1.3 REVISED RULE LEVEL FOR UKAI DAM RESERVOIR GATE OPERATION	211
	7.1.3.1 IMPORTANCE OF RELEASE DECISION	211
	7.1.3.2 SUGGESTED REVISED OPERATION POLICY	212
	7.1.3.3 APPLICATION OF OPTIMIZATION TECHNIQUES	212
	7.1.4 FORECAST BASE RESERVOIR OPERATION FOR REAL TIME	212
	7.1.4.1 TAPI RIVER CARRYING CAPACITY (YEAR 2006)	212
	7.1.4.2 TAPI RIVER RISK MAP FOR SURAT CITY	213
	7.1.5 SILTING CONTROL IN RESERVOIRS	213
	7.1.5.1 PRE-CONSTRUCTING MEASURE	213
	7.1.5.2 POST-CONSTRUCTION MEASURES	214
	7.1.6 DEVELOPING A FLOOD PLAIN MANAGEMENT PROGRAM	215
	7.1.7 HYDROGRAPHIC SURVEY OF TAPI RIVER REACH FROM KATHOR TO HAZIRA	216
	7.1.8 FLOOD FORECASTING AND WARNING SYSTEM	218
	7.1.9 PROPOSE STRUCTURAL MEASURE	219
	7.1.10 APPROACHES FOR FLOOD PROTECTION MEASURE (FPM): NON-STRUCTURAL	220
	7.1.11 PAR – TAPI – NARMADA LINK	220
	7.1.13 PUBLIC AWARENESS	221

Chapter	Title	Page
7.2	BEST SOLUTIONS	221
7.3	FEASIBILITY OF BEST SOLUTIONS	222
7.3.1	FEASIBILITY OF ARIMA 1 – D MODEL	222
7.3.2	FEASIBILITY OF GRAPHICAL TECHNIQUES	222
7.3.3	FEASIBILITY OF RULE LEVEL FOR MONTHLY BASE WITHDRAWAL FOR RESERVOIR OPERATION	222
7.3.4	FEASIBILITY OF FORECAST BASE RESERVOIR OPERATION FOR REAL TIME	222
7.3.5	FEASIBILITY OF TAPI RIVER CARRYING CAPACITY AND FLOOD RISK MAP FOR SURAT CITY	223
7.3.6	FEASIBILITY OF PAR – TAPI – NARMADA LINK	223
7.4	OPTIMAL SOLUTIONS	224
7.5	REASONS FOR OPTIMAL SOLUTIONS	224
7.6	LIMITATIONS	224
7.6.1	LIMITATION OF ARIMA 1 – D MATHEMATICAL MODEL	224
7.6.2	LIMITATION OF GRAPHICAL TECHNIQUE	224
7.6.3	LIMITATION OF FBRO	225
7.6.4	LIMITATION OF RULE LEVEL FOR MONTHLY BASE WITHDRAWAL	225
7.6.5	LIMITATIONS OF FLOOD RISK MAP	225
<b>8</b>	<b>RESULTS, CONCLUSIONS AND RECOMMENDATIONS</b>	<b>226-253</b>
8.1	RESULTS OF ARIMA MATHEMATICAL MODEL	226
8.2	RESULTS OF GRAPHICAL TECHNIQUES	227
8.2.1	GIDHARE RAIN GAUGE TO UKAI DAM	227
8.2.2	FLOOD ROUTING STUDIES	227
8.2.3.	TAPI RIVER CARRYING CAPACITY	233
8.2.4	PROBABILITY ANALYSIS FOR FLOOD FORECASTING	234
8.3	RESULTS OF REVISED RULE LEVEL UKAI RESERVOIR GATE OPERATION	234
8.4	RESULT OF EXCEL PROGRAM FOR FBRO	236



Chapter	Title	Page
8.5	RESULT OF FLOOD RISK AND FLOOD HAZARD MAP FOR WHOLE SURAT CITY	237
8.6	CONCLUDING REMARKS OF ARIMA MATHEMATICAL MODEL STUDY	240
8.7	CONCLUSION FROM GRAPHICAL TECHNIQUES	244
8.8	CONCLUSION OF REVISED UKAI RESERVOIR OPERATION	244
8.9	CONCLUSION OF EXCEL PROGRAM FOR FBRO	244
8.10	CONCLUSION OF FLOOD RISK AND FLOOD HAZARD MAP	245
8.11	RECOMMENDATIONS	247
8.11.1	ARIMA MATHEMATICAL MODEL	247
8.11.1.1	IMMEDIATE MEASURES	247
8.11.1.2	SUGGESTED LONG TERM MEASURES TO BE TAKEN	248
8.11.1.3	REMEDIAL MEASURE	249
8.11.2	RECOMMENDATION FROM GRAPHICAL TECHNIQUES	252
8.11.2.1	TAPI RIVER CARRYING CAPACITY	252
8.11.2.2	PEAK FLOOD PROBABILITY	252
8.11.3	REVISED RESERVOIR OPERATION	252
8.11.4	FLOOD RISK MAP AND FLOOD HAZARD MAP	252
	<b>RESEARCH CONTRIBUTION</b>	<b>254</b>
	<b>USEFULNESS OF RESEARCH</b>	<b>255</b>
	<b>SCOPE OF FURTHER STUDY</b>	<b>255</b>
	<b>REFERENCES</b>	<b>256-259</b>
	<b>ABOUT THE AUTHOR</b>	<b>260</b>