	CONTENTS							
NO.		CHAPTER TITLE						
1.	INTR	01						
2.	LITEF AUST	06						
	2.1	Passivity	06					
		2 1.1 Mechanism	07					
		2.1.2 Theory	09					
		2.1.3 Factors Affecting	10					
	2.2	The Stainess Steel	16					
		2 2.1 Types of Stainess Steel	17					
		2.2.2 Families of ASS	20					
		2.2 3 Types of ASS	24					
		2.2.4 Role of Alloying Elements	27					
		2 2.5 Applications	32					
		Reference	32					
3.		RATURE SURVEY IIUM AND TI-5Ta ALLOY	35					
	31	Titanium	35					
	3.2	Corrosior Characteristics	37					
		3.2.1 Outstanding Corrosion Characteristics	37					
		322 Types of Titanium Alloys	48					
	3.3	Effect of Alloying Elements	52					
		3.3.1 Alloying Elements and Corrosion of Titanium	55					
	3.4	Passivity	55					
	3.5	Technique for Enhancing Corrosion Resistance	57					
	3.6	Ti-5%Ta Alloy	59					
	3.7	Applications	61					
		۶, ۱						
4		LXPERIMENTAL PROCEDURE						
	4.1	Metallic Materials	64					
	4.2	Environment	64					

NO.			CHAPTER TITLE	PAGE NO.
	4.3	Specimen Preparation		
	4.4	Test P	erformed	65
		4.4.1	Potentiodynamic Method	65
		4.4.2	Procedure	65
	4.5	A.CI	mpedance Measurements '	71
	46	Electro	ochemical Impedance Spectroscopy	73
		4 6.1	A. C. Circuit Theory	74
		4.6.2	Impedance	75
		4.6.3	Formates	77
			Nyanist Plots	
			Formates	
			Single Sine	
			Multi Sine	
			EIS Models	
5.	RESULTS AND DISCUSSIONS PASSIVITY BEHAVIOUR OF AUSTENITIC STAINLESS STEEL			
	5.1	Behavi	our of SS 304 and SS 316 in HCI Solutions	87 87
		5.1.1	Passivity Behaviour of SS 304 in HCI Solutions	87
		5.1.2		89
		5.1.3	Comparision of SS 304 and SS 316 exposed to HCL Solutions	91
	5.2	Behaviour of SS 304 and SS 316 in Sulfuric Acid Solutions		
		5.2.1	Passivity Behaviour of SS 304 in H <sub>2</sub> SO <sub>4</sub> solutions	99
		5.2.2	Passivity Behaviour of SS 316 in H <sub>2</sub> SO <sub>4</sub> solutions	101
		5 2.3	Comparision of SS 304 and SS 316 in H <sub>2</sub> SO <sub>4</sub> solutions	s 101
	53	104		
		5.3.1	Passivity Behaviour of SS 304 in Lab. Gr. and Comm Gr. Phosphoric Acids	107
		5.3.2	Passivity Behaviour of SS 316 in Lab Gr and Comm. Gr. Phosphoric Acids	109
		5.3.3	Comparision of SS 304 and SS 316 in Lab Gr and Comm. Gr. Phosphoric Acids	111
			Reference	116

6.       RESULTS AND DISCUSSIONS PASSIVITY BEHAVIOUR       119         6.1       Behaviour of Ti and Ti-STa in HCI Solutions       119         6.1.1       Passivity Behaviour of Ti in HCI Solutions       119         6.1.2       Passivity Behaviour of Ti and Ti-STa Alloy in HCI Solutions       122         6.1.3       Compansion of Ti and Ti-STa Alloy in HCI Solutions       124         6.2       Behaviour of Ti and Ti-STa in H <sub>2</sub> SQ, Solutions       129         6.2.1       Passivity Behaviour of Ti and Ti-STa in H <sub>2</sub> SQ, Solutions       129         6.2.2       Passivity Behaviour of Ti and Ti-STa Alloy in HCI Solutions       129         6.2.1       Passivity Behaviour of Ti and Ti-STa Alloy in H <sub>2</sub> SQ, Solutions       131         6.2.2       Passivity Behaviour of Ti and Ti-STa Alloy in Lab. Gr. and       136         6.3       Behaviour of Ti and Ti-STa Alloy in Lab. Gr. and       136         6.3.1       Passivity Behaviour of Ti-Ta Alloy in       142         6.3.2       Passivity Behaviour of Ti-Ta Alloy in       142         6.3.3       Comparision of Ti and Ti-STa Alloy in       144         Reference       148       142         7.       CRTO F SURFACE THEATMENT ON QUALITY OF PASSIVE       152         7.1       Result and Discussions       153 <td< th=""><th>NO.</th><th></th><th>PAGE NO.</th></td<>	NO.		PAGE NO.			
6.1.1       Passivity Behaviour of Ti in HCl Solutions       119         6.1.2       Passivity Behaviour of Ti-5Ta Alloy in HCl Solutions       122         6.1.3       Comparision of Ti and Ti-5Ta Alloy in HCl Solutions       124         6.2       Behaviour of Ti and Ti-5Ta in H <sub>2</sub> SO <sub>4</sub> Solutions       129         6.2.1       Passivity Behaviour of Ti n H <sub>2</sub> SO <sub>4</sub> Solutions       129         6.2.2       Passivity Behaviour of Ti-5Ta in H <sub>2</sub> SO <sub>4</sub> Solutions       131         6.2.3       Comparision of Titanium and Ti-5Ta Alloy in H <sub>2</sub> SO <sub>4</sub> Solutions       134         6.3       Behaviour of Ti and Ti-5Ta Alloy in Lab. Gr. and Comm. Gr. Phosphoric Acids       136         6.3.1       Passivity Behaviour of Ti and Ti-5Ta Alloy in Phosphoric Acids       139         6.3.2       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Ti-5Ta Alloy       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAI	6.		119			
6.1 2       Passivity Behaviour of Ti-5Ta Alloy in HCl Solutions       122         6.1.3       Compansion of Ti and Ti-5Ta Alloy in HCl Solutions       124         6.2       Behaviour of Ti and Ti-5Ta in H <sub>2</sub> SO <sub>4</sub> Solutions       129         6.2.1       Passivity Behaviour of Ti in H <sub>2</sub> SO <sub>4</sub> Solutions       129         6.2.2       Passivity Behaviour of Ti-5Ta in H <sub>2</sub> SO <sub>4</sub> Solutions       131         6.2.3       Comparision of Titanum and Ti-5Ta Alloy in H <sub>2</sub> SO <sub>4</sub> Solutions       134         6.3       Behavlour of Titanium and Ti-5Ta Alloy in Lab. Gr. and Comm. Gr. Phosphoric Acids       136         6.3.1       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       139         6.3.2       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165 <td></td> <td>6.1</td> <td>Behavio</td> <td>119</td>		6.1	Behavio	119		
6.1.3       Comparision of Ti and Ti-5Ta Alloy in HCI Solutions       124         6.2       Behaviour of Ti and Ti-5Ta in H <sub>2</sub> SO <sub>4</sub> Solutions       129         6.2.1       Passivity Behaviour of Ti in H <sub>2</sub> SO <sub>4</sub> Solutions       129         6.2.2       Passivity Behaviour of Ti in H <sub>2</sub> SO <sub>4</sub> Solutions       131         6.2.3       Comparision of Titanium and Ti-5Ta Alloy in H <sub>2</sub> SO <sub>4</sub> Solutions       134         6.3       Behaviour of Titanium and Ti-5Ta Alloy in H <sub>2</sub> SO <sub>4</sub> Solutions       136         6.3.1       Passivity Behaviour of Ti in Phosphoric Acids       139         6.3.1       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.1       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Ti-5Ta Alloy       157         7.4       Surface Treated Ti-5Ta Alloy       162         7.4       Surface Treated Ti-5Ta Alloy       162         7.4 <td></td> <td></td> <td>6.1.1</td> <td>Passivity Behaviour of Ti in HCI Solutions</td> <td>119</td>			6.1.1	Passivity Behaviour of Ti in HCI Solutions	119	
6.2       Behaviour of Ti and Ti-5Ta in H <sub>2</sub> SQ, Solutions       129         6.2.1       Passivity Behaviour of Ti in H <sub>2</sub> SQ, Solutions       129         6.2.2       Passivity Behaviour of Ti-5Ta in H <sub>2</sub> SQ, Solutions       131         6.2.3       Comparision of Titanium and Ti-5Ta Alloy in H <sub>2</sub> SQ, Solutions       134         6.3       Behaviour of Titanium and Ti-5Ta Alloy in Lab. Gr. and Comm. Gr. Phosphoric Acids       136         6.3.1       Passivity Behaviour of Ti in Phosphoric Acids       139         6.3.2       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       165         7.3       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         8.1       Passivity Behaviour of SS			6.1 2	Passivity Behaviour of Ti-5Ta Alloy in HCI Solutions	122	
6.2.1       Passivity Behaviour of Ti n H <sub>2</sub> SO <sub>4</sub> Solutions       129         6.2.2       Passivity Behaviour of Ti-5Ta in H <sub>2</sub> SO <sub>4</sub> Solutions       131         6.2.3       Comparision of Titanium and Ti-5Ta Alloy in H <sub>2</sub> SO <sub>4</sub> Solutions       134         6.3       Behaviour of Titanium and Ti-5Ta Alloy in Lab. Gr. and Comm. Gr. Phosphoric Acids       136         6.3.1       Passivity Behaviour of Ti in Phosphoric Acids       139         6.3.2       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       167         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8			6.1.3	Comparision of Ti and Ti-5Ta Alloy in HCI Solutions	124	
6.2.2       Passivity Behaviour of Ti-5Ta in H <sub>2</sub> SO <sub>4</sub> Solutions       131         6.2.3       Comparision of Titanium and Ti-5Ta Alloy in H <sub>2</sub> SO <sub>4</sub> Solutions       134         6.3       Behaviour of Titanium and Ti-5Ta Alloy in Lab. Gr. and Comm. Gr. Phosphoric Acids       136         6.3.1       Passivity Behaviour of Ti in Phosphoric Acids       139         6.3.2       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       167         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REFUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfunc acid in presence of 2% Mo' and 5% Ta respe		6.2	Behavio	129		
6.2.3       Comparision of Titanium and Ti-5Ta Alloy in       134         6.3       Behavlour of Titanium and Ti-5Ta Alloy in Lab. Gr. and       136         6.3       Behavlour of Titanium and Ti-5Ta Alloy in Lab. Gr. and       136         6.3.1       Passivity Behavlour of Ti in Phosphoric Acids       139         6.3.2       Passivity Behavlour of Ti-Ta Alloy in       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Titanium       162         7.4       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       167         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid       174         8.1       Passivity Behaviour of SS 304 and Titanium exposed to Suffurne acid in presence of 2% Mo' and 5% Ta respectively       174         8.3       Passivity Behaviour of SS 304 andf Titanium exposed to pu			6.2.1	Passivity Behaviour of Ti in H <sub>2</sub> SO <sub>4</sub> Solutions	129	
H <sub>2</sub> SO <sub>4</sub> Solutions       134         6.3       Behaviour of Titanium and Ti-5Ta Alloy in Lab. Gr. and Comm. Gr. Phosphoric Acids       136         6.3.1       Passivity Behaviour of Ti in Phosphoric Acids       139         6.3.2       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SUBFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfuric acid in presence of 2% Mo' and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 and Titanium exposed to pure and impure phosphoric ac			6.2.2	Passivity Behaviour of TI-5Ta in H <sub>2</sub> SO <sub>4</sub> Solutions	131	
Comm. Gr. Phosphoric Acids       136         6.3.1       Passivity Behaviour of Ti in Phosphoric Acids       139         6.3.2       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Titanium       162         7.4       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfunc acid in presence of 2% Mo' and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 and f Titanium exposed to pure and impure phosphoric acids in presen			6.2.3		134	
6.3.2       Passivity Behaviour of Ti-Ta Alloy in Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Titanium       162         7.4       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfunc acid in presence of 2% Mo' and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 and Titanium exposed to put and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively       180		6.3	Behavio Comm.	136		
Phosphoric Acids       142         6.3.3       Comparision of Ti and Ti-5Ta Alloy in Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Titanium       162         7.4       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Suffuric acid in presence of 2% Mo'and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively       180			6.3.1	Passivity Behaviour of Ti in Phosphoric Acids	139	
Phosphoric Acids       144         Reference       148         7.       EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Titanium       162         7.4       Surface Treated Ti-5Ta Alloy       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfunc acid in presence of 2% Mo'and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively       180			6.3.2		142	
<ul> <li>7. EFFECT OF SURFACE TREATMENT ON QUALITY OF PASSIVE OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY</li> <li>7.1 Result and Discussions</li> <li>7.2 Untreated Ti and Ti-5Ta Alloy</li> <li>7.3 Surface Treated Titanium</li> <li>7.4 Surface Treated Ti-5Ta Alloy</li> <li>7.5 Not and the treated Ti-5Ta Alloy</li> <li>7.6 Surface Treated Ti-5Ta Alloy</li> <li>7.7 Natria Surface Treated Ti-5Ta Alloy</li> <li>7.8 ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS</li> <li>8 ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS</li> <li>8 STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT</li> <li>8.1 Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively</li> <li>8.2 Passivity Behaviour of SS 304 and Titanium exposed to Sulfuric acid in presence of 2% Mo'and 5% Ta respectively</li> <li>8.3 Passivity Behaviour of SS 304 and Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively</li> </ul>			6.3.3	Comparision of T1 and Ti-5Ta Alloy in Phosphoric Acids	144	
OXIDE OF TITANIUM AND TITANIUM - 5% TANTALUM ALLOY       152         7.1       Result and Discussions       153         7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Titanium       162         7.4       Surface Treated Titanium       165         7.4       Surface Treated Ti-5Ta Alloy       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS       167         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfure acid in presence of 2% Mo' and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 and Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively       180				Reference	148	
7.2       Untreated Ti and Ti-5Ta Alloy       157         7.3       Surface Treated Titanium       162         7.4       Surface Treated Ti-5Ta Alloy       165         7.4       Surface Treated Ti-5Ta Alloy       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS       167         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfunc acid in presence of 2% Mo' and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 and Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively       180	7.	effec Oxide	152			
7.3       Surface Treated Titanium       162         7.4       Surface Treated Ti-5Ta Alloy Refrence       165         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfuric acid in presence of 2% Mo' and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively       180		7.1	Result	153		
7.4       Surface Treated Ti-5Ta Alloy Refrence       165 167         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfuric acid in presence of 2% Mo' and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively       180		7.2	Untreated Ti and Ti-5Ta Alloy		157	
Refrence       167         8       ANOLOGY BETWEEN PASSIVITY BEHAVIOUR OF STAINLESS STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT       173         8.1       Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively       174         8.2       Passivity Behaviour of SS 304 and Titanium exposed to Sulfuric acid in presence of 2% Mo' and 5% Ta respectively       177         8.3       Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively       180		7.3	.3 Surface Treated Titanium			
STEEL, TITANIUM AND TITANIUM - TANTALUM ALLOY IN REDUCING ENVIRONMENT1738.1Passivity Behaviour of SS 304 and Titanium in HCI Acid in presence of 2% Mo and 5% Ta respectively1748.2Passivity Behaviour of SS 304 and Titanium exposed to Sulfuric acid in presence of 2% Mo' and 5% Ta respectively1778.3Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively180		7.4				
In presence of 2% Mo and 5% Ta respectively1748.2Passivity Behaviour of SS 304 and Titanium exposed to Sulfuric acid in presence of 2% Mo'and 5% Ta respectively1778.3Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively180	8	STEEL	173			
<ul> <li>8.3 Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively</li> <li>177</li> <li>8.3 Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively</li> <li>180</li> </ul>		8.1	y contained of de de namenium in hor Aciu		174	
8.3 Passivity Behaviour of SS 304 andf Titanium exposed to pure and impure phosphoric acids in presence of 2% Mo and 5% Ta respectively 180				177		
		8.3	Passivity and imp	y Behaviour of SS 304 andf Titanium exposed to pure pure phosphoric acids in presence of 2% Mo and		
184						
Appendices 185						