

LIST OF TABLES

	CHAPTER 2	Page No.
Table 2.1	Coding used for different aqueous extract treatments for all the medicinal plants	56
Table 2.2	Allelopathic medicinal plant and its selected potent plant part	59
Table 2.3	Coding used for Harborne's fraction treatment	62
Table 2.4	Coding used for biochemical and physiological analysis in <i>Chloris</i>	66
Table 2.5	Coding used ethanolic leaf treatments against <i>Chloris</i>	78
Table 2.6	Coding used for artemisinin treatments against <i>Chloris</i>	78
Table 2.7	Coding used for the soil bioassay for <i>Artemisia annua</i> L. treatments	81
Table 2.8	Coding used for the soil bioassay for <i>Enicostemma littorale</i> Blume treatments	83
Table 2.9	Rhizosphere analysis sampling	86
	CHAPTER 3	
Table 3.1	Effect of different medicinal plants aqueous plant extracts on Lipid peroxidation (MDA $\mu\text{M}/\text{g}^{-1}$ FW) in Radish seedlings	
Table 3.2	The Rf values of compounds separated by TLC analysis of Terpenoids	139
Table 3.3	The Rf values of compounds separated by TLC analysis of Terpenoids	139
Table 3.4	The Rf values of compounds separated by TLC analysis of Alkaloids	139
Table 3.5	Phenolic metabolites observed in the HPLC chromatograms	145
Table 3.6	Terpenoid metabolites observed in the HPLC chromatograms	145
Table 3.7	Alkaloid metabolites observed in the HPLC chromatograms	145
Table 3.8	Effect of Harborne's fraction treatment on MDA level in <i>Chloris</i> seedling	146
Table 3.9	Effect of Harborne's fraction treatments on Catalase and Peroxidase activities in <i>Chloris</i> seedling	148
Table 3.10	RNA yield and quality in the samples isolated from <i>Chloris</i>	151

seedlings treated with Harborne's fraction from *Enicostemma littorale* (Blume) and *Artemisia annua* L.

Table 3.11 Retention time of the metabolites separated in HPLC analysis of 173
Asparagus racemosus Willd. rhizosphere

Table 3.12 Retention time of the metabolites separated in HPLC analysis of 178
Chlorophytum borivillianum San. and Fern. rhizosphere

LIST OF FIGURES

	CHAPTER 1	Page No.
Figure 1.1	The impact of ecosystem factors, biogeographic variations and co-evolutionary relationships on the production, release and activity of allelochemicals along spatial and temporal scales	11
Figure 1.2	Possible pathways for release of allelochemicals into the environment	20
Figure 1.3	Various mechanism of allelochemical action	27
	CHAPTER 2	
Figure 2.1	Chemical fractionation of the methanolic plant extract	61
Figure 2.2	Set up depicting allelopathic treatment imparted to onion bulb	77
Figure 2.3	Experimental setup for soil bioassay	82
Figure 2.4	The schematic diagram showing placement of PDMS probes in soil	83
Figure 2.5	Pots without PDMS probes for rhizosphere analysis	84
Figure 2.6	Pots with inserted PDMS probes for rhizosphere analysis	84
Figure 2.7	PDMS Probes	85
	CHAPTER 3	
Figure 3.1	Effect of leaf, stem and root aqueous extracts of <i>Acalypha indica</i> L. on germination and growth parameters of Radish	92
Figure 3.2	Effect of leaf, stem and root aqueous extracts of <i>Adhatoda vasica</i> (L.) Nees on germination and growth parameters of Radish	93
Figure 3.3	Effect of leaf, stem and root aqueous extracts of <i>Aerva lanata</i> (Linn.) Juss. ex Schult on germination and growth parameters of Radish	94
Figure 3.4	Effect of leaf, stem and root aqueous extracts of <i>Andrographis paniculata</i> (Burm.f.) Nees on germination and growth parameters of Radish	96
Figure 3.5	Effect of leaf, stem and root aqueous extracts of <i>Asparagus racemosus</i> Willd on germination and growth parameters of Radish	97
Figure 3.6	Effect of leaf, stem and root aqueous extracts of <i>Artemisia annua</i> L	98

	on germination and growth parameters of Radish	
Figure 3.7	Effect of leaf, stem and root aqueous extracts of <i>Boerhaavia diffusa</i> L. on germination and growth parameters of Radish	100
Figure 3.8	Effect of leaf, stem and root aqueous extracts of <i>Catharanthus roseus</i> (L.) G. Don. on germination and growth parameters of Radish	101
Figure 3.9	Effect of leaf, stem and root aqueous extracts of <i>Chlorophytum borivillianum</i> San. and Fern. on germination and growth parameters of Radish	103
Figure 3.10	Effect of leaf, stem and root aqueous extracts of <i>Coleus forskohlii</i> Briq. on germination and growth parameters of Radish	104
Figure 3.11	Effect of leaf, stem and root aqueous extracts of <i>Curculigo orchiodes</i> Gaertn. on germination and growth parameters of Radish	105
Figure 3.12	Effect of leaf, stem and root aqueous extracts of <i>Dioscorea alata</i> L. on germination and growth parameters of Radish	107
Figure 3.13	Effect of leaf, stem and root aqueous extracts of <i>Enicostemma littorale</i> (Blume) on germination and growth parameters of Radish	108
Figure 3.14	Effect of leaf, stem and root aqueous extracts of <i>Euphorbia hirta</i> L. on germination and growth parameters of Radish	110
Figure 3.15	Effect of leaf, stem and root aqueous extracts of <i>Synedrella nodiflora</i> (L.) Gaertn. on germination and growth parameters of Radish	111
Figure 3.16	Effect of leaf, stem and root aqueous extracts of <i>Solanum nigrum</i> L. on germination and growth parameters of Radish	112
Figure 3.17	Effect of leaf, stem and root aqueous extracts of <i>Tinospora cordifolia</i> (Willd.) on germination and growth parameters of Radish	114
Figure 3.18	Effect of leaf, stem and root aqueous extracts of <i>Urginea indica</i> (Roxb.) Kunth. on germination and growth parameters of Radish	115
Figure 3.19	Effect of medicinal plants aqueous extracts on membrane integrity in Radish seedling	119
Figure 3.20	Relative inhibitory effect of the medicinal plants selected for the	123

	detailed study	
Figure 3.21	Inhibitory effect imposed by Harborne's fractions of <i>Artemisia annua</i> L. leaf to the growth parameters of <i>Chloris</i>	125
Figure 3.22	Inhibitory effect imposed by Harborne's fractions of <i>Asparagus racemosus</i> root Willd. to the growth parameters of <i>Chloris</i> .	126
Figure 3.23	Inhibitory effect imposed by Harborne's fractions of <i>Chlorophytum borivillianum</i> San. and Fern root to the growth parameters of <i>Chloris</i>	129
Figure 3.24	Inhibitory effect imposed by Harborne's fractions of <i>Enicostemma littorale</i> (Blume) leaf to the growth parameters of <i>Chloris</i>	129
Figure 3.25	Inhibitory effect imposed by Harborne's fractions of <i>Solanum nigrum</i> L. leaf to the growth parameters of <i>Chloris</i>	131
Figure 3.26	Inhibitory effect imposed by Harborne's fractions of <i>Tinospora cordifolia</i> (Willd.) Miers ex Hook. F. & Thoms stem to the growth parameters of <i>Chloris</i>	132
Figure 3.27	The 2D chromatogram of Harborne's fraction A from medicinal plants	138
Figure 3.28	TLC chromatograms of terpenoid metabolites	140
Figure 3.29	TLC chromatograms of alkaloid metabolites	141
Figure 3.30	HPLC chromatograms of phenolic compounds	142
Figure 3.31	HPLC chromatograms of terpenoid compounds	143
Figure 3.32	HPLC chromatograms of alkaloid compounds	144
Figure 3.33	Effect of the Harborne's fraction treatments on Super Oxide Dismutase activity in <i>Chloris</i> seedling	147
Figure 3.34	Comparison of protein in non treated and <i>Artemisia annua</i> L. treated samples using PAGE	150
Figure 3.35	Comparison of protein in non treated and <i>Enicostemma littorale</i> (Blume) treated samples using PAGE	150
Figure 3.36	Effect of Harborne's fraction treatments from <i>Enicostemma littorale</i> (Blume) and <i>Artemisia annua</i> L. on the RNA content in <i>Chloris</i> seedling	151
Figure 3.37	Effect of Harborne's fraction from <i>Enicostemma littorale</i> (Blume) and <i>Artemisia annua</i> L. on Chlorophyll content in <i>Chloris</i>	152

Figure 3.38	Mitotic cell plates illustrating non-treated and plant extract treated onion root cells	153
Figure 3.39	Mitotic index in Onion root tip cells treated with Harborne's fraction from <i>Enicostemma littorale</i> (Blume) and <i>Artemisia annua</i> L.	156
Figure 3.40	Effect of ethanolic leaf extracts on germination speed in agar grown <i>Chloris</i>	157
Figure 3.41	Effect of ethanolic leaf extracts on total germination in <i>Chloris</i>	158
Figure 3.42	Effect of ethanolic leaf extracts on radicle length in <i>Chloris</i> seedling	158
Figure 3.43	Effect of artemisinin on seed germination and radicle length in <i>Chloris</i>	160
Figure 3.44	Absorbance of different samples at three different artemisinin specific wavelengths	161
Figure 3.45	Comparison of chromatograms for presence of artemisinin	162
Figure 3.46	Effect of <i>Artemisia annua</i> L. treatments on germination in soil grown <i>Chloris</i>	164
Figure 3.47	Effect of <i>Enicostemma littorale</i> Blume treatment on germination of soil grown <i>Chloris</i>	167
Figure 3.48	HPLC Chromatograms from rhizosphere analysis of <i>Asparagus racemosus</i> Willd.	170
Figure 3.49	HPLC Chromatograms from rhizosphere analysis of <i>Chlorophytum borivilianum</i> San. and Fern.	175