



## 6. REFERENCES

---

- Aloni R.** 1987. Differentiation of vascular tissues. *Annual Review of Plant Physiology* 38: 179-204.
- Aloni R.** 1991. Wood formation in deciduous hardwood trees. In: Raghavendra A.S. ed. *Physiology of trees*. New York: John Wiley & Sons, 1: 75-197 pp.
- Aloni R. and Zimmermann M.H.** 1983. The control of vessel size and density along the plant axis a new hypothesis. *Differentiation* 24:203-208.
- Anderson L.C.** 1962. Studies on *Petradoria* (Compositae); anatomy, cytology, and taxonomy. Ph.D. diss. Claremont College Graduate School.
- Antonova G.F. and Stasova V.V.** 1988. Formation and development of tracheids in the annual rings of *Larix sibirica* stem wood. *Bot. Zhur.* 73: 1130-1140.
- Araújo G.U.C. and Costa C.G.** 2006. Cambial variant in the stem of *Serjania corrugata* (Sapindaceae). *IAWA Journal* 27: 269-280.
- Artschwager E.** 1918. Anatomy of the potato plant, with special reference to the ontogeny of the vascular system. *J. Agric. Res.* 14: 221-252.
- Artschwager E.** 1920. On the anatomy of *Chenopodium album* L. *Amer. Jour. Bot.* 7: 252-259.
- Artschwager E.** 1924. On anatomy of the sweet potato root, with note on the internal break down. *J. Agric. Res.* 27: 157-166.
- Artschwager E.** 1926. Anatomy of the vegetative organs of the sugar beet. *J. Agri. Res.* 33: 143-176.

- Ayensu E.S. and Stern W.C.** 1964. Systematic anatomy and ontogeny of the stem in Passifloraceae. *Contrib US Natl Herb.* 34: 45-73.
- Badola H.K., Paliwal S.P. and Paliwal G.S.** 1989. Dormancy and spring activation of cambium in some Himalayan tree species, In: Second Pacific Regional Wood Anatomy Conference. October 15-21, 1989. College Laguna, Philippines. *IAWA Bull.* 10: 334.
- Bailey I.W. and Tupper W.W.** 1918. Size variations in tracheary cells. I. A comparison between the secondary xylem of vascular cryptogams, gymnosperms and angiosperms. *Proc. Amer. Acad. Arts Sci.* 54: 149-201.
- Bailey I.W.** 1962. Comparative anatomy of the leaf-bearing Cactaceae, VI. The xylem of *Pereskia sacharosa* and *Pereskia aculeata*. *J. Arnold Arbor.* 43: 376-388.
- Bailey I.W.** 1963a. Comparative anatomy of the leaf-bearing Cactaceae, VII. The xylem of *Pereskia's* from Peru and Bolivia. *J. Arnold Arbor.* 44: 127-137.
- Bailey I.W.** 1963b. Comparative anatomy of the leaf-bearing Cactaceae, VIII. The xylem of *Pereskia's* from Southern Mexico and Central America. *J. Arnold Arbor.* 44: 211-221.
- Baird W.V. and Blackwell W.H.** 1980. Secondary growth in the axis of *Halogeton glomeratus* (Bieb.) Meyer (Chenopodiaceae). *Bot. Gaz.* 141: 269-276.
- Balfour E.N.A.** 1965. Anomalous secondary thickening in Chenopodiaceae, Nyctaginaceae and Amaranthaceae. *Phytomorphology* 15: 111-122.
- Baranetzky J.** 1900. Recherches sur la faisceaux bicollatéraux. *Ann. Sci. Nat., Bot.* 12: 262-332.
- Bamber R.K. and Ter Welle B.J.H.** 1994. Adaptive trends in the wood anatomy of lianas. In: Iqbal, M. (Ed.), *Growth Pattern in Vascular Plants*. Timber Press Inc, Portland, OR.
- Barghoorn E.S.Jr.** 1941. The ontogenetic development and phylogenetic specialization of ray in the xylem of dicotyledons III. Elimination of rays. *Bull. Torrey Bot. Club* 68: 317-325.
- Basson P.W. and Bierhorst D.W.** 1967. An analysis of differential lateral growth in the stem of *Bauhinia surinamensis*. *Bull. Torrey Bot. Club* 94: 404-411.

- Beck C.B.** 2010. An introduction to plant structure and development. Plant Anatomy for the Twenty-First Century Second Edition. Cambridge University Press, New York.
- Begum S., Nakaba S., Oribe Y., Kubo T. and Funada R.** 2010. Changes in the localization and levels of starch and lipids in cambium and phloem during cambial reactivation by artificial heating of main stems of *Cryptomeria japonica* trees. *Ann. Bot.* 106(6): 885-95.
- Berlyn G.P. and Miksche. J.P.** 1976. Botanical microtechnique and cytochemistry. Ames, Iowa, The Iowa State University Press, 326 pp.
- Bonnemain J.L.** 1969. Le phloem interne et le phloem incluses Dicotyledones: leur histogenese et leur physiologie. *Rev. Gen. Bot.* 76: 5-36.
- Boureau E.** 1957. Structures libero-ligneuses anormales. In E. Boureau (ed.). Anatomie vegetale: l'appareil vegetatif des phanerogames. Presses Universitaires de France, Paris, 633-651 pp.
- Braun H.J.** 1970. Funktionelle Histologie der sekundären Sprossachse. I. Das Holz. Handbuch Pflanzenanatomie. IX. 1. Edited by W. Zimmermann. Gebr. Bornträger, Berlin, Stuttgart.
- Braun H.J.** 1983. Zur Dynamik des Wassertransportes in Bäumen. *Ber. Dtsch. Bot. Ges.* 96: 29-47.
- Braun H.J.** 1984. The significance of the accessory tissues of the hydrosystem for osmotic water shifting as the second principle of water ascent, with some thoughts concerning the evolution of trees. *International Association of Wood Anatomists Bulletin* 5: 275-294.
- Caballe G.** 1986a. Les peuplements de lianes ligneuses dans une foret du nord-est du Gabon. *Memoire du Museum national d'Histoire naturelle* 132: 19-96.
- Caballe G.** 1986b. Sur la biologie des lianes ligneuses en foret gabonaise. Ph.D. dissertation. Universite de Montpellier 2 Science et Techniques du Languedoc, Montpellier, France.
- Caballe G.** 1993. Liana structure, function and selection: a comparative study of xylem cylinders of tropical rainforest species in Africa and America. *Bot. J. Linn. Soc.* 113: 41-60.
- Caballe G.** 1998. Le port autoportant des lianes tropicales: Une synthese des strategies de croissance. *Can. jour. Bot.* 76: 1703-1716.

- Cambell E.J.F and Newbery D.M.C.** 1993. Ecological relationships between lianas and trees in lowland rainforest in Sabah, East Malaysia. *Jour. Trop. Ecol.* 9: 469-490.
- Campbell N. and Reece J.** 2008. Biology (Chapter 35 - plant structure, growth, and development) 8<sup>th</sup> edition Pearson Education, Inc., publishing as Benjamin Cummings, California USA.
- Carlquist S.** 1970. Wood anatomy of insular species of *Plantago* and the problem of raylessness. *Bull. Torrey Bot. Club* 97: 353-361.
- Carlquist S.** 1975. Ecological strategies of xylem evolution, Vol. 259. Berkeley, CA: University of California Press.
- Carlquist S.** 1981. Wood anatomy of Nepenthaceae. *Bull. Torrey Bot. Club* 108: 324-330.
- Carlquist S.** 1982. The use of ethylenediamine in softening hard plant structures for paraffin sectioning. *Stain Technology* 57: 311-317.
- Carlquist S.** 1985. Observation on functional wood histology of vines and lianas: vessel dimorphism, tracheids, narrow vessels and parenchyma. *Aliso* 11: 139-157.
- Carlquist S.** 1988. Comparative Wood Anatomy - Systematic, Ecological, and Evolutionary Aspects of Dicotyledon Wood. Springer-Verlag, Berlin, New York.
- Carlquist S.** 1991. Anatomy of vines and liana stems: A review and synthesis. In: F.E. Putz and H.A. Mooney (eds.), The biology of vines: 53-71. Cambridge Univ. Press, Cambridge.
- Carlquist S.** 1992. Wood anatomy of selected Cucurbitaceae and its relation to habit and systematics. *Nordic J. Bot.* 12: 347-355.
- Carlquist S.** 1996a. Wood, bark, and stem anatomy of Gnetales: a summary. *Int. J. Plant Sci.* 157(6 suppl.): S58-S76.
- Carlquist S.** 1996b. Wood and stem anatomy of Menispermaceae. *Aliso* 14: 155-170.
- Carlquist S.** 1999a. Wood and stem anatomy of *Stegnosperma* (Caryophyllales); phylogenetic relationship; nature of lateral meristem and successive cambial activity. *IAWA J.* 20: 149-163.

- Carlquist S.** 1999b. Wood anatomy, stem anatomy and cambial activity of *Barbeuia* (Caryophyllales). *IAWA J.* 20: 431-440.
- Carlquist S.** 2001a. Comparative wood anatomy: Systematic, ecological and evolutionary aspect of dicotyledon wood. Springer, Berlin, New York.
- Carlquist S.** 2001b. Observations on the vegetative anatomy of *Austrobaileya*: habital, organographic, and phylogenetic conclusions. *Bot. J. Linn. Soc.* 135: 1-11.
- Carlquist S.** 2002. Wood and bark anatomy of Salvadoraceae: ecology, relationships, histology of interxylary phloem. *J. Torrey Bot. Soc.* 129: 10-20.
- Carlquist S.** 2003. Wood anatomy of Polygonaceae: analysis of a family with exceptional wood diversity. *Botanical Journal of the Linnean Society* 141(1): 25-51.
- Carlquist S.** 2004. Lateral meristem, successive cambia and their products: a reinterpretation based on roots and stems of Nyctaginaceae. *Bot. J. Linn. Soc.* 146: 129-143.
- Carlquist S.** 2007a. Successive cambia revisited: ontogeny, histology, diversity and functional significance. *J. Torrey Bot. Soc.* 134: 301-332.
- Carlquist S.** 2007b. Successive cambia in Aizoaceae: products and process. *Bot. J. Linn. Soc.* 153: 141-155.
- Carlquist S. and Hanson M.A.** 1991. Wood and stem anatomy of Convolvulaceae: A survey. *Aliso* 13: 51-94.
- Carlquist S. and Zona S.** 1987. Diagonal and tangential vessel aggregations in wood: function and relationship to vasicentric tracheids. *Aliso* 11: 451-462.
- Carlquist S. and Zona S.** 1988. Wood anatomy of Acanthaceae: a survey. *Aliso* 12: 201-227.
- Chalk L. and Chattway M.M.** 1937. Identification of woods with included phloem. *Trop. woods* 50: 1-31.
- Cheadle V.I.** 1937. Secondary growth by means of a thickening rings in certain monocotyledons. *Botanical Gazette* 98: 535-555.
- Cheadle V., Gifford E.M. and Esau K.** 1953. A staining combination for phloem and contiguous tissues. *Stain Technology* 28: 49-53.

- Chou T. and Chiang S.H.T.** 1973. Seasonal changes of cambial activity in the young branch of *Psidium guajava* L. *Taiwania* 18: 35-41.
- Cremers G.** 1973. Architecture de quelques lianes d'Afrique tropicale. *Candollea* 28: 249-280.
- Cremers G.** 1974. Architecture de quelques lianes d'Afrique tropicale. 2. *Candollea* 29: 57-110.
- Cruger H.** 1850. Einige Beitrage zur Kenntniss von sogenannten anomalen Holzbildungen des Dicotylen- stammes. *Bot. Zt.* 8: 97-187.
- Cutter E.G.** 1969. Plant anatomy: experiment and interpretation. Part 2- Organs. Addison-Wesley Publishing Company, London, 343 pp.
- D'Almeida J.F.R. and Patil R.P.** 1945. A study of the stem anatomy of certain Indian climbing plants. *Journal of Bombay University* 14: 1-28.
- D'Almeida J.F.R. and Patil R.P.** 1946. A study of the stem anatomy of certain Indian climbing plants. *Journal of Bombay University* 14: 1-32.
- Davis E.L.** 1961. Medullary bundles in the genus *Dahlia* and their possible origin. *Am. J. Bot.* 48: 108-113.
- De Bary A.** 1984. Comparative anatomy of the vegetative organs of phanerogams and ferns, Oxford University Press, Oxford.
- De Jussieu Adr.** 1843. Monographie de la famille des Malpighiacées. *Arch. Mus. Hist. Nat.* 3: 5-151, 255-616, pl. 1-23.
- De Mirbel M.** 1828. M'emoire Sur l'origine, le development et l'organisation du bios. *Mem. Museum Hist. Nat.* 16: 9-36.
- Delgado A.C., Lee J.Y. and Demura T.** 2010. Regulatory Mechanisms for Specification and Patterning of Plant Vascular Tissues *Annu. Rev. Cell Dev. Biol.* 26: 605-637.
- DeMason D.A.** 1984. Stem thickening in monocotyledons. In: M. Iqbal (ed.). Growth patterns in vascular plants. Oregon, Portland.
- Den Outer R.W. and Van Veenendaal W.L.H.** 1981. Wood and bark anatomy of *Azima tetracantha* Lam. (Salvadoraceae) with description of its included phloem. *Acta Bot. Neerl.* 30: 199-207.
- Den Outer R.W. and Van Veenendaal W. L. H.** 1995. Development of included phloem in the stem of *Combretum nigricans* (Combretaceae). *IAWA Jour.* 16: 151-158.

- Deshpande B.P and Rajendrababu T.** 1985. Seasonal changes in structure of the secondary phloem of *Grewia tileaefolia*, a deciduous tree from India. *Ann. Bot.* 56: 61-71.
- DeWalt S.J. and Chave J.** 2004. Structure and biomass of four lowland Neotropical forests. *Biotropica* 36: 7-19.
- Dickison W.C.** 1972. Anatomical studies in the Connaraceae. II. Wood anatomy. *J. Elisha Mitchell Sci. Soc.* 88: 120-136.
- Dobbins D.R.** 1969. Studies on the anomalous cambial activity in *Doxantha unguis-cati* (Bignoniaceae). I. Development of the vascular pattern. *Can. J. Bot.* 47: 2101-2106.
- Dobbins D.R.** 1970. The influence of the leaves on anomalous cambial activity in the "cross-vine". *Amer. J. Bot.* 57: 735.
- Dobbins D.R.** 1971. Studies on the anomalous cambial activity in *Doxantha unguis-cati* (Bignoniaceae). II. a case of differential production of secondary tissues. *Amer. J. Bot.* 58: 697-705.
- Dobbins D.R.** 1981. Anomalous secondary growth in lianas of the Bignoniaceae is correlated with the vascular pattern. *Amer. J. Bot.* 68: 142-144.
- Dobbins D.R. and Fisher J.B.** 1986. Wound responses in girdled stems of lianas. *Bot. Gaz.* 147: 278-289.
- Eames A.J.** 1961. Morphology of Angiosperms. McGraw-Hill Book Company, INC. New York and London, 175, 427 pp.
- Eames A.J. and McDaniels L.H.** 1947. An introduction to plant anatomy. 2<sup>nd</sup> edition McGraw-Hill Book Company, INC. New York and London.
- Eames A.J. and McDaniels L.H.** 1953. An introduction to plant anatomy. McGraw-Hill Book Company, New York.
- Ellmore G.S. and Ewers F.W.** 1985. Hydraulic conductivity in trunk xylem of elm, *Ulmus Americana*, *IAWA Jour.* 6: 303-307.
- Emmons L.H. and Gentry A.H.** 1983. Tropical forest structure and distribution of gliding and prehensile-tailed vertebrates. *American Naturalist* 121: 513-524.
- Esau K.** 1938. Ontogeny and structure of the phloem of tobacco. *Hilgardia* 11: 343-424.
- Esau K.** 1965. Plant anatomy. John Wiley and Sons, New York.

- Esau K. and Cheadle V.I.** 1969. Secondary growth in *Bougainvillea*. *Ann. Bot.* 33: 807-819.
- Esau K.** 1977. Anatomy of seed plants. John Wiley and Sons, New York
- Evert R.F.** 1984. Comparative structure of phloem. In: White R.A., ed. Contemporary problems in plant anatomy. Academic Press, London.
- Evert R.F.** 2006. Esau's Plant anatomy: meristems, cells, and tissues of the plant body their structure, function, and development. John Wiley and Sons, New York.
- Ewers F.W.** 1985. Xylem structure and water conduction in conifer trees, dicot trees and lianas. *IAWA Bull.* 6: 309-317.
- Ewers F.W. and Fisher J.B.** 1991. Why vines have narrow stems: Histological trends in *Bauhinia* (Fabaceae). *Oecologia* 88: 233-237.
- Ewers F.W., Fisher J.B. and Chiu S.T.** 1990. A survey of vessel dimensions in stems of tropical lianas and other growth forms. *Oecologia* 84: 544-552.
- Faber F.C.V.** 1904. Zur Entwicklungsgeschichte der 'bocollateralen Gefasbündel' von *Cucurbita pepo*. *Ber. Deutsch. Bot. Ges.* 22: 296-303.
- Fahn A.** 1967. Plant Anatomy. Pergamon Press, Oxford, New York.
- Fahn A.** 1975. Plant anatomy. 2nd edn. - Wiley, New York.
- Fahn A.** 1990. Plant Anatomy. 4<sup>th</sup> edn. Pergamon Press, Oxford.
- Fahn A. and Arzee T.** 1959. Vascularization of articulated Chenopodiaceae and the nature of their fleshy cortex. *Amer. J. Bot.* 46: 330-338.
- Fahn A. and Bailey I.W.** 1957. The nodal anatomy and primary vascular cylinder of the Calycanthaceae. *J. Arnold Arboretum* 38: 107-117.
- Fahn A., Werker E. and Baas P.** 1986. Wood anatomy and identification of trees and shrubs from Israel and adjacent regions. Israel Acad. Sci. and Humanities, Jerusalem.
- Feild T.S., Chatelet D.S., Balun L., Schilling E.E. and Evans R.** 2011. The evolution of angiosperm lianescence without vessels - climbing mode and wood structure-function in *Tasmannia cordata* (Winteraceae). *New Phytologist* 193: 229-240.
- Fisher J.B. and Ewers F.W.** 1989. Wound healing in the stems of lianas after twisting and girdling injuries. *Bot. Gaz.* 150: 251-265.



- Fisher J.B. and Ewers F.W.** 1991. Structural responses to stem injury in vines. In F. E. Putz and H. A. Mooney [eds.]. *The biology of vines*. 99-124. Cambridge University Press, Cambridge, UK.
- Fisher J.B. and Ewers F.W.** 1992. Xylem pathways in liana stems with variant secondary growth. *Bot. J. Linn. Soc.* 108: 181-202.
- Fischer E., Theisen I., and Lohmann L.G.** 2004. Bignoniaceae. In K. Kubitzki and J. W. Kadereit (eds.). *The Families and Genera of Vascular Plants. VII. Dicotyledons. Lamiales (Except Acanthaceae including Avicenniaceae)*. Springer-Verlag, Berlin, New York, 9-38 pp.
- Foster R.C.** 1967. Fine structure of tyloses in three species of Myrtaceae. *Aust. J. Bot.* 15: 25-34.
- Fox J.E.D.** 1968. Logging damage and the influence of climber cutting prior to logging in the lowland dipterocarp forest of Sabah. *Malaysian Forester* 31: 326-347.
- Fukuda Y.** 1967. Anatomical study of the internal phloem in the stems of dicotyledons, with special reference to its histogenesis. *J. Fac. Sci. Univ. Tokyo, Sect. 3.9*: 313-375.
- Gangulee H.C., Das K.S. and Datta C.** 1988. College Botany 6th ed.-Vol. I. New central book agency (P.) LTD, 382-392 pp.
- Gentry A.H.** 1983. Dispersal ecology and diversity in neotropical forest communities. Sonderband. Naturwissenschaftlicher Verband, Hamburg 7: 303-314.
- Gentry A.H.** 1988. Changes in plant community diversity and floristic composition on environmental and geographic gradients. *Ann. Missouri Bot. Gard.* 75: 1-34.
- Gentry A.H.** 1991. The distribution and evolution of climbing plants. In: Putz, F.E., Mooney, H.A. (Eds.), *The Biology of Vines*. Cambridge University Press, Cambridge, 3-50 pp.
- Gerwing J.J. and Farias D.L.** 2000. Integrating liana abundance and forest stature into an estimate of total aboveground biomass for an eastern Amazonian forest. *Journal of Tropical Ecology* 16: 327-335.

- Gerwing J.J., Schnitzer S.A., Burnham R.J., Bongers F., Chave J., DeWalt S.J., Ewango C.E.N., Foster R., Kenfack D., Martinez-Ramos M., Parren M., Parthasarathy N., Perez-Salicrup DR., Putz F.E. and Thomas D.W.** 2006. A standard protocol for liana censuses. *Biotropica* 38: 256-261
- Gibsson A.C.** 1978. Rayless secondary xylem of *Halophytum*. *Bull. Torrey Bot. Club* 105: 39-44.
- Givnish T. J.** 1986. Biomechanical constraints on crown geometry in forest herbs. In: *On the Economy of Plant Form and Function* (Ed. by T. J. Givnish), Cambridge University Press, Cambridge, 525-583 pp.
- Givnish, T. J., Sytsma K. J., Smith J.F., and Hahn W.S.** 1995. "Molecular evolution, adaptive radiation, and geographic speciation in *Cyanea* (Campanulaceae, Lobelioideae)". In W. L. Wagner and V. Funk. *Hawaiian Biogeography: Evolution on a Hot-Spot Archipelago*. Washington, D. C.: Smithsonian Institution, 288-337 pp.
- Golecki B., Schulz A., and Thompson G.A.** 1999. Translocation of structural P proteins in the phloem. *Plant Cell* 11:127-140.
- Greguss P.** 1968. Xylotomy of the living cycads. *Academiai Kiado, Budapest*.
- Grignon N., Touraine B. and Grignon C.** 1992. Internal phloem in the pulvinus of Soybean plants. *Am. J. Bot.* 79(3): 265-274.
- Guerrant E.O.Jr.** 1988. Heterochrony in plants: the intersection of evolution, ecology and ontogeny. In M. L. McKinney (ed.). *Heterochrony in Evolution*. Plenum Press, New York, 111-133 pp.
- Haberlandt G.** 1914. *Physiological plant anatomy* (transl by M Drummond), 4<sup>th</sup> edn. Macmillan. London, 777 pp.
- Haberlandt G.** 1928. *Physiological Plant Anatomy*. MacMillan Company, London.
- Halle F., Oldman R.A.A. and Tamlison P.B.** 1978. *Tropical trees and forests- An Architectural Analysis*. Springer Verlag, Berlin, New York.
- Handa T.** 1936. Anatomical observations on the internal cambium of the stem in *Marsdenia tomentosa* Morr.et Decne. *Jap. J. Bot.* 8: 59-64.
- Handa T.** 1937. Abnormal vascular bundles in the stem of *Campsis grandiflora* K. Schum. *Jap. J. Bot.* 8:47-57.

- Handa T.** 1939. Some anatomical notes on *Cycas revoluta*, especially on its anomalous secondary growth. *Jpn. J. Bot.* 10: 285-307.
- Harms U. and Sauter J.J.** 1992. Localisation of storage proteins in the wood ray parenchyma cells of *Taxodium distichum* (L.) L.C. Rich. by immunogold labelling. *Trees Struct. Funct.* 6: 37-40.
- Hartig T.** 1854. Über die Querscheidewände zwischen den einzelnen Gliedern der Siebröhren in *Cucurbita pepo*. *Bot. Zeitung* (Berlin) 12: 51-54.
- Hayward H.E.** 1938. The structure of economic plants. Mac-millan, New York.
- Hegarty E.E. and Caballe' G.** 1991. Distribution and abundance of vines in forest communities. In: Putz, F.E., Mooney, H.A. (Eds.), The Biology of Vines. Cambridge University Press, Cambridge, 313-335 pp.
- Heinricher E.** 1883. Der abnorme Stengelbau der Centau-reen, anatomisch-physiologisch betrachtet. *Ber. Deut. Bot. Ges.* 1: 122-129.
- Herail J.** 1885. Recherches sur lanatomie compare ede la tige des dicotyle'dones. *Ann. Sci. Nat. Bot.* 2: 203-214.
- Hess T. and Sachs T.** 1972. The influence of mature leaves on xylem differentiation. *New Phytologist* 71: 903-914.
- Horak K.E.** 1981. Anomalous secondary thickening in *Stegnosperma* (Phytolaccaceae). *Bull. Torrey Bot. Club* 108: 189-197.
- Hovelacque M.** 1888. Recherches sur l'appareil vege- tatif des Bignoniacees, Rhinanthacees, Orobanchees et Utriculariees. Thesis. University of Paris. G. Masson: Paris.
- IAWA Committee.** 1989. IAWA list of microscopic features for hardwood identification. *IAWA J.* 10: 221-332.
- Iqbal M.** 1994. Structural and operational specializations of the vascular cambium of seed plants. In Growth patterns in vascular plants. Edited by M. Iqbal. Dioscorides Press, Portland, 211-271 pp.
- Iqbal M.** 1995. Structure and behaviour of vascular cambium and the mechanism and control of cambial growth. In The cambial derivatives. Edited by M. Iqbal. Gebrüder Borntraeger, Stuttgart, Germany, 1-67 pp.
- Iqbal M. and Ghouse A.K.M.** 1985. Impact of climatic variation on the structure and activity of vascular cambium in *Prosopis spicigera*. *Flora* 177: 147-156.

- Iqbal M. and Ghouse A.K.M.** 1987. Anatomy of vascular cambium of *Acacia nilotica* (L) Del. Var. Telia Troup (Mimosaceae) in relation to age and season. *Bot. Jour. Linn. Soc.* 94: 385-397.
- Isnard S. and Silk W.K.** 2009. Moving with climbing plants from Charles Darwin's time into the 21st century. *Amer. Jour. Bot.* 96: 1205-1221.
- Isnard S., Speck T. and Owe N.P.R.** 2003. Mechanical architecture and development in different growth forms of *Clematis*: Implications for canalised evolution of growth forms. *New Phytologist* 158: 543-559.
- Jacobs M.** 1976. The study of lianas. *Flora Meksiana Bulletin* 29: 2610-2618.
- Jacques F.M.B. and De Franceschi D.** 2007. Menispermaceae wood anatomy and cambial variant. *IAWA Jour.* 28: 139-172.
- Jardin A., Laurans F., Arnaud D., Breton C., Pilate G. and Leple L.** 2010. Wood formation in Angiosperms. *Comptes Rendus Biologies* 333: 325-334.
- Johansen D.A.** 1940. Plant Microtechnique. McGraw Hill, New York.
- Joshi A.C.** 1934. Variations in the Medullary Bundles of *Achyranthes aspera* L. and the Original Home of the Species. *New Phytologist* 33: 53-57.
- Joshi A.C.** 1936. The Anatomy of *Rumex* with Special reference to the morphology of the internal bundles and the origin of the internal phloem in the Polygonaceae. *Am. J. Bot.* 23(5): 362-369.
- Joshi A.C.** 1937. Some salient points in the evolution of the secondary vascular cylinder of Amaranthaceae and Chenopodiaceae. *Am. J. Bot.* 24: 3-9.
- Joshi P.C.** 1935. Development of anomalous secondary vascular rings in the root of *Spergula*, L. *Proceedings: Plant Sciences* 1(11): 729-735.
- Jura J., Kojs P., Iqbal M., Szymanowska-Pulka J. and Wloch W.** 2006. Apical intrusive growth of cambial fusiform initials along the tangential walls of adjacent fusiform initials: evidence for a new concept. *Australian Journal of Botany* 54: 493-504.
- Karrfalt E.E.** 1975. The Nature of the Cortical Bundles of *Adenocaulon* (Compositae). *Botanical Gazette* 136(3): 236-245.
- Kennedy P.B. and Crafts A.S.** 1931. The anatomy of *Convolvulus arvensis*, wild morning glory or field bind weed. *Hilgardia* 5: 591-622.

- Kerner A.** 1895. Natural history of plants. Translated by F.W. Oliver. Holt and Company, New York.
- Kirchoff B.K. and Fahn A.** 1984. Initiation and structure of secondary vascular system in *Phytolacca dioica* (Phytolaccaceae). *Can. J. Bot.* 62: 2580-2585.
- Klaassen R.** 1999. Wood anatomy of the Sapindaceae. *IAWA J.* 2: 1-214.
- Kramer P.J. and Kozlowski T.T.** 1979. Physiology of woody plants. Academic Press, New York.
- Kraus T. and Basconsuelo S.** 2009. Secondary root growth in *Rhynchosia edulis* Griseb. (Leguminosae): Origin of cambia and their products. *Flora* 204:635-643.
- Krishnamurthy K.V. and Venugopal N.** 1984. Studies on successive cambia of a few plants. *Ind. Jour. Bot. Soc.* 7: 183-189.
- Kyung-Hwan Han.** 2001. Molecular biology of secondary growth. *J. Plant Biotech.* 3: 45-57.
- Larson P. R.** 1994. The vascular cambium. Development and structure. Springer-Verlag, Heidelberg, Germany
- Lambeth E.C.** 1940. Ontogeny of Medullary Bundles in *Apium graveolens*. *Bot. Gaz.* 102(2): 400-405.
- Lamounette B.** 1890. Recherches sur l'origin morphologique du liber interene. *Ann. Sci. Nat. Bot.* 11: 193-282.
- Lawton J.R and Lawton J.R.S.** 1971. Seasonal variation in the secondary phloem of some forest trees from Nigeria. *New Phytologist* 70: 186-196.
- Lens F., Kårehed J, Baas P., Jansen S., Rabaey1 D., Huysmans S., Hamann T. and Smets E.** 2008. The wood anatomy of polyphyletic Icacinaceae s.l., and their relationship within asterids. *Taxon* 57: 525-552.
- Letcher S.G. and Chazdon R.L.** 2009. Lianas and self-supporting plants during tropical forest succession. *Forest Ecology and Management* 257: 2150-2156.
- Lev-Yadun S. and Aloni R.** 1991. An experimental method of inducing hazel wood in *Pinus halepensis* (Pinaceae). *IAWA. Bull.* 12: 445-451.
- Lev-Yadun S. and Aloni R.** 1995. Differentiation of ray system in woody plants. *Bot. Rev.* 61: 45-84.

- Liang H., Mingguang L. and Zhen L. 2010.** Geographical and environmental gradients of lianas and vines in China. *Global Ecology and Biogeography* 19(4): 554-561.
- Lima A.C. Lima, Pace M.R. and Angyalossy V. 2010.** Seasonality and growth rings in lianas of Bignoniaceae. *Trees* 1007: 468-476.
- Lopes W.A.L., Souza L.A., Moscheta I.M., Albiero A.L.M. and Mourão K.S.M. 2008.** A comparative anatomical study of the stems of climbing plants from the forest remnants of Maringa, Brazil. *Gayana Bot.* 65(1): 28-38.
- Lowell C. and Lucansky T.W. 1986.** Vegetative anatomy and Morphology of *Ipomoea hederifolia* (Convolvulaceae). *Bull. Torrey. Bot. Club.* 113: 382-397.
- Lowell C. and Lucansky T.W. 1990.** Vegetative anatomy and Morphology of *Ipomoea quamoclit* (Convolvulaceae). *Bull. Torrey. Bot. Club.* 117: 232-246.
- Lu C.Y. and Chiang S.T. 1976.** Lateral thickening in the stem of *Agaverigida* Mill. And *Aloevera* L. *Taiwania* 21: 204-219.
- Maheshwari P. 1930.** Contribution to the morphology of *B. diffusa* L. *J. of Indian Bot. Soc.* 9: 42-61.
- Majumdar G.P. 1941.** Anomalous structure of the stem of *Nystanthes arbortsistis* L. *J. Indian Bot. Soc.* 20: 119-122.
- Mauseth J.D. 1988a.** Anomalous secondary growth, 369-379 pp., *Plant Anatomy*. Benjamin/ Cummings, Menlo Park, CA, 560 pp.
- Mauseth J.D. 1988b.** *Plant Anatomy*. The Benjamin/Cummings Publishing Co., Inc. California, USA.
- Mauseth J.D. 1989.** Comparative structure-function studies where strongly dimorphic plant, *Melocactus intortus* (Cactaceae). *Bradleya* 4: 65-78.
- Mauseth J.D. 1993.** Medullary bundles and the evolution of Cacti. *Amer. J. Bot.* 80: 928-932.
- Mauseth J.D. and Sajeve M. 1992.** Cortical bundles in the persistent, photosynthetic stems of Cacti. *Ann. Bot.* 70: 317-324.

- McDonald J.A.** 1981. Taxonomic implications of normal and anomalous secondary growth in *Ipomoea*. In: Abstracts: *Amer. Inst. Biol. Sci. Publication*, 160 pp.
- McDonald J.A.** 1992. Evolutionary implications of typical and anomalous secondary growth in arborescent *Ipomoea* (Convolvulaceae). *Bull. Torrey. Bot. Club.* 119: 262-267.
- Mennega A.M.W.** 1969. The wood structure of *Dicranostyles* (Convolvulaceae). *Acta Botanica Neerlandica* 18: 173-179.
- Mennega A.M.W.** 1982. Stem structure of the New World Menispermaceae. *J. Arnold Arbor.* 63: 145-171.
- Metcalf C.R. and Chalk L.** 1950. Anatomy of the dicotyledons. Clarendon Press, Oxford.
- Metcalf C.R.** 1983. Anomalous structure. In Metcalfe C. R. and Chalk L. (eds.) Anatomy of dicotyledons II. Clarendon Press, 52-63 , 210- 211 pp.
- Metcalf C.R. and Chalk L.** 1983. Anatomy of the dicotyledons, Vol. II, 2nd Ed. Clarendon Press, Oxford.
- Meyer B.S. and Aderson D.B.** 1952. Physiology of plant. 2nd edition Princeton, New Jersey London, 580-608 .
- Mikesell J.E.** 1973. Ontogeny and correlative relationship of the primary thickening meristem in four o' clock plants maintained under long and short photoperiods. Ph. D. thesis. The Ohio State University, Columbus.
- Mikesell J.E.** 1979. Anomalous secondary thickening in *Phytolacca americana* L. (Phytolaccaceae). *Am. J. Bot.* 66: 997-1005.
- Mikesell J.E. and Popham R.A.** 1976. Ontogeny and correlative relationships of the primary thickening meristem in four-o'clock plants (Nyctaginaceae) maintained under long and short photoperiods. *Amer. J. Bot.* 63: 427-437.
- Mikesell J. and Schroeder A.C.** 1984. Internal phloem development in *Pharbitis nil* Chois. (Convolvulaceae). *Bot. Gaz.* 145: 196-203.
- Muller G.B. and Wagner G.P.** 1991. Novelty in evolution: restructuring the concept. *Annu. Rev. Ecol. Systemat.* 22: 229-256.
- Nair M.N.B.** 1993. Structure of stem and cambial variant in *Spatholobus roxburghii* (Leguminosae). *IAWA J.* 14: 191-204.

- Nair M.N.B. and Ram H.Y.M.** 1990. Structure of wood and cambial variant in the stem of *Dalbergia paniculata* Roxb. *IAWA Bull.* 11: 379-391.
- Nele S., Elisabeth M.R.R., Anouk V., James G. K., Hans B. and Nico K.** 2008. A patchy growth via successive and simultaneous cambia: Key to Success of the Most Widespread Mangrove Species *Avicennia marina*? *Ann. Bot.* 101: 49-58.
- Obaton M.** 1957. Les lianes ligneuses à structure anormale des forêts denses d'Afrique occidentale. PhD dissertation, Faculté des Sciences, Université de Paris, Paris, France.
- Obaton M.** 1960. Les lianes ligneuses à structure anormale des forêts denses d'Afrique Occidentale. *Ann. Sci. Nat. Bot. Biol. Vegetale* 121-220.
- Olson M.E.** 2003. Stem and leaf anatomy of the arborescent Cucurbitaceae *Dendrosicyos socotrana* with comments on the evolution of pachycauls from lianas. *Plant Systematics and Evolution* 239: 199-214.
- Oparka K.J. and Cruz S.S.** 2000. THE GREAT ESCAPE: Phloem Transport and Unloading of Macromolecules. *Annu. Rev. Plant. Physiol. Plant. Mol. Biol.* 51: 323-347.
- Pace M.R., Lohmann L.G. and Angyalossy V.** 2009. The rise and evolution of the cambial variant in Bignoniaceae. *Evolution and Development* 11(5): 465-479.
- Pace M.R., Lohmann L.G. and Angyalossy V.** 2011. Evolution of disparity between the regular and variant phloem in Bignoniaceae (Bignoniaceae). *Am. J. Bot.* 98: 602-618.
- Paliwal G.S. and Prasad N.V.S.R.K.** 1970. Seasonal activity of cambium in some tropical trees. I. *Dalbergia sissoo*. *Phytomorphology* 20: 333-339.
- Paliwal S.P. and Paliwal G.S.** 1990a. Influence of climatic variations on the seasonal behaviour of vascular cambium in some Himalayan trees. III. *Rhododendron arboreum* Smith. *Phytomorphology* 40: 257-271.
- Paliwal S.P. and Paliwal G.S.** 1990b. Seasonal behaviour of vascular cambium in some Himalayan trees. II *Quercus leucotricophora* Camus ex. Bahadur. *Jour. Ind. Bot. Soc.* 69: 129-137.
- Pamela M. and Wilson J.W.** 1961. Cambium formation in wounded *Solanaceous* stems. *Ann. Bot.* 25: 104-115.



- Pant D.D. and Bhatnagar S.** 1975. Morphological studies in *Argyrea* Lour., (Convolvulaceae). *Bot. J. Linn. Soc.* 70: 45-69.
- Pant D.P. and Mehra B.** 1961. Nodal anatomy of *Boerhaavia diffusa*. *Phytomorphology* 11: 384-405.
- Park S.N.** 2002. Cacti: Biology and Uses. Chapter-2 Shoot anatomy and morphology by Salgado T.T. and Mauseth J.D. ,University of California press, London, 30 pp.
- Patil V.S. and Rajput K.S.** 2008. Structure and development of inter- and intraxylary phloem in *Leptadenia reticulata* (Retz.) W. & A. (Asclepiadaceae). *Polish Bot. J.* 53: 5-13.
- Patil V.S., Rao K.S. and Rajput K.S.** 2009. Development of intraxylary phloem and internal cambium in *Ipomoea hederifolia* (Convolvulaceae). *J. Torrey Bot. Soc.* 136(4): 423-432.
- Patil V.S., Marcati C.R. and Rajput K.S.** 2011. Stem anatomy and development of intraxylary and interxylary secondary phloem in *Coccinia indica* L. (Cucurbitaceae). *IAWA J.* 32 (4): 475-491.
- Perez-Salicrup D.R.** 2001. Effect of liana cutting on tree regeneration in a liana forest in Amazonian Bolivia. *Ecology* 82: 389-396.
- Perez-Salicrup D.R. and de Meijere** 2005. Number of lianas per tree and number of trees climbed by lianas at Los Tuxtlas, Mexico. *Biotropica* 37(1): 153-156.
- Perez-Salicrup D.R., Sork V.L., and Putz F.E.** 2001. Lianas and trees in a liana forest of Amazonian Bolivia. *Biotropica* 33: 34-47.
- Petersen O.G.** 1882. Uber das Auftreten bicollateraler Gefasbündel in verschiedenen Pfl anzenfamilien und uber den Werth derselben fur die Systematik. *Bot. Jahrb. Syst.* 3: 359-402.
- Pfeiffer H.** 1926. Das abnorme Dickenwachstum. Handbuch der Pflanzenanatomie. Borntraeger, Berlin 9(2): 272.
- Philipson W.R.** 1990. Anomalous cambia, p. 201-212. In M. Iqbal [ed.], The Vascular Cambium. John Wiley and Sons, New York, 246 pp.
- Philipson W.R. and Ward J.M.** 1965. The ontogeny of vascular cambium in the stem of seedplants. *Biol. Rev.* 40: 534-579.

- Philipson W.R., Ward J.M. and Butterfield B.G.** 1971. The vascular cambium. Its development and activity. Chapman and Hall, London New York, 162 pp.
- Pizzolato T.D.** 1982. Anatomical modifications by 2,4-D of vascular cambium and secondary xylem in soybean internodes. *Can. J. Bot* 60:2142-2146
- Plomion C., Leprovost G. and Stokes A.** 2001. Wood formation in trees. *Plant physiology* 127: 1513-1523.
- Premakumari D., Panikkar A.O.N. and Sobhana S.** 1985. Occurrence of intraxylary phloem in *Hevea brasiliensis* (Willd. ex A. Juss.) Muell. Arg. *Ann. Bot.* 55(2): 275-277.
- Putz F.E.** 1984. The natural history of lianas on Barro Colorado Island, Panama. *Ecology* 65: 1713-1724.
- Putz F.E. and Holbrook N.M.** 1991. Biomechanical studies of vines. In: Putz F.E. and Mooney H.A. (Eds.), *The Biology of Vines*. Cambridge University Press, Cambridge, 73-97 pp.
- Putz F.E. and Mooney H.A.** 1991. *The Biology of Vines*. Cambridge, United Kingdom, Cambridge University Press.
- Radlkofer L.A.T.** 1875. Monographie der Sapindaceen-Gattung Serjania I-XVIII. Verlag der K.B. Akademie, München, 392 pp.
- Radlkofer L.A.T.** 1931-34. Sapindaceae in Engler's *Das Pflanzenreich*. 98: 1539.
- Radlkofer L.A.T.** 1932. Sapindaceae. p. 414-425. In Engler, A. [ed.]. *Das Pflanzenreich* IV. 165 (Heft 98a) Verlag von H.R. Engelmann (J. Cramer) Weinheim.
- Rajput K.S.** 2001. Secondary growth of the stem of *Celosia argentea* Linn. and *Aerva sanguinolenta* (Linn.) Blume (Amaranthaceae). *Phyton* 41: 169-177.
- Rajput K.S.** 2003. Structure of cambium and its derivatives in the compressed stem of *Canavalia ensiformis* (L.) DC. (Fabaceae). *Phyton* 43: 135-145.
- Rajput K.S. and Patil V.S.** 2008. Development of cambial variant in *Sesuvium portulacastrum*. *J. Torrey Bot. Soc.* 135(4): 83-490.
- Rajput K.S., Patil V.S. and Rao K.S.** 2009. Development of included phloem of *Calycopteris floribunda* Lamk. (Combretaceae). *J. Torrey Bot. Soc.* 36(3): 302-312.

- Rajput K.S., Patil V.S. and Kapadne K.** 2010a. Development of lateral meristem and pattern of secondary growth in the stem and roots of *Spinacia oleracea* Linn. (Chenopodiaceae). *Feddes Reportorium* 121: 5-6.
- Rajput K.S., Patil V.S. and Rao K.S.** 2011. Wood anatomy and development of interxylary phloem of *Ipomoea hederifolia* Linn. (Convolvulaceae). *Journal of Plant Growth Regulation* (Revised).
- Rajput K.S. and Rao K.S.** 1998a. Cambial anatomy and absence of rays in the stem of *Boerhaavia* species (Nyctaginaceae). *Ann. Bot. Fennici* 35: 131.
- Rajput K.S. and Rao K.S.** 1998b. Seasonal development of secondary phloem in *Tectona grandis* L.f. growing in moist deciduous and dry deciduous forests of Gujarat State. *Phyton* 38(2): 251-258.
- Rajput K.S. and Rao K.S.** 1999. Structural and developmental studies on cambial variant in *Pupalia lappacea* (L.) Juss. (Amaranthaceae). *Ann. Bot. Fennici* 36: 137-141.
- Rajput K.S. and Rao K.S.** 2000. Cambial activity and development of wood in *Acacia nilotica* (L.) Del. growing in different forests of Gujarat State. *Flora* 195: 165-171.
- Rajput K.S. and Rao K.S.** 2002. Cambial anatomy and annual rhythm of secondary xylem development in the twigs of *Azadirachta indica* A. Juss. (Meliaceae) growing in different forests of Gujarat State. *J. Sustainable Forestr.* 14: 115-127.
- Rajput K.S. and Rao K.S.** 2003. Cambial variant and xylem structure in the stem of *Cocculus hirsutus* (Menispermaceae). *IAWA J.* 24: 411-420.
- Rajput K.S., Rao K.S. and Patil U.G.** 2006. Stem anatomy of *Dolichos lablab* Linn (Fabaceae): Origin of cambium and reverse orientation of vascular bundles. *Flora* 201: 65-71.
- Rajput K.S., Raole V.M. and Gandhi D.** 2008. Radial secondary growth, formation of successive cambia and their products in *Ipomoea hederifolia* L. (Convolvulaceae). *Bot. Jour. Linn. Soc.* 158: 30-40.
- Rajput K.S., Marina B.F. and Carmen R.M.** 2010b. Stem anatomy of *Strychnos bicolor* Prog. (Loganiaceae) from Brazilian Cerrado. *Phytomorphology* 60: 48-56.

- Rao K.S. and Dave Y.S.** 1981. Seasonal variation in the cambial anatomy of *Tectona grandis* L.f. (Verbenaceae), *Nordic J. Bot.* 1: 535-542.
- Rao K.S. and Dave Y.S.** 1983. Seasonal variations in the vascular cambium of *Holoptelea integrifolia* (Ulmaceae) *Beitr. Biol. Pflanzen* 59: 321-331.
- Rao K.S., Srinivas T. and Rajput K.S.** 1996a. Seasonal anatomy of cambium in young branches of cannon ball tree (*Couroupita guianensis* Aubl.). *J. Tree Sci.* 15: 70-75.
- Rao K.S., Srinivas T. and Rajput K.S.** 1996b. Seasonal anatomy of vascular cambium in young branches of *Bombax ceiba* Burm. *Acta Bot.* 24: 17-20.
- Rao K.S. and Rajput K.S.** 1998. Rayless secondary xylem of *Trianthema monogyna* (Aizoaceae). *Phyton* (Horn) 37: 161-166.
- Rao K.S. and Rajput K.S.** 1999. Seasonal behaviour of vascular cambium in teak (*Tectona grandis*) growing in moist deciduous and dry deciduous forests. *IAWA J.* 20: 85-93.
- Rao K.S. and Rajput K.S.** 2000. Cambial Variant in the Stem of *Antigonon leptopus* H. & A. (Polygonaceae). *Phyton* 40: 201-208.
- Rao K.S. and Rajput K.S.** 2001. Seasonal anatomy of cambium and development of xylem in *Azadirachta indica* growing in different forests of Gujarat state. *Annalsdes Forestire Science* 58: 69-698.
- Rao K.S. and Rajput K.S.** 2003. Cambial variant in the roots of *Glinus lotoides* and *G. oppositifolius* (L) A. DC., (Molluginaceae). *Acta Bot. Hung.* 45: 183-191.
- Rapoport H.F. and Loomis R.S.** 1986. Structural aspects of root thickening in *Beta vulgaris* L.: comparative thickening in sugarbeet and chard. *Botanical Gazette* 147: 70-277.
- Rowe N., Isnard S. and Speck T.** 2004. Diversity of mechanical architectures in climbing plants: an evolutionary perspective. *J. Plant Growth Regul.* 23: 108-128.
- Rudall P.** 1991. Lateral meristem and stem thickening growth in monocotyledons. *The Botanical Review* 57: 150-163.
- Rudall P.** 1995. New records of secondary thickening in monocotyledons. *Iawa J.* 16: 261-268.

- Saks Y. and Aloni R.** 1985. Polar gradients of tracheid number and diameter during primary and secondary xylem development in young seedlings of *Pinus pinea* L. *Ann. Bot.* 56: 771-778.
- Sagheer A. and Iqbal M.** 1987. Seasonal rhythms of structure and behaviour of vascular cambium in *Ficus rumphii*. *Ann Bot.* 60: 649-656.
- Sajo M.G. and Castro N.M.** 2006. Caule. In: Anatomia Vegetal (eds. B. Appezzato-da-Glória & S. M. Carmello-Guerreiro), Editora UFV, Viçosa, 283-302 pp.
- Santos J.K.** 1928. Stem and leaf structure of *Tinospora rumphii* Boerlage and *Tinospora reticulate* Miers. *Philip. J. Sci.* 35: 187-208.
- Santos J.K.** 1931. Anomalous stems structure in *Archangelisia flava* and *Anamirta cocculus* from the Philippines. *Philip. J. Sci.* 44: 385-407.
- Sattler R.** 1988. Homeosis in plants. *Amer. J. Bot.* 75: 1606-1617.
- Sauter J.J.** 1966a. Untersuchungen zur Physiologie der Pappelholzstrahlen. I. Jahresperiodischer Verlauf der Starkespeicherung im Holzstrahlparenchym. *Z. Pflanzenphysiol.* 55: 246-258.
- Sauter J.J.** 1966b. Untersuchungen zur Physiologie der Pappelholzstrahlen. 11. Jahresperiodische Änderungen der Phosphataseaktivität im Holzstrahlparenchym und ihre mögliche Bedeutung für den Kohlenhydratstoffwechsel und den aktiven Assimilattransport. *Z. Pflanzenphysiol.* 55: 349-362.
- Savidge R.A.** 1996 Xylogenesis, genetic and environmental regulation- A review *IAWA J.* 17: 267-310.
- Savidge R.A.** 2000. Biochemistry of seasonal cambial growth and formation of wood formation- an overview of the challenges. In Cell and molecular Biology of Wood Formation, R.A. Savidge, J.R. Bennett, and R. Napier, eds. BIOS Scientific, Oxford, 1-30 pp.
- Schenck H.** 1893. Beiträge zur biologie und Anatomie der Lianen. II. Schimpers *Bot. Mitt. Trop.* 5: 1-271.
- Schenck H.** 1983. Beiträge zur biologie und Anatomie der Lianen im sonderen der in Brasilien einheimischen Arten. II. Theil. Beiträge zur Anatomie der Lianen. In A. F. W. Schimper (ed.). Botanische Mittheilungen aus den Tropen. Gustav Fisher, Jena, 1-271 pp.

- Schnitzer S.A. and Bongers F.** 2002. The ecology of lianas and their role in forests. *Trends in Ecology and Evolution* 17: 223-230.
- Schnitzer S.A., Dalling J.W., and Carson W.P.** 2001. The impact of lianas on tree regeneration in tropical forest canopy gaps: evidence for an alternate pathway of gap-phase regeneration. *Journal of Ecology* 88: 655-666.
- Schnitzer S.A., Kuzee M.E. and Bongers F.** 2005. Disentangling above- and belowground competition between lianas and trees in a tropical forest. *Journal of Ecology* 93: 1115-1125.
- Schweingruber F. H., Borner A. and Schulze E. D.** 2006. Atlas of woody plant stems: Evolution, structure and environmental modifications. Springer-Verlag, Berlin, New York.
- Scott D. H.** 1891. On some points in the anatomy of *Ipomoea versicolor* Meissn. *Ann. Bot.* 5: 173-180.
- Scott D.H. and Brebner G.** 1889. On the anatomy and histology of *Strychnos*. *Ann. Bot.* 3: 275-304.
- Scott D. H. and Brebner G.** 1891. On internal phloem in the root and stem of dicotyledons. *Ann. Bot.* 5: 259-300.
- Siddiqi T.Q.** 1991. Impact of seasonal variation on the structure and activity of vascular cambium in *Ficus religiosa*. *IAWA Bull.* 12: 177-185.
- Sieber M. and Kucera L.J.** 1980. On the stem anatomy of *Clematis vitalba* L. *IAWA Bull. Ns.* 1: 49-54.
- Singh B.** 1943. Origin and distribution of inter- and intraxylary phloem in *Leptadenia*. *Proc. Indian Acad. Sci., B* 18: 14-19.
- Singh B.** 1944. A contribution to the anatomy of *Salvadora persica* L. with special reference to the origin of the included phloem. *J. Indian Bot. Soc.* 23: 71-78.
- Singh G.** 2004. Plant systematics: an integrated approach. Science publishers, Inc. Enfield NH. USA, 385-391 pp.
- Smith G.H.** 1928. Vascular anatomy of Ranakan flowers; II Menispermaceae, Calycanthaceae, Annonaceae. *Botanical Gazette* 85: 152-177.
- Solereder H.** 1908. Systematic anatomy of the dicotyledons. Vols. 1 and 2. Clarendon, Oxford.

- Speck T. and Burgert I.** 2011. Plant Stems: Functional Design and Mechanics. *Annual Review of Materials Research* 41: 169-193.
- Spicer R. and Groover A.** 2010. Evolution of development of vascular cambia and secondary growth. *New Phytologist* 186: 577-592.
- Srebotnik E. and Messener K.** 1994. A simple method that uses differential staining and light microscopy to assess the selectivity of wood delignification by white rot fungi. *Applied and Environmental Microbiology* 60: 1383-1386.
- Srinivas T.** 1996. Seasonal activity and histochemistry of cambium and its derivatives in some trees growing under the influence of air pollutants. Ph.D. Thesis, M.S. University of Baroda, Vadodara, India.
- Stern W.L.** 1954. Comparative anatomy of xylem and phylogeny of Lauraceae. *Trop. Woods* 100: 1-72.
- Stevens G.C.** 1987. Lianas as structural parasites: the *Bursera simaruba* example. *Ecology* 68: 77-81.
- Stevenson D.W.** 1990. Morphology and systematics of the *Cycadales*. *Memoirs of the New York Botanical Garden* 57: 8-55.
- Stevenson D.W. and Popham R.A.** 1973. Ontogeny of the primary thickening meristem in seedlings of *Bougainvillea spectabilis*. *Amer. J. Bot.* 60: 1-9.
- Studholme W.P. and Philipson W.R.** 1966. A comparison of the cambium in two woods with included phloem: *Heimerliodendron brunonianum* and *Avicenia resinifera*. *New Zeal. J. Bot.* 4: 355-365.
- Sussex I.M.** 1955. Morphogenesis in *Solanum tuberosum* L.: Experimental investigation of leaf dorsiventrality and orientation in the juvenile shoot. *Phytomorphology* 5: 286-300.
- Tamaio N. and Angyalossy V.** 2009. Variação cambial em *Serjania caracasana* (Sapindaceae): Enfoque na adequação terminológica. *Rodriguésia* 60(3): 651-666.
- Tamaio N., Joffily A., Alvarenga Braga J.M. and Rajput K.S.** 2010. Stem anatomy and pattern of secondary growth in some herbaceous vine species of Menispermaceae. *The Journal of the Torrey Botanical Society* 137(2-3): 157-165.

- Tamaio N., Ricardo C.V. and Angyalossy V.** 2009. Origin of successive cambia on stem in three species of Menispermaceae. *Revista Brasil. Bot.* 32(4): 839-848.
- Tamaio N., Neves M.F., Brandes A.F.N. and Vieira R.C.** 2011. Quantitative analyses establish the central vascular cylinder as the standard for wood-anatomy studies in lianas having compound stems (Paullinieae: Sapindaceae). *Flora* (article in press) doi: 10.1016/j.flora.2011.07.006
- Terrazas T., Aguilar-Rodríguez S. and Ojanguren C.T.** 2011. Development of successive cambia, cambial activity, and their relationship to physiological traits in *Ipomoea arborescens* (Convolvulaceae) seedlings. *Am. J. Bot.* 98(5): 765-774.
- Tiag Y.D.** 1963. Vascular anatomy of the flower of certain species of the Calycanthaceae. *Proceedings: Plant Sciences* 58(4): 224-234.
- Tomlinson P.B. and Zimmermann M.H.** 1969. Vascular anatomy of monocotyledons with secondary growth - an introduction. *Journal of the Arnold Arboretum* 50: 159-179.
- Tsuda M. and Shimaji** 1971. Seasonal changes of cambial activity and starch content in *Pinus densiflora* Sieb. Et. Zucc. *Jour. Jap. For. Soc.* 53: 103-107.
- Turgeon R. and Oparka K.** 2010. The secret phloem of pumpkins. *Proc. Natl. Acad. Sci. USA.* 107(30): 13201-2.
- Ugglä C., Magel E., Moritz T. and Sundberg B.** 2001. Function and dynamics of auxin and carbohydrates during earlywood/latewood transition in Scots pine. *Plant Physiol.* 125: 2029-2039.
- Ulbrich E.** 1934. Chenopodiaceae. Pages 379-584. In: Engler A. and Prantl K. (ed.), *Dienatürlichen Pflanzenfamilien*. Vol. 2, pt 16c. Engelmann, Leipzig.
- Van Bel A.J. .** 1990. Xylem-phloem exchange via the rays: The undervalued route of transport. *J. Expt. Bot.* 41: 641-644.
- Van der Walt J.J.A., Van der Schijff H.P. and Schweickerdt H.G.** 1970. Afwykende sekondere diktegroei by die stingels van die liane *Cocculus hirsutus* (L.) Diels (Menispermaceae) en *Pyrenacantha grandiflora* Baill. (Icacinaeae). *T. Nat. Wetensk., Suid. Afr.* 10: 173-199 (with English summary).



- Van der Walt J.J.A., Van der Schijff H.P. and Schweickerdt H.G.** 1973. Anomalous secondary growth in the stem of lianas *Mikania cordata* (Burm. F.) Robins. (Compositae) and *Paullinia pinnata* Linn. (Sapindaceae). *Kirkia* 9: 109-138.
- Van Veenendaal W.L.H. and Den Outer R.W.** 1993. Development of included phloem and organisation of the phloem network in the stem of *Strychnos millepunctata* (Loganiaceae), *IAWA J.* 14: 253-365.
- Van Vliet G.J.C.M.** 1979. Wood anatomy of the *Combretaceae*. *Blumea* 25: 141-223.
- Vasquez-Cooz I. and Meyer R.W.** 2002. A differential staining method to identify lignified and unlignified tissues. *Biotech. and Histochem.* 77: 277-282.
- Venning F.D.** 1949. Investigations on the morphology, anatomy and secondary growth in the main axis of Marglobe tomato. *Amer. J. Bot.* 36: 559-567.
- Venugopal N. and Liangkuwang M.G.** 2007. Cambial activity and annual rhythm of xylem production of elephant apple tree (*Dillenia indica* Linn.) in relation to phenology and climatic factor growing in sub-tropical wet forest of northeast India. *Trees-Struct Funct.* 21(1): 101-110.
- Vesque J.** 1875. Mémoire sur l'anatomie comparée de l'écorce. *Ann. Sci. Nat. Bot.* 2: 82-198.
- Vishwakanna A.** 1991. Seasonal changes in the structure of the secondary phloem of *Odina oodier* Roxb., a deciduous tree. *J. Indian Bot. Soc.* 70: 175-189.
- Wagner K.A.** 1946. Notes on the anomalous stein structure of a species of *Bauhinia*. *Amer. Midl. Nat.* 36:251-256.
- Wang Y. and Li J.** 2008. Molecular basis of plant architecture. *Annu. Rev. Plant Biol.* 59: 253-79.
- Welkie G.W and Coldwell M.** 1970. Leaf anatomy of species in some dicotyledons families as related to C3 and C4 pathways of carbon fixation. *Can. J. Bot.* 48: 2135-2146.
- Westermaier M. and Ambronn H.** 1881. Beziehungen zwischen Lebensweise und Structur der Schling- und Kletterpflanzen. *Flora* 64: 417-430.
- Whiting A.G.** 1937. Development and anatomy of primary structures in the seedlings of *Cucurbita maxima*. *Bot. Gaz.* 99: 497-528.

- Wilson C.L.** 1924. Medullary bundles in relation to the primary vascular system in Chenopodiaceae and Amaranthaceae. *Bot. Gaz.* 78: 175-199.
- Woodcock E.F.** 1914. Observations on the development and germination of the seed in certain Polygonaceae. *Am. J. Bot.* 19(1): 454-476.
- Woodcock E.F.** 1935. Vegetative anatomy of the tomato plant (*Lycopersicon esculentum* Mill). *Proceedings of Michigan Academy of Sciences* 21: 215-222.
- Worsdell W.C.** 1915. The origin and meaning of medullary (intraxylary) phloem in the stems of dicotyledons. I. Cucurbitaceae. *Ann. Bot.* 29: 567-590.
- Yarrow G.L. and Popham R.A.** 1981. The ontogeny of primary thickening meristem of *Atriplex hortensis* L. (Chenopodiaceae). *Amer. J. Bot.* 86: 1042-1049.
- Ye Z.H.** 2002. Vascular tissue differentiation and Pattern formation in plants. *Annu. Rev. Plant Biol.* 53: 183-202.
- Zhang B., Tolstikov V., Turnbull C., Hicks L.M. and Fiehn O.** 2010. Divergent metabolome and proteome suggest functional independence of dual phloem transport systems in cucurbits. *Proc. Natl. Acad. Sci. USA* 107: 13532-13537.
- Ziegler H.** 1964. Storage, mobilisation and distribution of reserve material in trees. In: M.H. Zimmermann (ed.), The formation of wood in forest trees. Acad. Press, New York, 303-320 pp.
- Zimmermann A.** 1922. Die Cucurbitaceen. Beitrage Zur Anatomie, Physiologie, Morphologie, Biologie, Pathologie und Systematik. Gustav Fisher, Jena.
- Zimmermann M.H. and Brown C.L.** 1971. Trees: structure and function. Springer-Verlag, Berlin, New York.