

Appendix1: Tabular summary of conservation assessment and status based on the present study

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
Regional endemic species										
1	<i>Helichrysum cutchicum</i>	7279.5	VU	40	EN	-	12	B2b(i,ii,iii,iv,v)c(i)	VU	NE
2	<i>Ischaemum sayajiraoi</i>	536.4	EN	20	EN	-	5	B1ab(i,ii,iii,iv)+2ab(iii)	EN	NE
3	<i>Rorippa cochlearioides</i>	6381.0	VU	56	EN	-	8	B1ab(iii,iv)+2ab(i,ii,iii)	VU	NE
4	<i>Spodiopogon aristatus</i>	4419.2	EN	20	EN	-	5	B1ab(iii,iv)+2ab(iii)	EN	NE
5	<i>Tamarix kutchensis</i>	246.5	EN	12	EN	-	2	C2a(i)	CR	NE
6	<i>Tephrosia jamnagarensis</i>	86.0	CR	8	CR	-	2	B1ab(i,ii,iv)+2ab(i,ii,iv)	EN	NE
Endemic angiosperms of India found in Gujarat										
1	<i>Abelmoschus tuberculatus</i> var. <i>deltoideifolius</i>	-	-	8	CR	0	2	D2	VU	NE
2	<i>Acalypha malabarica</i>	65567.9	LC	32	EN	0	8	B2ab(iii,iv)	VU	NE
3	<i>Achyranthes coynei</i>	-	-	4	CR	0	1	B2ab(iii,iv)	CR	NE
4	<i>Adelocaryum coelestinum</i>	812.7	EN	24	EN	0.5	3	B1ab(ii,iii, iv)+2ab(ii,iii, iv)	EN	NE
5	<i>Aerides maculosa</i>	41387.0	LC	52	EN	0.31	9	B2ab(iii,iv)	VU	NE
6	<i>Alysicarpus hamosus</i>	172244.7	LC	192	EN	0.04	46		LC	NE
7	<i>Alysicarpus pubescens</i>	13460.6	VU	12	EN	0	3	B1ab(i, ii, iv)	VU	NE
8	<i>Ammannia nagpurensis</i>	294.0	EN	12	CR	0.33	2	B1ab(ii,iii)+2ab(ii,iii)	EN	EN B1ab(ii,iii)+2ab(ii,iii)
9	<i>Amorphophallus commutatus</i>	51474.9	LC	72	EN	0.05	17		LC	NE
10	<i>Anisomeles heyneana</i>	25915.3	NT	96	EN	0.29	17		NT	NE
11	<i>Anogeissus sericea</i>	42887.6	NT	56	EN	0.07	13		NT	NE
12	<i>Anogeissus sericea</i> var. <i>nummularia</i>	11512.0	VU	52	EN	0.08	12		NT	NE
13	<i>Argyreia boseana</i>	-	-	4	CR	0	1		DD	NE
14	<i>Argyreia sericea</i>	62881.0	LC	140	EN	0.26	26		LC	NE
15	<i>Arisaema murrayi</i>	7280.7	VU	20	EN	0	5	B2ab(iii)	VU	NE
16	<i>Artemisia nilagirica</i>	8332.0	VU	20	EN	0	5	B2ab(iii, iv)	EN	NE

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
17	<i>Arthraxon inermis</i>	23007.7	NT	28	EN	0	7	B2ab(iii,iv)	VU	NE
18	<i>Arthraxon meeboldii</i>	-	-	8	CR	0	2		DD	NE
19	<i>Arundinella ciliata</i>	2030.8	EN	24	EN	0	6	B1ab(iii)+2ab(iii, iv)	VU	NE
20	<i>Arundinella metzii</i>	24034.6	NT	32	EN	0.125	7	B2ab(iii,iv)	VU	NE
21	<i>Arundinella tuberculata</i>	-	-	4	CR	0	1		RE	NE
22	<i>Aspidopterys cordata</i>	1552.3	EN	40	EN	0.3	7	B1ab(iii)+2ab(iii, iv)	EN	NE
23	<i>Barleria cuspidata</i>	86503.9	LC	24	EN	0	6		LC	NE
24	<i>Barleria gibsonii</i>	13059.0	VU	40	EN	0	10	B1ab(iii, iv)+2ab(iii, iv)	VU	NE
25	<i>Barleria lawii</i>	12796.0	EN	44	EN	0.37	7	B1ab(ii,iii, iv)+2ab(ii,iii, iv)	EN	NE
26	<i>Barleria prattensis</i>	119729.8	LC	204	EN	0.24	39		LC	NE
27	<i>Bauhinia foveolata</i>	6300.5	NT	108	EN	0.48	14		NT	NE
28	<i>Begonia crenata</i>	22726.0	NT	28	EN	0.28	5		DD	NE
29	<i>Blumea belangeriana</i>	25245.0	NT	52	EN	0.23	10	B2ab(iii,iv)	VU	NE
30	<i>Blumea eriantha</i>	107209.5	LC	188	EN	0.13	41		LC	NE
31	<i>Blumea malcolmii</i>	60437.5	LC	56	EN	0.21	11		LC	NE
32	<i>Boswellia serrata</i>	140532.2	LC	168	EN	0.17	35		LC	NE
33	<i>Cajanus sericeus</i>	1904.3	EN	20	EN	0.2	4	B1ab(iii)	EN	NE
34	<i>Capillipedium filiculme</i>	65425.2	LC	40	EN	0	10	B2ab(iii,iv)	VU	NE
35	<i>Capillipedium huegelii</i>	65665.3	LC	32	EN	0.125	7	B2ab(iii,iv)	VU	NE
36	<i>Ceropegia odorata</i>	-	-	8	CR	0	2	C2a(ii)	CR	NE
37	<i>Chlorophytum borivilianum</i>	22831.0	NT	60	EN	0.06	14		NT	CR A2cd
38	<i>Chlorophytum malabaricum</i>	-	-	8	CR	0	1		RE	NE
39	<i>Clematis hedysarifolia</i>	12222.4	VU	72	EN	0.12	16		NT	NE
40	<i>Clematis heynei</i>	37366.0	NT	28	EN	0.14	6	B2ab(iii,iv)	VU	NE
41	<i>Cleome simplicifolia</i>	143813.0	LC	144	EN	0.25	27		LC	NE

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
42	<i>Clitoria annua</i>	135781.1	LC	172	EN	0.16	36		LC	NE
43	<i>Coelorachis clarkei</i>	3078.6	EN	16	EN	0	4	B1ab(iii, iv)	EN	NE
44	<i>Corallocarpus conocarpus</i>	81633.7	LC	56	EN	0	14		LC	NE
45	<i>Cordia domestica</i>	73483.0	LC	36	EN	0.11	8	B2ab(iii,iv)	VU	NE
46	<i>Crinum brachynema</i>	89.5	CR	12	EN	0	3	B1ab(i,iii,iv)	EN	NE
47	<i>Crotalaria filipes</i>	91322.6	LC	36	EN	0	9	B2ab(iii,iv)	VU	NE
48	<i>Crotalaria filipes</i> var. <i>trichophora</i>	12581.2	VU	20	EN	0	5	B1ab(iii, iv)+2ab(iii, iv)	VU	NE
49	<i>Crotalaria leptostachya</i>	78964.8	LC	76	EN	0.26	14		LC	NE
50	<i>Crotalaria notonii</i>	667.7	EN	12	EN	0.33	2	D2	VU	NE
51	<i>Crotalaria pusilla</i>	590.4	EN	12	EN	0	3	D2	VU	NE
52	<i>Crotalaria vestita</i>	80709.2	LC	56	EN	0.43	8	B2ab(iii,iv)	VU	NE
53	<i>Curcuma decipiens</i>	2536.0	EN	16	EN	0	4	B1ab(i,iii,iv,v)	EN	NE
54	<i>Curcuma inodora</i>	97932.5	LC	116	EN	0.1	26		LC	LC
55	<i>Curcuma pseudomontana</i>	3521.5	EN	12	EN	0	3	B1ab(iii,v)	EN	VU A2cd
56	<i>Cymbopogon gidarba</i>	55065.5	LC	32	EN	0	8	B2ab(iii,iv)	VU	NE
57	<i>Cynarospermum asperrimum</i>	8535.0	VU	16	EN	0.25	3	D2	VU	NE
58	<i>Dendrobium barbatulum</i>	11568.0	VU	48	EN	0.25	9	B1ab(i,iii,v)	VU	NE
59	<i>Dendrobium microbulbon</i>	11612.0	VU	72	EN	0.39	11		NT	NE
60	<i>Dendrobium ovatum</i>	-	-	8	CR	0	2	B2ab(iii)	EN	NE
61	<i>Dendrophthoe falcata</i> var. <i>coccinea</i>	63788.0	LC	20	EN	0	5	B2ab(iii,iv)	EN	NE
62	<i>Desmodiastrum belgaumense</i>	-	-	4	CR	0	1		RE	NE
63	<i>Desmodiastrum racemosum</i> var. <i>rotundifolium</i>	71468.8	LC	20	EN	0	5	B2ab(iii,iv)	EN	NE
64	<i>Dimeria stapfiana</i>	-	-	8	CR	0	2	D2	VU	NE
65	<i>Dolichandrone atrovirens</i>	7134.6	VU	32	EN	0.25	6	B1ab(ii,iii, iv)+2ab(ii,iii, iv)	VU	NE
66	<i>Dolichandrone falcata</i>	104607.6	LC	136	EN	0.03	33		LC	NE

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
67	<i>Dyschoriste vagans</i>	7021.6	VU	48	EN	0.25	9	B1ab(iii, iv)+2ab(iii, iv)	VU	NE
68	<i>Eranthemum roseum</i>	105489.2	LC	236	EN	0.36	38		LC	NE
69	<i>Erinocarpus nimmonii</i>	24.4	CR	12	CR	0.33	2	D2	VU	NE
70	<i>Eriocaulon cuspidatum</i>	-	-	4	CR	0	1		RE	LC
71	<i>Eriocaulon elenorae</i>	29298.7	NT	32	EN	0	8	B2ab(iii,iv)	VU	LC
72	<i>Eriolaena stocksii</i>	24386.6	NT	48	EN	0.33	8	B2ab(iii,iv)	VU	NE
73	<i>Eulophia ochreatea</i>	2829.6	EN	20	EN	0	5	B1ab(iii)	EN	NE
74	<i>Euphorbia coccinea</i>	80.5	CR	12	EN	0.33	2	B2ab(ii, iii, iv)	EN	NE
75	<i>Euphorbia deccanensis</i>	94.8	CR	12	EN	0.33	2	C2a(i)	CR	NE
76	<i>Euphorbia elegans</i>	163.9	EN	16	EN	0	4	B1ab(i,iii,iv)	EN	NE
77	<i>Euphorbia perbracteata</i>	17125.0	VU	36	EN	0.125	7	B1ab(i, iii)	VU	NE
78	<i>Euphorbia pycnostegia</i>	16846.3	VU	16	EN	0.25	3	B1ab(ii, iii, iv)	VU	NE
79	<i>Euphorbia pycnostegia</i> var. <i>zornioides</i>	4014.6	EN	16	EN	0	4	B1ab(iii, iv)+2ab(ii, iii, iv)	EN	NE
80	<i>Euphorbia sebastinei</i>	-	-	8	CR	0	2		DD	NE
81	<i>Exacum pumilum</i>	27844.0	NT	36	EN	0.11	8	B2ab(ii,iii,iv)	VU	NE
82	<i>Fimbristylis lawiana</i>	9925.0	VU	24	EN	0	6	B1ab(i)	VU	LC
83	<i>Fimbristylis woodrowii</i>	14412.0	VU	44	EN	0	11		NT	NE
84	<i>Flacourtia montana</i>	40398.3	NT	32	EN	0.12	7	B2ab(i,iii,iv)	VU	NE
85	<i>Flemingia tuberosa</i>	-	-	4	CR	0	1	D	CR	NE
86	<i>Fuirena tuwensis</i>	3183.4	EN	20	EN	0	5	B1ab(i,iii,iv)	EN	LC
87	<i>Geissaspis tenella</i>	19.0	CR	12	EN	0.33	2	C2a(i)	CR	LC
88	<i>Glyphochloa forficulata</i>	-	-	4	CR	0	1	D2	VU	NE
89	<i>Goniocaulon indicum</i>	89246.4	LC	60	EN	0.13	13		LC	NE
90	<i>Habenaria foliosa</i>	38951.0	NT	44	EN	0.09	10	B2ab(ii,iii,iv)	VU	NE
91	<i>Habenaria grandifloriformis</i>	460.3	EN	16	EN	0.25	3	B1ab(iii,iv)	EN	NE

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
92	<i>Habenaria longicorniculata</i>	11639.4	VU	20	EN	0.2	4	B2ab(iii,iv)	EN	NE
93	<i>Haplanthodes neilgherrensis</i>	38943.7	NT	48	EN	0.08	11		NT	NE
94	<i>Haplanthodes tentaculatus</i>	61388.3	LC	116	EN	0.28	21		LC	NE
95	<i>Haplanthodes verticillatus</i>	125455.4	LC	140	EN	0.14	30		LC	NE
96	<i>Hardwickia binata</i>	60988.8	LC	44	EN	0	11		LC	NE
97	<i>Hemidesmus indicus</i> var. <i>pubescens</i>	58199.0	LC	20	EN	0	5	B2ab(i,ii,iii,iv)	EN	NE
98	<i>Heterophragma quadriloculare</i>	69812.3	LC	168	EN	0.31	29		LC	NE
99	<i>Heteropogon ritchiei</i>	3180.3	EN	12	EN	0	3	B1ab(iii,iv)	EN	NE
100	<i>Heterostemma dalzellii</i>	-	-	4	CR	0	1	B2ab(iii,iv)	CR	NE
101	<i>Homonoia retusa</i>	32.5	CR	16	EN	0.5	2		RE	LC
102	<i>Hygrophila serpyllum</i>	145953.8	LC	152	EN	0.13	33		LC	NE
103	<i>Impatiens minor</i>	37463.7	NT	100	EN	0.44	14		NT	NE
104	<i>Indigofera angulosa</i>	39656.1	NT	24	EN	0.17	5	B2ab(iii,iv)	EN	NE
105	<i>Indigofera coerulea</i> var. <i>monosperma</i>	78706.6	LC	100	EN	0	25		LC	NE
106	<i>Indigofera prostrata</i>	10432.9	VU	20	EN	0	5	B1ab(i, iii, iv)	VU	NE
107	<i>Indigofera uniflora</i>	-	-	4	CR	0	1		DD	NE
108	<i>Isachne elegans</i>	-	-	8	CR	0.5	1		RE	LC
109	<i>Ischaemum bombaiense</i>	-	-	8	CR	0.5	1	D2	VU	NE
110	<i>Ischaemum diplopogon</i>	2025.2	EN	12	EN	0	3	D2	VU	NE
111	<i>Ischaemum santapau</i>	2246.2	EN	12	EN	0	3	D2	VU	NE
112	<i>Iseilema anthephoroides</i>	11698.0	VU	24	EN	0	6	B1ab(i, iv)	VU	NE
113	<i>Ixora brachiata</i>	114632.9	LC	104	EN	0.08	24		LC	NE
114	<i>Jasminum malabaricum</i>	11272.0	EN	100	EN	0.44	14		NT	NE
115	<i>Justicia neesii</i>	39596.7	NT	32	EN	0	8	B2ab(iii,iv)	VU	NE
116	<i>Justicia orbiculata</i>	-	CR	8	CR	0	2	B2ab(iii,iv)	EN	NE

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
117	<i>Lagerstroemia microcarpa</i>	26499.2	NT	84	EN	0.33	14		NT	NE
118	<i>Lavandula bipinnata</i>	82952.7	LC	108	EN	0.48	14		LC	NE
119	<i>Lophopogon tridentatus</i>	-	-	8	CR	0.5	1		RE	NE
120	<i>Mallotus polycarpus</i>	6442.6	VU	100	EN	0.4	15		NT	NE
121	<i>Merremia rajasthanensis</i>	-	-	8	CR	0	2	B2ab(iii,iv)	EN	NE
122	<i>Merremia rhynchorrhiza</i>	33105.9	NT	28	EN	0	7	B2ab(iii,iv)	VU	NE
123	<i>Mimosa prainiana</i>	-	-	4	CR	0	1		DD	NE
124	<i>Nepeta bombaiensis</i>	10613.8	VU	24	EN	0.5	3	B1ab(i,iii,iv)+2ab(iii,iv)	VU	NE
125	<i>Neuracanthus sphaerostachys</i>	141415.9	LC	312	EN	0.31	54		LC	NE
126	<i>Neuracanthus tetragonostachyus subsp. trinervius</i>	8841.5	VU	36	EN	0.22	7	B1ab(iii,iv)+2ab(iii,iv)	VU	NE
127	<i>Pancratium parvum</i>	1519.5	EN	12	EN	0	3	B2ab(iii,iv)	EN	NE
128	<i>Parahyparrhenia bellariensis</i>	-	-	4	CR	0	1		DD	NE
129	<i>Pavetta crassicaulis</i>	2091.4	EN	36	EN	0	9	B1ab(iii, iv)+2ab(iii, iv)	VU	NE
130	<i>Peristylus stocksii</i>	5681.0	VU	16	EN	0	4	B2ab(iii, iv)	EN	NE
131	<i>Phyllanthus lawii</i>	140.3	EN	16	EN	0	4	D2	VU	NE
132	<i>Phyllocephalum scabridum</i>	12090.9	VU	32	EN	0.125	7	B1ab(iii, iv)+2ab(iii, iv)	VU	NE
133	<i>Pimpinella adscendens</i>	51764.9	LC	52	EN	0.15	11		LC	NE
134	<i>Pimpinella tomentosa</i>	1232.0	EN	16	EN	0	5	D2	VU	NE
135	<i>Pimpinella wallichiana</i>	2244.9	EN	16	EN	0	4	D2	VU	NE
136	<i>Pterocarpus marsupium subsp. acuminatus</i>	111684.4	LC	100	EN	0.08	23		LC	NE
137	<i>Pulicaria wightiana</i>	152525.2	LC	92	EN	0.09	21		LC	NE
138	<i>Pycreus malabaricus</i>	21200.2	NT	28	EN	0	7	B2ab(iii,iv)	VU	NE
139	<i>Radermachera xylocarpa</i>	11607.3	VU	84	EN	0.43	12		NT	NE
140	<i>Rungia elegans</i>	66053.5	LC	36	EN	0.11	8	B2ab(iii,iv)	VU	NE
141	<i>Sarcostemma intermedium</i>	2923	EN	20	EN	0	5	D2	VU	NE

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
142	<i>Scleria stocksiana</i>	-	-	8	CR	0	2		RE	NE
143	<i>Senecio bombayensis</i>	34098.0	NT	20	EN	0.4	3	B2ab(iii,iv)	EN	NE
144	<i>Senecio dalzellii</i>	-	-	4	CR	0	1		RE	NE
145	<i>Senna montana</i>	441.6	EN	28		0.57	3	B1ab(iii)+2ab(iii)	EN	NE
146	<i>Sesbania procumbens</i>	-	-	4	CR	0	1		RE	NE
147	<i>Smithia setulosa</i>	197.7	EN	12	EN	0.33	2	B1ab(iii,iv)+2ab(iii)	EN	NE
148	<i>Solanum hovei</i>	-	-	4	CR	0	1		DD	NE
149	<i>Solanum purpureilineatum</i>	59109.0	LC	44	EN	0.09	10	B2ab(i,ii,iii)	VU	NE
150	<i>Solena amplexicaulis</i>	14658.4	VU	48	EN	0.08	11		NT	NE
151	<i>Spodiopogon rhizophorus</i>	112551.7	LC	60	EN	0.07	14		LC	NE
152	<i>Strobilanthes callosa</i>	76241.6	LC	132	EN	0.21	26		LC	NE
153	<i>Swertia minor</i>	34.3	CR	12	EN	0.33	2	D2	VU	NE
154	<i>Syzygium salicifolium</i>	95052.5	LC	100	EN	0.22	22		LC	NE
155	<i>Tephrosia collina</i>	62505.3	LC	36	EN	0.25	6	B2ab(i,ii,iii,iv,v)	VU	NE
156	<i>Thelepaepale ixiocephala</i>	64730.4	LC	12	EN	0	3	D2	VU	NE
157	<i>Tricholepis amplexicaulis</i>	13937.3	VU	28	EN	0.29	5	B1ab(iii,iv)+2ab(iii,iv)	VU	NE
158	<i>Tricholepis glaberrima</i>	128742.0	LC	140	EN	0.23	27		LC	NE
159	<i>Trilobachne cookei</i>	10234.2	VU	20	EN	0	5	B1ab(i,iii,iv)	VU	NE
160	<i>Triplopogon ramosissimus</i>	1113.2	EN	20	EN	0	5	B1ab(i,iii,iv)	EN	NE
161	<i>Tripogon jacquemontii</i>	76431.0	LC	36	EN	0	9	B2ab(iii,iv)	VU	NE
162	<i>Tripogon lisboae</i>	2186.0	EN	12	EN	0	3	B1ab(iii,iv)+2ab(iii,iv)	EN	NE
163	<i>Tylophora dalzellii</i>	120103.7	LC	56	EN	0.29	10	B2ab(iii,iv)	VU	NE
164	<i>Vigna khandalensis</i>	-	-	8	CR	0	2	B2ab(ii,iii,iv)	EN	NT
165	<i>Wrightia dolichocarpa</i>	109507.7	LC	48	EN	0	12		LC	NE
166	<i>Zingiber nimmonii</i>	112.8	EN	12	EN	0	3	B1ab(i,ii,iii,iv,v)	EN	LC

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
167	<i>Ziziphus caracutta</i>	5100.0	VU	16	EN	0.25	3	D2	VU	NE
168	<i>Ziziphus horrida</i>	81572.7	LC	52	EN	0.08	12		LC	NE
169	<i>Ziziphus williamii</i>	45040.7	LC	24	EN	0.33	4	B2ab(ii,iii,iv)	EN	NE
Status of other indigenous taxa, threatened in Gujarat										
1	<i>Bauhinia vahlii</i>	-	-	8	CR	0	2	C2a(i)	CR	NE
2	<i>Begonia picta</i>	-	-	8	CR	0	2	C2a(ii)	CR	NE
3	<i>Bombax ceiba</i> L. (yellow flowered)	-	-	8	CR	0	2	D	CR	NE
4	<i>Bombax insigne</i>	911.0	EN	28	EN	0.43	4	B1ab(iii,iv)+2ab(iii)	EN	NE
5	<i>Bruguiera cylindrica</i>	10247.5	VU	12	EN	0	3	B2ab(ii,iii,iv)	EN	LC
6	<i>Butea monosperma</i> var. <i>lutea</i>	22224.8	NT	24	EN	0.17	5	B2ab(ii,iv,v)	EN	NE
7	<i>Campylanthus pungens</i>	2998.7	EN	16	EN	0	4	B1ab(i,ii,iii,iv)+2ab(iii)	EN	NE
8	<i>Cansjera rheedei</i>	1143.3	EN	36	EN	0.33	6	D	CR	NE
9	<i>Cometes surrattensis</i>	-	-	8	CR	1	1	B2ab(ii,iv,v), C2a(ii)	CR	NE
10	<i>Commiphora stocksiana</i>	30.9	CR	12	EN	0.33	2	B1ab(i,ii,iii,iv,v)+2ab(iii,iv)	EN	NE
11	<i>Dactyliandra welwitschii</i>	277.2	CR	12	EN	0.33	2	B1ab(iii,iv,v)+2ab(iii,iv)	EN	NE
12	<i>Drosera indica</i>	-	-	8	CR	0	2	C2a(i)	CR	LC
13	<i>Entada rheedii</i>	196.6	CR	24	EN	0.5	3	D	CR	NE
14	<i>Eriolaena candollei</i>	30568.8	NT	44	EN	0.36	7	C2a(i)	CR	NE
15	<i>Excoecaria agallocha</i>	-	-	8	CR	0	2	C2a(i)	CR	LC
16	<i>Falconeria insignis</i>	160.7	CR	16	EN	0.25	3	D	CR	NE
17	<i>Indigofera coerulea</i>	21418.0	NT	44	EN	0.36	7	B2ab(i,ii,iii,iv,v)	VU	NE
18	<i>Ipomoea kotschyana</i>	3264.0	EN	20	EN	0	5	D2	VU	NE
19	<i>Lumnitzera racemosa</i>	-	-	8	CR	0	2	C2a(i)	CR	LC
20	<i>Microchirita hamosa</i>	-	-	8	CR	1	1	C2a(ii)	CR	NE
21	<i>Olax nana</i>	1666.4	EN	24	EN	1	1	C2a(ii)	CR	NE

SN	Conservation assessment and status based on the present study									Existing conservation status as assigned by IUCN
	Species	EOO		AOO			Subpopulations	IUCN Criteria (ver 3.1)	Threat category	
		km2	category	km2	category	density				
22	<i>Sterculia guttata</i>	131.6	CR	24	EN	0.5	3	C2a(i)	CR	NE
23	<i>Talinum portulacifolium</i>	-	-	4	CR	1	1	C2a(ii)	CR	LC
24	<i>Tolypanthus lageniferus</i>	1769.6	EN	24	EN	0	6	D	EN	NE