

REFERENCES

References

- Abbott RD, Donahue RP, MacMahon SW, Reed DM, Yano K. 1987. Diabetes and the risk of stroke: the Honolulu Heart Program. *JAMA* 257: 949-952.
- Abdel-Hassan IA, Abdel-Barry JA, Tariq Mohammed S. 2000. The hypoglycemic and antihyperglycemic effect of *Citrullus colocynthis* fruit aqueous extract in normal and alloxan diabetic rabbits. *Journal of Ethnopharmacology* 71: 325-330.
- Acharya RK, Upadhyay BN, Dwivedi LD. 1996. Dietary management in prameha. *Ancient Science of Life* 15: 176-189.
- Acharya YT. 1950. *Dravyaguna Vijnanam*, II(2). Nirnaya Sagar Press, Bombay.
- Achrekar B, Kakij GS, Pote MS, Kelkar SM. 1991. Hypoglycaemic activity of *Eugenia jambolana* and *Ficus bengalensis*. Mechanism of action. *In vivo* 5: 143-147.
- Adsersen A, Adsersen H, Brimer L. 1988. Cyanogenic constituents in plants from the Galapagos Islands. *Biochemical Systematics and Ecology* 16: 65-77.
- Adsersen A, Kjolbye A, Dall O, Jager AK. 2007. Acetylcholinesterase and butyrylcholinesterase inhibitory compounds from *Corydalis cava* Schweigg. & Kort. *Journal of Ethnopharmacology* 113: 179-182.
- Agarwal RB, Rangari VD. 2003. Antiinflammatory and antiarthritic activities of lupeol and 19 α -H lupeol isolated from *Strobilanthus callosus* and *Strobilanthus ixiocephala* roots. *Indian J Pharmacol* 35: 384-387.
- Ahmad VU, Aliya R, Perveen S, Shameel M. 1993. Sterols from marine green alga *Codium decorticatum*. *Phytochemistry* 33: 1189-1192.
- Ajabnoor, MA. 1990. Effect of aloes on blood glucose levels in normal and alloxan diabetic mice. *Journal of Ethnopharmacology* 28: 215-220.
- Akatsuka A, Singh TJ, Huang KP. 1983. Comparison of liver glycogen synthase from normal and streptozotocin induced diabetic rats. *Arch Biochem Biophys* 220: 426-434.

References

- Akhtar MS, Ali MR. 1985. Study of hypoglycemic activity of *Cuminum nigrum* seeds in normal and alloxan diabetic rabbits. *Planta Medica* 51: 81-85.
- Akihisa T, Matsubara Y, Ghosh P, Thakur S, Tamura T, Matsumoto T. 1989. Sterols of some *Clerodendrum* species (verbenaceae): Occurrence of the 24 α - and 24 β -epimers of 24-ethylsterols lacking a Δ^{25} -bond. *Steroids* 53: 625-638.
- Albert VA, Williams SE, Chase MW. 1992. Carnivorous plants, phylogeny and structural evolution. *Science* 257: 1491-1495.
- Allam AR, Sridhar GR, Thota H, Babu CS, Prasad AS, Divakar CH. 2006. Alzheimer's disease and type 2 diabetes mellitus: the cholinesterase connection? *Lipids in Health and Disease* 5: 28-32.
- Anam EM. 1999. Novel flavanone and chalcone glycosides from *Clerodendron phlomidis* (Verbenaceae). *Indian Journal of Chemistry* 38B: 1307-1310.
- Anand R, Gore MG, Kerkut GA. 1976. The effect of spermine and spermidine on the hydrolysis of acetylthiocholine in the presence of rat caudate nucleus homogenate or acetylcholinesterase from *Electrophorus electricus*. *Journal of Neurochemistry* 27: 381-385.
- Anderson JE, Goetz CM, McLaughlin JL, Suffness M. 1991. A blind comparison of simple bench-top bioassays and human tumour cell cytotoxicities as antitumor prescreens. *Phytochem Anal* 2: 107-11.
- Anderson JW. 1974. Alterations in metabolic fate of glucose in the liver of diabetic animals. *American Journal of Clinical Nutrition* 27: 746-755.
- Anis M, Sharma MP, Iqbal M. 2000. Herbal ethnomedicine of the Gwalior forest division in Madhya Pradesh, India. *Pharmaceutical Biology* 38: 241-253.
- Anjaria J, Parabia M, Bhatt G, Khamar R. 2002. Nature Heals – A glossary of selected indigenous medicinal plants of India, second ed. SRITI Innovations, Ahmedabad.
- Anonymous. 1992. The Useful Plants of India. Publication and Information Directorate, CSIR, New Delhi.

References

- Anonymous. 1996. Indian Pharmacopoeia Vol II. Ministry of Health & Family Welfare, Govt of India, Controller of Publications, New Delhi.
- Anonymous. 2001. The Ayurvedic Pharmacopoeia of India, part-I, Vol. III, I Ed. Government of India Press, New Delhi.
- Anonymous. 2003. An update of the angiosperm phylogeny group classification for the orders and families of flowering plants: APG II. *Botanical Journal of Linnaean Society* 141: 399-436.
- Anonymous. 2003a. Flora of Taiwan, Vol. 6. National Taiwan University, Taipei.
- Anonymous. 2004. Lowveld and Kruger Guide. Jacana Media, Johannesburg.
- Antiplatelet Trialists Collaboration. 1994. Collaborative overview of randomised trials of antiplatelet therapy—I: Prevention of death, myocardial infarction and stroke by prolonged antiplatelet therapy in various categories of patients. *BMJ* 308: 81-106.
- Appeldoorn CCM, Bonnefoy A, Lutters BCH, Daenens K, Van Berkel TJC, Hoylaerts MF, Biessen EAL. 2005. Gallic Acid Antagonizes P-Selectin-Mediated Platelet-Leukocyte Interactions. *Circulation* 111; 106-112.
- Arias E, Ales E, Gabilan NH, Cano-Abad MF, Villarroya M, Garcia AG, Lopez MG. 2004. Galantamine prevents apoptosis induced by β -amyloid and thapsigargin: involvement of nicotinic acetylcholine receptors. *Neuropharmacology* 46: 103-114.
- Arnold HJ, Gulumian M. 1984. Pharmacopoeia of traditional medicine in Venda. *Journal of Ethnopharmacology* 12: 35-74.
- Aruna RV, Ramesh B, Kartha, VN. 1999. Effect of betacarotene on protein glycosylation in alloxan induced diabetic rats. *Indian Journal of Experimental Biology* 37: 399-401.
- Aswal BS, Bhakuni DS, Goel AK, Kar K, Mehrotra N, Mukherjee KC. 1984. Screening of Indian plants for biological activity, part X. *Ind J Exp Biol* 22: 312-322.

- Attia AA. 2009. Histological and electron microscopic studies of the effect of β -carotene on the pancreas of streptozotocin (STZ) induced diabetic rats. *Pakistan Journal of Biological Sciences* 12: 301-314.
- Awad AB, Gan Y, Fink CS. 2000. Effect of β -sitosterol, a plant sterol on growth, protein phosphatase 2A and phospholipids D in LNcaP cells. *Nutr Cancer* 36: 74-78.
- Awad AB, Von Holtz RL, Cone J, Fink CS, Chen YC. 1997. β -Sitosterol inhibits the growth of HT-29 human colon cancer cells by activating the sphingomyelin cycle. *Anticancer Res* 18: 471-479.
- Awad AB, Williams H, Fink CS. 2001. Phytosterols reduce in vitro metastatic ability of MDA-MB-231 human breast cancer cells. *Nutr Cancer* 40: 157-164.
- Baginsky ES, Foa PP, Zad B. 1974. Bergmeyer's methods in enzymatic analysis Vol 2. Academic Press, New York.
- Baldwin BG. 1992. Phylogenetic utility of the internal transcribed spacers of nuclear ribosomal DNA in plants: an example from the Compositae. *Molecular Phylogeny and Evolution* 1:316.
- Bandyopadhyay D, Kusari A, Kenner KA, Liu F, Chernoff J, Gustafson TA, Kusari J. 1997. Protein-tyrosine phosphatase 1B complexes with the insulin receptor in vivo and is tyrosine-phosphorylated in the presence of insulin. *J Biol Chem* 272: 1639-1645.
- Banerjee A, Matai S. 1990. Composition of Indian aquatic plants in relation to utilization as animal forage. *J Aquat Plants Manage* 28:69-73.
- Bansal R, Ahmad N, Kidwai JR. 1981. Effect of oral administration of Eugenia jambolana seeds and chlorpropamide on blood glucose level and pancreatic cathepsin B in rats. *Indian Journal of Biophysics* 18: 377-380.
- Baquer NZ, Gupta D, Raju J. 1998. Regulation of metabolic pathways in liver and kidney during experimental diabetes: effects of antidiabetic compounds. *Ind J Clin Biochem* 13:63-80.

References

- Barahona MV, Sanchez-Fortun S. 1999. Toxicity of carbamates to the brine shrimp *Artemia salina* and the effect of atropine, BW284c51, iso-OMPA and 2-PAM on carbaryl toxicity. Env Pollut 104: 469-476.
- Barthel A, Schmoll D. 2003. Novel concepts in insulin regulation of hepatic gluconeogenesis. Am J Physiol Endocrinol Metab 285: 685-692.
- Bashwira S, Hootele C. 1988. Myricoidine and dihydromyricoidine, two new macrocyclic spermidine alkaloids from *Clerodendrum myricoides*. Tetrahedron 44: 4521-4526.
- Becker R, Giacobini E, Elble R, McIlhany M, Sherman K. 1988. Potential pharmacotherapy of Alzheimer disease. A comparison of various forms of physostigmine administration. Acta Neurologica Scandinavica 116 (Suppl.): 19-32.
- Belsare DK. 2007. Introduction to Biodiversity. APH Publishing, New Delhi.
- Bennett JS, Vilaire G. 1979. Exposure of platelet fibrinogen receptors by ADP and epinephrine. J Clin Invest 64: 1393-401.
- Berg JM, Tymoczko JL, Stryer L. 2001. Glycolysis and gluconeogenesis. In: Berg JM, Tymoczko JL, Stryer L. Eds. Biochemistry. WH Freeman and Company, New York.
- Bhagore M. 1991. Foot and mouth disease. Honey Bee 2: 20.
- Bhakuni DS, Srivastava SN, Seghal SL, Kaul KN. 1962. Chemical examination of *Clerodendron phlomidis* Linn. J Sci Indus Res 21B: 48-49.
- Bhakuni DS, Srivastava SN, Seghal SL, Kaul KN. 1962. Chemical examination of *Clerodendron phlomidis* Linn. Journal of Scientific and Industrial Research 21B: 48-49.
- Bhandarkar M, Khan A. 2004. Antihepatotoxic effect of *Nymphaea stellata* Willd. against carbon tetrachloride-induced hepatic damage in albino rats. J Ethnopharmacol 91: 61-64.
- Bharvad NJ. 2005. Control of worms in cotton, brinjal, sesame and chilli. Honey Bee 16: 15.

- Bhattacharya SK, Bajpai HS, 1975. Hypoglycaemic effect of *Clerodendron phlomidis* (Arani). Journal of Research in Indian Medicine 10: 1-6.
- Bishnupriya D, Billore KV, Gupta PO. 2003. An evaluation of some controversial Ayurvedic drugs of Indian pharmaceutical industry. In: Singh VK, Govil JN, Singh G. Eds. Recent Progress in Medicinal Plants, Vol. 1. Studium Press LLC, Houston.
- Borhanuddin M, Shamsuzzoha M, Hussain AH. 1994. Hypoglycaemic effects of *Andrographis paniculata* Nees on non-diabetic rabbits. Bangladesh Medical Research Council Bulletin 20: 24-26.
- Bouic PJ. 2001. The role of phytosterols and phytosterolins in immune modulation: a review of the past 10 years. Curr Opin Clin Nutr Metab Care 4: 471-475.
- Bouic PJ, Etsebeth S, Liebenberg RW, Albrecht CF, Pegel K, Van Jaarsveld PP. 1996. Beta sitosterol and beta-sitosterol glycosides stimulate human peripheral blood lymphocyte proliferation: Implications for their use as immunomodulatory vitamin combination. Int J Immunopharmacol 18: 693-700.
- Brandstrup N, Kirk JE, Bruni C. 1957. Determination of hexokinase in tissues. J Gerontol 12:166-171.
- Broadhurst CL, Polansky MM, Anderson RA. 2000. Insulin like biological activity of culinary and medicinal plant aqueous extracts in vitro. J Agric Food Chem 48: 849-852.
- Brossi A, Dumont R, Sook H, Lee JR. 1987. Inhibition of platelet aggregation by colchicine, thiocolchicine, and their phenolic and glucosidic congeners. Archives of Pharmacal Research 10: 100-102.
- Burri BJ. 1997. Beta-carotene and human health: a review of current research. Nutrition Research 17: 547-580.

References

- Bustanji Y, Taha MO, Yousef AM, Al-Bakri AG. 2006. Berberine potently inhibits protein tyrosine phosphatase 1B: investigation by docking simulation and experimental validation. *J Enzyme Inhib Med Chem* 21: 63-71.
- Butchart D. 2000. Wildlife of the Okavango. Struik Publishers, Cape Town.
- Buzgo M, Soltis PS, Kim S, Soltis DE. 2005. The making of the flower. *Flower Evolution* 52: 149–154.
- Calera MR, Vallega G, Pilch PF. 2000. Dynamics of protein-tyrosine phosphatases in rat adipocytes. *J Biol Chem* 275: 6308–6312.
- Cantino PD. 1992. Evidence for a polyphyletic origin of the Labiatae. *Annals of the Missouri Botanical Garden* 79: 361–379.
- Cao S, Foster C, Lazo JS, David G, Kingston I. 2005. Sesterterpenoids and an alkaloid from a Thorectandra sp. as inhibitors of the phosphatase Cdc25B. *Bioorganic & Medicinal Chemistry* 13: 5094–5098.
- Carabaza A, Ricart MD, Mor A, Guinovart JJ, Ciudad CJ. 1990. Role of AMP on the activation of glycogen synthase and phosphorylase by adenosine, fructose and glutamine in rat hepatocytes. *J Biol Chem* 265: 2724-2732.
- Carballo JH, Hernandez-Inda ZL, Perez P, Garcia-Gravalos MD. 2002. A comparison between two brine shrimp assays to detect in vitro cytotoxicity in marine natural products. *BMC Biotechnol* 2: 17.
- Cardinal DC, Flower RJ. 1980. The electronic aggregometer: a novel device for assessing platelet behaviour in blood. *J Pharmacol Meth* 3: 158.
- Ceriello A, Giacomello R, Stel G, Motz E, Taboga C, Tonutti L, Pirisi M, Falleti E, Bartoli E. 1995. Hyperglycemia-induced thrombin formation in diabetes: the possible role of oxidative stress. *Diabetes* 44: 924-928.
- Ceriello A, Giugliano D, Quatraro A, Dello Russo P, Marchi E, Torella R. 1989. Hyperglycemia may determine fibrinopeptide A plasma level increase in humans. *Metabolism* 38: 1162-1163.

References

- Ceriello A, Giugliano D, Quatraro A, Dello Russo P, Torella R. 1988. Blood glucose may condition factor VII levels in diabetic and normal subjects. *Diabetologia* 31: 889-891.
- Ceriello A, Giugliano D, Quatraro A, Donzella C, Dipalo G, Lefebvre PJ. 1991. Vitamin E reduction of protein glycosylation in diabetes. New prospect for prevention of diabetic complications? *Diabetes Care* 14: 68-72.
- Chae S, Kang KA, Kim JS, Hyun JW, Kang SS. 2006. Trichotomoside: a new antioxidative phenylpropanoid glycoside from *Clerodendron trichotomum*. *Chemistry and Biodiversity* 3: 41-48.
- Charpot RT. 1998. Leaves of *Clerodendron phlomidis* for preserving grains. *Honey Bee* 9: 15.
- Chase MW, Hills HH. 1991. Silica gel: an ideal material for field preservation of leaf samples for DNA studies. *Taxon* 40: 215-220.
- Chaturvedi GN, Subramaniyam PR, Tiwari SK, Singh KP. 1983. Experimental and clinical studies on diabetic mellitus evaluating the efficacy of an indigenous oral hypoglycaemic drug-Arani (*Clerodendron phlomidis*). *Ancient Science of Life* 3: 216-224.
- Chavez GS, Salceda R. 2000. Effect of Streptozotocin-Induced Diabetes on Activities of Cholinesterases in the Rat Retina. *IUBMB Life* 49: 283-287.
- Chen CC, Huang YL, Ou JC, Su MJ, Yu SM, Teng CM. 1991. Bioactive principles from the roots of *Lindera megaphylla*. *Planta Medica* 57: 406-408.
- Chen JJ, Chang YL, Tenh CM, Chen IS. 2000. Anti-platelet aggregation alkaloids and lignans from *Hernandia nymphaeifolia*. *Planta Medica* 66: 251-256.
- Chen KS, Ko FN, Teng CM, Wu YC. 1996. Antiplatelet and vasorelaxing actions of some aporphinoids. *Planta Medica* 62: 133-136.
- Chen RM, Hu LH, An TY, Li J, Shen Q. 2002. Natural PTP1B inhibitors from *Broussonetia papyrifera*. *Bioorg Med Chem Lett* 12:3387-90.

References

- Chen YQ, Hu B, Xu F, Zhang W, Zhou H, Qu LH. 2004. Genetic variation of *Cordyceps sinensis*, a fruit-body-producing entomopathogenic species from different geographical regions in China. *FEMS Microbiol Lett* 230: 153-158.
- Cheng A, Uetani N, Simoncic PD, Chaubey VP, Lee-Loy A, McGlade CJ, Kennedy BP, Tremblay ML. 2002. Attenuation of leptin action and regulation of obesity by protein tyrosine phosphatase 1B. *Dev Cell* 2: 497-503.
- Cheng HH, Wang HK, Ito J, Bastow KF, Tachibana Y, Nakanishi Y, Xu, Z, Luo TY, Lee KH. 2001. Cytotoxic pheophorbide-related compounds from *Clerodendrum calamitosum* and *C. cyrtophyllum*. *Journal of Natural Products* 64: 915-919.
- Choi JY, Na MK, Hwang IH, Lee SH, Bae EY, Kim BY, Ahn JS. 2009. Isolation of Betulinic Acid, its Methyl Ester and Guaiane Sesquiterpenoids with Protein Tyrosine Phosphatase 1B Inhibitory Activity from the Roots of *Saussurea lappa* C.B.Clarke. *Molecules* 14: 266-272.
- Chopra RN, Chopra IC, Handa KL, Kapur LD. 1958. Indigenous Drugs of India, II Ed. UN Dhur and Sons, Calcutta.
- Chopra RN, Nayar SL, Chopra IC. 1956. Glossary of Indian Medicinal Plants. CSIR, New Delhi.
- Chunekar KC, Raghunathan K. 1967. Pharmacognostical studies on *Clerodendrum phlomidis* (Agnimanth or Tekar) Linn. f. - leaves. *Journal of Research in Indian Medicine* 2: 48-56.
- Chunekar KC. 1960. Bhavaprakash Nighantu. Chowkhamba Sanskrit Series, Varanasi.
- Coller BS, Anderson K, Weisman HF. 1995. New antiplatelet agents: platelet GPIIb/IIIa antagonists. *Thromb Haemost* 74: 302-308.
- Connor BE, Wingard DL. 1983. Sex differential in ischemic heart disease mortality in diabetics: a prospective population-based study. *Am J Epidemiol* 118: 489-496.

References

- Craft S, Reger MA, Baker LD. 2006. Insulin resistance in Alzheimer's disease – a novel therapeutic target. *Alzheimer's disease and related disorders Annual* 5. Taylor and Francis, London.
- Crevost C, Lemarie CH, Petelot A. 1917. Catalogue des Produits de l'Indochine, Vol. 1. Impr. d'Extreme-Orient, Hanoi.
- Cridland JS, Koonin S. 2001. Use of traditional medicines towards a classification. *South African Medical Journal* 91: 489-491.
- Cui L, Ndinteh DT, Na MK, Thuong PT, Muruumu JS, Njamen D, Mbafor TL, Fomum ZT, Ahn JS, Oh WH. 2007. Isoprenylated Flavonoids from the Stem Bark of *Erythrina abyssinica*. *J Nat Prod* 70: 1039-1042.
- Dadke S, Kusari J, Chernoff J. 2000. Down-regulation of insulin signalling by protein-tyrosine phosphatase 1B is mediated by an N-terminal binding region. *J Biol Chem* 275: 23642–23647.
- Dai YR, Michaels PJ, Flores HE. 1993. Stimulation of ethylene production by catecholamines and phenylethylamine in potato cell suspension cultures. *Plant Growth Regulation* 12: 219–222.
- Danin A. 2000. The nomenclature news of flora Palaestina. *Flora Mediterranea* 10: 109-172.
- Dassanyake MD. 1996. Nymphaeaceae. In: Dassanayake MD, Clayton WD. Eds. A Revised Handbook to the Flora of Ceylon 10. Oxford and IBH Publishing Co Pvt Ltd, New Delhi.
- Davi G, Ciabattoni G, Consoli A, Mezzetti A, Falco A, Santarone S, Pennese E, Vitacolonna E, Bucciarelli T, Costantini F, Capani F, Patrono C. 1999. In Vivo Formation of 8-Iso-Prostaglandin F2 and Platelet Activation in Diabetes Mellitus - Effects of Improved Metabolic Control and Vitamin E Supplementation. *Circulation* 99:224-229.
- Day C, Cartwright T, Provost J, Bailey CJ. 1990. Hypoglycemic effect of *Momordica charantia* extracts. *Planta Medica* 56: 426-429.

References

- De Melo CL, Queiroz MGR, Arruda Filho ACV, Rodrigues AM, De Sousa DF, Almeida JGL, Pessoa ODL, Silveira ER, Menezes DB, Melo TS, Santos FA, Rao VS. 2009. Betulinic Acid, a Natural Pentacyclic Triterpenoid, Prevents Abdominal Fat Accumulation in Mice Fed a High-Fat Diet. *J Agric Food Chem* 57: 8776–8781.
- De Necker NJ. 1790. Plasyrgophytorum. In: Elementa Botanica I. Neowedae.
- DeBry RW, Olmstead RG. 2000. A simulation study of reduced tree-search effort in bootstrap resampling analysis. *Syst Biol* 49: 171–179.
- Dejana E, Languino LR, Colella S, Corbascio GC, Plow E, Ginsberg M, Marchisio PC. 1988. The localization of a platelet GpIIb-IIIa-related protein in endothelial cell adhesion structures. *Blood* 71: 566–572.
- Deutschlander MS, Lall N, Van de Venter M. 2009. Plant species used in the treatment of diabetes by South African traditional healers: An inventory. *Pharmaceutical Biology* 47: 348–365.
- Dewanji A, Chanda S, Si, L, Barik S, Matai S. 1997. Extractability and nutritional value of leaf protein from tropical aquatic plants. *Plant Foods for Human Nutrition* 50: 349–357.
- Dhanabal SP, Mohan Maruga Raja MK, Paramakrishnan N, Suresh B. 2006. Pharmacognostical evaluation of *Nymphaea stellata* Willd. *Aryavaidyan* 20: 8–13.
- Dhanabal SP, Mohan Maruga Raja MK, Ramanathan M, Suresh B. 2007. Hypoglycemic activity of *Nymphaea stellata* leaves ethanolic extract in alloxan induced diabetic rats. *Fitoterapia* 78: 288–291.
- Dhanabal SP, Mohan Maruga Raja MK, Suresh B. 2008. Antidiabetic activity of *Clerodendron phlomidis* leaf extract in alloxan-induced diabetic rats. *Indian Journal of Pharmaceutical Sciences* 70: 841–844.
- Diadiusha GP, Poliakova NK. 1981. Inhibiting effect of adrenaline on the acetylcholinesterase activity of skeletal muscle sarcolemma. *Biokhimiiia* 46: 1558–1563.

- Dietrichson P, Presthus J, Holmsen R. 1975. Treatment of parkinsonism with L-dopa and a decarboxylase inhibitor - an electrophysiological and clinical study. *Eur Neurol* 13: 339-349.
- Donahue RP, Abbott RD, Reed DM, Yano K. 1987. Postchallenge glucose concentration and coronary heart disease in men of Japanese ancestry. Honolulu Heart Program. *Diabetes* 36: 689-692.
- Doyle JJ, Doyle JL. 1990. Isolation of plant DNA from fresh tissue. *Focus* 12: 13-15.
- Dwivedi C, Agrawal P, Natarajan K, Sharma H. 2005. Antioxidant and protective effects of Amrit Nectar tablets on adriamycin and cisplatin induced toxicities. *The Journal of Alternative and Complementary Medicine* 11: 143-148.
- Elchebly M, Payette P, Michaliszyn E, Cromlish W, Collins S, Loy AL, Normandin D, Cheng A, Hagen JH, Chan CC, Ramachandran C, Gresser MJ, Tremblay ML, Kennedy BP. 1999. Increased insulin sensitivity and obesity resistance in mice lacking the protein tyrosine phosphatase-1B gene, *Science* 283: 1544-1548.
- El-Demerdasha FM, Yousefa MI, Kedwanya FS, Baghdadi HH. 2004. Role of α -Tocopherol and β -Carotene in Ameliorating the Fenvalerate-Induced Changes in Oxidative Stress, Hemato-Biochemical Parameters, and Semen Quality of Male Rats. *Journal of Environmental Science and Health* B39: 443-459.
- Ellman GL, Courtney KD, Andres V, Robert M. 1961. A new and rapid colorimetric determination of acetylcholinesterase activity. *Biochemical Pharmacology* 7: 88-90.
- Engineer FN, Sharma HM, Dwivedi C. 1992. Protective effects of M-4 and M-5 on adriamycin induced microsomal lipid peroxidation and mortality. *Biochemical Archives* 8: 267-272.
- Erah PO, Osuide GE, Omogbai EKI. 1996. Hypoglycemic effect of the extract of Solenostemon monostachys leaves. *J West Afr Pharm* 10: 21-27.

References

- ETDRS Investigators. 1992. Aspirin effects on mortality and morbidity in patients with diabetes mellitus: Early Treatment Diabetic Retinopathy Study report 14. *JAMA* 268: 1292–1300.
- Farlow MR. 1998. Etiology and pathogenesis of Alzheimer's disease. *Am J Health Syst Pharm* 55: S5-S10.
- Farooqui P. 1980. Ontogeny of stomata in some Nymphaeaceae. *Proc Indian Acad Sci (Plant Science)* 89: 437-442.
- Fayed T, El-Missiry MA, Emara H, El-Sayaad N. 1998. Effect of *Nigella sativa* or fish oil supplementation in alloxan diabetic rats. *J Union Arab Biol* 9: 237 – 250.
- Ferreira IA, Eybrechts KL, Mocking AIM, Kroner C, Akkerman JWN. 2004. IRS-1 Mediates Inhibition of Ca^{2+} Mobilization by Insulin via the Inhibitory G-protein Gi. *The Journal of Biological Chemistry* 279: 3254–3264.
- Fery F, Balasse EO. 1994. Glucose metabolism during the starved to-fed transition in obese patients with NIDDM. *Diabetes* 43: 1418–1425.
- Friis EM, Pedersen KR, Crane PR. 2001. Fossil evidence of water lilies (Nymphaeales) in the early cretaceous. *Nature* 410: 357–360.
- Fuhrman B, Eli A, Aviram M. 1997. Hypocholesterolemic Effect of Lycopene and β -Carotene Is Related to Suppression of Cholesterol Synthesis and Augmentation of LDL Receptor Activity in Macrophages. *Biochem Biophys Res Commun* 233: 658-662.
- Fujimoto Y, Ohyama K, Nomura K, Hyodo R, Takahashi K, Yamada J, Morisaki M. 2000. Biosynthesis of sterols and ecdysteroids in *Ajuga* hairy roots. *Lipids* 35: 279-288.
- Gachet C. 2008. P2 receptors, platelet function and pharmacological implications. *Thromb Haemost* 99: 466-72.
- Ganapathy S, Rao DV. 1985. Triterpenoids of the stem bark of *Cleodendron nerifolium*. *Indian Journal Pharmaceutical Sciences* 47: 167-168.


References

- Garza BAA, Gonzalez-Gonzalez GM, Salazar-Aranda R, Waksman de Torres N, Rivas-Galindo VM. 2007. Screening of antifungal activity of plants from the northeast of Mexico. *J Ethnopharmacol* 114: 468-471.
- Geetha T, Varalakshmi P. 2001. Anti-inflammatory activity of lupeol and lupeol linoleate in rats. *J Ethnopharmacol* 76:77-80.
- Geissler HE, Mutschler E. 1971. Die direkte quantitative auswertung von dunnschichtchromatogrammen durch remissions- und fluoreszenzmessungen: 6. Mitteilung bestimmung von adrenalin, noradrenalin und dopamin aus dem harn. *J Chromatogr A* 56: 271-279.
- Genet C, Strehle A, Schmidt C, Boudjelal C, Lobstein A, Schoonjans K, Souchet K, Auwerx J, Saladin R, Wagner A. 2010. Structure-Activity Relationship Study of Betulinic Acid, A Novel and Selective TGR5 Agonist, and Its Synthetic Derivatives: Potential Impact in Diabetes. *J Med Chem* 53: 178-190.
- Ghanch RA. 1998. Controlling green worm in tuvar. *Honey Bee* 9: 16.
- Ghosh MN. 1984. Fundamentals of experimental pharmacology 2nd Edn. Scientific Book Agency, Calcutta.
- Giacobini E. 2000. Cholinesterase Inhibitors: From the Calabar Bean to Alzheimer Therapy. Thonex, Geneva.
- Ginsberg MH, Forsyth J, Lightsey A, Chediak J, Plow EF. 1983. Reduced surface expression and binding of fibronectin by thrombinstimulated thrombasthenic platelets. *J Clin Invest* 71: 619-624.
- Gloerich J, Brink DM, Ruiter JPN, Vlies NV, Vaz FM, Wanders RJA, Ferdinandusse S. 2007. Metabolism of phytol to phytanic acid in the mouse, and the role of PPAR in its regulation. *Journal of Lipid Research* 48: 77-85.
- Gokani RH, Kapadia NS, Shah MB. 2008. Comparative pharmacognostic study of *Clerodendrum phlomidis* and *Premna integrifolia*. *Journal of Natural Remedies* 8: 222-231.

References

- Gokani RH, Lahiri SK, Santani DD, Shah MB. 2007. Evaluation of immunomodulatory activity of *Clerodendrum phlomidis* and *Premna integrifolia* root. International Journal of Pharmacology 3: 352-356.
- Goldstein BJ, Ahmad F, Ding W, Li PM, Zhang WR. 1998. Regulation of the insulin signaling pathway by cellular protein-tyrosine phosphatases, Mol Cell Biochem 182: 91-99.
- Goldstein BJ, Bittner-Kowalczyk A, White MF, Harbeck M. 2000. Tyrosine dephosphorylation and deactivation of insulin receptor substrate-1 by protein-tyrosine phosphatase 1B. Possible facilitation by the formation of a ternary complex with the Grb2 adaptor protein. J Biol Chem 275: 4283-4289.
- Gopal N, Sengottuvelu S. 2008. Hepatoprotective activity of *Clerodendrum inerme* against CCl₄ induced hepatic injury in rats. Fitoterapia 79: 24-26.
- Gresele P, Guglielmini G, De Angelis M, Ciferri S, Ciofetta M, Falcinelli E, Lalli C, Ciabattoni G, Davi G, Bolli GB. 2003. Acute, short-term hyperglycemia enhances shear stress-induced platelet activation in patients with type II diabetes mellitus. J Am Coll Cardiol 41: 1013-1020.
- Grossi G, Bargossi AM, Lucarelli C, Paradisi R, Sprovieri C, Provieri G. 1991. Improvements in automated analysis of catecholamine and related metabolites in biological samples by column-switching high-performance liquid chromatography. J Chromatogr A 541: 273-284.
- Grossman H. 2003. Does diabetes protect or provoke Alzheimer's disease? Insights into the pathobiology and future treatment of Alzheimer's disease. CNS Spectr 8: 815-823.
- Gujral ML, Saxena PN, Mishra SS. 1955. An experimental study of the comparative activity of indigenous diuretics. J Indian Med Assoc 25: 49-51.
- Gupta J, Saxena MK. 2004. Allelopathic potential of three aquatic macrophytes on growth of water hyacinth. In: Kumar A. Ed. Water Pollution. APH Publishing, New Delhi.

- Gupta RC, Shome U, Khanna RK, Sharma HP. 1980. Pharmacognostic studies on 'Nilotpala' (*Nymphaea stellata* Willd.) I - Vegetative parts. New Bot 7: 127-143.
- Gupta SK, Chandra S, Mahadevan V. 1967. Chemical examination of *Clerodendron phlomidis*. Indian Journal of Pharmacy 28: 102.
- Gurovic MS, Castro MJ, Richmond V, Faraoni MB, Maier MS, Murray AP. 2009. Triterpenoids with acetylcholinesterase inhibition from Chuquiraga erinacea D. Don. subsp. erinacea (Asteraceae). Planta Med 76: 607-610.
- Haines HH. 1961. Botany of Bihar and Orissa, Vol. II. Botanical Survey of India, Calcutta.
- Hallas JL, Gajiwala KS, Maffei M, Cohen SL, Chait BT, Rabinowitz D, Lallone RL, Burley SK, Friedman JM. 1995. Weight reducing effects of the plasma protein encoded by the obese gene. Science 269: 543-546.
- Hansen AM, Kristiansen J, Nielsen JL, Byralsen K, Christensen JM. 1999. Validation of a high performance liquid chromatography analysis for the determination of noradrenaline and adrenaline in human urine with on-line sample purification. Talanta 50: 367-379.
- Hao Z, Hang B, Wang, Y. 1991. Hypoglycemic effect of oleanolic acid. Zhongguo Yaoke Daxue Xuebao 22: 210-212.
- Harborne JB, Baxter H. 1983. Phytochemical Dictionary. A Handbook of Bioactive Compounds from Plants. Taylor & Frost, London.
- Harborne JB. 1998. Phytochemical methods. Chapman and Hall, London.
- Harris MI, Entmacher PS. 1985. Mortality from diabetes. In: Harris MI, Hamman RF. Eds. Diabetes in America. US Government Printing Office, New York.
- Harwig J, Scott P. 1971. Brine shrimp (*Artemia salina* L.) larvae as a screening system for fungal toxins. Appl Microbiol 21: 1011-1016.
- Hayden M, Pignone M, Phillips C, Mulrow C. 2002. Aspirin for the primary prevention of cardiovascular events: a summary of the evidence for the US Preventive Services Task Force. Ann Intern Med 136: 161-172.



- Heim M, Johnson J, Boess F, Bendik I, Weber P, Hunziker W, Fluhmann B. 2002. Phytanic acid, a natural peroxisome proliferator-activated receptor agonist, regulates glucose metabolism in rat primary hepatocytes. *The FASEB Journal* express article 10.1096/fj.01-0816fje.
- Herbst EJ, Bachrach U. 1970. Symposium on "Metabolism and biological function of polyamines" Ann NY Acad Sci 171: 691-1009.
- Higgins DG, Bleasby AJ, Fuchs E. 1991. CLUSTAL V: improved software for multiple sequence alignment. CABIOS 8: 189-191.
- Hink U, Li H, Mollnau H, Oelze M, Mattheis E, Hartmann M, Skatchkov M, Thaiss F, Stahl RA, Warnholtz A, Meinertz T, Griendling K, Harrison DG, Forstermann U and Munzel T. 2001. Mechanisms underlying endothelial dysfunction in diabetes mellitus. Circ Res 88: E14-E22.
- Ho E, Chen G, Bray TM. 2000. Alpha-phenyl-tert-butylnitrone (PBN) inhibits NF κ B activation offering protection against chemically induced diabetes. Free Rad Biol Med 28 : 604-614.
- Holden M, Kelly C. 2002. Use of cholinesterase inhibitors in dementia. Adv Psychiatry Treat 8: 89-96.
- Hossain A, Kabir G, Ud-deen MM, Alam AMS. 2007. Cytological studies of Nymphaea species available in Bangladesh. J Bio Sci 15: 7-13.
- Houghton P, Agbedahunsi JM, Adegbulugbe A. 2004. Choline esterase inhibitory properties of alkaloids from two *Nigerian crinum* species. Phytochemistry 65: 2893-2896.
- Hsiao JY, Lin ML. 1995. A chemotaxonomic study of essential oils from the leaves of genus *Clerodendrum* (Verbenaceae) native to Taiwan. Botanical Bulletin of Academia Sinica 36: 247-251.
- Hsu SY, Hsing WR. 1962. Studies on the pharmacology of the Chinese drug Chou-wu-tung (aerial parts of *Clerodendron trichotomum* thunb.) I. The toxicity and hypotensive effect of infusion and crude extract of Chou-wu-tung. Yao Xue Xue Bao 13: 734-740.

References

- Huang YN, Zhao YL, Gao XL, Zhao ZF, Jing Z, Zeng WC, Yang R, Peng R, Tong T, Wang LF, Cen JQ, Gao H. 2010. Intestinal α -glucosidase inhibitory activity and toxicological evaluation of *Nymphaea stellata* flowers extract. *J Ethnopharmacol* (in press).
- Hui C, Yuping L, Komatsu I, But PPH, Shaw PC. 2000. DNA Molecular Profiling: A New Approach to Quality Control of Chinese Drugs. *Chinese Journal of Internal Medicine* 6:71 -75.
- Hungund BL, Pathak CH. 1971. A survey of plants in Gujarat, India, for alkaloids, saponins and tannins. U.S.D.A. Forest Service Research Paper NE-201: 1-11.
- ICH Guideline Q2R1. 1996/2005. Validation of analytical procedures: Text and methodology. Geneva, Switzerland.
- Ikeda I, Nakashima-Yoshida K, Sugano M. 1985. Effects of Cycloartenol on absorption and serum levels of cholesterol in rats. *J Nutrit Sci Vitamiol* 31: 375-384.
- Inestrosa NC, Alvarez A, Perez CA, Moreno RD, Vicente M, Linker C, Casanueva OI, Soto C, Garrido J. 1996. Acetylcholinesterase accelerates assembly of amyloid-beta-peptides into Alzheimer's fibrils: possible role of the peripheral site of the enzyme. *Neuron* 16: 881-891.
- Irvine FR, Trickett RS. 1953. Waterlilies as Food. *Kew Bulletin* 8: 363-370.
- Itoh F, Hinuma S, Kanzaki N, Miki T, Kawamata Y, Oi S, Tawaraishi T, Ishichi Y, Hirohashi M. 2004. Preparation of aromatic ring-fused cyclic compounds as TGR5 receptor agonists. Patent WO2004067008.
- Ivorra MD, D'Ocan MP, Paya M, Villar A. 1988. Antihyperglycemic and insulin-releasing effects of β -sitosterol 3- β -D-glucoside and its aglycone, β -sitosterol. *Arch Int Pharmacodyn* 296: 224-231.
- Ivorra MD, Paya M, Villar A. 1989. A Review of Natural Products and Plants as Potential Antidiabetic Drugs. *Journal of Ethnopharmacology* 27: 243-275.

References

- Jacke G, Rimpler H. 1983. Distribution of iridoid glycosides in *Clerodendrum* species. *Phytochemistry* 22: 1729-1734.
- Jagetia GC, Baliga MS. 2004. The evaluation of the radioprotective effect of Chyavanaprasha (an Ayurvedic rasayana drug) in mice exposed to lethal dose of γ radiation: a preliminary study. *Phytotherapy Research* 18: 14-18.
- Jagetia GC, Rao SK, Baliga MS, Babu KS. 2004. The evaluation of nitric oxide scavenging activity of certain herbal formulations *in vitro*: a preliminary study. *Phytotherapy Research* 18: 561-565.
- Jain SK. 1986. A Manual of Ethnobotany. Scientific Publishers, Jodhpur.
- Jaki B, Orjala J, Bürji HR, Sticher O. 1999. Biological screening of cyanobacteria for antimicrobial and molluscicidal activity, brine shrimp lethality, and cytotoxicity. *Pharm Biol* 37: 138-143.
- James CN, James EA, Sowers JR. Prevention of Cardiovascular Complications of Diabetes Mellitus by Aspirin. *Cardiovascular Drug Reviews* 22: 215-226.
- Janne J. 1967. Studies on the biosynthetic pathway of polyamines in rat liver. *Acta Physiol Scand Suppl* 300: 7-67.
- Jin JL, Lee YY, Heo JE, Lee S, Kim JM, Yun-Choi HS. 2004. Anti-Platelet Pentacyclic Triterpenoids from Leaves of *Campsis grandiflora*. *Arch Pharm Res* 27: 376-380.
- Johanson DA. 1940. Plant Microtechnique. Mc Graw Hill Book Co, New York.
- Johnson T. 1999. CRC Ethnobotany Desk Reference. CRC Press LLC, Florida.
- Jones RL, Peterson CM. 1979. Reduced fibrinogen survival in diabetes mellitus: a reversible phenomenon. *J Clin Invest* 63: 485-493.
- Joshi H, Megeri K. 2008. Antiamnesic evaluation of *C. phlomidis* Linn. bark extract in mice. *Brazilian Journal of Pharmaceutical Sciences* 44: 717-725.
- Joshi KC, Singh P, Mehra A. 1979. Chemical investigation of the roots of different *Clerodendron* species. *Planta Medica* 37: 64-66.

References

- Kaltenboeck B, Sapatafora JW, Zhang X, Kousoulas KG, Blackwell M, Storz J. 1992. Efficient production of single-stranded DNA as long as 2 kb for sequencing of PCR-amplified DNA. *BioTechniques* 12:164-171.
- Kang DG, Lee YS, Kim HJ, Lee YM, Lee HS. 2003. Angiotensin converting enzyme inhibitory phenylpropanoiod glycosides from *Clerodendron trichotomum*. *Journal of Ethnopharmacology* 89: 151-154.
- Kannel WB, Hjortland M, Castelli WP. 1974. Role of diabetes in congestive heart failure: the Framingham study. *Am J Cardiol* 34: 29-34.
- Kannel WB, McGee DL. 1979. Diabetes and cardiovascular risk factors: the Framingham study. *Circulation* 59: 8-13.
- Kapoor VP, Khan PSH, Raina RM, Farooqui MIH. 1975. Chemical analysis of seeds from 40 non-leguminous species, part III. *Sci Cult* 41: 336.
- Katewa SS, Chaudhary BL, Jain A. 2004. Folk herbal medicines from tribal area of Rajasthan, India. *Journal of Ethnopharmacology* 92: 41-46.
- Kaul MK. 1997. Medicinal Plants of Kashmir and Ladakh. Indus Publishing, New Delhi.
- Kennedy BP, Ramachandran C, 2000. Protein tyrosine phosphatase-1B in diabetes, *Biochem Pharmacol* 60: 877-883.
- Kenner KA, Anyanwu E, Olefsky JM, Kusari J. 1996. Protein-tyrosine phosphatase 1B is a negative regulator of insulin- and insulin-like growth factor-I-stimulated signaling, *J Biol Chem* 1996: 19810-19816.
- Keshabhai JR. 1992. Treatment for skin disease: Leaf extract of 'Arani' (*Clerodendrum phlomidis*). *Honey Bee* 3: 21.
- Khan MMAA, Jain DC, Bhakuni RS, Zaim M, Thakur RS. 1991. Occurrence of some antiviral sterols in *Artemisia annua*. *Plant Science* 75: 161-165.
- Khandelwal KR. 2002. Practical Pharmacognosy. Nirali Prakashan, Pune.
- Khare CP. 2007. Indian Medicinal Plants. Springer, New York.

References

- Kim HJ, Woo ER, Shin CG, Hwang DJ, Park H, Lee YS. 2001. HIV-1 integrase inhibitory phenylpropanoid glycosides from *Clerodendron trichotomum*. Archives of Pharmacal Research 24: 618.
- King H, Aubert RE, Herman WH. 1998. Global burden of diabetes, 1995-2025 prevalence, numerical estimates and projections. Diabetes care 21: 1414-1431.
- Kirtikar KR, Basu BD. 1975. Indian Medicinal Plants, Vol. III. Bishen Singh Mahendra Pal Singh, Dehradun.
- Kizu H, Tamimori. 2003. Phenolic constituents from the flowers of *Nymphaea stellata*. Nature Med 57: 118-119.
- Klaman LD, Boss O, Peroni OD, Kim JK, Martino JL, Zabolotny JM, Moghal N, Lubkin M, Kim YB, Sharpe AH, Stricker-Krongrad A, Shulman GI, Neel BG, Kahn BB, 2000. Increased energy expenditure, decreased adiposity, and tissue-specific insulin sensitivity in protein-tyrosine phosphatase 1B-deficient mice, Mol Cell Biol 20: 5479-5489.
- Kokate CK. 1991. Practial Pharmacognosy, 2nd Edn, Vallabh Prakashan, New Delhi.
- Kolak U, Hacibekiroglu I, Ozturk M, Ozgokce F, Topcu G, Ulubelen A. 2009. Antioxidant and anticholinesterase constituents of *Salvia poculata*. Turk J Chem 33: 813 – 823.
- Kosmulalage KS, Zahid S, Udenigwe CC, Akhtar S, Ata A, Samarasekera R. 2007. Glutathione S-transferase, acetylcholinesterase inhibitory and anti-bacterial activities of chemical constituents of *Barleria prionitis*. Zeitschrift fur Naturforschung 62B: 580-586.
- Kossorotow A, Wolf HU, Seiler N. 1974. Regulatory Effects of Polyamines on Membrane-Bound Acetylcholinesterase. Biochem J 144: 21-27.
- Kozikowski AP, Thiels E, Tang XC, Hanin I. 1992. Huperzine A-A possible lead structure in the treatment of Alzheimer's disease. Adv Med Chem 1: 175205.

- Krishnamurthy KH, Masilamoney P, Govindraj N. 1972. The nature of the confusion in the botanical identity of Agnimantha and pharmacology of one claimant viz., *Clerodendron phlomidis* L. Journal of Research in Indian Medicine 7: 27-36.
- Krishnamurthy KH. 1971. Botanical identification of Ayurvedic medicinal plants – A new method of pharmacolinguistics – A preliminary account. Indian Journal of Medical Research 59: 99-103.
- Krishnaraju AV, Rao TVN, Sundararaju D, Vanisree M, Tsay HS, Subbaraju GV. 2006. Biological screening of medicinal plants collected from Eastern Ghats of India using *Artemia salina* (Brine Shrimp Test). International Journal of Applied Science and Engineering 4: 115-125.
- Kuklin AI, Conger BV. 1995. Catecholamines in plants. Journal of Plant Growth Regulation 14: 91–97.
- Kumar A, Bohra C. 2005. Waning wetlands: a need for its conservation. In: Kumar A. Ed. Ecological Studies. Daya Books, New Delhi.
- Kumari GNK, Balachandran J, Aravind S, Ganesh MR. 2003. Antifeedant and growth inhibitory effects of some neo-clerodane diterpenoids isolated from *Clerodendron species* (Verbenaceae) on *Earias vitella* and *Spodoptera litura*. Journal of Agricultural and Food Chemistry 51: 1555-1559.
- Kxall UP. 1970. The clinical use of oral hypoglycaemic agents. In: Ellenberg M, Rifkin H. Eds. Diabetes Mellitus: Theory and Practice. McGraw-Hill, NY.
- Labbe C, Castillo M, Connoly JD. 1993. Mono and sesquiterpenoids from Satureja gilliesii. Phytochemistry 34: 441-444.
- Lad V, Frawley D. 1986. The Yoga of Herbs: An Ayurvedic Guide to Herbal Medicine. Lotus Press, Wisconsin.
- Lamela M, Cadavid I, Gato A, Calleja JM. 1985. Effect of *Lythrum saricaria* in normoglycemic rats. J Ethnopharmacol 41: 83–91.
- Law MR. 2000. Plant sterol and stanol margarines and health. West J Med 173:43–47.

References

- Lawrence WR. 1991. The Valley of Kashmir. Shirkat Printing Press, Lahore.
- Lee JH, Lee JY, Kang HS, Jeong CH, Moon H, Whang WK, Kim CJ, Sim SS. 2006. The effect of acteoside on histamine release and arachidonic acid release in RBL-2H3 mast cells. Archives of Pharmacal Research 29: 508-513.
- Li YF, Hu LH, Lou FC, Li J, Shen Q. 2005. PTP1B inhibitors from *Ardisia japonica*. Journal of Asian Natural Products Research 7: 13–18.
- Ling WH, Jones PJH. 1995. Dietary phytosterols: a review of metabolism, benefits and side effects. Life Sci 57: 195-206.
- Liu JQ, Chen ZD, Liao ZX, Lu AM. 2001. A comparison of its sequences of the Tibeta nmedicine “zang yin chen”-*Swertia mussotti* and its adulterant species. Acta Pharm Sin 36: 67-70.
- Liu JS, Zhu YL, Yu CM, Zhou YZ, Han YY, Wu FM, Qi BF. 1986. The Structures of Huperzine A and B1, Two New Alkaloids Exhibiting Marked Anticholinesterase Activity. Can J Chem 64: 837-839.
- Liu S, Ajani U, Chae C, Hennekens C, Buring JE, Manson JE. 1999. Long-term beta-carotene supplementation and risk of type 2 diabetes mellitus: a randomized controlled trial. JAMA 282:1073-1075.
- Liu S, Zhu H, Zhang S, Zhang X, Yu Q, Xuan L. 2008. Abietane diterpenoids from *Clerodendrum bungei*. Journal of Natural Products 71: 755-759.
- Liu ZB, Wang D, Wang S, Ha S, Li P. 1994. Oleanolic acid in decreasing hyperglycemia. Chinese Pharmaceutical Journal 29: 725-726.
- Lolitkar MM, Rao MRR. 1966. Pharmacology of a hypoglycemic principle isolated from the fruits of *Eugenia jambolana* Linn. Indian Journal of Pharmacy 28: 129–133.
- Lonn E, Yusuf S, Hoogwerf B, Pogue J, Yi Q, Zinman B, Bosch J, Dagenais G, Mann JFE, Gerstein HC. 2002. Effects of Vitamin E on Cardiovascular and Microvascular Outcomes in High-Risk Patients with Diabetes. Diabetes Care 25: 1919-1927.

References

- Lopez S, Bastida J, Viladomat F, Codina C. 2002. Acetylcholinesterase inhibitory activity of some Amaryllidaceae alkaloids and *Narcissus* extracts. Life Sciences 71: 2521-2529.
- Lukic ML, Stosic-Grujicic S, Shahin A. 1998. Effector mechanism in low dose streptozotocin induced diabetes. Develop Immunol 6:119-128.
- Lumbu S, Hootele C. 1993. Buchnerine and N1-(Z)-*p*-methoxycinnamoyl-buchnerine, two new macrocyclic alkaloids from *Clerodendrum buchneri*. Journal of Natural Products 56: 1418-1420.
- Lundstrom J. 1983. Simple Isoquinoline Alkaloids. In: Brossi A. Ed. The Alkaloids Vol 21. Academic Press, New York.
- Mabberley DJ. 1997. The Plant-Book: A portable dictionary of the vascular plants. University Press, Cambridge.
- Madhavakara, Meulenbeld GJ, Vijayaraksita, Srikanthadatta. 1974. The Madhavanidana and its Chief Commentary. EJ Brill, Leiden.
- Manjunatha BK, Krishna V, Pullaiah T. 2004. Flora of Davanagere District, Karnataka, India. Daya Books, New Delhi.
- Manohar M. 2005. Ayurveda for all: Effective Ayurvedic Self-cure for Common and Chronic Ailments. Pushtak Mahal Publishers, New Delhi.
- Marles RJ, Farnsworth NR. 1994. Plants as a source of antidiabetic agents. Econ Med Plant Res 6: 149-187.
- Marles RJ, Farnsworth NR. 1995. Antidiabetic plants and their active constituents. Phytomedicine 2: 137-189.
- Martinez M, Del ramo J, Torreblanca A, Diaz-Mayans J. 1998. Effect of cadmium exposure on zinc levels in the brine shrimp *Artemia partenogenetica*. Aquaculture 172: 315-325.
- Masiello P, Broca C, Gross R, Roye M, Manteghetti M, Hillaire-Buys D, Novelli M, Ribes G. 1998. Experimental NIDDM: development of a new model in adult rats administered streptozotocin and nicotinamide. Diabetes 47: 224-229.

References

- Matthew KM. 1995. An Excursion Flora of Central Tamilnadu, India. CRC Press, New York.
- Mattson M, Pedersen WA. 1998. Effects of amyloid precursor protein derivatives and oxidative stress on basal forebrain cholinergic systems in Alzheimer's disease. *Int J Dev Neurosci* 16: 737-753.
- Mattson MP, Laferla FM, Chan SL, Leissring MA, Shepel PN, Geiger JD. 2000. Calcium signaling in the ER: its role in neuronal plasticity and neurodegenerative disorders. *Trends Neurosci* 23: 222-229.
- Mazzoleni G, Hsiao WLW, Statuto M, Ferrari F, Marra M, Sharma H, Dilorenzo D. 2002. Anti-tumor effects of the antioxidant natural products Maharishi Amrit Kalash-4 and -5 (MAK) on cell transformation *in vitro* and in liver carcinogenesis in mice. *Journal of Applied Nutrition* 52: 45–63.
- McLaughlin JL, Chang CJ, Smith DL. 1991. Bench-top bioassays for the discovery of bioactive natural products: an update. In: Rhaman AU. Ed. *Studies in Natural Products Chemistry*. Elsevier, Amsterdam.
- Melton U, Macken KM, Palumbo PJ, Elveback LR. 1980. Incidence and prevalence of clinical peripheral vascular disease in a population-based cohort of diabetic patients. *Diabetes Care* 3: 650-654.
- Mennickent S, Nail M, Vega M, De Diego M. 2007. Quantitative determination of L-dopa in tablets by high performance thin layer chromatography. *J Sep Sci* 30:1893-1898.
- Merlin MD. 2003. Archaeological evidence for the tradition of psychoactive plant use in the old world. *Economic Botany* 57: 295-323.
- Merten M, Chow T, Hellums JD, Thiagarajan P. 2000. A new role for P-selectin in shear- induced platelet aggregation. *Circulation* 102: 2045–2050.
- Messripour M, Shahidi Z. 1990. Short- and long-term effects of L-dopa administration on striatal acetylcholinesterase activity. *Mol Chem Neuropathol* 13: 217-224.

References

- Metcalfe CR, Chalk L. 1979. Anatomy of the Dicotyledons Vol I, Clarendon Press, Oxford.
- Meulenbeld GJ, Wujastyk D. 2001. Indian Medical History. Motilal Banarsi das Publication, New Delhi.
- Meyer BN, Ferrigni NR, Putnam JE, Jacobsen LB, Nichols DE, McLaughlin JL. 1982. Brine shrimp: a convenient general bioassay for active plant constituents. *Planta Med* 45: 31-34.
- Michael AS, Thompson CG, Abramovitz M 1956. *Artemia salina* as a test organism for a bioassay. *Science* 123: 464.
- Michler I. 2004. Botswana: The Insider's Guide. Struik Publishers, Cape Town.
- Middleton H. 1956. Systematic Qualitative Organic Analysis. Edward Arnold Publishers Ltd, London.
- Miller RE, McConville MJ, Woodrow IE. 2006. Cyanogenic glycosides from the rare Australian endemic rainforest tree *Clerodendrum grayi* (Lamiaceae). *Phytochemistry* 67: 43-51.
- Minarini A, Milelli A, Tumiatti V, Rosini M, Bolognesi ML, Melchiorre C. 2010. Synthetic polyamines: an overview of their multiple biological activities. *Amino Acids* 38:383–392.
- Mishra LC. 2003. Scientific Basis for Ayurvedic Therapies. CRC Press, Florida.
- Mitra SK, Rangesh PR. 2003. Diarrhea and dysentery. In: Mishra LC. Ed. Scientific Basis for Ayurvedic Therapies. CRC Press, Florida.
- Mohanmarugaraja MK, Mishra SH. 2010. Comprehensive Review of *Clerodendrum phlomidis*: a traditionally used bitter. *Journal of Chinese Integrative Medicine* 8: 510-524.
- Mohanmarugaraja MK, Dhanabal SP, Patil MJ. 2008. Pharmacognostical investigation and antibacterial activity of *Nymphaea stellata* Willd. Leaves. *Hamdard Medicus* 51: 139-145.

References

- Moldenke HN. 1948. The known geographic distribution of the members of the Verbenaceae, Avicenniaceae, Stilbaceae, and Symphoremaceae, Supplement 8. *Castanea* 13: 10-121.
- Moldenke HN. 1971. A fifth summary of Verbenaceae, Avicenniaceae, Stillbaceae, Dicrastylidaceae, Nymphaeaceae, Nyctanthaceae, and Eriocaneaceae of the world as to valid taxa, geographic distribution and synonymy, Vol. I. Brawn-Brumfield Inc., Ann Arbor, Michigan.
- Montague CT, Farooqi IS, Whitehead JP, Soos Ma, Rau H, Wareham NJ, Sewter CP, Digby JE, Mohammed SN, Hurst JA, Cheetham CH, Early AR, Barnett AH, Prins JB, O'Rahilly S. 1997. Congenital leptin deficiency is associated with severe early-onset obesity in human. *Nature* 387: 903-908.
- Montalibet J, Kennedy BP. 2005. Therapeutic strategies for targeting h-PTP1B in diabetes. *Drug Discov. Today: Therap Strat* 2: 129–135.
- Mukherjee KS, Bhattacharya P, Mukherjee RK, Ghosh PK. 1986. Chemical examination of *Nymphaea stellata* Willd. *J Indian Chem Soc LXIII*: 530-531.
- Mukherjee PK, Kumar V, Mal M, Houghton PJ. 2007. Acetylcholinesterase inhibitors from plants. *Phytomedicine* 14: 289-300.
- Munir AA. 1989. A taxonomic revision of the genus *Clerodendrum* L. (Verbenaceae) in Australia. *Journal of Adelaide Botanical Garden* 11: 101-173.
- Murakami A, Ali AM, Mat-Salleh K, Koshimizu K, Ohigashi H. 2000. Screening for the *in vitro* anti-tumor-promoting activities of edible plants from Malaysia. *Biosci Biotechnol Biochem* 64: 9-16.
- Murphy ED, Anderson JW. 1974. Tissue glycolytic and gluconeogenic enzyme activities in mildly and moderately diabetic rats. Influence of tolbutamide administration. *Endocrinology* 94: 27-34.
- Murthy K, Mishra SH. 2009. Quantification of β -sitosterol from *Mucuna pruriens* by TLC. *Chromatographia* 69: 183-186.

- Murugesan T, Saravanan KS, Lakshmi S, Ramya G, Thenmozhi K. 2001. Evaluation of psychopharmacological effects of *Clerodendrum phlomidis* Linn. extract. *Phytomedicine* 8: 472–476.
- Na M, Kim BY, Osada H, Ahn JS. 2009. Inhibition of protein tyrosine phosphatase 1B by lupeol and luponone isolated from *Sorbus commixta*. *J Enzyme Inhib Med Chem* 24: 1056–1059.
- Nadkarni KM, Nadkarni AK, Chopra RN. 1954. Indian Materia Medica, Vol. I. Bombay Popular Prakashan Pvt Ltd, Bombay.
- Nadkarni KM. 1982. Indian Materia Medica, Vol. I. Popular Prakashan Pvt Ltd, Bombay.
- Nair RV. 2004. Controversial Drug Plants. Orient Longman Pvt Ltd, Hyderabad.
- Namboodari MNS, Sethu KS, Madhavakutty P, Vijayan, Namboodiri PKN. 1984. Clinical study on the treatment of Amavata with compound Ayurvedic preparation. *Journal of Research in Ayurveda and Siddha* 1: 11.
- Nehal M, Baquer NZ. 1989. Effects of diabetes and insulin induced hypoglycemia on hexokinase and glucose-6-phosphate dehydrogenase in red blood cells. *Biochem Int* 19: 185–191.
- Nene YL. 2006. Utilizing traditional knowledge in agriculture. In: Balasubramaniam AV, Nirmala Devi TD. Eds. Traditional Knowledge Systems of India and Sri Lanka. Centre for Indian Knowledge Systems, Chennai.
- Ng TB, Wong CM, Li WW, Yeung HW. 1986. Insulin-like molecules in *Momordica charantia* seeds. *Journal of Ethnopharmacology* 15: 107–117.
- Ngugi G. 1999. Case study from Kenya on indigenous wild vegetables. Proceedings of workshop: Exploring the potential of indigenous wild food plants in Southern Sudan. Lokichoggio, Kenya.
- Nmila R, Gross R, Rchid H, Roye M, Manteghetti M, Petit P, Tijane M, Ribes G, Sauvaire Y. 2000. Insulinotropic effect of *Citrullus colocynthis* fruit extracts. *Planta Medica* 66: 418–423.

References

- O'Brien TP, Feder N, Mc Cull ME. 1964. Polychromatic Staining of Plant Cell walls by toluidine blue-O. *Protoplasma* 59: 364-373.
- Oberlies NH, Rogers LL, Martin JM, McLaughlin JL. 1998. Cytotoxic and insecticidal constituents of the unripe fruit of *Persea*. *American Journal of Natural Products* 61: 781-785.
- Okuno A, Tamemoto H, Tobe K, Ueki K, Mori Y, Iwamoto K, Umesono K, Akaruma Y, Fujiwara T, Horikoshi H, Yazaki Y, Kadokawa T. 1998. Troglitazone increases the number of small adipocytes without the change of white adipose tissue mass in obese Zucker rats. *J Clin InVest* 101: 1354-1361.
- Ozturk Y, Atlan VM, Yildizoglu-Ari N. 1996. Effects of experimental diabetes and insulin on smooth muscle functions. *Pharmacol Rev* 48: 69-112.
- Padashetty SA, Mishra SH. 2007. An HPTLC method for the evaluation of two medicinal plants commercially available in the Indian market under the common trade name Brahmadandi. *Chromatographia* 66: 447-449.
- Palani V, Senthilkumaran RK, Govindasamy S. 1999. Biochemical evaluation of antitumor effect of Muthu Marunthu (a herbal formulation) on experimental fibrosarcoma in rats. *Journal of Ethnopharmacology* 65: 257-265.
- Pandey CN, Raval BR, Mali S, Salvi H. 2005a. Medicinal Plants of Gujarat. Gujarat Ecological Education and Research (GEER) Foundation, Gandhinagar.
- Pandey R, Kaur R, Malasoni R, Gupta MM. 2008. Lupeol ester from *Clerodendrum phlomidis* L. *Indian Journal of Chemistry* 47B: 470-472.
- Pandey R, Verma RK, Gupta MM. 2005b. Neo-clerodane diterpenoids from *Clerodendrum inerme*. *Phytochemistry* 66: 643-648.
- Panthong A, Kanjanapothi D, Taesotikul T, Wongcome T, Reutrakul V. 2003. Anti-inflammatory and antipyretic properties of *Clerodendrum petasites* S. Moore. *Journal of Ethnopharmacology* 85: 151-156.

References

- Pari L, Latha M. 2002. Antidiabetic activity of *Cassia auriculata* flowers: Effect on lipid peroxidation in streptozotocin diabetes rats. *Pharm Biol* 40: 512–517.
- Park J, Ernst E. 2005. Ayurvedic medicine for rheumatoid arthritis: A systematic review. *Seminars in Arthritis and Rheumatism* 34: 705 – 713.
- Park MA, Kim HJ. 2007. Anti-inflammatory constituents isolated from *Clerodendron trichotomum* Tunberg. leaves (CTL) inhibits pro-inflammatory gene expression in LPS-stimulated RAW 264.7 macrophages by suppressing NF-kappa B activation. *Archives of Pharmacal Research* 30: 755-60.
- Parmar MK. 1997. Jowar seed treatment. *Honey Bee* 8: 12.
- Partha P, Hossain EABM. 2007. Ethnobotanical investigation into the Mandi ethnic community in Bangladesh. *Bangladesh J Plant Taxon* 14: 129-145.
- Patil MV, Patil DA. 2006. Ethnobotany of Nasik District, Maharashtra. Daya Books, New Delhi.
- Patiri B, Borah A. 2007. Wild Edible Plants of Assam. Geetakhi Printers and Publishers, Guwahati.
- Patwardhan B. 2005. Ethnopharmacology and drug discovery. *J Ethnopharmacol* 100: 50-52.
- Patwardhan B. 2005. Ethnopharmacology and drug discovery. *Journal of Ethnopharmacology* 100: 50-52.
- Pawar S, Patil DA. 2008. Ethnobotany of Jalagon District Maharashtra. Daya Publishing House, New Delhi.
- Peach K, Tracey MV. 1955. Modern Methods of Plant Analysis Vol I. Springer-Verlag, Berlin.
- Pearson VE. 2001. Galantamine: a new Alzheimer drug with a past life. *Ann Pharmacother* 35: 1406–1413.
- Pelka M, Danzl C, Distler W, Petschelt A. 2000. A new screening test toxicity testing of dental materials. *J Dent* 28: 341-345.

References

- Perez H, Diaz F, Medina JD. 1997. Chemical investigation and in vitro antimalarial activity of *Tabebuia ochracea* ssp. *neochrysantha*. International Journal of Pharmacog 35: 227-231.
- Perry EK, Ashton H, Young AH. 2002. Neurochemistry of consciousness: Neurotransmitters in mind. John Benjamins Publishing Company, Amsterdam.
- Ping-he W, Wei-pei C. 1994. Study on the karyotype analysis of nymphaeacee and its taxonomic position. Acta Phytotaxonomica Sinica 32: 293-300.
- Pollak OJ. 1985. Effect of plant sterols on serum lipids and atherosclerosis. Pharmac Ther 31: 177-208.
- Polya GM. 2003. Biochemical targets of plant bioactive compounds. CRC Press, New York.
- Prasad KN, Edwards-Prasad J, Kentroti S, Brodie C, Vernadakis A. 1992. Ayurvedic (science of life) agents induce differentiation in murine neuroblastoma cells in culture. Neuropharmacology 31: 599-607.
- Prasad ML, Parry P, Chan C. 1993. Ayurvedic agents produce differential effects on murine and human melanoma cells *in vitro*. Nutrition and Cancer 20: 79-86.
- Pratipanawatr T, Cuicsi K, Ngo P, Pratipanawatr W, Mandarino LJ, Defronso R. 2002. A Normalization of plasma glucose concentration by insulin therapy improves insulin-stimulated glycogen synthesis in type 2 diabetes. Diabetes 51: 462-468.
- Protacio CM, Dai YR, Lewis EF, Flores HE. 1992. Growth Stimulation by Catecholamines in Plant Tissue/Organ Cultures. Plant Physiology 98: 89-96.
- Pullaiah T, Mohammed SM. 2000. Flora of Ranga Reddi District, Andhra Pradesh, India. Daya Books, New Delhi.
- Pullaiah T, Prabhakar C, Rao BRP. 1998. Flora of Medak District, Andhra Pradesh, India. Daya Books, New Delhi.

References

- Pullaiah T, Rao MD. 2002. Flora of Eastern Ghats: Hill ranges of south east India, Vol. 1. Regency Publications, New Delhi.
- Purandare NV. 1896. Rajanighantu Sahito Dhanvantariya Nighantu. Anandasram Press, Poona.
- Puri H S. 1970. Indian medicinal plants used in elixirs and tonics. *Pharmaceutical Biology* 10: 1555-1566.
- Puri HS. 2002. *Rasayana: Ayurvedic Herbs for Longevity and Rejuvenation*. CRC Press, New York.
- Qiao L, Han SI, Fang Y, Park JS, Gupta S, Gilfor D, Amorino G, Valerie K, Sealy L, Engelhardt JF, Grant S, Hylemon PB, Dent P. 2003. Bile acid regulation of C/EBPbeta, CREB, and c-Jun function, via the extracellular signal-regulated kinase and c-Jun NH₂-terminal kinase pathways, modulates the apoptotic response of hepatocytes. *Mol Cell Biol* 23: 3052-3066.
- Rajagopal K, Sasikala K, Ragavan B. 2008. Hypoglycemic and antihyperglycemic activity of *Nymphaea stellata* flowers in normal and alloxan diabetic rats. *Pharmaceutical Biology* 46: 654-659.
- Rajagopal K, Sasikala K. 2008. Antidiabetic activity of hydro-ethanolic extracts of *Nymphaea stellata* flowers in normal and alloxan induced diabetic rats. *African Journal of Pharmacy and Pharmacology* 2: 173-178.
- Rajagopal K, Sasikala K. 2008a. Antihyperglycaemic and antihyperlipidaemic effects of *Nymphaea stellata* in alloxan-induced diabetic rats. *Singapore Med J* 49: 137.
- Rajasekaran A, Kannan P. 2006. Antifungal activity of *Clerodendrum inerme* (L.) and *Clerodendrum phlomidis* (L.). *Turkish Journal of Biology* 30: 139-142.
- Rajlakshmi D, Banerjee SK, Sood S, Maulik SK. 2003. *In-vitro* and *in-vivo* antioxidant activity of different extracts of the leaves of *Clerodendron colebrookianum* Walp. in the rat. *Journal of Pharmacy and Pharmacology* 55: 1681-1686.

References

- Raju J, Gupta D, Rao AR, Yadava PK, Baquer NZ. 2001. *Trigonella foenumgraecum* (fenugreek) seed powder improves glucose homeostasis in alloxan diabetic rat tissues by reversing the altered glycolytic, gluconeogenic and lipogenic enzymes. *Molecular and Cellular Biochemistry* 224: 45–51.
- Rakesh SU, Salunkhe VR, Dhabale PN, Burande KB. 2009. HPTLC method for quantitative determination of gallic acid in hydroalcoholic extract of dried flowers of *Nymphaea stellata* Willd. *Asian J Research Chem* 2: 131-134.
- Rang HP, Dale MM. 1991. The endocrine system pharmacology. In: Nattrass M, Hale PT. Eds. 2nd Edn. Longman, Harlow.
- Rangaswami S, Sarangan S. 1969. Saponins of *Clerodendron serratum*: Constitution of a new pentacyclic triterpene acid, serratagenic acid. *Tetrahedron* 25: 3701-3705.
- Rani S, Ahamed N, Rajaram S, Saluja R, Thenmozhi S, Murugesan T. 1999. Anti-diarrhoeal evaluation of *Clerodendrum phlomidis* Linn. leaf extract in rats. *Journal of Ethnopharmacology* 68: 315–319.
- Rao MLS, Varma YNR, Vijaykumar. 2008. Ethno-veterinary medicinal plants of the catchments area of the river Papagni in the Chittor and Ananthapur districts of Andhra Pradesh, India. *Ethnobotanical Leaflets* 12: 217-226.
- Reddy KP, Singh AB, Puri A, Srivastava AK, Narendra T. 2009. Synthesis of novel triterpenoid (lupeol) derivatives and their in vivo antihyperglycemic and antidyslipidemic activity. *Bioorganic and Medicinal Chemistry Letters* 19: 4463-4466.
- Reitman AS. 1991. Tacrine as a Treatment for Alzheimer's Dementia. *New Engl J Med* 324: 349.
- Ridker PM, Cook NR, Lee IM, Gordon D, Gaziano JM, Manson JE, Hennekens CH, Buring JE. 2005. A randomized trial of low-dose aspirin in the primary prevention of cardiovascular disease in women. *N Engl J Med* 352: 1293–1304.

References

- Rijn RMV, Rhee IK, Verpoorte R. 2010. Isolation of acetylcholinesterase inhibitory alkaloids from *Nerine bowdenii*. Natural Product Research 24: 222–225.
- Rimpler H, Winterhalter C, Falk U. 1992. Cladistic analysis of the subfamily Caryopteridoideae Briq. and related taxa of Verbenaceae and Lamiaceae using morphological and chemical characters. In: Harley RM, Reynold T. Eds. Advances in Labiate Science. Royal Botanic Gardens, Kew.
- Rivera J, Lozano ML, Nunez LN, Vicente V. 2009. Platelet receptors and signaling in the dynamics of thrombus formation. Haematologica 94: 700-711.
- Roesler WJ, Khanderwal RL. 1986. Quantitation of glycogen synthase and phosphorylase protein mouse liver. Correlation between enzymatic protein and enzymatic activity. Arch Biochem Biophys 244: 397-407.
- Rosenthaler L. 1930. The chemical investigation of plants. G Bell and Sons Ltd, London.
- Roy R, Pandey VB. 1994. A chalcone glycoside from *Clerodendron phlomidis*. Phytochemistry 37: 1775-1776.
- Roy R, Singh UP, Pandey VB. 1995. Antifungal activity of some naturally occurring flavonoids. Oriental Journal of Chemistry 11: 145-148.
- Rubinstein I, Goad LJ. 1974. Sterols of the siphonous marine alga *Codium fragile*. Phytochemistry 13: 481-484.
- Ruggeri ZM, Bader R, DeMarco L. 1982. Glanzmann thrombasthenia: deficient binding of von Willebrand factor to thrombin-stimulated platelets. Proc Natl Acad Sci USA 79: 6038–6041.
- Sacco M, Pellegrini F, Roncaglioni MC, Avanzini F, Tognoni G, Nicolucci A. 2003. PPP Collaborative Group. Primary prevention of cardiovascular events with low-dose aspirin and vitamin E in type 2 diabetic patients: results of the Primary Prevention Project (PPP) trial. Diabetes Care 26: 3264 –3272.

References

- Saeed SA, Farnaz S, Simjee RU, Malik A. 1993. Triterpenes and β -sitosterol from piper betle: isolation, antiplatelet and anti-inflammatory effects. Biochem Soc Trans 21: 462S.
- Sakamoto T, Ogawa H, Kawano H, Hirai N, Miyamoto S, Takazoe K, Soejima H, Kugiyama K, Yoshimutra M, Yasue H. 2000. Rapid change of platelet aggregability in acute hyperglycemia: detection by a novel laser-light scattering method. Thromb Haemost 83: 475.
- Salloway S, Mintzer J, Weiner MF, Cummings JL. 2008. Disease modifying therapies in Alzheimer's disease. Alzheimers Dement 4: 65–79.
- Sam TW. 1993. Toxicity testing using the brine shrimp: *Artemia salina*. In: Colegate SM, Molyneux RJ. Eds. Bioactive natural products detection, isolation and structural determination. CRC press, Boca Raton.
- Sandhu HS. 1989. Immunosuppressive property of *Clerodendron* lectin. Human Immunology 26: 99.
- Sanjappa M, Venu P, Albertson D. 2005. Sasyabharati (Dakshinamnaya): A database on plants of South India. Current Science 88: 825-826.
- Sarma H, Sarma AM, Sarma CM. 2008. Traditional knowledge of weeds: a study of herbal medicines and vegetables used by the Assamese people (India). Herba Polonica 54: 80-88.
- Sarzanini C, Mentasi E, Nerva M. 1994. Determination of catecholamines by ion chromatography and electrochemical detection. J Chromatogr A 671: 259-264.
- Sass JE. 1940. Elements of Botanical Microtechnique. Mc Graw Hill Book Co, New York.
- Satyavati GV. 1987. Plant descriptions. In: Gupta AK, Tandon N, Eds. Medicinal Plants of India, Vol. II. Cambridge Printing Works, New Delhi.
- Saxena AM, Bajpai MB, Murthy PS, Mukherjee SK. 1993. Mechanism of blood sugar lowering by a Swerchirin-containing hexane fraction (SWI) of *Swertia chirayita*. Indian Journal of Experimental Biology 31: 178–181.

References

- Schroder H, Giacobini E, Struble RG, Zilles K, Maelicke A. 1991. Nicotinic cholinoreceptive neurons of the frontal cortex are reduced in Alzheimer's disease. *Neurobiol Aging* 12: 259-262.
- Schweizer EH, Marki F, Lehmann C, Dietrich H. 1983. Sulfonyliminoimdazolidines. A new class of oral hypoglycaemic agents. I. 1-[[p-[2-(acylamino) ethyl] phenyl] sulfonyl]-2-iminoimidazolidines. *Journal of Medical Chemistry* 26: 964-970.
- SCPHSRG (Steering Committee of the Physicians' Health Study Research Group). 1989. Final report on the aspirin component of the ongoing Physicians Health Study. *N Engl J Med* 321: 129-135.
- Selkoe DJ. 1989. Biochemistry of altered brain proteins in Alzheimer's disease. *Annu Rev Neurosci* 12: 463-490.
- Serrano MAR, Pivatto M, Francisco W, Danuello A, Regasini LO, Lopes EMC, Lopes MN, Young MCM, Bolzani VS. 2010. Acetylcholinesterase Inhibitory Pyridine Alkaloids of the Leaves of *Senna multijuga*. *J Nat Prod* 73: 482-484.
- Seth KK, Pandey VB, Dasgupta B. 1982. Flavonoids of *Clerodendron phlomidis* flowers. *Pharmazie* 37: 74-75.
- Shafi MS, Ashraf MY, Sarwar G. 2001. Wild medicinal plants of Cholistan area of Pakistan. *Pakistan Journal of Biological Sciences* 4: 112-116.
- Shah BS, Quadry JS. 1980. A Textbook of Pharmacognosy 3rd Edn, BS Shah Prakashan, Ahmedabad.
- Shanker K, Singh SC, Pant S, Srivastava P, Yadav AK, Pandey R, Verma RK, Gupta MM. 2008. Quantitative TLC analysis of sterol (24 β -ethylcholesta-5,22 E,25-triene-3 β -ol) in Agnimantha (*Clerodendrum phlomidis* Linn). *Chromatographia* 67: 269-274.
- Shanmugasundaram ER, Gopianth KL, Radha SK, Rajendram VM. 1990. Possible regeneration of islets of Langerhans in streptozotocin diabetic rats given *Gymnema sylvestra* leaf extracts. *J ethnopharmacol* 30: 265 – 279.

References

- Sharma HM, Dwivedi C, Satter BC, Gudehithlu KP, Abou-Issa H, Malarkey W, Tejwani GA. 1990. Antineoplastic properties of Maharishi-4 against DMBA- induced mammary tumors in rats. *Pharmacology Biochemistry and Behaviour* 35: 767-773.
- Sharma M. 2001. Effect of environmental upheavals in Manipur. In: Thomas J, Gopalakrishnan R, Ranjan R, Singh RK. Eds. *Constraints in Development of Manipur*. Daya Books, New Delhi.
- Sharma MP. 1996. In: Handa SS, Kaul MK. Ed. *Supplement to Cultivation and Utilization of Medicinal Plants*. Regional Research Laboratory and CSIR, Jammu- Tawi.
- Sharma N, Trivedi PC. 2002. Screening of leaf extracts of some plants for their nematicidal and fungicidal properties against *Meloidogyne incognita* and *Fusarium oxysporum*. *Asian Journal of Experimental Sciences* 16: 21-28.
- Sharma PV. 1998. *Puspavurvedah*. Caukhambha Visvabharati, Varanasi.
- Sheu JR, Kan YC, Hung WC, Su CH, Lin CH, Lee YM, Yen MH. 1998. The antiplatelet activity of rutaecarpine, an alkaloid isolated from *Evodia rutaecarpa* is mediated through inhibition of phospholipase C. *Thromb Res* 92: 53-64.
- Shi XF, Du DJ, Xie DC, Ran CQ. 1993. Studies on the antitumor effect of *Clerodendrum bungei* Steud. or *C. foetidum* Bge. *Zhongguo Zhong Yao Za Zhi* 18: 687-690.
- Shirwaikar A, Shetty M, Bommu P. 2004. Effect of lupeol isolated from *Crataeva nurvala* Buch.-Ham. stem bark extract against free radical induced nephrotoxicity in rats. *Indian J Exp Biol* 42: 686-690.
- Shui LK, Dezhi F, Wiersema JH. 2001. *Nymphaeaceae*. *Flora of China* 6: 115-118.
- Simmonds MSJ, Howes MJR. 2006. Plants used in the treatment of diabetes. In: Soumyanath A. Ed. *Traditional Medicines for Modern Times: Antidiabetic Plants*. CRC Press, New York.

References

- Simmons MP, Ochoterena H. 2000. Gaps as characters in sequence based phylogenetic analyses. *Syst Biol* 49: 369-381.
- Simonsen HT, Nordskjold JB, Smitt UW, Nyman U, Palpu P, Joshi P, Varughese G. 2001. *In vitro* screening of Indian medicinal plants for antiplasmodial activity. *Journal of Ethnopharmacology* 74: 195–204.
- Singh B. 1955. Bihar ki Vanaspatiyan. Sri Vaidyanath Ayurveda Bhavan Ltd, Calcutta.
- Singh HB, Sandhu JS. 2003. *Herbal Medicine of Manipur - A Colour Encyclopaedia*. Daya Books, New Delhi.
- Singh N, Nath R, Gupta ML, Kohli RP, Singh DR. 1978. An experimental evaluation of protective effects of some indigenous drugs on carbon-tetra chloride hepatotoxicity in mice and rats. *Quart J Crude Drug Res* 16: 8–16.
- Singh N, Nath R, Kohli RP. 1977. Pharmacological study on *Nymphaea stellata* Nilkamal. *J Resi Indian Med Yoga Homoe* 12: 53–57.
- Singh P, Sisodia S, Shah J. 2007. Angiospermous seeds medicinal importance in Gujarat state. In: Chopra AK, Khanna R, Prasad G, Malik DS, Bhutiani. Eds. *Medicinal Plants: Conservation Cultivation and Utilization*. Daya Books, New Delhi.
- Singh RN, Saratchandra B. 2005. The development of botanical products with special reference to seri-ecosystem. *Caspian Journal of Environmental Sciences* 3: 1-8.
- Singh RP, Padmavathi B, Rao AR. 2000. Modulatory influence of *Adhatoda veisca* (*Justicia adhatoda*) leaf extract on the enzyme of xenobiotic metabolism, antioxidant status and lipid peroxidation in mice. *Mol Cell Biochem* 213: 99-109.
- Singh VP, Sharma SK, Khare VS. 1980. Medicinal plants from Ujjain district, Madhya Pradesh-part II. *Indian Drugs and Pharmaceuticals Industry* 15: 7–12.

References

- Sinha NK, Seth KK, Pandey VB, Dasgupta B, Shah AH. 1981. Flavonoids from the flowers of *Clerodendron infortunatum*. *Planta Medica* 42: 296-298.
- Siqueira MJ, Bomm DM, Pereira NFG, Gareez WS, Boaventura MAD. 1998. Estudo fitoquímico de Unionopsis lindmanii- Annonaceae, biomonitorado pelo ensaio de toxicidade sobre *Artemia salina* LEACH. *Química Nova* 21: 557-559.
- Sleet RB, Brendel K. 1983. Improved methods for harvesting and counting synchronous populations of Artemia nauplii for use in developmental toxicology. *Ecotoxicol Env Safety* 7: 435-446.
- Slocum PD. 2005. Waterlilies and Lotuses: Species, Cultivars and New hybrids. Timber Press, Portland.
- Smith JW, Marcus Fl, Serokman R. 1984. Prognosis of patients with diabetes mellitus after acute myocardial infarction. *Am J Cardiol* 54: 718-721.
- Smith TA. 1997. Phenethylamine and related compounds in plants. *Phytochemistry* 16: 9-18.
- Solereder H. 1899. Systematic Anatomy of the Dicotyledons. Clarendon Press, Oxford.
- Solis PN, Wright CW, Anderson MM, Gupta MP, Phillipson JD. 1993. A microwell cytotoxicity assay using *Artemia salina*. *Plant Med* 59: 250-252.
- Soltis PS, Soltis DE, Zanis. 1999. Phylogeny, classification and floral evolution of water lilies (Nymphaeaceae; Nymphaeales): A synthesis of non-molecular, rbcl, mat K, and 18s r DNA data. *Systematic Botany* 24: 279-292.
- Sowers JR, Epstein M, Edward D, Frohlich. 2001. Diabetes, Hypertension, and Cardiovascular Disease - An Update. *Hypertension* 37: 1053-1059.
- Soyza J de. 1936. *Nymphaea stellata* (Water lily) as an Economic Crop. *The Tropical Agriculturalist* 87: 371-376.
- Spence TJ. 1983. Levels of translatable mRNA coding for rat liver glucokinase. *J Biol Chem* 285: 9143-9146.

- Spiro RG, Ashmore J, Hastings AB. 1958. Studies on carbohydrate metabolism in rat liver slices. XII. Sequence of metabolic events following acute insulin deprivation. *Journal of Biological Chemistry* 230: 761.
- Srinivasa U, Rao JV, Krupanidhi AM, Babu PRS. 2007. Analgesic activity of leaves of *Clerodendrum phlomidis*. *Journal of Research and Education in Indian Medicine* 13: 23-25.
- Srivastava GN, Hasan SA, Bagchi GD, Kumar S. 2000. Indian Traditional Veterinary Medicinal Plants. Central Institute of Medicinal and Aromatic Plants, Lucknow.
- Stafford RO, Barnes LE, Bowman BJ, Meinzinger MM. 1955. Glucocorticoid and mineralocorticoid activities of fluoro hydrocortisone. *Proc Soc Exp Biol Med* 89: 371-374.
- Stalmans W, Cadefau J, Wera S, Bollen M. 1997. New insight into the regulation of liver glycogen metabolism by glucose. *Biochem Soc Trans* 25: 19-25.
- Standaert DG, Young AB. 1996. Goodman and Gilman's The Pharmacological Basis of Therapeutics 9th Ed. McGraw-Hill, Mexico.
- Steane DA, De Kok RPJ, Olmstead RG. 2004. Phylogenetic relationships between *Clerodendrum* (Lamiaceae) and other *Ajugoïd* genera inferred from nuclear and chloroplast DNA sequence data. *Molecular Phylogenetics and Evolution* 32: 39-45.
- Steane DA, Scotland RW, Mabberley DJ, Olmstead RG. 1999. Molecular systematics of *Clerodendrum* (Lamiaceae): ITS sequences and total evidence. *American Journal of Botany* 86: 98-107.
- Steane DA, Scotland RW, Mabberley DJ, Wagsta SJ, Reeves PA, Olmstead RG. 1997. Phylogenetic relationships of Clerodendrums.l. (Lamiaceae) inferred from chloroplast DNA. *Syst Bot* 22: 229-243.
- Steane DA, Scotland RW, Mabberley DJ. 1997. Phylogenetic relationships of *Clerodendrum* s.l. (Lamiaceae) inferred from chloroplast DNA. *Systematic Botany* 22: 229-243.

References

- Steinkamp-Fenske K, Bollinger L, Yao HXY, Horke S, Forstermann U, Li H. 2007. Reciprocal regulation of eNOS and NADPH oxidase by betulinic acid in human endothelial cells. *JPET* 107: 123356.
- Stenzel E, Heni J, Rimpler H, Vogellehner D. 1988. Phenetic relationships in *Clerodendrum* (Verbenaceae) and some phylogenetic considerations. *Plant Systematics and Evolution* 159: 257–271.
- Stenzel E, Heni J, Rimpler H. 1988. Phenetic relationships in *Clerodendrum* (Verbenaceae) and some phylogenetic considerations. *Plant Systematics and Evolution* 159: 257–271.
- Stephens KM, Dowling RM. 2002. Wetland Plants of Queensland. CSIRO Publishing, Collingwood.
- Subash Babu P, Ignacimuthu S, Agastian P, Varghese B. 2009. Partial regeneration of β -cells in the islets of langerhans by Nymphaeol a sterol isolated from *Nymphaea stellata* (Willd.) flowers. *Bioorganic and Medicinal Chemistry* 17: 2864–2870.
- Subashbabu P, Ignacimuthu S, Agastian P, Varghese B. 2009. Partial regeneration of β -cells in the islets of langerhans by Nymphaeol a sterol isolated from *Nymphaea stellata* (Willd.) flowers. *Bioorganic and Medicinal Chemistry* 17: 2864–2870.
- Subbulakshmi G, Naik M. 2001. Indigenous foods in the treatment of diabetes mellitus. *Bombay Hosp J* 43: 548–561.
- Subramanian SS, Nair AGR, Vedantham TNC. 1973. (24S)-ethylcholesta-5,22,25-triene-3 β -ol from four *Clerodendron* species. *Phytochemistry* 12: 2078–2079.
- Subramanian SS, Nair AGR. 1972. Scutellarein and pectolinaringenin from the leaves of *Clerodendron phlomidis* and *Duranta repens*. *Phytochemistry* 11: 3095–3096.
- Sun MK, Alkon DL. 2006. Links between Alzheimer's disease and diabetes. *Drugs Today (Barc)* 42: 481–489.

References

- Susruta Sutr. Susruta Samhita, Sutr, XXXVIII. Nirnaya Sagar Press, Bombay.
- Swanson-Flatt SK, Day C, Bailey CJ, Flatt PR. 1990. Traditional plant treatments for diabetes: Studies in normal and streptozotocin diabetic mice. *Diabetologia* 33: 462–464.
- Sweeney JE, Puttfarcken PS, Coyle JT. 1989. Galanthamine, an acetylcholinesterase inhibitor: a time course of the effects on performance and neurochemical parameters in mice. *Pharmacology Biochemistry and Behaviour* 34: 129-137.
- Swofford DL. 2002. PAUP*. Phylogenetic analysis using parsimony (*and other methods), Version 4, Sinauer, Sunderland, Massachusetts, USA.
- Szkudelski T. 2001. The mechanism of alloxan and streptozotocin action in beta cells of rat pancreas. *Physiol Res* 50: 536–546.
- Tabor H, Tabor CW, Rosenthal SM. 1961. The biochemistry of the polyamines: spermidine and spermine. *Annu Rev Biochem* 30: 579-604.
- Tabor H, Tabor CW. 1964. Spermidine, spermine and related amines. *Pharmacol Rev* 16: 245-300.
- Tetali P, Sutar S, Tetali S. 2008. Selective insectivory in *Nymphaea nouchali* Burm. f. *Nature Proceedings* 2008: hdl:10101/npre.2008.1817.1: posted 20 April.
- Thomsen T, Kewitz H. 1990. Selective inhibition of human acetylcholinesterase by galanthamine in vitro and in vivo. *Life Sciences* 46: 1553-1558.
- Thors L, Belghiti M, Fowler CJ. 2008. Inhibition of fatty acid amide hydrolase by kaempferol and related naturally occurring flavonoids. *British Journal of Pharmacology* 155: 244-252.
- Tirkey A, Khan F, Khan SS, Saify T. 2001. Medicinal plants used in treatment of indigestion in Raigarh district of Chhattisgarh. *Proceedings of national conference: Biodiversity and sustainable utilization of biological resources, Sagar, Madhya Pradesh, India.*
- Tretyn A, Kendrick RE. 1991. Acetylcholine in plants: presence, metabolism and mechanism of action. *The Botanical Review* 57:33–73.

References

- Trinder P. 1969. Determination of glucose using glucose oxidase with an alternative oxygen acceptor. Ann Clin Biochem 6: 24.
- Tripathi BK, Srivastava AK. 2006. Diabetes mellitus: Complications and therapeutics. Med Sci Monit 12: RA130-RA147.
- Trovati M, Anfossi G. 1998. Insulin, insulin resistance and platelet function: similarities with insulin effects on cultured vascular smooth muscle cells. Diabetologia 41: 609–622.
- Tyagi DK. 2005. Pharma Forestry: Field guide to Medicinal Plants. Atlantic Publishers and Distributors, New Delhi.
- Upadhyay RK, Mukerji KG, Chamola BP. 2002. Bio-control Potential and its Exploitation in Sustainable Agriculture. Springer, New York.
- Vadnere GP, Somani RS, Singhai AK. 2007. Studies on antiasthmatic activity of aqueous extract of *Clerodendron phlomidis*. Pharmacolgyonline 1: 487-494.
- Vaghasiya Y, Chanda SV. 2007. Screening of methanol and acetone extracts of fourteen Indian medicinal plants for antimicrobial activity, Turkish Journal of Biology 31: 243-248.
- Vaidya BG. 1965. Nighantu Adarsh (Uttarardh). Shri Swami Atamanand Sarsavati Ayurvedic, Government Pharmacy Ltd, Surat.
- Vaidyar MS. 1997. Hypothermia or shivering in cattle. Honey Bee 8: 9.
- Vanhaecke P, Persoone G, Claus C, Sorgeloos P 1981. Proposal for a short-term toxicity test with *Artemia nauplii*. Ecotoxicol Env Safety 5: 382-387.
- Varshney CK, Rzoska J. 1976. Aquatic Weeds in South East Asia. Springer, New York.
- Vasu K, Singaracharya MA. 2008. Antimicrobial activity of certain aquatic angiosperms against some pathogenic bacteria. Asian Journal of Microbiology, Biotechnology and Environmental Sciences 10: 609-613.
- Vats RK, Kumar V, Kothari A, Mital A, Ramachandran U. 2005. Emerging targets for diabetes. Curr Sci 88: 241–249.

References

- Vats V, Yadav SP, Grover JK. 2004. Ethanolic extract of *Ocimum sanctum* leaves partially attenuates streptozotocin induced alterations in glycogen content and carbohydrate metabolism in rats. *Journal of Ethnopharmacology* 90: 155–160.
- Ved DK, Goraya GS. 2008. Demand and Supply of Medicinal Plants in India. Bishen Singh Mahendra Pal Singh, Dehra Dun.
- Vendantham TNC, Subramanian SS, Harborne JB. 1977. 4'-methylscutellarein and pectolinarigenin from *Clerodendron inerme*. *Phytochemistry* 16: 294–295.
- Venu P. 1999. Environmental impact assessment: Some considerations on evaluation of flora – an overview. PINSA-B65(5): 257-274.
- Verdcourt B. 1989. Nymphaeaceae. CRC Press, New York.
- Verdcourt B. 1989a. The typification of *Nymphaea lotus* L. *Kew Bull* 44:179–180.
- Verdcourt B. 1992. Verbenaceae. In: Polhill RM. Ed. *Flora of Tropical East Africa*. Balkema, Rotterdam/Brookfield.
- Vestweber D, Blanks JE. 1999. Mechanisms that regulate the function of the selectins and their ligands. *Physiol Rev* 79: 181–213.
- Vidya SM, Krishna V, Manjunatha BK, Mankani KL, Ahmed M, Singh SDJ. 2007. Evaluation of hepatoprotective activity of *Clerodendrum serratum* L. *Indian Journal Experimental Biology* 45: 538-542.
- Viljoen C, Notten A. 2002. *Nymphaea nouchali* Burm. F. var. caerulea (Sav.) Verdc. Kirstenbosch National Botanical Gardens, Cape Town.
- Wagner H, Bladt S, Zgainski E. 1984. Plant Drug Analysis - A Thin Layer Chromatography Atlas. Springer – Verlag, Berlin
- Wagner H, Bladt S. 1996. Plant Drug Analysis – A Thin Layer Chromatography Atlas. Springer India Pvt Ltd, New Delhi.
- Wagner H, Bladt S. 1996. Plant Drug Analysis. Springer, Berlin.
- Walchli S, Curchod ML, Gobert RP, Arkinstall S, Hooft van Huijsduijnen R. 2000. Identification of tyrosine phosphatases that dephosphorylate the insulin

References

- receptor: a brute-force approach based on 'substratetrapping' mutants. *J Biol Chem* 275: 9792–9796.
- Wallis TE. 1960. *Textbook of Pharmacognosy* 3rd Edn, JA Churchill Ltd, London.
- Wang CZ, Li P, Ding JY, Jin GQ, Yuan CS. 2005. Identification of *Fritillaria pallidiflora* using diagnostic PCR and PCR-RFLP based on nuclear ribosomal DNA internal transcribed spacer sequences. *Planta Med* 71: 384–386.
- Wang GJ, Liao C. 1990. The antihypertensive and diuretic effects of *Clerodendron trichotomum* water crude extract. *European Journal of Pharmacology* 183: 1825.
- Wang H, Chen J, Hollister K, Sowers LC, Forman BM. 1999. Endogenous bile acids are ligands for the nuclear receptor FXR/BAR. *Mol Cell* 3: 543–553.
- Wang HX, Ng TB. 1999. Natural products with hypoglycemic, hypotensive, hypocholesterolemic, antiatherosclerotic and antithrombotic activities. *Life Sciences* 65: 2663–2677.
- Wang LC. 1972. Polyamines in soyabeans. *Plant Physiol* 50: 152–156.
- Warrier PK, Nambiar VPK, Ramankutty C. 1996. *Indian Medicinal Plants*, Vol. IV. Orient Longman Ltd, Madras.
- Watanabe M, Houten SM, Mataki C, Christoffolete MA, Kim BW, Sato H, Messaddeq N, Harney JW, Ezaki O, Kodama T, Schoonjans, K, Bianco AC, Auwerx J. 2006. Bile acids induce energy expenditure by promoting intracellular thyroid hormone activation. *Nature* 439: 484–489.
- Watson R, Woodman R, Lockette W. 2010. Ephedra alkaloids inhibit platelet aggregation. *Blood Coagul Fibrinolysis* 21: 266–271
- Watt G. 1889. *A Dictionary of the Economic Products of India*. Vol II. The Superintendent of Government Printing, Calcutta.
- Watt JM, Brandwijk BMG. 1962. *The Medicinal and Poisonous Plants of Southern and Eastern Africa*. Livingston, London.

- Waynfirth BH. 1980. Injection techniques - Experimental and Surgical Techniques in the Rat. Academic Press, London/NY.
- Wei XM, Zhu QX, Chen JC, Cheng DL. 2000. Two new iridoid glucosides from *Clerodendrum serratum*. Chinese Chemical Letters 11: 415–416.
- Westman DJ. 1744. Plantae Baccatae. In: Linnaeus C. Ed. Oratorio de Telluris Habitabilis Incremento. Batavorum, Leiden.
- White TJ, Bruns T, Lee S, Taylor J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In: Innis MD, Gelfand D, Sninsky J, White T. Eds. PCR protocols: a guide to methods and applications. Academic Press, San Diego/CA.
- WHO. 2005. Quality control methods for medicinal plant materials. World Health Organization, Geneva.
- Wiart C. 2006. Medicinal plants of Asia and the Pacific. CRC Press, New York.
- World Health Organization. 1980. Second report of the WHO expert committee on diabetes mellitus, Geneva, Technical report series 646: 66.
- Yakandawala D, Paebotuwage I. 2007. 'Tel-olu' – is it really an 'olu'. Cey J Sci (Bio Sci) 36: 88-99.
- Yalow RS, Berson SA. 1974. Immunoassay of plasma insulin in man. Diabetes 10: 339-343.
- Yan SJ, Su JY, Zeng LM, Liu LJ, Wang YH. 2002. Redai Haiyang Xuebao (J Trop Oceanogr) 21: 92.
- Yang H, Hou AJ, Mei SX, Peng LY, Sun HD. 2000a. A new phenylpropanoid glycoside: Serratumoside A from *Clerodendrum serratum*. Chinese Chemical Letters 11: 323–326.
- Yang H, Wang J, Hou AJ, Guo YP, Lin ZW, Sun HD. 2000b. New steroids from *Clerodendrum colebrookianum*. Fitoterapia 71: 641-648.
- Yin SW, Wang CY, Li XM, Wang BG. 2005. A new clerosterol derivative, trans-phytol, and related metabolites from marine green alga *Codium fragile*

References

- (Codiaceae) and their Chemotaxonomic significance. Biochemical Systematics and Ecology 33: 1288-1292.
- Yoo MJ, Bell CD, Soltis PS, Soltis DE. 2006. Divergence times and historical biogeography of Nymphaeales. Systematic Botany 30: 693-704.
- Youngren JF, Goldfine ID. 1997. The molecular basis of insulin resistance. Sci Med 4: 18-27.
- Yu BC, Hung CR, Chen WC, Cheng JT. 2003. Antihyperglycemic effect of andrographolide in streptozotocin-induced diabetic rats. Planta Medica 69: 1075-1079.
- Zabolotny JM, Bence-Hanulec KK, Stricker-Krongrad A, Haj F, Wang Y, Minokoshi Y, Kim YB, Elmquist JK, Tartaglia LA, Kahn BB, Neel BG. 2002. PTP1B regulates leptin signal transduction in vivo. Dev Cell 2: 489-495.
- Zhang Y, Gan M, Li S, Wang S, Zhu C, Yang Y, Hu J, Chen N, Shi J. 2010. Chemical constituents of stems and branches of *Adina polycephala*. Zhongguo Zhong Yao Za Zhi 35:1261-1271.
- Zhu M, Bowery NG, Greengrass PM, Phillipson JD. 1996. Application of radioligand receptor binding assays in the search for CNS active principles from Chinese medicinal plants. Journal of Ethnopharmacology 54: 153-164.
- Ziegler HL, Staerk D, Christensen J, Hviid L, Hagerstrand H, Jaroszewski JW. 2002. *In vitro* *Plasmodium falciparum* drug sensitivity assay: Inhibition of parasite growth by incorporation of stomatocytogenic amphiphiles into the erythrocyte membrane. Antimicrob Agents Chemother 46: 1441-1446.