

BIBLIOGRAPHY

REFERENCES

- ADESOMOJU AKINBO A. 1982 Constituents alkaloids of *Rungia grandis* (Acanthaceae). Int. J. Crude Drug Res. 20 (3) : 113-115.
- ADESOMOJU AKINBO A *, JOSEPH I. OKOGUN*, MICHAEL P. CAVA AND PATRICK J. CARROLL. 1983. Roseadione, a diterpene ketone from *Hypoestes rosea*. Phytochemistry (oxf) 22(11) : 2535-2536.
- ADESOMOJU AKINBO A AND JOSEPH I. OKOGUN. 1984. Rosedoxide and dihypoesoxide : Additional new diterpenoids from *Hypoestes rosea*.
- ADESOMOJU AKINBO A AND JOSEPH I. OKOGUN. 1985. Phytochemical investigation of *Phaulopsis falcisepala*. Fitoterapia 56(5) : 279-280.
- AHMAD, K.J. 1974a. Epidermal hairs of Acanthaceae. Blumea 24 : 101-117.
- AHMAD, K.J. 1974b. Cuticular and epidermal structures in some species of *Eranthemum* and *Pseuderanthemum*. Bot. Not. 27 : 256-266.
- AHMAD, K.J. 1974c. Cuticular studies in some *Nelsonioidae* (Acanthaceae). Bot. J. Linn. Soc. 68 : 73-80.
- AHMAD, K.J. 1974d. Cuticular studies in some species of *Hemigraphis* & *Strobilanthes*. Proc. Indian Acad. Sci. Sect. B. 79 : 29-40.
- AHMAD, K.J. 1975. Cuticular studies in some species of *Lepidagathis* and *Barleria*. Bot. Gaz. 136 : 129-135.
- AHMAD, K.J. 1979. Taxonomic significance of epidermal characters in Acanthaceae. Progress in plant Research, Silver Jubilee

Publication, vol. 1 : 135-160.

AHMED ISHTIAQUE, M.R.K. SHERWANI, S.Q. HASSAN, M.S. AHMED Jr.
AND S.M. OSMAN. 1983. 9 - Hydroxydodecanoic acid, an acid from
Blepharis indica seed-oil. *Phytochemistry (oxf)* 22(2) : 493-
494.

AIRY SHAW, H.K. 1973. *Acanthaceae* In Willis, J.C. " A Dictionary
of Flowering plants and Ferns "Cambridge Univ. Press, London.

ALSTON, R.E. AND B.L. TURNER. 1963. *Biochemical systematics*,
Englewood Cliffs, N.J.

ALSTON, R.E. AND B.L. TURNER. 1966. *Biochemical methods in
systematics* In : *Plant Biology Today*. W.A. Jensen and L.G.
Kavaljan, eds. McMillan, London. pp. 92-113.

ALSTON, R.E. AND H.S. IRWIN, 1961. The comparative extent of
variation of free amino acids and certain secondary substances
among *Cassia* sp. *Amer. J. Bot.* 48 : 35-39.

AMARASINGHAM, R.D., BISSET, N.G., MILLARD, A.H. and M.C. WOOD.
1964. *Phytochemical survey of Malaya, Part III. Alkaloids and
saponins. Econ. Bot.* 18(3) : 270.

ANDERSON, T. 1860. *Acanthaceae*. In : *Thwaites & Hooker
Enumeratio Plantarum zeylanicae*, pp. 223-236. London : Dulau &
Co.

ANDERSON, T. 1864. An enumeration of the species of *Acanthaceae*
from the continent of Africa and adjacent islands. *J. Linn. Soc.
Botany* 7 : 13-54.

ANDERSON, T. 1867. An enumeration of the Indian species of
Acanthaceae. *J. Linn. Soc. Bot.* 9 : 425-526.

BAHUGUNA R.P., J.S. JANGWAN, T. KAIYA, AND J. SAKAKIBARA. 1987. Flavonoids and fatty acids of *Dicliptera roxburghiana*. Int J Crude Res 25(3) :177-178.

BAILEY, L. H. 1933. The Standard Cyclopedia of Horticulture, I. Macmillan, pp 286.

BALMAIN, ALAN AND JOSEPH D. CONNOLLY*. Minor diterpenoid constituents of *Andrographis paniculata* Nees. J Chem. Soc. Perkin Trans I 12 : 1247-1251.

BALKWILL, K., GETLIFFE NORRIS, F. AND SCHOONRAAD, E. 1966. Taxonomic studies in Acanthaceae. Testa microsculpturing in Southern African species of *Peristrophe*. S. Afr. j. Bot. 52 : 513-520.

BALKWILL, K. AND BALKWILL, M.J. 1988. Taxonomic studies in Acanthaceae : A new species of *Dicliptera*. S. Afr. J. Bot. 54 : 55-59.

BALKWILL, K. AND GETLIFFE NORRIS, F. 1988. Classification of the Acanthaceae : A Southern African perspective. Monographs in systematic Botany from the Missoum Botanical Garden, 25 : 503-516.

BALRAJ P. AND S. NAGARAJAN*. 1982. Apigenin 7-o-glucuronide from the flowers of *Asteracantha longifolia*. Indian Drugs 19 (4) : 150 - 152.

BANDOPADHYAY K., S.K. DATTA AND N.C. SUKUL. 1986. A spectrophotometric estimation of andrographolide and determination an nematocidal action by the crude extract of *Andrographis paniculata* Nees. Indian Drugs 23(9) : 510-512.

- BARKER, R. 1986. Revision of Australian Acanthaceae. J. Adelaide Bot. Gard. 9 : 1-292.
- BARUA, ARUN, M.K. CHOWDHURY, S. BISWAS, C. DASGUPTA, S.K. BANERJEE, S.K. SAHA, A. PATRA* AND A.K. MITRA*. 1985. The structure and stereochemistry of phlogantholide-A, a diterpene from *phlogacanthus thyrsiflorus* Nees. *Phytochemistry (oxf)* 24(9) : 2037-2039.
- BARUA, ARUN, S.BISWAS, et.al. 1987. Phloganthoside : A diterpene lactone glucoside from *Phlogacanthus thyrsiflorus* Nees. *Phytochemistry (oxf)* 26(2) : 491-492.
- BATE-SMITH, E.C. 1962. The phenolic constituents of plants and their taxonomic significance. J. Linn. Soc. (Bot.), 58 : 95-173.
- BERNATH, G., F. FULOP, I. HERMEEZ, Z. MESZOROS AND G. TOTH. 1979. Nitrogen bridgehead compounds : VIII Ring transformations : IV Synthesis and reactions of 2,3-Cycloalkylene-4H-pyridol[1,2-9] pyrimidin-4-ones. J Heterocycl Chem. 16 (1) : 137-144.
- BENTHAM, G. AND J.D. HOOKER, 1862. *Genera Plantarum* Vol. 1 London.
- BENTHAM, G. AND HOOKER, J.D. 1876. *Genera plantarum. Acanthaceae* in 2 : 1060-11222. Reeve & Co. London.
- BHADURI, S. 1944. A contribution to the morphology of pollen grains of Acanthaceae and its bearing on taxonomy. J. Dep. Sci. Calcutta Univ. 1 : 25-38.
- BHARTIYA H.P. AND P.C. GUPTA. 1982. A chalcone glycoside from the flowers of *Adhatoda vasica*. *Phytochemistry (oxf)* 21(1) : 247.

- BHATT D. C. 1983. Structure and ontogeny of stomata in seedlings of some gamopetalae. *Geophytology* 13 (1) : 72-78.
- BRAIN KEITH R*. AND BHUPENDRA B. THAPA 1983. High performance liquid chromatographic determination of vasicin and vasicinone in *A. vasica* Nees. *J. Chromatogr* 258 (1/2) : 183-188.
- BREMEKAMP, C.E.B. 1938. Notes on the Acanthaceae of Surinam. *Rec. Trav. Bot. Neerl.* 35 : 103-174.
- BREMEKAMP, C.E.B. 1944. Materials for a monograph of the *Strobilantheae*. *Verh. Ned. Akad. Wetensch. Afd. Natuurk.*, 2 Sect. 41 : 1-305.
- BREMEKAMP, C.E.B. 1948. Notes on the Acanthaceae of Java. *Nederal Akad. Wetnesch. Verh. (Tweedie Sect.)* 45 : 1-78.
- BREMEKAMP, C.E.B. 1953. The delimitation of the Acanthaceae. *Proc. Kon. Nederl. Akad. Wetensch. (Ser. C.)* 56 : 533-546.
- BREMEKAMP, C.E.B. 1955a. A revision of the Malaysian *Nelsonieae* (Scrophulariaceae). *Remwardua* 3 : 157-261.
- BREMEKAMP, C.E.B. 1955b. The Acanthaceae of the Malaysian area. *Proc. Kon. Nederl. Akad. Wetensch. (Ser. C.)* 58 : I General considerations : 162-171. II special Part : 295-306.
- BREMEKAMP, C.E.B. 1965. Delimitation and subdivision of the Acanthaceae. *Bull. Bot. Survey India* 7 : 21-30.
- BRUMMIT, R.K. 1989. Against seperating *Mendonciaceae* from Acanthaceae. *Acanthus* 5 : 1-3.
- CHAKRAVARTI AJITKUMAR, PARTHA PRATIM GHOSH, DASTIDAR AND SATYESHCHANDRA PRAKASHI. 1982. Simple aromatic amines from

Justicia gendarussa. *Tetrahedron* 38(12) : 1797-1802.

BYRNE, LINDSAY J., JENNETH M. SASSE, BRIAN W. SKELTON, APICHART SUKSAMARN AND ALLAN H. WHITE. 1987. The minor iridoid glucosides of *Barleria lupulina*: Isolation, crystal structure and plant growth-inhibiting properties of 6-o acetylshanzhiside methyl ester.

CALLEJAS, R. 1986. Taxonomic revision of subgenus *Ottonia* (Piperaceae). Ph.D. Thesis. City University of New York.

CHAN W.R., D.R. TAYLOR, C.R. WILLIS, R.L. BODDEN AND H.W. FEHLHABER. 1972. The structure and stereochemistry of neoandrographolide, a diterpene glucoside from *Andrographis paniculata* Nees. *Tetrahedron* 27(21) : 5081-5091.

CHAUBAL, P.D. 1966. Palynological studies on the family Acanthaceae. Univ. Poona, India.

CHAUBAL, P.D. AND DEODIKAR, G.B. 1966-67. Pollen morphotypes of the family Acanthaceae from parts of Western Ghats (India). *Palynol. Bull.* Vols. II & III. 84-88.

CHAUDHARI, G.S. AND INAMDAR. J.A. 1984a. Leaf architecture of some Acanthaceae. *Bot. Mag. Tokyo*. 97 : 469-482.

CHAUDHARI, G.S. AND INAMDAR. J.A. 1984b. Nodal and internodal vessels of Acanthaceae. *Geophytology* 14 : 33-39.

CHAUDHURI, B.K*. AND P. BHATTACHARYA. 1985. A further quineazoline alkaloid from *Adhatoda vasica*. *Phytochemistry (oxf)* 24(12) : 3080-3082.

CHEN, WEIMING AND LIANG XIAOTIA. 1982. Deoxyandrographolide 19~D-glucoside from the leaves of *Andrographis paniculata*. *Planta*

Med 45(4) : 245-256.

CHOPRA, R.N. NAYAR, S.L. AND CHOPRA, I.C. 1956. "Glossary of Indian Medicinal Plants." CSIR, New Delhi.

CLARKE, C.B. 1884-1885. Acanthaceae. In Hooker, J.D. Flora Of Britisah India 4 : 387-558.

COOK, T. 1958. The flora of the Presidency of Bombay. (Repr. ed.) II. Calcutta, India.

CRAMER, L.H. 1992. Name changes in the Acanthaceae of India and Ceylon (Srilanka). J. Nath. Sci. Coun. Sri Lanka 20 : 59-69.

CRONQUIST, A. 1981. "An integrated system of classification of flowering plants". Columbia Univ. press, New York.

CRONQUIST, A. 1987. A botanical critique of cladism. Bot. Rev. 53 : 1 - 52.

CRAMER, L.H. 1989. The *Hygrophila* complex (Acantheaceae) in India and Ceylon. Nord. J. Bot. 9 : 261-263.

CZAJA, A. TH. 1978. Structure of starch grains and classification of vascular plant families, Taxon, 27 : 463-470.

DAETWYLEN PETER*, HERBERT BOSSHARDT*, HEINZ O. BERNHARD*, MAMFRED HESSE* AND SIEGFRIED JOHNE. 1978. The structure of the spermine alkaloid aphelandrine from *Aphelandra squarrosa* Nees.

DAHLGREN, R.M.T. 1980. A revised system of Classification of the angiosperms. Bot J. Linn. Soc. 80 : 91-124.

DAHLGREN, R. AND K. BREMER 1985. Major clades of angiosperms. Cladistics 1 : 349-368.

- DANIEL, M. AND SABNIS, S.D. 1987. Chemosystematics of some Indian members of the Acanthaceae. *Proc. Ind. Acad. Sci. (Plant Sci.)* 97 : 315-323.
- DANIEL, T.F. 1989. Review on Graham (1988) *Acanthus* 4 : 4.
- DATTA, P.C. AND MAITI R.K. 1969. A study of floral anatomy of the tribe Justicieae (Acanthaceae) with an aim of taxonomic interpretation. *Acta. Biol. Acad. Sci. Hung.* 20 : 311-317.
- DATTA, P.C. AND MAITI, R.K. 1970. Relationship of Justicieae (Acanthaceae) based on cytology. *Genetic* 41 : 437-450.
- DATTA, P.C. AND MAITI, R.K. 1971. Taxonomy of tribe Justicieae (Acanthaceae) based on wood microscopy. *Castanea* 36 : 54-67.
- DATTA, P. C. AND PRABHANIAN SAMANTA 1978. Cyto-pharmacognostic study of chromosomal biotypes of *A. vasica* Nees. *Bull Bot. Soc. Bengal* 31 (2) : 119-128.
- DAVID P. H. AND V. H. HEYWOOD 1967. Principles of Angiosperm Taxonomy. Oliver and Boyd. Edinburgh.
- DE, A. 1967. Cytological, anatomical and palynological studies as an aid in tracing affinity and phylogeny in the family Acanthaceae. III. General Anatomy. *Trans. Bose. Res. Inst.* 30 : 51-65.
- DE EDS, F. 1968. In : *Comprehensive Biochemistry* (M. Florkin and E.H. Stotz ed.) Elsevier publishing Co., Amsterdam.
- DE JUSSIEU, A.L. 1789. "Genera Plantarum " Paris.
- DEMUTH, HELLE, SOREN ROSENDAL JENSEN AND BENT JUHL NIELSEN. 1989. Iridoid-glucosides from *Asystasia bella*. *Phytochemistry* (Oxf)

28 (12) : 3361-3364.

DHAR, K. L., M. P. JAIN, S. K. KAUL AND C. K. ATAL. 1981. Vasicol, a new alkaloid from *Adhatoda vasica*. *Phytochemistry* (Oxf) 20 (2) : 319-322.

DONGHUE, M.J. AND P.D. CANTINO 1988. Paraphyly, ancestors, and the goals of taxonomy : A botanical defense of Cladism. *Bot. Rev.* 52 : 321 - 431.

DOYLE, J.A. AND M.J. DONGHUE 1986. Seed plant phylogeny and the origin of angiosperms. An experimental cladistic approach. *Bot. Rev.* 52 : 321-431.

ELDREDGE, N. AND J. CRACRAFT, 1980. *Phylogenetic patterns and the evolutionary process*. Columbia Univ. Press, New York. 349 pp.

ENGLER, A. 1931. In: *Die Naturlichen pflanzen Familien* (A. Engler and K. prantl ed.) 2nd ed. 19a 1.

ENGLER, A. AND PRANTL, K. 1887-1915. "Die naturlichen pflanzenfamillien", 1st ed. Leipzig.

FUJITA, TETSURO*, RYUJIRO FUJITANI, YOSHIO TAKEDA, YOSHIHISA TAKAISHI, TOSHIHIDE YAMADA, MASARU KIDO AND IWAQ MIURA. 1984. On the diterpenoids of *Andrographis paniculata* : X-ray crystallographic analysis of andrographolide and structure determination of new minor diterpenoids. *Chem Pharm Bull* (Tokyo) 32(6) : 2117-2125.

GHOSAL S*, A. K. SRIVASTAVA, R. S., SRIVASTAVA S., S. CHATTOPADHYAY AND M. MAITRA. 1981. Justicisaponin I, a new triterpenoid saponin from *Justicia simplex*, *Planta Med.* 42(3) : 279-283.

GHOSH BARIN. 1987. Some unreported medicinal uses of plants used by the tribals of district Begusarai, Bihar (India). *J.Econ Taxon Bot* 10(1) : 187-190.

GIBBS, R.D. 1963. History of chemical taxonomy In : *Chemical Plant Taxonomy* (T. Swain, ed.) Academic Press, London, pp. 41-88.

GIBBS, R.D. 1974. *Chemotaxonomy of Flowering plants*, McGillqueens, Univ. Press, London, Vol. III.

GIBSON, D.N. 1974. Acanthaceae. In *Flora of Guatemala. Fieldiana. Botany* 24 : 328-461.

GORNALL, J. AND B. A. BOHM. 1978. Angiosperms flavonoid evolution : A reappraisal. *Syst. Bot.* 3 : 353 - 368.

GOVINDARAJAN, T. AND SUBRAMANIAN, D. 1983. Karyomorphological studies in south Indian Acanthaceae. *Cytologia (Tokyo)* 48 : 491 - 504.

GOVINDARAJAN, T. AND SUBRAMANIAN D. 1985. Karyomorphological studies in South Indian Acanthaceae. *Cytologia (Tokyo)* 50 : 473 - 482.

GRAHAM, V. A. 1988. Delimitation and Infra - Generic Classification of *Justicia* (Acanthaceae). *Kew Bull.* 43 : 551 - 624.

GRANT, W. F. 1955. A cytogenetic study in Acanthaceae. *Brittonia* 8 : 121 - 150.

GRAY, A. 1878. *Synoptical Flora of North America* 2. New York.

GUPTA, K. K., TANEJOA, S. C., DHAR, K. L. AND ATAL, C. K. 1989.

Flavanoids of *Andrographis paniculata*. *Phytochemistry* 22 : 314.

HARBORNE, J. B. 1967. *Comparative Biochemistry of the Flavonoids*. Academic Press, London.

HARBORNE, J. B. 1977. Flavonoids and the evolution of the angiosperms. *Biochem. Syst. Ecol.* 5 : 7 - 22.

HARBORNE, J. B. 1984. *Phytochemical Methods* 2 edn. Chapman and Hall, London.

HARBORNE J.B., S.SANKARA SUBRAMANIAN AND A.G.R. NAIR. 1988. *The Flavonoids*. Chapman and Hall, New York.

HEINE, H. 1962. Notes on some West African Acanthaceae : The reduction of the genus *Asteracantha* Nees. to *Hygrophila* R. Br. *Kew Bull.* 16 : 171 - 173.

HEINE, H. 1966. Acanthaceae In : *Flora due Gabon* Paris.

HENRY, MAX, JEAN-LOUIS ROUSSEL AND CLAUDE ANDARY. 1987. Verbascoside production in callus and suspension cultures of *Hygrophila erecta*. *Phytochemistry (Oxf)* 26 (7) : 1961-1964.

HOOKE, J. D. 1879. *Flora of British India* L. Reeve and Co. Kent. Vol. 2.

HUNGUND, B. L. AND C. H. PATHAK. 1971. A survey of plants in Gujarat, India, for alkaloids saponins and tannins. *u.s.d.a. Forest Service Research paper* HE - 201.

HUSSEIN AYOUB, S.M.*, A.I. BABIKER* AND I. MAAT. 1983. On the constituents of the seeds of *Monechma ciliatum* : 3. *Fitoterapia* 54(2) : 57-58.

- HUTCHINSON, J. 1973. "Families of Flowering plants" Oxford.
- IBRAHIM, R. K. AND G. H. N. TOWERS, 1960. The identification, by paper chromatography of plant phenolic acids. *Arch. Biochem. Biophys.* 87 : 125 - 128.
- IMMELMAN, K.L. 1992. Studies in the *Justicia* and *Siphonoglossa* (Acanthaceae) : species of Southern Africa : final conclusions. *Bothalia* 22 : 117-175.
- INAMDAR, J. A. CHAUDHARI, G. S. AND RAMANARAO, T. V. 1990. Studies on the cystoliths of Acanthaceae. *Feddes Report.* 101 : 417 - 424.
- INAMDAR, J. A. AND PATEL R. C. 1976. Ontogeny of normal and abnormal stomata in seedlings of some Solanaceae. *Phyton* 17 (3-4) : 265-276.
- JAIN, M. P. AND SRIVASTAVA, T. N. 1986. Preliminary photochemical studies *Adhatoda beddomei* *Fitoterapia* 57 : 297 - 299.
- JENSEN, SOREN ROSENDAL AND BENT JUHL NIELSEN 1989. Iridoids in *Thunbergia* sps. *Phytochemistry (Oxf)* 28 (11) : 3059-3062.
- JENSON, R. D. 1981. Wagner networks and wagner trees : A presentation method for estimating most parsimonious solutions. *Taxon* 30 (3) : 576 - 590.
- JOHRI, B. M. AND SINGH, H. 1959. The morphology, embryology and systematic position of *Elytraria acaulis* (Linn.f.) Lindau. *Bot. Not.* 112 : 227 - 251.
- JOSHI, J.V. 1980. "A study of the Flora of Surat and its

environs." *Ph. D. Thesis*, The M.S.Univ. of Baroda.

K. RANGASWAMY. 1941. Cytomorphological studies in *Asteracantha Longifolia* Nees. (*Hygrophila spinosa* T. And.) *Proc. Indian Acad. Sci. Sect-B*. 14 : 149-165.

KARLSTROM, P. O. 1972. Embryological studies in the Acanthaceae I. The Genus *Ruellia* L. *Svensk Bot. Tidskr.* 66 : 303 - 313.

KARLSTROM, P. O. 1978. Epidermal leaf structures in species of Strobilantheae and Petalidieae (Acanthaceae) *Bot. Not.* 131 : 423 - 433.

KUMAR S. AND PALIWAL, G.S. 1982. Foliar anatomy of Scrophulariaceae and Acanthaceae. *Geophytology*. 12 : 22-29.

LAWRENCE, G.H.M. 1951. *Taxonomy of vascular plants*. Oxford and IBM. publishing co., New Delhi.

LAWSON, M.A. 1875. In : *Flora of British India* (J.D. Hooker ed.) L. Reeve and Co. Ltd. London Vol. I.

LEONARD, E.C. 1951. The Acanthaceae of Columbia I *Contr. U.S. Nat. Herb.* 31 : 1-115.

LINDAU. G. 1895. Acanthaceae. In : Engler, A. and Prantl, K. "Die naturalischen pflanzenfamilien" 4 : 274-354.

LINNAEUS, C. 1737. *Genera Plantarum* (I. ed.).

LONG, ROBERT W., 1973. A biosystematic approach to generic delimitation in *Ruellia* (Acanthaceae). *Taxon* 22 : 543-555.

LOUKIS, A. AND S. PHILIANOS. 1980. Phytochemical investigation of *Acanthus spinosus* L. *Fitoterapia* 51(3) : 141-142.

LOUKIS, A. AND S. PHILIANOS. 1980. Phytochemical investigation of *Acanthus mollis* L. *Fitoterapia* 51(4) : 183-186.

MABRY, T.J., MARKHAM, K.R. and M.B. THOMAS. 1970. The systematic Identification of Flavonoids, springer-verlag, Berlin.

MACRAE W. DENALD AND G.H. NEILTOWERS. 1984. A study of the basis for its use as a hallucinogenic snuff ingredient. (*Justicia pectoralis* var. *stenophylla*). *Pharmacol* 12(1) : 93-112.

MANSKE, R.H.F. 1944. The Alkaloids. *Ann. Rev. Biochem.* 13 : 533-548.

MARKHAM, K.R. 1982. Techniques of Flavonoid identification, Academic Press, London.

MAURITZON, J. 1934. Die endosperm embryo entwicklung einiger Acanthaceae. *Lund. Univ. Arsskr.* 30 : 1-41.

MC NAIR, J. B. 1929. The taxonomic and climatic distribution of oils, fats and waxes in plants. *Amer. J. Bot.* 53 : 849-860.

MELCHIOR, H. 1964. "Engler's syllabus der Pflanzenfamilien" II. Gerbruder Borntraeger Berlin.

METCALFE, C.R. AND L. CHALK. 1950. Anatomy of the Dicotyledons. Clarendon press, Oxford.

MEYERS, S.F.H., JAWETZ, E. AND GOLDFINE. 1972. Review of Medical Pharmacology, 3rd edn. Large medical publications, California.

MINOCHA P.K.* AND K.P. TIWARI. 1981. A triterpenoidal saponin from roots of *Acanthus ilicifolius*. *Phytochemistry (oxf)* 20(1) : 135-138.

- MIROV, N. T. 1961. Composition of gum Terpentines of pines. U.S.D.A. Techn. Bull. 1239.
- MISRA SURITI, A. CHOUDHURY, ASHIS K. DUTTA AND AMITABHA GHOSH*. 1984. Sterols and fatty acids from 3 sps. of mangrove. *Phytochemistry (oxf)* 23(12) : 2823-2828.
- MOHAN RAM, H. Y. 1960. Post fertilization studies in the ovule of *Ruellia tuberosa* Linn. *Lloydia* 23 : 21-27.
- MOHAN RAM H.Y. AND MASAND, P. 1963. The embryology of *Nelsonia campestris* R. Br. *Phytomorphology* 13 : 82-91.
- MOHAN RAM H.Y. AND WADHI, M. 1965. Embryology and the delimitation of the Acanthaceae. *Phytomorphology* 15 : 201-205.
- MOLLA, H.A. AND B. ROY. 1985. Traditional uses of some medicinal plants by the Rabha tribe in Jalpaiguri district, W. Bengal (India). *Econ Taxon Bot.* 7(3) : 578-580.
- MOMOSE, TAKEFUMI, KEN-ICHI KANAI AND KUMIKO HAYASHI 1978. Synthetic studies on lignans and related compounds - VIII *Chem. Pharm. Bull. (Tokyo)* 26 (10) : 3195-3198.
- MUKARRAM M., I. AHMAD AND J. A. FAROOQI. 1986. Studies on minor seed-oils : VL *Lepidagathis trinervis*. *Fette seifen anstrichm* 88(5) : 182-183.
- NAFDAY, U.R. 1964-65. Anatomy of *Elytraria acaulis* Lindau. *Proc. Indian Sci. Congr.* 51-52, part III, Abst., Sect., VI, Botany : 395.
- NAIDU AND SHAH, G. L. 1981. Observation on the cotyledonary stomata trichomes and their ontogeny in some genera of Lamiaceae. *Phyton* 21 (1) : 137-152.

NAYAR, M.P. AND SASTRY, A.R.R. (eds.) 1988. "Red Data Book of Indian Plants. Govt. of India.

NEES VON ESENBECK, C.G. 1832. Acanthaceae Indian Orientalis, in Wallich, Pl. AS. Rar. 3 : 70-117.

NEES VON ESENBECK, C.G. 1847. Acanthaceae, In De Candolle, A.P. "Prodromus systematis Naturalis Regni vegetales" 11 : 46-516. Paris.

DERSTED, A. S. 1854. Mexico og Centralamerikas acanthaceer. Vidensk. Medd. Natural. For. Kjobenhavn. 6 : 113-181.

OKOGUN, JOSEPH I, AKINBO A., ADESOMOJU, GEORGE A. ADESIDA, HANS JORG LINDNER AND GERHARD HABERMEHL. 1982. Roseana lone : A new diterpene from *Hypoestes rosea*. Z Naturforsch sect C biosci 37(7/8) : 558-561.

OLANIYI, AJIBOLA A. 1982. 2 new aryl-naphthalide lignans from *Justicia flava* roots. Planta Med 44(3) : 154-156.

OVERTON, KARL H^{*}. AND FRANK M. ROBERTS. 1973. Biosynthesis of 2-trans, 6-trans and 2-cis, 6-trans-farnesols by soluble enzymes from tissue culture of *Andrographis paniculata*. J. Chem. Soc. Chem. Commun. 11 : 378 - 379.

PAECH, K. AND M.V. TRACEY, 1965. Modern methods of plants analysis II. Springer-Verlag, Berlin.

PAL D.C. 1980. Observations on folklore about plants used in veterinary medicine in Bengal, Orissa and Bihar (India). Bull Bot. Surv. India. 22(1-4) : 96-99.

PATHAK, V.G. AND AMBEGAOKAR, K.B. 1955. Embryological studies in Acanthaceae - The female gametophyte. J. Univ. Baroda 4 : 87-97.

- PATHAK, V.G. AND AMBEGAOKAR, K.B. 1961. Embryological studies in Acanthaceae IV. Development of embryo sac and seed formation in *Halpanthus tentaculatus* Nees. J. Indian Bot. Soc. 40 : 525-534.
- PATHAK, V.G. AND AMBEGAOKAR, K.B. 1963. Embryological studies in Acanthaceae V. Development of embryo sac and endosperm in *Blepharis maderaspatensis* (Linn.) Roth. Proc. Indian Acad. Sci. 57 B : 88-95.
- PRICE, J.R. 1963. The distribution of alkaloids in the Rutaceae, In : Chemical Plant Taxonomy (T. Swain ed.) Academic Press, London. 429 - 452 pp.
- RADLKOFER, L. 1883. Ueber den systematischen Werth der Pollenbeschaffenheit bei den Acanthaceen. Sitz. K. Bayer. Akad. Wiss. 13 : 256-314.
- RAFFAUF, R. F. 1970. A Handbook of alkaloids and Alkaloid containing plants. Wiley Interscience, New York.
- RAJ, B. 1961. Pollen morphological studies in the Acanthaceae. Grana palynol. 3 : 1-108.
- RANGASWAMY, K. 1941. Cytomorphological studies in *Asteracantha longifolia* Nees. (*Hygrophila spinosa* A. And.) Proc. Indian Acad. Sci. B. 14 : 149-165.
- ROY, A. K*. AND V. KUMARI 1991. A. flatoxin and citrinin in seeds of some medicinal plants under storage. Int J Pharmacogn 29(1) : 62-65.
- SAHI, B.G. & DIXIT, S.N. 1969. Acanthaceae : A phylogenetic and taxonomic consideration. Plant Sci. 1 : 101-108.

SANTAPAU, H. 1951. "The Acanthaceae of Bombay". Bot. Memoris. 2
Bombay Univ. press, Bombay.

SANTAPAU, H. 1953. The flora of Khandala on the Western Ghats
of India. Rec. Bot. Sur. India. 16 : 1-396.

SCOTLAND, R.W. 1992. Pollen-morphology of Andrographideae
(Acanthaceae). Rev. Palae. Bot. Palynol. 72(3-4) : 229-243.

SHARMA, B.D. AND VISHNU - MITTRE 1963. Contribution to the
pollen morphology of the genera *Eranthemum* Linn and
Pseuderanthemum Radlkf. Proc. Nat. Inst. Soc. India. 29 : 520-
526.

SIMON T. 1993. Morphological and histochemical studies in
some tropical Acanthaceae. *Ph.D. Thesis*.

SINGH V. AND D. K. JAIN 1975. Trichomes in Acanthaceae 1 :
General Structure. J. Indian Bot. Soc. 54 : 116-127.

SPORNE, K. R. 1956. The phylogenetic classification of
angiosperms. Biol. Rev. 31 : 1-29.

SREEMADHAVAN, C.P. 1965. *Bremekampia* - A new generic name. BBSI.
6 (2-4) : 323 - 324.

SREEMADHAVAN, C.P. 1968. *Indoneesiella*, a substitute name in the
Acanthaceae. Phytolog. 16 : 466.

SREEMADHAVAN, C.P. 1977. Diagnosis of some new taxa and some new
combinations in Bignoniales Phytologia 37 : 412-416.

SREEMADHAVAN, C.P. 1976. Leaf architecture and systematics of
Acanthaceae and related families. *Ph.D. Dissertation University
of South Florida, U.S.A.*

SRINIVASAN, S., LUCAS, T., BURROWES, C. B., WANDERMAN, N. A., REUNER, A., BERNSTEIN, S. AND P.N. SAWER. 1971. Effects of some flavonoids on the surface charge characteristics of the vascular system and their antithrombogenic characteristics. *European Conf. Microcirculation* 6 : 394.

SRINIVASAN, S., LUCAS, T., BURROWES, C. B., WANDERMAN, N. A., REUNER, A., BERNSTEIN, S. AND P. N. SAWER. 1971. Effect of some flavonoids on the surface charge characteristics of the vascular system and their antithrombogenic characteristics. *European Conf. microcirculation* 6 : 394-397.

STEARNS, W.T. 1971. Notes on Jamaican plants : Acanthaceae. *J. Arn. Arbor.* 52 : 636-647.

SUBRAMANIAN, S. S. AND NAIR A. G. R. 1974. Apigenin glycosides from *Thunbergia fragrans* and *Ruellia tuberosa*. *Curr. Sci.* 43 : 480.

SWAIN, T. 1963. "Chemical Plant Taxonomy" - Academic Press London & New York.

SWAIN, T. 1975. Evolution of flavonoid compounds In : *The flavonoids* (J.B. Harborne, ed.) Chapman and Hall. London.

TAKHTAJAN, A. 1980. Outline of the classification of flowering plants (Magnoliophyta) *Bot. Rev.* 46 : 225-359.

TAKHTAJAN A.L. 1987. *Systema magnoliophytorum*, *Officina Editoria :NAUKA* P. 439 Leningrad.

TAWIL, BASSEM F., JI-PING ZHU, UMBERTO PIANTINI AND MANFRED HESSE. 1989. New spermine alkaloids from *Aphelandra tetragona* (Vahl.) Nees. *Helv. Chim. Acta.* 72(1) : 180-184.

- TEWARI, J. P. 1973. Fatty acids of the seed-oil of *Dipteracanthus prostratus* Nees. *Arch. Pharm. Ber Deutsch Pharm. Ges.* 304 (11) : 797-798.
- THORNE, R.F. 1976. A phylogenetic classification of the Angiospermae. *Evol. Biol.* 9 : 35-106.
- THORNE, R.F. 1981. Phytochemistry and Angiosperm phylogeny. A summary statements, in phytochemistry and Angiosperm & phylogeny (D.A. Young and S. Seigler ed.) Praeger publisher, New York. 233-295.
- TIWARI K.P., M. MASSOD, Y.K. SINGH RATHORE AND P.K. MINOCHA. 1978. Study of anthocyanins from the flowers of some medicinal plants. *Vijnana parishad anusandhan patrika* 21(2) : 177-178.
- VAHL J. 1974. *Syst. Bot.* 3 : 54.
- VALSALADEVI, G. 1987. "Cytological and Palnological studies on the South Indian Acanthaceae". *Ph.d. Thesis, University of Kerala, Trivandrum.*
- VAN TIEGHEM, P.H. 1908. Structure de l 'Ovule dans la graine de Acanthaceae *J. Bot. Paris.* 1 : 5-11.
- VARTAK, V. D. AND MANDAVGANE REKHA. 1981. Enumeration of medicinal plants from the Karnala tribal area, Kolaba district, Maharashtra State [India]. *J. Univ. Poona Sci. Technol.* 0 (54) : 91-100.
- VISHNU-MITRE AND GUPTA, H.P. 1966. Contribution to the pollen morphology of the genus *Strobilanthus* Bl., with remarks on its taxonomy. *Pollen et. spores* 8 : 285-307.

- WANG, CHIA-LIN J*. AND W.C. RIPKA. 1983. Total synthesis of racemic justicidin p. A new lignan lactone from *Justicia extensa* (Acanthaceae). J Org. Chem. 48(15) : 2555-2557.
- WASHHAUSEN, D.C. 1966. Acanthaceae. In: Lundel, C.L. Flora of vol. 1 : 276-282. Renner, Texas.
- WETTSTEIN, R. 1935. Handbuch der Systematischen Botanik, Frantz. Austria.
- WEYERSTAHL, PETER, HELGA MARSCHALLWEYERSTAHL, VIJAY K. KAUL, E. M. AND L. GLASOW 1987. Constituents of the essential oil of *Strobilanthes auriculatus*. Liebigs Ann Chem. 0 (1) : 21-28.
- WILEY, E.O. 1981. Phylogenetics. Wiley - Interscience, New York. 439pp.
- WILLIS, J.C. 1973. : A Dictionary of the Flowering plants and Ferns". Cambridge.
- WU, TIAN-SHUNG, HSIEN-JU TIEN, MOUYUNG YEH AND KUO-HSIUNG LEE. 1988. Isolation and cytotoxicity of rhinacanthin A-&B, two naphthoquinones, from *Rhinacanthus nasuta*.