References

Aggarwal D, Kumar A, Reddy MS (2010) Shoot organogenesis from elite plants of *Eucalyptus tereticornis*. Plant Cell Tissue Organ Cult 102:45–52.

Amin MN, Jaiswal VS (1993) *In vitro* response of apical explants from mature trees of jackfruit (*Artocarpus heterophyllus*). Plant Cell Tissue Organ Cult 33:59–65.

Amin MN, Rahman MM and Manik MS (2003), *In vitro* clonal propagation of *Paederia foetida* L.-a medicinal plant of Bangladesh. Plant Tissue Cult.and Biotech. 13(2): 117-123.

Bailey LH and Bailey EZ (1976) Hortus Third. Macmillan General Reference, NY.

Baskaran P, Jayabalan N (2008) Effect of growth regulators on rapid micropropagation and psoralen production in *Psoralea corylifolia* L. Acta Physiol Plant 30:345–351.

Batra A, Sardana J, Audichya M, Sharma M and Ali ZD (2000) Tissue culture: An indispensible component of biotechnology for plant improvement. Role of biotechnology in medicinal and aromatic plants. 3:195-200.

Bécard G, Fortin JA (1988) Early events of vesicular-arbuscular mycorrhiza formation on Ri T-DNA transformed roots. New Phytol. 108:211-218.

Bécard, G., and Piché, Y. (1989). New aspects on the acquisition of biotrophic status by a vesicular-arbuscular mycorrhizal fungus, *Gigaspora margarita*. New Phytol. 112:77-83.

Berbee FM, Berbee JG and Hildebrant AC(1972) Induction of callus and trees from stem tip culture of a hybrid poplar In Vitro7:269.

Bhattacharya P, Dey S and Bhattacharya BC (1994) Use of low cost gelling agents and support matrices for industrial scale plant tissue culture. Plant Cell Tiss.Org Cult 37:15-23.

Bhojwani SS and Razdan MK (1996) Plant Tissue Culture: Theory and Practice.Elsevier Science Amsterdam. pp.767.

Bianciotto VandBonfante P. 1993. Evidence of DNA replication in an arbuscular mycorrhizal fungus in the absence of the host plant.Protoplasma 176: 100–105.

Blaszkowski J,Kovacs GM, Balaz T (2010) *Glomus africanum* and *G.iranicum* two new species of arbuscular mychorrhizal fungi (Glomeromycota) Mycologia 102(6):1450-1462.

Brown DCW and Thorpe TA (1995) Crop improvement through tissue culture.World J Microbiol Biotechnol 11:409-415.

Brundrett M (2004) Diversity and classification of mychorrhizal associations. Biol.Rev.79.pp.473-495.

Buee M, Rossignol M, Jauneau A, Ranjeva R, Bécard G. (2000). The pre-symbiotic growth of arbuscular mycorrhizal fungi is induced by a branching factor partially purified from plant root exudates. Molecular Plant-Microbe Interactions 13: 693–698.

California Rare Fruit Growers, Inc. (1996). Fig Fruit Facts. The Fullerton Arboretum CSUF, Fullerton, CA. Available: <u>http://www.crfg.org/pubs/ff/fig.html</u>

Carr, G. R., Hinkley, M. A., Le Tacon, F., Hepper, C. M., Jones, M. G. K., and Thomas, E. (1985) Improved hyphal growth of two species of vesicular-arbuscular mycorrhizal fungi in the presence of suspensioncultured plant cells. New Phytol. 101:417-426.

Chabot S, Bel-Rhlid T, Chenevert R, Piche Y. (1992) Hyphae growth promotion in vitro of the VA mycorrhizal fungus, *Gigaspora margarita* Becker & Hall, by the activity of structurally specific flavonoid compounds under CO₂ enriched conditions. New Phytologist 122:461/467.

Chalupa V (2002) *In vitro* propagation of mature trees of *Sorbus aucuparia* L. and field performance of micropropagated trees. J. For. Sci48 : 529-535.

Cheruvathur MK, Abraham J, Mani B and Dennis TT (2010) Adventitious shoot induction from cultured intermodal explants of *Malaxis acuminata* D. Don, a valuable terrestrial medicinal orchid. Plant Cell Tiss Organ Cult 101:163-170.

Datta MM, Mukherjee P,Ghosh B, Jha TB (2007) *In vitro* clonal propagation of biodiesel plant (*Jatropha curcas* L.) Current Science 93(10):1438-1441.

De Almeida WAB, de Assis Alves MFF, Mendes BMJ, Rodriguez APM (2002) In vitro organogenesis optimization and plantlet regeneration in *Citrus sinensis* and *C. limonia*. Scientia Agricola 59(1):35-40

Dehgan, B. (1998) Landscape Plants for Subtropical Climates. University Press of Florida, Gainesville, FL

Dhawan V and Bhojwani SS (1985) In vitro propagation of *Leucaena leucocephala* (Lam)deWit. Plant Cell Rep.4:315-318.

Dhawan V and Saxena S (2005) Cloning Forestry Species. In Plant biotechnology and Molecular markers P.S. Shrivastava, A. Narula and S. Shrivastava (Editors) Anamaya Publisher, New Delhi, India.

Diop TA, Becard G and Piché Y (1992) Long-term in vitro culture of an endomycorrhizal fungus, *Gigaspora margarita*, on Ri T-DNA transformed root of carrot. Symbiosis 12:249-259.

Diop TA, Plenchette C, Strullu DG (1994) Dual axenic culture of sheared-rood inocula of vesicular-arbuscular mycorrhizal fungi associated with tomato roots. Mycorrhiza, 5:17-22.

Eed MA, Begum H,Sivaramkrishnan H, DA silva JA,Reddy SA,Al-qabal AQ (2011) Rapid protocol for in vitro multiplication of *Citrus limonia* Osbeck rootstock.Intern Jour of Plant Dev Biol. 5 (1): 78-82.

Elias KS, Safir GR (1987) Hypbal elongation of Glomus fasiculatus in response to root exudates. Applied and Environmental Microbiology 53: 1928-1933.

Evans NE (1990). "Micropropagation," in *Methods* in Molecular Biology. Plant Cell and Tissue Cultureeds Pollard J. W., Walker J. M., editors. (New Jersey: Humana Press), 93–103 10.1385/0-89603-161-6:93.

Flora of North America (2000). Flora of North America Association, FNA Volume 3 Available: http://www.fna.org/FNA

Gamborg OL and Phillips GC (1996) *Plant* Cell, *Tissue* and Organ *Culture*, Fundamental Methods. Springer-Verlag, Berlin, Heidelberg, New York.

Gautheret RJ (1934) du tissue cambial C R Acad Sci (Paris) 198: 2195-2196 (original not seen)

Gerdemann JW, Nicolson TH (1963) Spores of mycorrhizal *Endogone* species extracted from soil by wet sieving and decanting. Trans Br Mycol Soc 46:235–244.

Gianinazzi-Pearson V, BranzantiB, Gianinazzi S (1989) *In vitro* enhancement of spore germination of a vesicular-arbuscular mycorrhizal fungus by host root exudates and plant flavonoids.Symbiosis 7 : 243–255.

Giovannetti M, Fortuna P, Loreti F, and Morini S (1996) Effect of arbuscular mycorrhizal inoculation on in vivo root induction of development in shoots of Mr S2/5 plum rootstock grown in in vitro In Proceedings of the 3rd International Symposium on Peaches, edited C G Fidghelli, pp. 99–102 Beijing, China: International Society for Horticultural Science, 374 pp.

Goto BT, Silva GA, Yano-Melo, AM and Maia LC (2010) Checklist of the arbuscular mycorrhizal fungi (Glomeromycota) in the Brazilian semiarid. Mycotaxon 113: 251-254. Grieve, M. 2002. Common fig. Botanical. Com. A mordan herbal home page. Electric Newt.

Available: <u>http://www.botanical.com/botanical/mgmh/f/figcom12.html</u>.

Hammer, R.L. In: Randall, J.M. and J. Marinelli, 1996. Invasive Plants: Weeds of The Global Garden. Brooklyn Botanic Garden Handbook149:33-34.

Harry IS and Thorpe TA (1994) In vitro culture of forest trees. I.K. Vasil and Trevor A. (eds.) Plant cell and tissue culture, Kluwer academic publishers, Dordrecht 539-560.

Hassan AKMS,Afroz F,Bari LS,Munshi JL,Jahan MAA and Khatun R (2008) Microrpropagtion of *Eclipta alba* (Linn.) Hassk- a valuable medicinal herb.Bangladesh J.Sci. Ind.Res.43(2):215-222.

Henderson WE and Kinnersley AM (1988) Corn starch as an alternative agent for plant tissue culture. Plant cell Tiss Org Cult15:17-22.

Hepaksoy S, Aksoy U (2006) Propagation of *Ficus carica* L. clones by *in vitro* culture. Biologia Plantarum 50(3):433-436.

Hepaksoy S and Aksoy U (2006) Propagation of *Ficus carica* L. clones by *in-vitro* culture Biologia Plantarum 50 (3): 433-436.

Hepper CM(1983)Limited independent growth of a vesicular-arbuscular mycorrhizal fungus in vitro. New Phytol. 93:537–542.

Hildebrandt U, Janetta K & Bothe H (2002) Towards growth of arbuscular mycorrhizal fungi independent of a plant host. Appl Environ Microbiol **68**: 1919–1924.

Hooker JE, Jaizme-Vega M and Atkinson, D (1994) Biocontrol of plant pathogens using arbuscular mycorrhizal fungi. In: S. Gianinazzi and H. Schiiepp (Editors), Impact of Arbuscular Mycorrhizas on Sustainable Agriculture and Natural Ecosystems. ALS, Birkh auser, Basel, pp. 191-200.

Hossain SN, Munshi MK, Islam MR, Hakim L, Hossain M (2003) *In vitro* propagation of plum (*Zyziphus jujuba* Lam). Plant Tissue Cult 13:81–84.

Hussain TM, Chandrasekhar T, Gopal GR (2008) Micropropagation of *Sterculia urens* Roxb, an endangered tree species from intact seedlings. Afr. J. Biotechnol. 7(2): 95-101.

Hussain TM, Chandrasekhar T and Gopal GR (2008) *In vitro* propagation of *Crotalaria verrucosa* L. An important ethanobotanical plant. J. Med. Plant Res.2: 242-245.

Işıkalan Ç, Adıyaman F (Akbaş), Namlı S, Tilkat E, Başaran D (2008) "In vitro Micropropagation of Almond (*Amygdalus communis* L. Cv. Nonpareil)" African Journal of Biotechnology 7 (12): 1875–1880.

Janzen DH (1979) How to be a fig. Ann. Rev. Ecol. Syst. 10:13-51.

Kajla S, Poonia AK, Kharb P and Duhan JS (2013) R.K. Salar (eds.), Biotechnology: Prospects and Applications.Springer India. pp. 27-37.

Kanwar K, Joseph J, Raj Deepika (2010) Comparison of in vitro regeneration pathways in *Punica granatum* L. Plant cell tissue organ cult. 100:199-207.

Kaonongbua W, Morton JB, Bever JD (2010) Taxonomic revision transferring species in *Kuklospora* to *Acaulospora* (Glomeromycota) and a description of *Acaulospora colliculosa* sp. nov. from field collected spores. Mycologia 102:1497–1509.

Karami O, Piri P, Bahmani R (2009) Plant regeneration through callus cultures derived from immature-cotyledon explants of oleaster. Trees 23:335–338.

Karnosky DF (1981) Potential for forest tree improvement via tissue culture. Bioscience.31 114-120.

Kumar V,Radha A,Kumar Chitta S (1998) *In vitro* plant regeneration of fig (*Ficus carica* L.cv.gular) using apical buds from mature trees.Plant cell reports 17: 717-720.

Laibach F (1925) Das Taubverden von Bastardswen und die kunstiliche Aufzucht fruch absterbender Bastardembryonen. Z Bot 17: 417-459 (original not seen)

Laibach F(1929) Ectogenesis in plants. Methods and genetic possibilities of propagating embryos otherwise dying in the seed. J Herad 20: 201-208.

Lameira OA, Pinto JEBP (2006) In vitro propagation of *Cordia verbenacea* L. (Boraginaceae). Rev Bras Plantas Med 8:102–104.

Liao Z, Chen M, Tan F, Sun X, Tang K. (2004) Micropropagation of endangered Chinese aloe. Plant Cell Tissue Organ Cult.; 78:83–86.

Liu HJ, XuY, Liu YJ and. LiuCZ(2006) Plant regeneration from leaf explants of *Rhodiola fastigiata*. *In vitro*. Cell Dev. Biol. Plant, 42: 345-347.

Loo S W (1945) Cultivation of excised stem tips of Asparagus in vitro Am J Bot 32:13-17.

Lovato PE, Schilepp H, Trouvelot A and Gianinazzi S (1995) Application of arbuscular mycorrhizal fungi (AMF) in orchard and ornamental plants. In: A. Varma and B. Hock (Editors), Mycorrhiza Structure, Function, Molecular Biology and Biotechnology. Springer, Heidelberg, pp. 521-559.

Lovato PE, Gianinazzi-Pearson V, Trouvelot A, Gianinazzi S (1996) The state of mycorrhizas and micropropagation. Adv. Hort. Sci. 10: 46-52.

Magrou J (1946) Sur la culture de quelques champignons de mycorhizes à arbuscules et à vésicules. Rev. Gen. Bot. 53:49-77. (Original not seen)

Mallikarjuna K, Rajendrudu G (2007) High frequency in vitro propagation of *Holarrhena antidysenterica* from nodal buds of mature tree. Biol.Plant51:525-529.

Martin, KP (2003b) Rapid axillary bud proliferation and *ex vitro* rooting of *Eupatorium triplinerve*. *Biologia Plantarum*, December, 47 (4): p. 589-591.

Mehrotra VS and Baijal U (1994) Advances in taxonomy of vesicular arbuscular mychorhhizal fungi In. Biotechnolgy in India.pp227-286(Eds BK Dwivedi and G Pandey), Bioved research society, Allahabad, India.

Mertz SM, Heithaus JJ III and Bush RL (1979) Mass production of axenic spores of the endomycorrhizal fungus *Gigaspora margarita*. Trans. Br. Mycol. Soc. 72:167-169.

Meyers-Rice B (2001) A Success Story, Cosumnes River Preserve, Central California. The Nature Conservancy Wildland Invasive Species Program, California.

Available:http://tncweeds.ucdavis.edu/esadocs.html

Misra P, Gupta N, Toppo DD, Pandey V, Misra MKand Tuli R (2010) Establishment of longterm proliferating shoots cultures of elite *Jatropha curcas* L. by controlling endophytic bacterial contamination, Plant Cell Tiss. Org. Cult, 100: 189-197.

Mitra A and Pal A (2007) *In vitro* regeneration of *Stevia rebaudiana* (Bert) from the nodal explant. J. Plant Biochem. Biotech. 16: 59–62.

Mohapatra A,Rout GR (2005) *In vitro* propagation of *Geoderum purpureum* R.Br. Indian Journal of Biotechnology 4(4):568-570.

Mok DW, Mok MC (2001) Cytokinin metabolism and action. Annu. Rev. Plant Physiol. Plant Mol. Biol. 52, 89–118.

Morel G (1960) Producing virus free Cymbidium Am.. Orchid Soc. Bull 29:495-497.

Mosse B, and Hepper CM (1975) Vesicular-arbuscular mycorrhizal infections in root organ cultures. Physiol. Plant Pathol.5:215-223.

Mugnier J, Mosse B (1987) Vesicular-arbuscular infections in Ri T-DNA transformed roots grown axenically. Phytopatholology 77:1045-1050.

Murashige T and Skoog F (1962) A revised medium for rapid growth and bioassays for tobacco tissue cultures. Physiol. Plant 15: 431-491.

Murashige T and Skoog F (1962) A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol.Plant.15: 473-497.

Murthy BNS, Murch SJ, Saxena PK (1998) Thiadiazuron:a potent regulator of *in vitro* plant morphogenesis. *In vitro* Cell Dev-Pl 34:267-275.

Nadel, H., J.H. Frank, and R.J. Knight (1992). Escapees and accomplices: The naturalization of exotic *Ficus* and their associated faunas in Florida. Florida Entomologist 75(1):29-38.

Nath S, Buragohain AK (2005) Micropropagation of *Adhatoda vasica* Nees- A woody medicinal plant by shoot tip culture. Indian J Biotechnol.4:396–399.

Neal, M.C. (1965). In Gardens of Hawai'i. Bernice P. Bishop Museum, Special Publication 40, Honolulu, HI.

Nishida, G.M. (1997). Hawai'i Terrestrial Arthropod Checklist. Bishop Museum Press,

Omid K, Khosro P. Bahmani R. (2009) Plant regeneration through callus cultures derived from immature-cotyledon explants of oleaster (*Elaeagnus angustifolia* L.). Trees 23(2):335-338.

Onay A, Jaffree CE, Theobald C, Yeoman MM (2000) Analysis of the effects of maturation treatments on the probabilities of somatic embryo germination and plantlet regeneration in *Pistachio* using a linear logistic method. Plant Cell Tissue Org Cult 60:121–129.

Oppenheimer HL and. Bartlett RT (2000) New plant records from Maui, O'ahu, and Hawai'i Islands. *Bishop Mus. Occas. Pap.* 64(1):1-10.

Ovando I, Damon A, Bello R, Ambrosio D, Albores V, Adriano L and Salvador M (2005) Isolation of endophytic fungi and then mycorrhizal potential for the tropical epiphytic orchids *Cattleya skinneri, C. aurantiaca and Brassavola nodosa*. Asian J. Plant sci. 4:309-315.

Park SU, Kim YK, Lee SY (2009) Improved in vitro plant regeneration and micropropagation of *R. glutinosa* L. J Med Plants Res 3:31–34.

Pasqual M and Ferreira EA (2007) Microrpopagation of Fig tree (*Ficus carica* L.) SM Jain and H Haggman (eds.) Protocols for micropropagation of Woody trees and Fruits. Springer pub. 409-416.

Pattnaik S, Chand PK(1996) *In vitro* propagation of medicinal herbs *Ocimum americanum* L.syn.*O.canum* sims (holy basil) and *O. sanctum* (holy basil). Plant cell reports.15(11):846-851.

Phillips JM and Hayman DS (1970) Improved procedure for clearing roots and staining parasitic and vesicular arbuscular mychorhizal fungi for rapid assessment of infection. Transc of British Mycolo.Soc.55 (1):158-161.

Pinho RS(2002) Comparison of agar and starch as gelling agents in the micropropagation of sweet potato (*Ipomea batatas* (L.) Lam). Master Thesis. Universidade Estadual Paulista.

Preece JE, Sutter EJ (1991) Acclimatization of micropropagated plants to the greenhouse and field. In: Debergh, P.C.; Zimmerman, R.H. (Ed.) Micropropagation, technology and application. London: Kluwer Academic, p.71-93.

Purkayastha J, Sugla T, Paul A, Solleti S, Sahoo L (2008) Rapid in vitro multiplication and plant regeneration from nodal explants of *Andrographis paniculata*: a valuable medicinal plant. In vitro. Cell. Dev-Pl., 44: 442-447.

Quraishi A. Koche V, Mishra SK (1996) *In vitro* micropropagation from nodal segment of *Cleistanthus collinus*.Plant cell tiss and org culture45:87-91.

Quraishi A and Mishra SK (1998) Micropropagation of nodal explants from adult trees of *Cleistanthus collinus*.Plant cell reports 17(5): 430–433.

Rai MK (2001) Current advances in mycorrhization in micropropagation. *In vitro*: Cell. Dev. Biol. Plant. 37: 158-167.

Rai RV, Chandra KSJ (1989) Micropropagation of Indian rosewood by tissue culture. Ann Bot 64, 43-46.

Ramirez BW (1970) Host specificity of fig wasps (Agaonidae). Evol. 24: 680-691.

Rao AN (1981) Tissue culture of economically important plants.Singapore,COSTED/ANBS

Rashid MH, Khalekuzzaman M, Hasan MF, Das R, Hossain MS, Khoda SM. (2009) Establishment of an effecient method for micropropagation of an important medicinal herb (*Scoparia dulcis* L.) from shoot tips and nodal segments. Int J Sustain Crop Prod. 4:59.

Rathore JS, Rathore MS, Singh M, Singh RP, Shekhawat NS (2007) Micropropagation of mature tree of *Citrus limon*. Indian J Biotechnol 6:239–244.

Rathore MS and Shekhawat NS (2009) Micropropagation of *Pueraria tuberosa* (Roxb. Ex Willd.) and determination of puerarin content in different tissues.plant cell tiss org cult 99(3):327-334.

Ravanfar SA, Aziz MA, Kadir MA, Rashid AA, Sirchi MHT (2009) Plant regeneration of *Brassica oleracea* subsp. *Italica (Broccoli)* CV Green Marvel as affected by plant growth regulators. Afr. J. Biotechnol. 8(11): 2523-2528.

Rout, GR (2005) Direct plant regeneration of curry leaf tree (*Murraya koenigii* Koenig.), an aromatic plant. *In vitro* Cellular and Development Biology - Plant, March-April, vol. 41, no. 2, p. 133-136.

Rout GR, Reddy GM and Das P (2001). Studies on *in vitro* Clonal Propagation of *Paulownia tomentosa* STEUD. and Evaluation of Genetic Fidelity through RAPD Marker. Silvae Genetica. 50:5–6.

Roy SK, Rahman, SKL and Datta PC (1988) *In vitro* propagation of *Mitragyna parvitalia*. Plant Cell, Tissue and Organ Cult. 12: 75-80.

Roy SK, Rahman SL & Majumdar R (1990) In vitro propagation of jackfruit (*Artocarpus heterophyllus* Lam.). J. Hort. Sci. 65:355-358.

Schüßler A, Schwarzott D, Walker C. (2001) A new fungal phylum, the *Glomeromycota:* phylogeny and evolution. Mycological Research 105: 1413–1421.

Schellenbaum L, Berta G, Ravolanirina F, Tisserant B, Gianinazzi S, Fitter AH (1991) Influence of endomycorrhizal infection on root morphology in a micropropagated woody plant species (*Vitis vinifera* L.). Ann Bot 68:135–141.

Schenck, NC and Perez Y (1990) Manual for Identification of Vesicular Arbuscular Mycorrhizal Fungi. (INVAM). University of Florida, Gainesville.

Sharma SK and Tandon P (1990) Asymbiotic germination and seedling growth of *Cymbidium elegans* Lindl. And *Coelogyne punctulata lindl*. As influenced by different carbon sources. *J. Orchid soc*. Ind 4:149-159.

Shukla S, Shukla SK and.Mishra SK (2009) *In Vitro* Regeneration from seedling explants of *Stereospermum personatum* D.C. – A Medicinal Tree, Trees – Structure and Function 23:409-413.

Shukla SK, Shukla S, Koche V, and Mishra SK (2007). In vitro propagation of Tikhur (*Curcuma angustifolia* Roxb) a Starch yielding plant. Indian Journal of Biotechnology 6:74-76.

Siddique I and Anis M (2009) Direct plant regeneration from nodal explants of *Balanites aegyptiaca* (L.) Del.: a valuable medicinal tree. New Forests 37:53–62.

Sivaram L and Mukundan U *In vitro* Culture Studies on *Stevia rebaudiana*In Vitro Cellular & Developmental Biology. Plant39, (5): 520-523.

Skoog F (1944) Growth and organ formation in tobacco tissue cultures Am J Bot 31:19-24.

Smith SE and Smith FA(2011)Roles of arbuscular mycorrhizas in plant nutrition and growth: new paradigms from cellular to ecosystems scales. Annu Rev Plant Biol 63: 227–250.

Thaker MN and Jasrai YT (2002) Increased growth of microropagated Banana (*Musa paradisica*) with VAM symbiont.Plant Tissue Cult. 12(2):147-154.

Thomas TD and Phillip B (2005) Thidiazuron-induced high-frequency shoot organogenesis from leaf-derived callus of ia medicinal climber, *Tylophora Indica* (Burm. F.) Merrill.

Tous, J. and L. Ferguson. (1996). Mediterranean fruits. p.416-430. In: J. Janick (ed.), *Progress in New Crops*. ASHS Press, Arlington, VA.6

Van Overbeek J, Conklin ME and Blakslee AF (1941) Factors in coconut milk essential for growth and development of very young Datura embryos Science 94: 350-351.

Wadegaonkar PA, Bhagwat KA, and Rai MK (2006) Direct rhizogenesis and establishment of fast growing normal root organ culture of Withania somnifera Dunal. Plant Cell, Tissue Organ Culture 84, 223D225.

Wagner, WL, Herbst DR, and Sohmer SH (1999) Wagner, W.L., D.R. Herbst, and S.H. Sohmer.
1999. *Manual of the Flowering Plants of Hawai'i*. 2 vols. Bishop Museum Special Publication
83, University of Hawai'i and Bishop Museum Press, Honolulu, HI.

Wawrosch C, Maskay N, Kopp B (1999) Micropropagation of the threatened Nepalese medicinal plant *S.chirata* Buch.-Ham.ex Wall. Plant Cell Rep., 18: 997-1001.

White PR (1934) Potentially unlimited growth excised tomato root tips in a liquid medium.Plant Physiol. 9: 585-600.

White PR (1937) Vitamin B, in the nutrition of excised tomato roots.Plant Physiol. 12:803-811.

Winton LW (1968) The rooting of liquid grown aspen cultures Am J Bot 55: 159-167.

Zia M, Mannan A, Chaudhary MF (2007) Effect of growth regulators and amino acids on Artemisinin production in the callus of *Artemisia absinthium*. Pak. J. Bot. 39(3): 799-805.

Zimmerman RH,Greisbach FA,Hammerschlag FA,Lawson RH (1986) Tissue culture as a plant production system for horticultural crops.Martinus Nijhoff publishers, Dordrecht, The Netherlands.