- [1] G. William, Y. Wei (2018), "A survey of deep learning: platforms, applications and emerging research trends", Special section on human-centered smart systems and technologies. IEEE Access.
- [2] B. Shah, H. Bhavsar (2020), "Overview of Deep Learning in Food Image Classification for Dietary Assessment System", Advances in Intelligent Systems and Computing, Springer, ISTA 2020.
- [3] Z. Lei, Z. Chu, L. Fei, Q. Zhengjun, H. Yong (2019), "Application of deep learning in food: a review", Comprehensive Rev. Food Sci. Food Safety.
- [4] J. J. Bird, D. R. Faria (2019), "From Simulation to Reality: CNN Transfer Learning for Scene Classification",10th International Conference on Intelligent Systems, pp. 619-625.
- [5] Z. Shen, A. Shehzad, S. Chen, H. Sun, J. Liu (2020), "Machine Learning Based Approach on Food Recognition and Nutrition Estimation", Procedia Computer Science, 174 pp. 448–453.
- [6] P. Vasuki, J. Kanimozhi, M. Devi (2017)," A Survey on Image Preprocessing Techniques for Diverse Fields of Medical Imagery", Proceedings - 2017 IEEE International Conference on Electrical, Instrumentation and Communication Engineering", ICEICE, pp. 1–6.
- [7] M. Rani, J. Yadav, N. Rathee, S. Goyal (2022)," Comparative Study of Various Preprocessing Technique for CNN-based Image Fusion" IEEE Delhi Section Conference, DEFCON 2022.
- [8] M. Anwar, J. Iqbal Khan (2020), "Comparative analysis of median filter and its variants for removal of impulse noise from grayscale images", Journal of King Saud University, Elsevier.
- [9] B. Abhijith Reddy, S. Azam (2021), "Preprocessing of Breast Cancer Images to Create Datasets for Deep-CNN", IEEE Access, vol. 9, pp. 33438-33463.
- [10] Y. Kawano, K. Yanai (2014), "Food Image Recognition with Deep Convolutional Features" Proceedings of the 2014 ACM International Joint Conference on Pervasive and Ubiquitous Computing: Adjunct Publication (ACM), pp. 589–593.
- [11] A. paszke, S.gross (2019), "PyTorch: An Imperative Style ,High-peformnce Deep Learning Library", 33rd Conference on Neural Information Processing Systems (NeurIPS 2019), Vancouver, Canada

- [12] M. Anthimopoulos, L. Gianola, L. Scarnato, P. Diem, S. Mougiakakou (2014), "A food recognition system for diabetic patients based on an optimized bag-offeatures model", Journal Biomedical Health Information, pp. 1261–1271.
- [13] The Theano Development Team: Theano: A Python framework for fast computation of mathematical expressions (2016), CORR (2016).
- [14] A. Martin, A. Ashish, B. Paul, B. Eugene, C. Zhifeng, C. Craig (2016), "Tensorflow: large scale machine learning on heterogeneous distributed systems".OSDI'16: Proceedings of the 12th USENIX conference on Operating Systems Design and Implementation, pp. 265–283
- [15] O. Beijbom, N. Joshi, D. Morris, S. Saponas, S. Khullar (2015), "Menu-match: restaurant-specific food logging from images in 2015", IEEE 25, pp. 844–851.
- [16] S. Tokui, R.Okuta (2019)," Chainer: A Deep Learning Framework for Accelerating the Research Cycle", Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining,pp. 2002-2011
- [17] N. Ketkar (2017), "Introduction to Keras", in: Deep Learning with Python. Apress, Berkeley, CA.
- [18] E.Begoli, D.Lemire (2018)," Apache : A Foundational Framework for Optimized Query Processing Over Heterogeneous Data Sources", SIGMOD'18, June 10–15, 2018.
- [19] C. Tianqi, L. Mu, L. Yutian, L. Min, W. Naiyan, W. Minjie (2015), "Mxnet: a flexible and efficient machine learning library for heterogeneous distributed systems", Neural Information Processing Systems, Workshop on Machine Learning Systems, 2016.
- [20] C. Jingjing, W. Chong (2016), "Deep-based ingredient recognition for cooking recipe retrieval", ACM Multimedia,pp. 32–41.
- [21] C. Xin, Z. Yu, Z. Hua, D. Liang, W. Dongyan (2017), "ChineseFoodNet: a largescale image dataset for chinese food recognition", in Computer Vision and Pattern Recognition.
- [22] J. Yangqing, S. Evan, D. Jeff, K. Sergey, L. Jonathan, G. Ross, G. Sergio, D. Trevor (2014), Caffe: convolutional architecture for fast feature embedding, in Proceedings of the 22nd ACM International Conference on Multimedia, pp. 675–678.
- [23] B. Shah and H. Bhavsar (2022), "Time Complexity in Deep Learning Models", 4th International Conference on Innovative Data Communication Technology and Application", Procedia Computer Science Journal, Elsevier, pp.1-9.

- [24] L. Furjes, L. Kovacs (2021)," Efficiency Analysis of Deeplearning4J Neural Network Classifiers in Development of Transition Based Dependency Parsers", Acta Marisiensis Seria Technologica 18(1):33-39.
- [25] M. Suarez, A. Gomez (2015)," The Neon Methodology framework: A scenariobased methodology for ontology development", Applied Ontology, pp. 107–145
- [26] A. Meyers (2015), "Im2calories: towards an automated mobile vision food diary", IEEE International Conference Computer Vision, pp.1233–1241.
- [27] H. Hassannejad, G. Matrella, P. Ciampolini, I. Munari, M. Mordonini (2016), "Food image recognition using very deep convolutional networks", Proceedings of the 2nd International Workshop on Multimedia Assisted Dietary Management, pp. 41–49.
- [28] A. Salvador, M. Donoser (2021), "Revamping Cross-Modal Recipe Retrieval with Hierarchical Transformers and Self-supervised Learning", Computer Vision and Pattern Recognition.
- [29] L. Yan, C. Guanling, V. Vinod, M. Yunsheng, L. Chang, C. Yu (2016), "Deep food: deep learning based food image recognition for computer-aided dietary assessment", pp.37–48.
- [30] P. Pouladzadeh, P. Kuhad, S. Peddi, A. Yassine, S. Shirmohammadiv (2016), "Food Calorie Measurement Using Deep Learning Neural Network", IEEE, pp. 1– 6.
- [31] G. Ciocca, P. Napoletano, R. Schettini (2016) ,"Food recognition: a new dataset, experiments and results", IEEE, Journal of Niomed Health Inform .
- [32] P. Paritosh, D. Akella, T. Bappadi, N. Puhan (2017), "FoodNet: recognizing foods using ensemble of deep networks", IEEE Signal Process.
- [33] K. Asifullah, S. Anabia, Z. Umme, Q. Aqsa (2019), "A survey of the recent architectures of deep convolutional neural networks", Computer Vision and Pattern Recognition.
- [34] K. Fukushima (1988), "Neocognitron: A hierarchical neural network capable of visual pattern recognition". Neural Network 1(2), pp.119–130.
- [35] A. Krizhevsky, I. Sutskever, G.E. Hinton (2012), "ImageNet classification with deep convolutional neural networks", NIPS, pp. 1106–1114 .
- [36] S. Cristian, L. Wei, J. Yangqing, S. Pierre, R. Scott, A. Dragomir, E. Dumitru, V. Vincent, R. Andrew (2015), "Going deeper with convolutions", Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, pp. 1–9.
- [37] H. Tang, W. Wang, K. Gimpel, K. Livescu (2015), "Discriminative segmental cascades for feature-rich phone recognition", in IEEE Workshop on Automatic Speech Recognition and Understanding.

- [38] H. Kaiming, Z. Xiangyu, R. Shaoqing, S. Jian (2016), "Deep residual learning for image recognition", in Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition.
- [39] A. Eduardo, B. Marc, R. Petiab (2017), "Food recognition using fusion of classifiers based on CNNs", Image Analysis and Processing, ICIAP, pp.213–224.
- [40] A. Eduardo, A., B. Marc, R. Petia (2017), "Exploring food detection using CNNs", Computer Aided Systems Theory, EUROCAST, pp. 339–347.
- [41] Y. Kawano, K. Yanai (2014), "Food Image Recognition with Deep Convolutional Features" (ACM), pp. 589–593.
- [42] K. Yanai, Y. Kawano (2015), "Food Image Recognition Using Deep Convolutional Network with Pretraining and Fine-Tuning", IEEE, pp. 1–6.
- [43] S. Christodoulidis, M. Anthimopoulos, S. Mougiakakou (2015), "Food recognition for dietary assessment using deep convolutional neural networks", ICIAP, pp. 458–465.
- [44] S. Biswal, N. Bhoi (2013), "A new filter for removal of salt and pepper noise", International Conference on Signal Processing, Image Processing and Pattern Recognition, IEEE.
- [45] H. Ma, Y. Nie (2018), "A two-stage filter for removing salt-and-pepper noise using noise detector based on characteristic difference parameter and adaptive directional mean filter", Plos One,13(10).
- [46] R. Siddiqi (2019), "Effectiveness of transfer learning and fine tuning in automated fruit image classification", Proceedings of the 2019 3rd International Conference on Deep Learning Technologies, pp. 91-100.
- [47] T. Sree Sharmila, K. Ramar, S. Thangaswamy (2014)," Impact of applying preprocessing techniques for improving classification accuracy", Signal Image and Video Processing 8(1).
- [48] M. Vidal, J. Amigo (2012)," Pre-processing of hyperspectral images. Essential steps before image analysis", chemometrics and intelligent laboratory systems, Volume 117, pp. 138-148.
- [49] D. Pitalokaa, A. Wulandaria, T. Basaruddina, D. YantiLilianaa (2017)," Enhancing CNN with Preprocessing Stage in Automatic Emotion Recognition" International Conference on Computer Science and Computational Intelligence ICCSCI 2017, Bali, Indonesia, Procedia computer science.
- [50] D. Jude Hemanth and J. Anitha (2012)," Image Pre-processing and Feature Extraction Techniques for Magnetic Resonance Brain Image Analysis", Communications in Computer and Information Science.

- [51] S. Tabik, D. Peralta, A. Herrera (2017)," A snapshot of image pre-processing for convolutional neural networks: case study of MNIST", International Journal of Computational Intelligence Systems, Vol. 10,pp. 555–568.
- [52] H. Zhang, M. Huang, J. Yang, W. Sun (2021)," A Data Preprocessing Method for Automatic Modulation Classification Based on CNN", IEEE Communications Letters, VOL. 25, NO. 4.
- [53] P. Vasuki, J. Kanimozhi, M. Devi (2017)," Proceedings IEEE International Conference on Electrical, Instrumentation and Communication Engineering", ICEICE 2017, pp. 1–6.
- [54] M. Rani, J. Yadav, N. Rathee, S. Goyal (2022)," Comparative Study of Various Preprocessing Technique for CNN-based Image Fusion", IEEE Delhi Section Conference, DEFCON 2022.
- [55] B. Charmouti, A. Junoh, W. Muhamad, M. Mansor (2017), M. Hasan and M. Mashor "Extended Median Filter for Salt and Pepper Noise in Image", International Journal of Applied Engineering Research Volume 12, Number 22 (2017) pp. 12914-12918.
- [56] M. Narsimha rao, A. Leela Prasad, V. DilipKumar, C. Sathyam (2016)," Hybrid Median Filter for Impulse Noise Removal", International Journal of Engineering Research & Technology.
- [57] P. Kumari, D. Kakkar, N. Sood (2018)," Hybrid Min-Median-Max Filter for Removal of Impulse Noise from Color Images", Advanced Informatics for Computing Research, ICAICR.
- [58] S. Suhas. C. Venugopal (2017)," MRI Image preprocessing and Noise removal technique using linear and nonlinear filters", International Conference on Electrical, Electronics, Communication, Computer, and Optimization Techniques.
- [59] S. Arastehfar A. A. Pouyan, A. Jalalianc (2013), "An enhanced median filter for removing noise from MR images", Journal of AI and Data Mining, Vol.1, No.1, pp. 13-17.
- [60] H. Zanddizari, N. Nguyen, B. Zeinali, J. Morris (2021)," A new preprocessing approach to improve the performance of CNN-based skin lesion classification", Medical& Biological Engineering & Computing.
- [61] A. Tayal, J. Gupta, A. Solanki, K. Bisht, A. Nayyar, M. Masud," (2022)," DL-CNN-based approach with image processing techniques for diagnosis of retinal diseases", Multimedia Systems.
- [62] A. Reddy, S. Azam, M. Jonkman, B. Shanmugam, K. Kannoorpatti, A. Anwar (2021)," Preprocessing of Breast Cancer Images to Create Datasets for Deep-CNN", IEEE Access, vol. 9, pp. 33438-33463.

- [63] Y. Zhu, C. Huang (2012)," An Improved Median Filtering Algorithm for Image Noise Reduction", 2012 International Conference on Solid State Devices and Materials Science, Procedia, Elsevier.
- [64] V. Ramachandran, V. Kishorebabu (2019)," A Tri-State Filter for the Removal of Salt and Pepper Noise in Mammogram Images", Journal of Medical Systems.
- [65] J. Li, R. Guero (2019)," Deep Cooking: Predicting Relative Food Ingredient Amounts from Images", Proceedings of the 5th International Workshop on Multimedia Assisted Dietary Management, pp. 2–6.
- [66] G. Farinella, M. Moltisanti, S. Battiato (2014), "Classifying Food Images Represented as Bag of Textons", IEEE, pp. 5212–5216.
- [67] Y. Matsuda, H. Hoashi, K. Yanai, Recognition of multiple-food images by detecting candidate regions, in IEEE International Conference on Multimedia and Expo (2012), pp. 25–30.
- [68] S. Yang, M. Chen, D. Pomerleau, R. Sukthankar (2010), "Food recognition using statistics of pairwise local features", IEEE 1, pp. 2249–2256.
- [69] Y. Ramadevi, B. Kalyani, T. Sridevi (2010)," Synergy between object recognition and image segmentation", Int. J. Comput. Sci. Eng. ", 2(8), pp. 2767–2772 .
- [70] Y. Song, H. Yan (2017)," Image segmentation algorithms overview, in Computer Vision and Pattern Recognition", Computer vision and pattern recognition.
- [71] S. Shakuntala, K. Surendra (2016)," A review paper on image segmentation and object recognition procedures", Int. J. Sci. Eng. Technol. ,4(1).
- [72] G. Vairaprakash, K. Subbu (2014), "Review on image segmentation techniques", Int. J. Sci. Mod. Eng., 1(8), pp. 2319–6386.
- [73] W. Liming, S. Jianbo, S. Gang, S. Fan (2007), "Object detection combining recognition and segmentation", in Asian Conference on Computer Vision, pp. 189–199.
- [74] S. Wataru, Y. Keiji (2016)," Foodness proposal for multiple food detection by training of single food images", in Proceedings of the 2nd International Workshop on Multimedia Assisted Dietary Management, pp. 13–21.
- [75] C. Bryan, A. Russell, S. Josef, T. William, A. Freeman (2006), "Using multiple segmentations to discover objects and their extent in image collections", in Proceedings of the 2006 IEEE Computer Society Conference on Computer Vision and Pattern Recognition.
- [76] Z. Fengqing, B. Marc, K. Nitin, B. Carol, J. Edward (2015)," Multiple hypotheses image segmentation and classification with application to dietary assessment", IEEE J. Biomed. Health Inform, 19(1).

- [77] S. Wataru, Y. Keiji (2015)," CNN-based food image segmentation without pixelwise annotation", in ICIAP, pp. 449–457.
- [78] A. Roohollah, Q. Kazem, R. Mohammad (2017), "An efficient evolutionary based method for image segmentation", in Computer Vision and Pattern Recognition.
- [79] G. Stephen, G. Tianshi, K. Daphne (2009), "Region-based segmentation and object detection", in Proceedings of the 22nd International Conference on Neural Information Processing Systems, pp. 655–663.
- [80] S. Ashima, S. Sahil (2016)," Image segmentation and object recognition using machine learning", in International Conference on Smart Trends for Information Technology and Computer Communications, pp. 204–210.
- [81] K. Yoshiyuki, Y. Keiji (2013), "Real-time mobile food recognition system", in Proceedings of the 2013 IEEE Conference on Computer Vision and Pattern Recognition, pp. 1–7.
- [82] M. Domingo, P. Franco (2005), "Segmentation of colour food images using a robust algorithm". Journal of Food Engineering, pp. 353–360.
- [83] A. Sandhya, C. Gauri, C. Devangi, D. Eesha, J. Shevi (2018)," Survey of different approaches used for food recognition", in Information and Communication Technology for Competitive Strategies, pp. 551–560.
- [84] S.Adnan, Z. Nauman, H. Mir (2019)," Food item recognition and intake measurement techniques", in 11th International Conference on Machine Learning and Computing.
- [85] Y.Zhao, J. Ming, Y. Chen, C. Cao, C. Forde, N. Wah, S. Tat, Food photo recognition for dietary tracking: system and experiment, in International Conference on Multimedia Modeling (Springer, Berlin, 2018), pp. 129–141.
- [86] S. Doyen, H. Wang, K. Shu, X. Wu, L. Hung, A. Palakorn, P. Ee, C. Steven (2019), "FoodAI: food image recognition via deep learning for smart food logging", in Conference on Knowledge Discovery and Data Mining.
- [87] S. Ashutosh, Y. Lin, E. Touradj (2016)," Food/non-food image classification and food categorization using pre-trained Google Net model", in the 2nd International Workshop.
- [88] M. Simon, K. Barbara (2017)," NutriNet: a deep learning food and drink image recognition system for dietary assessment", Nutrient 9(7):657.
- [89] T. Md, B. Islam, K. Nafiz, S. Siddique, T. Rahman (2018)," Image recognition with deep learning", in International Conference on Intelligent Informatics and Biomedical Sciences, IEEE.

- [90] M. Anthimopoulos, L. Gianola, L. Scarnato, P. Diem, S. Mougiakakou (2014), "A food recognition system for diabetic patients based on an optimized bag-offeatures model", Journal of Biomedical Health Information, pp. 1261–1271.
- [91] L. Bossard, L., M. Guillaumin, Lv. Gool (2014), "Food-101-mining discriminative components with random forests in computer vision", ECCV, pp. 446–461.
- [92] K. Yanai, Y. Kawano (2015), "Food Image Recognition Using Deep Convolutional Network with Pretraining and Fine-Tuning", IEEE, pp. 1–6.
- [93] S. Christodoulidis, M. Anthimopoulos, S. Mougiakakou (2015), "Food recognition for dietary assessment using deep convolutional neural networks", ICIAP, pp. 458–465.
- [94] A. Meyers (2015), "Im2calories: towards an automated mobile vision food diary", IEEE International Conference Computer Vision, pp.1233–1241.
- [95] H. Hassannejad, G. Matrella, P. Ciampolini, I. Munari, M. Mordonini (2016), "Food image recognition using very deep convolutional networks", Proceedings of the 2nd International Workshop on Multimedia Assisted Dietary Management, pp. 41–49
- [96] A. Almisreb, M.Kuno (2019), "Deep Transfer Learning for Food Recognition", Southeast Europe Journal of Soft Computing, Vol. 8:2.
- [97] L. Yan, C. Guanling, V. Vinod, M. Yunsheng, L. Chang, C. Yu (2016), "Deep food: deep learning based food image recognition for computer-aided dietary assessment", pp.37–48.
- [98] P. Pouladzadeh, P. Kuhad, S. Peddi, A. Yassine, S. Shirmohammadi (2016), "Food Calorie Measurement Using Deep Learning Neural Network", IEEE, pp. 1–6.
- [99] G. Ciocca, P. Napoletano, R. Schettini (2016), "Food recognition: a new dataset, experiments and results", IEEE, Journal of Niomed Health Inform.
- [100] P. Paritosh, D. Akella, T. Bappadi, N. Puhan (2017), "FoodNet: recognizing foods using ensemble of deep networks", IEEE Signal Process.
- [101] A. Eduardo, B. Marc, R. Petia (2017), "Food recognition using fusion of classifiers based on CNNs", Image Analysis and Processing, ICIAP, pp.213–224.
- [102] A. Eduardo, A., B. Marc, R. Petia (2017), "Exploring food detection using CNNs", Computer Aided Systems Theory, EUROCAST, pp. 339–347.
- [103] I. Sanasam, S. Ayan, K. Pritee (2018), "Classification of food images through interactive image segmentation", Asian Conference on Intelligent Information and Database Systems, pp. 519–528.
- [104] L.Yuzhen (2019), "Food image recognition by using convolutional neural networks", Vision and Pattern Recognition.

- [105] S. Mohammed, H. Sawal (2019)," A deep Convolutional neural network for food detection and recognition", in IECBES 2018 Proceedings, pp. 284–287.
- [106] J. Teng, D. Zhang, D. Jye, L.Y. Chou (2019)," Recognition of Chinese food using Convolutional neural network", Multimedia Tools and Applications, Springer Berlin Heidelberg78,pp. 11155–11172
- [107] J. Nayak, K. Vakala, P. Dinesh, B. Naik, D. Pelusi (2020)," Intelligent food processing: Journey from artificial neural network to deep learning", Computer Science Review, 38.
- [108] X. Li, Y. Grandvalet, F. Davoine (2020)," A baseline regularization scheme for transfer learning with Convolutional neural networks", Pattern Recognition, 98.
- [109] Y. Sen, W. Xue, W. Wang, P. Qi (2019)," Convolutional Neural Networks for Food Image Recognition: An Experimental Study", in MADiMa '19: Proceedings of the 5th International Workshop on Multimedia Assisted Dietary Management, pp. 33–41.
- [110] D. Attokaren, I. Fernandes, A. Sriram, Y.V. Srinivasa Murthy, and S. G. Koolagudi (2017)," Food Classification from Images Using Convolutional Neural Networks", Proceedings of the 2017 IEEE Region 10 Conference.
- [111] N. Hnoohom and S. Yuenyong (2018)," Thai Fast Food Image Classification Using Deep Learning", in 15th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information, pp. 116–119.
- [112] J. Sun, K. Radecka, Z. Zilic (2019), "Exploring Better Food Detection via Transfer Learning", in 16th International Conference on Machine Vision Applications (MVA).
- [113] J. Deng, W. Dong, R. Socher, K. Li and F. Li (2009)," ImageNet: A Large-Scale Hierarchical Image Database", in IEEE Conference on Computer Vision and Pattern Recognition.
- [114] L. Meng, D. Tao, L. Chen, X. Yang, T. Chua (2019)," Learning Using Privileged Information for Food Recognition", in Proceedings of the 27th ACM International Conference on Multimedia, pp. 557–565.
- [115] K. T. Islam, S. Wijewickrema, M. Pervez, S. O'Leary (2019)," An Exploration of Deep Transfer Learning for Food Image Classification", in 2018 International Conference on Digital Image Computing: Techniques and Applications, DICTA.
- [116] A. Uddin, M. Abdullah (2021), "Traditional Bengali Food Classification Using Convolutional Neural Network", in 2021 IEEE Region 10 Symposium.

- [117] S.Phiphiphatphaisit, O. Surinta (2020)," Food Image Classification with Improved MobileNet Architecture and Data Augmentation", in Proceedings of 2020 The 3rd International Conference on Information Science and System.
- [118] S. Yadav, A. Chand (2021)," Automated Food image Classification using Deep Learning approach", in IEEE 7th International Conference on Advanced Computing & Communication Systems.
- [119] P. Fahira, Z. Rahmadhani, P. Mursanto, A. Wibisono, H. Wisesa (2020), "Classical Machine Learning Classification for Javanese Traditional Food Image", in IEEE 4th International Conference on Informatics and Computational Sciences.
- [120] P. Wei, B. Wang (2020), "Food image classification and image retrieval based on visual features and machine learning", Multimedia Systems, Springer.
- [121] R. Rajayogi, G. Shobha, G. Manjunath (2019)," Indian Food Image Classification with Transfer Learning", IEEE 4th International Conference on Computational Systems and Information Technology for Sustainable Solution.
- [122] P.Pandey, A. Deepthi, B. Mandal, N. Puhan (2017)," FoodNet: Recognizing Foods Using Ensemble of Deep Networks", in IEEE Signal Processing Letters, 24(12).
- [123] Y.Lu (2019)," Food Image Recognition by Using Convolutional Neural Networks", Computer Vision and Pattern Recognition.
- [124] S.Shabbeer, S. Ram, V. Pulabaigari, S. Mukherjee (2019), "Impact of Fully Connected Layers on Performance of Convolutional Neural Networks for Image Classification", Neurocomputing 378: pp. 112-119.
- [125] A. Bansal, C. Castillo, R. Ranjan, R. Chellappa (2017), "The dos and donts for cnnbased face verification", IEEE, pp.2545–2554.
- [126] N. Aquino , M. Gutoski, L. Hattori and H. Lopes (2017), "The Effect of Data Augmentation on the Performance of Convolutional Neural Networks", Brazilian Society of Computational Intelligence.
- [127] O. Khanday, S. Dadvandipour, M. Lone (2021), "Effect of filter sizes on image classification in CNN: a case study on CFIR10 and Fashion MNIST datasets", IAES International Journal of Artificial Intelligence, 10(4), pp. 872-887
- [128] I. Kandel , M. Castelli (2020), "The effect of batch size on the generalizability of the convolutional neural networks on a histopathology dataset", ICT Express, issue 6, pp. 312–315
- [129] E.Avşar (2021), "Effects of Image Preprocessing on the Performance of Convolutional Neural Networks for Pneumonia Detection", 2021 International Conference on Innovations in Intelligent Systems and Applications, IEEE.
- [130] H. Azat, B. Sekeroglu, K. Dimililer (2021), "A Pre-study on the Layer Number Effect of Convolutional Neural Networks in Brain Tumor Classification",

International Conference on Innovations in Intelligent Systems and Applications.

- [131] S.Maitra, R. Ojha and K. Ghosh (2018), "Impact of Convolutional Neural Network Input Parameters on Classification Performance", SDMIT Ujire, Mangalore, IEEE.
- [132] S. Bera, V. Shrivastava (2020), "Effect of pooling strategy on convolutional neural network for classification of hyperspectral remote sensing images", IET Image Processing, 14(3), pp. 480-486.
- [133] J. Mou, J. Li (2020), "Effects of Number of Filters of Convolutional Layers on Speech Recognition Model Accuracy" International Conference on Machine Learning and Applications, pp. 971-978, IEEE.
- [134] Y. Thian, D. Ng, J. Thomas, P. Hallinan, P. Jagmohan, S. Sia, J. Mohamed, S. Quek, M. Feng (2022), "Effect of Training Data Volume on Performance of Convolutional Neural Network Pneumothorax Classifiers", Journal of Digital Imaging, Springer.
- [135] D. Zhao, F. Li, K. Sharif, G. Xia, Y. Wang (2019), "Space Efficient Quantization for Deep Convolutional Neural Networks", Journal of Computer Science And Technology, 34(2), pp. 305–317.
- [136] Y. Cheng, F. Yu, R. Feris, S. Kumar, A. Choudhary, S. Chang (2015), "An Exploration of Parameter Redundancy in Deep Networks with Circulant Projections", ICCV, IEEE.
- [137] S. Naeem, N. Jamil, H. Khan, S. Nazir (2020), "Complexity of Deep Convolutional Neural Networks in Mobile Computing", Complexity, Hindawi.
- [138] T. Makkar, Y. Kumar, A. Dubey, Á. Rocha, A. Goyal (2017), "Analogizing Time Complexity of KNN and CNN in Recognizing Handwritten Digits", 4th International Conference on Image Information Processing, IEEE.
- [139] S. Suhas, C. Venugopal (2017), "MRI Image preprocessing and Noise removal technique using linear and nonlinear filters", 2017 International Conference on Electrical, Electronics, Communication, Computer and Optimization Techniques.
- [140] A. Khan, A. Sohail, U. Zahoora (2020)," A survey of the recent architectures of deep convolutional neural networks", Artificial Intelligent, Rev 53, pp. 5455– 5516.
- [141] JJ. Bird, DR. Faria (2019)," From simulation to reality: CNN transfer learning for scene classification", 10th International conference on intelligent systems, pp. 619–625.

- [142] M. Hussain, J. Bird, D. Faria (2018)," A study on CNN transfer learning for image classification", UKCI 18th annual UK workshop on computational intelligence at Nottingham, pp. 191–202.
- [143] K. Yanai, Y. Kawano (2015)," Food image recognition using deep convolutional network with pre training and fine tuning", International conference on multimedia and expo workshops.
- [144] S.Leslie (2017)," Cyclical learning rates for training neural networks", IEEE Winter conference on applications of computer vision.
- [145] S. Basha, S. Dubey, V.Pulabaigari, S. Mukherjee (2020)," Impact of fully connected layers on performance of convolutional neural networks for image classification", Neurocomputing 378, 112–119.
- [146] A. Bansal, C. Castillo, R. Ranjan, R. Chellappa (2017)," The dos and dontsfor cnnbased face verification", in IEEE International conference on computer vision workshop, pp. 2545–2554.
- [147] I. Kandel, M. Castelli (2020)," The effect of batch size on the generalizability of the convolutional neural networks on a histopathology dataset", ICT express, 6(4), pp. 312–315.
- [148] S. Maitra, RK. Ojha, K. Ghosh (2018)," Impact of convolutional neural network input parameters on classification performance",4th International conference for convergence in technology, SDMIT, IEEE.
- [149] S. Bera, V. Shrivastava (2020)," Effect of pooling strategy on convolutional neural network for classification of hyperspectral remote sensing images", IET Image Process, 14(3), pp. 480–486.
- [150] K. Prakash (2021)," Hyperparameter tuning of deep learning models in Keras", Sparkling light Artificial Intelligent Quantum Computing, STAIQC 1(1), pp. 36– 40.
- [151] M. Zaim, K.Prakash (2021)," Hyperparameter Tuning of Deep learning Models in Keras", parklinglight Transtions on Artificial Intelligence and Quantum Computing(STAIQC).
- [152] S. Joshi, J. Owens, S. Shah, T. Munasinghe (2021)," Analysis of preprocessing techniques, Keras tuner, and transfer learning on cloud street image data", in IEEE International conference on big data.
- [153] D. Kingma, J. Ba (2015)," Adam: A method for stochastic optimization", in international conference on learning representations ICLR.

- [154] G. Cyril, G. Eric (2005), "A Probabilistic Interpretation of Precision, Recall and Fscore, with Implication for Evaluation", Proceedings of the 27th European conference on Advances in Information Retrieval Research, Lecture Notes in Computer Science, Volume 3408, pp. 345-359
- [155] B. Shah, H. Bhavsar (2023), "Depth Restricted Convolutional Neural Network A Model for Gujarati Food Image Classification", The Visual Computer – International Journal of Computer Graphics, Issue 5, Volume 39, Springer
- [156] K. He, J. Sun (2015), "Convolutional Neural Networks at Constrained Time Cost", computer vision and pattern recognition, IEEE.
- [157] B. Lukas, G. Matthieu, J. Luc, G. Van (2014), "Food-101 Mining discriminative components with random forests", ECCV 6, pp 446–461 (2014)
- [158] F. Elena, C. Ioan (2020)," Food For Machine Learning Dataset", A technical report about the dataset.
- [159] E.Sonmez, S.Memis (2023)," The segmented UEC Food-100 dataset with benchmark experiment on food detection", Multimedia Systems, Springer.
- [160] O. Yigit, B. Ozyildirim (2018), "Comparison of convolutional neural network models for food image classification", Journal of Information Telecommunication, 2(3), pp. 347–357.
- [161] G. VijayaKumari, P. Vutkur, P. Vishwanath (2022)," Food classification using transfer learning technique", Glob Trans Proc 3(1), pp. 225–229.
- [162] E. Aguilar, M. Bolanos, P. Radeva (2017)," Food recognition using fusion of classifiers based on CNNs", Image analysis and processing ICIAP: 19th International conference, springer international publishing, pp. 1–12.
- [163] A. Sengur, Y. Akbulut, U. Budak (2019)," Food image classification with deep features", International artificial intelligence and data processing symposium, IEEE.
- [164] H. Hajime, J. Taichi, Y. Keiji (2010), "Image recognition of 85 food categories by feature fusion", in IEEE International Symposium on Multimedia, pp. 296–330
- [165] M. Chen, H. Yung, J. Chia, H. Shih, M. Shane, C. Eugene, H. Che, O. Ming (2012),
 "Automatic Chinese food identification and quantity estimation", in SIGGRAPH 2012, vol. 29, pp. 1–4.
- [166] C. Gianluigi, N. Paolo, S. Raimondo (2017), "Food recognition: a new dataset, experiments, and results", IEEE Journal of Biomedical Health Information, 21(3), pp. 588–598.
- [167] C. Gianluigi, N. Paolo, S. Raimondo (2017), "Learning CNN-based features for retrieval of food images", in ICIAP Workshops, pp. 426–434

- [168] D. Ivan, D. Mauro (2019), "Ontology-driven food category classification in images", in ICIAP, pp. 607–617
- [169] K. Parneet, S. Karan, W. Weijun, B. Serge, D. Ajay (2019), "foodx-251: a dataset for fine-grained food classification", in Computer Vision and Pattern Recognition (CVPR19).
- [170] P. Parisa, Y. Abdulsalam (2015), "Foodd: food detection dataset for calorie measurement using food images, new trends in image analysis and processing", in ICIAP Workshops, pp. 441–448.
- [171] C. Mei, D. Kapil, W. Wen, Y. Lei, S. Rahul, Y. Jie (2009), "PFID: Pittsburgh fast-food image dataset", in ICIP, pp. 289–292.
- [172] M. Anand, B. Marc, Z. Fengqing, J. Carol, A. Deborah, S. David, J. Edward (2009), "Personal dietary assessment using mobile devices", Computation Imaging.
- [173] J. Taichi, Y. Keiji (2009), "A food image recognition system with Multiple Kernel Learning", in 16th IEEE International Conference on Image Processing, pp. 285– 288.
- [174] K. Yoshiyuki, Y. Keiji (2013)," Real-time mobile food recognition system", in CVPR Workshops, pp. 1–7.
- [175] K. Yoshiyuki, Y. Keiji," Foodcam-256: a large-scale real-time mobile food recognition system employing high-dimensional features and compression of classifier weights", ACM Multimedia pp. 761–762.
- [176] M. Giovanni, D. Farinella, S. Filippo (2014)," A Benchmark Dataset to Study the Representation of Food Images", ECCV Workshops, pp.584–599.
- [177] D. Joachim, A. Marios, S. Sergey, G. Stavroula (2017)," Two-view 3D reconstruction for food volume estimation", IEEE Transaction Multimedia, 19(5), pp. 1090–1099.

URLs:

- [1] https://www.microsoft.com/en-us/research/product/cognitive-toolkit/
- [2] https://www.kaggle.com/datasets/cdart99/food20dataset
- [3]https://www.kaggle.com/datasets/iamsouravbanerjee/indian-food-images-dataset