

BIBLIOGRAPHY

- Abrahao, A. C., Castilho, R. M., Squarize, C. H., Molinolo, A. A., dos Santos-Pinto Jr, D., & Gutkind, J. S. (2010). A role for COX2-derived PGE₂ and PGE₂-receptor subtypes in head and neck squamous carcinoma cell proliferation. *Oral oncology*, 46(12), 880-887.
- Abu-Elmagd, M., Garcia-Morales, C., & Wheeler, G. N. (2006). Frizzled7 mediates canonical Wnt signaling in neural crest induction. *Developmental biology*, 298(1), 285-298.
- Abzhanov, A., & Tabin, C. J. (2004). Shh and Fgf8 act synergistically to drive cartilage outgrowth during cranial development. *Developmental Biology*, 273(1), 134-148.
- Acampora, D., Avantaggiato, V., Tuorto, F., Barone, P., Perera, M., Choo, D., ... & Simeone, A. (1999). Differential transcriptional control as the major molecular event in generating Otx1^{-/-} and Otx2^{-/-} divergent phenotypes. *Development*, 126(7), 1417-1426.
- Acloque, H., Adams, M. S., Fishwick, K., Bronner-Fraser, M., & Nieto, M. A. (2009). Epithelial-mesenchymal transitions: the importance of changing cell state in development and disease. *The Journal of clinical investigation*, 119(6), 1438-1449.
- Adler, R., & Canto-Soler, M. V. (2007). Molecular mechanisms of optic vesicle development: complexities, ambiguities and controversies. *Developmental biology*, 305(1), 1-13.
- Afouda, B. A., Martin, J., Liu, F., Ciau-Uitz, A., Patient, R., & Hoppler, S. (2008). GATA transcription factors integrate Wnt signalling during heart development. *Development*, 135(18), 3185-3190.
- Aigner, A., Ray, P. E., Czubayko, F., & Wellstein, A. (2002). Immunolocalization of an FGF-binding protein reveals a widespread expression pattern during different stages of mouse embryo development. *Histochemistry and Cell Biology*, 117, 1-11.
- Alappat, S. R., Zhang, Z., Suzuki, K., Zhang, X., Liu, H., Jiang, R., ... & Chen, Y. (2005). The cellular and molecular etiology of the cleft secondary palate in Fgf10 mutant mice. *Developmental Biology*, 277(1), 102-113.
- Atkinson-Leadbetter, K., Hehr, C. L., & McFarlane, S. (2014). Fgfr signaling is required as the early eye field forms to promote later patterning and morphogenesis of the eye. *Developmental Dynamics*, 243(5), 663-675.

- Bachler, M., & Neubüser, A. (2001). Expression of members of the Fgf family and their receptors during midfacial development. *Mechanisms of Development*, 100(2), 313-316.
- Baker, C. V., & Bronner-Fraser, M. (1997). The origins of the neural crest. Part I: embryonic induction. *Mechanisms of development*, 69(1-2), 3-11.
- Barbosa, A. C., Funato, N., Chapman, S., McKee, M. D., Richardson, J. A., Olson, E. N., & Yanagisawa, H. (2007). Hand transcription factors cooperatively regulate development of the distal midline mesenchyme. *Developmental Biology*, 310(1), 154-168.
- Bayramov, A. V., Eroshkin, F. M., Martynova, N. Y., Ermakova, G. V., Solovieva, E. A., & Zarausky, A. G. (2011). Novel functions of Noggin proteins: inhibition of Activin/Nodal and Wnt signaling. *Development*, 138(24), 5345-5356.
- Belmadani, A., Tran, P. B., Ren, D., Assimacopoulos, S., Grove, E. A., & Miller, R. J. (2005). The chemokine stromal cell-derived factor-1 regulates the migration of sensory neuron progenitors. *Journal of Neuroscience*, 25(16), 3995-4003.
- Bendall, A. J., & Abate-Shen, C. (2000). Roles for Msx and Dlx homeoproteins in vertebrate development. *Gene*, 247(1-2), 17-31.
- Bergwerff, M., Verberne, M. E., DeRuiter, M. C., Poelmann, R. E., & Gittenberger-de-Groot, A. C. (1998). Neural crest cell contribution to the developing circulatory system: implications for vascular morphology. *Circulation research*, 82(2), 221-231.
- Besson 3rd, W. T., Kirby, M. L., Van Mierop, L. H., & Teabeaut 2nd, J. R. (1986). Effects of the size of lesions of the cardiac neural crest at various embryonic ages on incidence and type of cardiac defects. *Circulation*, 73(2), 360-364.
- Betancur, P., Bronner-Fraser, M., & Sauka-Spengler, T. (2010). Genomic code for Sox10 activation reveals a key regulatory enhancer for cranial neural crest. *Proceedings of the National Academy of Sciences*, 107(8), 3570-3575.
- Bibliowicz, J., Tittle, R. K., & Gross, J. M. (2011). Toward a better understanding of human eye disease: Insights from the zebrafish, *Danio rerio*. *Progress in molecular biology and translational science*, 100, 287-330.
- Bjørnstad, S., Austdal, L. P. E., Roald, B., Glover, J. C., & Paulsen, R. E. (2015). Cracking the egg: potential of the developing chicken as a model system for nonclinical safety studies of pharmaceuticals. *Journal of Pharmacology and Experimental Therapeutics*, 355(3), 386-396.
- Blankenship, A. L., Hilscherova, K., Nie, M., Coady, K. K., Villalobos, S. A., Kannan, K., ... & Giesy, J. P. (2003). Mechanisms of TCDD-induced abnormalities and embryo lethality in white leghorn chickens. *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, 136(1), 47-62.
- Bockman, D. E., Redmond, M. E., & Kirby, M. L. (1989). Alteration of early vascular development after ablation of cranial neural crest. *The Anatomical Record*, 225(3), 209-217.

- Bondesen, B. A., Mills, S. T., & Pavlath, G. K. (2006). The COX-2 pathway regulates growth of atrophied muscle via multiple mechanisms. *American Journal of Physiology-Cell Physiology*, 290(6), C1651-C1659.
- Bonnesen, K., & Schmidt, M. (2021). Recategorization of non-aspirin nonsteroidal anti-inflammatory drugs according to clinical relevance: abandoning the traditional NSAID terminology. *Canadian Journal of Cardiology*, 37(11), 1705-1707.
- Boot, M. J., Gittenberger-De Groot, A. C., Van Iperen, L., Hierck, B. P., & Poelmann, R. E. (2003). Spatiotemporally separated cardiac neural crest subpopulations that target the outflow tract septum and pharyngeal arch arteries. *The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology*, 275(1), 1009-1018.
- Bradford, M.M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*, 72(1-2), 248-254
- Brand, T. (2003). Heart development: molecular insights into cardiac specification and early morphogenesis. *Developmental biology*, 258(1), 1-19.
- Bronner-Fraser, M. (1993). Mechanisms of neural crest cell migration. *Bioessays*, 15(4), 221-230.
- Brooks, P., & Kubler, P. (2006). Etoricoxib for arthritis and pain management. *Therapeutics and Clinical Risk Management*, 2(1), 45-57.
- Brown, D. D., Martz, S. N., Binder, O., Goetz, S. C., Price, B. M., Smith, J. C., & Conlon, F. L. (2005). Tbx5 and Tbx20 act synergistically to control vertebrate heart morphogenesis.
- Brugmann, S. A., Powder, K. E., Young, N. M., Goodnough, L. H., Hahn, S. M., James, A. W., ... & Lovett, M. (2010). Comparative gene expression analysis of avian embryonic facial structures reveals new candidates for human craniofacial disorders. *Human molecular genetics*, 19(5), 920-930.
- Brugmann, S. A., Tapadia, M. D., & Helms, J. A. (2006). The molecular origins of species-specific facial pattern. *Current Topics in Developmental Biology*, 73, 1-42.
- Buch, P. R., Desai, I., & Balakrishnan, S. (2018). COX-2 activity and expression pattern during regenerative wound healing of tail in lizard *Hemidactylus flaviviridis*. *Prostaglandins & Other Lipid Mediators*, 135, 11-15.
- Buchanan, F. G., Wang, D., Bargiacchi, F., & DuBois, R. N. (2003). Prostaglandin E2 regulates cell migration via the intracellular activation of the epidermal growth factor receptor. *Journal of Biological Chemistry*, 278(37), 35451-35457.
- Buchtová, M., Kuo, W. P., Nimmagadda, S., Benson, S. L., Nie, P., Logan, C., ... & Richman, J. M. (2010). Whole genome microarray analysis of chicken embryo facial prominences. *Developmental Dynamics*, 239(2), 574-591.
- Bygdeman, M. (2003). Pharmacokinetics of prostaglandins. *Best Practice & Research Clinical Obstetrics & Gynaecology*, 17(5), 707-716.

- Cano, A., & Nieto, M. A. (2008). Non-coding RNAs take centre stage in epithelial-to-mesenchymal transition. *Trends in cell biology*, 18(8), 357-359.
- Cappon, G. D., Cook, J. C., & Hurtt, M. E. (2003). Relationship between cyclooxygenase 1 and 2 selective inhibitors and fetal development when administered to rats and rabbits during the sensitive periods for heart development and midline closure. *Birth Defects Research Part B: Developmental and Reproductive Toxicology*, 68(1), 47-56.
- Carpenter, A. C., Smith, A. N., Wagner, H., Cohen-Tayar, Y., Rao, S., Wallace, V., ... & Lang, R. A. (2015). Wnt ligands from the embryonic surface ectoderm regulate 'bimetallic strip' optic cup morphogenesis in mouse. *Development*, 142(5), 972-982.
- Carver, E. A., Jiang, R., Lan, Y., Oram, K. F., & Gridley, T. (2001). The mouse snail gene encodes a key regulator of the epithelial-mesenchymal transition. *Molecular and Cellular Biology*, 21(23), 8184-8188.
- Cavodeassi, F., Carreira-Barbosa, F., Young, R. M., Concha, M. L., Allende, M. L., Houart, C., ... & Wilson, S. W. (2005). Early stages of zebrafish eye formation require the coordinated activity of Wnt11, Fz5, and the Wnt/ β -catenin pathway. *Neuron*, 47(1), 43-56.
- Chalpe, A. J., Prasad, M., Henke, A. J., & Paulson, A. (2010). Regulation of cadherin expression in the chicken neural crest by the Wnt/ β -catenin signaling pathway. *Cell adhesion & migration*, 4(3), 431-4.
- Chandrasekharan, N. V., & Simmons, D. L. (2004). The cyclooxygenases. *Genome biology*, 5, 1-7.
- Chang, C. F., Brugmann, S. A., & Litscher, E. (2015). Chick Embryo Culture. In S. Moody (Ed.), *Principles of Developmental Genetics* (2nd ed., pp. 361-366). Academic Press.
- Chang, C. F., Schock, E. N., Billmire, D. A., & Brugmann, S. A. (2015). Craniofacial syndromes: etiology, impact and treatment. In *Principles of Developmental Genetics* (pp. 653-676). Academic Press.
- Chapman, S. C., Collignon, J., Schoenwolf, G. C., & Lumsden, A. (2001). Improved method for chick whole-embryo culture using a filter paper carrier. *Developmental dynamics: an official publication of the American Association of Anatomists*, 220(3), 284-289.
- Charron, F., & Nemer, M. (1999). GATA transcription factors and cardiac development. *In Seminars in cell & developmental biology* 10(1) 85-91. Academic Press.
- Chen, J. N., & Fishman, M. C. (2000). Genetics of heart development. *Trends in Genetics*, 16(9), 383-388.
- Chen, J. N., Eeden, F. J. V., Warren, K. S., Chin, A., Nüsslein-Volhard, C., Haffter, P., & Fishman, M. C. (1997). Left-right pattern of cardiac BMP4 may drive asymmetry of the heart in zebrafish. *Development*, 124(21), 4373-4382.
- Chen, Z. F., & Behringer, R. R. (1995). Twist is required in head mesenchyme for cranial neural tube morphogenesis. *Genes & Development*, 9(6), 686-699.

- Cheung, M., Chaboissier, M. C., Mynett, A., Hirst, E., Schedl, A., & Briscoe, J. (2005). The transcriptional control of trunk neural crest induction, survival, and delamination. *Developmental cell*, 8(2), 179-192.
- Chiquet, B. T., Blanton, S. H., Burt, A., Ma, D., Stal, S., Mulliken, J. B., & Hecht, J. T. (2008). Variation in WNT genes is associated with non-syndromic cleft lip with or without cleft palate. *Human Molecular Genetics*, 17(14), 2212-2218.
- Choe, C. P., & Crump, J. G. (2015). Dynamic epithelia of the developing vertebrate face. *Current Opinion in Genetics & Development*, 32, 66-72.
- Clouthier, D. E., Hosoda, K., Richardson, J. A., Williams, S. C., Yanagisawa, H., Kuwaki, T., ... & Yanagisawa, M. (1998). Cranial and cardiac neural crest defects in endothelin-A receptor-deficient mice. *Development*, 125(5), 813-824.
- Cluzeaut, F., & Maurer-Schultze, B. (1986). Proliferation of cardiomyocytes and interstitial cells in the cardiac muscle of the mouse during pre-and postnatal development. *Cell Proliferation*, 19(3), 267-274.
- Cobourne, M. T., & Sharpe, P. T. (2003). Tooth and jaw: molecular mechanisms of patterning in the first branchial arch. *Archives of Oral Biology*, 48(1), 1-14.
- Cohen, E. D., Miller, M. F., Wang, Z., Moon, R. T., & Morrissey, E. E. (2012). Wnt5a and Wnt11 are essential for second heart field progenitor development. *Development*, 139(11), 1931-1940.
- Côme, C., Magnino, F., Bibeau, F., De Santa Barbara, P., Becker, K. F., Theillet, C., & Savagner, P. (2006). Snail and slug play distinct roles during breast carcinoma progression. *Clinical Cancer Research*, 12(18), 5395-5402.
- Cordero, D. R., Brugmann, S., Chu, Y., Bajpai, R., Jame, M., & Helms, J. A. (2011). Cranial neural crest cells on the move: their roles in craniofacial development. *American journal of medical genetics Part A*, 155(2), 270-279.
- Cornell, R. A., & Eisen, J. S. (2005, December). Notch in the pathway: the roles of Notch signaling in neural crest development. In *Seminars in cell & developmental biology*, 16 (6), 663-672. Academic Press.
- Creazzo, T. L., Godt, R. E., Leatherbury, L., Conway, S. J., & Kirby, M. L. (1998). Role of cardiac neural crest cells in cardiovascular development. *Annual review of physiology*, 60(1), 267-286.
- Creuzet, S., Couly, G., & Le Douarin, N. M. (2005). Patterning the neural crest derivatives during development of the vertebrate head: insights from avian studies. *Journal of anatomy*, 207(5), 447-459.
- Cvekl, A., & Mitton, K. P. (2010). Epigenetic regulatory mechanisms in vertebrate eye development and disease. *Heredity*, 105(1), 135-151.
- Cvekl, A., & Piatigorsky, J. (1996). Lens development and crystallin gene expression: many roles for Pax-6. *Bioessays*, 18(8), 621-630.

- Depew, M. J., Tucker, A. S., & Sharpe, P. T. (2002). Craniofacial development. In M. W. Kirschner & G. A. Martin (Eds.), *Mouse Development: Patterning, Morphogenesis, and Organogenesis* (pp. 421-498). Academic Press.
- Diewert, V. M., Lozanoff, S., & Choy, V. (1993). Computer reconstructions of human embryonic craniofacial morphology showing changes in. *Journal of Craniofacial Genetics and Developmental Biology*, 13, 193-201.
- Donner, A. L., Lachke, S. A., & Maas, R. L. (2006). Lens induction in vertebrates: variations on a conserved theme of signaling events. *Seminars in Cell & Developmental Biology*, 17(6), 676-685.
- Douarin, N. M. L., & Teillet, M. A. (1973). The migration of neural crest cells to the wall of the digestive tract in avian embryo. *Development*, 30(1), 31-48.
- Duband, J. L. (2006). Neural crest delamination and migration: integrating regulations of cell interactions, locomotion, survival and fate. *Neural Crest Induction and Differentiation*, 45-77.
- Duboule, D. (1994). *Guidebook to the Homeobox Genes*. Oxford University Press.
- Dyer, L. A., & Kirby, M. L. (2009). Sonic hedgehog maintains proliferation in secondary heart field progenitors and is required for normal arterial pole formation. *Developmental biology*, 330(2), 305-317.
- Eakin, G. S., & Behringer, R. R. (2004). Diversity of germ layer and axis formation among mammals. *Seminars in Cell & Developmental Biology*, 15(5), 619-629.
- Eberhart, J. K., Swartz, M. E., Crump, J. G., & Kimmel, C. B. (2006). Early Hedgehog signaling from neural to oral epithelium organizes anterior craniofacial development. *Development*, 133(6), 1069-1077.
- Eisenberg, C. A., & Eisenberg, L. M. (1999). WNT11 promotes cardiac tissue formation of early mesoderm. *Developmental dynamics: an official publication of the American Association of Anatomists*, 216(1), 45-58.
- Ellies, D. L., Tucker, A. S., & Lumsden, A. (2002). Apoptosis of premigratory neural crest cells in rhombomeres 3 and 5: consequences for patterning of the branchial region. *Developmental biology*, 251(1), 118-128.
- Endo, Y., Ishiwata-Endo, H., & Yamada, K. M. (2012). Extracellular matrix protein anosmin promotes neural crest formation and regulates FGF, BMP, and WNT activities. *Developmental Cell*, 23(2), 305-316.
- England, S. J., Blanchard, G. B., Mahadevan, L., & Adams, R. J. (2006). A dynamic fate map of the forebrain shows how vertebrate eyes form and explains two causes of cyclopia.
- Espinosa-Medina, I., Jevans, B., Boismoreau, F., Chettouh, Z., Enomoto, H., Müller, T., ... & Brunet, J. F. (2017). Dual origin of enteric neurons in vagal Schwann cell precursors and the sympathetic neural crest. *Proceedings of the National Academy of Sciences*, 114(45), 11980-11985.

- Esteve, P., & Bovolenta, P. (2006). Secreted inducers in vertebrate eye development: more functions for old morphogens. *Current opinion in neurobiology*, 16(1), 13-19.
- Evans, C. B., Pillai, S., & Goldyne, M. E. (1993). Endogenous prostaglandin E2 modulates calcium-induced differentiation in human skin keratinocytes. *Prostaglandins Leukot. Essent. Fat. Acids*, 49(6), 777-781.
- Faber, S. C., Dimanlig, P., Makarenkova, H. P., Shirke, S., Ko, K., & Lang, R. A. (2001). Fgf receptor signaling plays a role in lens induction.
- Finnell, R. H., Greer, K. A., Barber, R. C., Piedrahita, J. A., Shaw, G. M., & Lammer, E. J. (1998). Neural tube and craniofacial defects with special emphasis on folate pathway genes. *Critical Reviews in Oral Biology & Medicine*, 9(1), 38-53.
- Fischer, J., & Ganellin, C. R. (2010). Analogue-based drug discovery. *Chemistry International--Newsmagazine for IUPAC*, 32(4), 12-15.
- Fish, J. L. (2016). Developmental mechanisms underlying variation in craniofacial disease and evolution. *Developmental Biology*, 415(2), 188-197.
- Fitriasari, S., & Trainor, P. A. (2021). Diabetes, oxidative stress, and DNA damage modulate cranial neural crest cell development and the phenotype variability of craniofacial disorders. *Frontiers in Cell and Developmental Biology*, 9, 644410.
- Fitzpatrick, F. A. (2004). Cyclooxygenase enzymes: regulation and function. *Current Pharmaceutical Design*, 10(6), 577-588.
- Foerst-Potts, L., & Sadler, T. W. (1997). Disruption of Msx-1 and Msx-2 reveals roles for these genes in craniofacial, eye, and axial development. *Developmental dynamics: an official publication of the American Association of Anatomists*, 209(1), 70-84.
- Francis-West, P. H., Tatla, T., & Brickell, P. M. (1994). Expression patterns of the bone morphogenetic protein genes Bmp-4 and Bmp-2 in the developing chick face suggest a role in outgrowth of the primordia. *Developmental Dynamics*, 201(2), 168-178.
- Francis-West, P., & Crespo-Enriquez, I. (2016). Vertebrate Embryo: Craniofacial Development. eLS, 1-15.
- Füchtbauer, E. M. (1995). Expression of M-twist during postimplantation development of the mouse. *Developmental Dynamics*, 204(3), 316-322.
- Fuhrmann, S. (2010). Eye morphogenesis and patterning of the optic vesicle. *Current Topics in Developmental Biology*, 93, 61-84.
- Funato, N., Chapman, S. L., McKee, M. D., Funato, H., Morris, J. A., Shelton, J. M., ... & Yanagisawa, H. (2009). Hand2 controls osteoblast differentiation in the branchial arch by inhibiting DNA binding of Runx2. *Developmental Biology*, 328(2), 407-418.
- Furuta, Y., & Hogan, B. L. (1998). BMP4 is essential for lens induction in the mouse embryo. *Genes & development*, 12(23), 3764-3775.
- Gammill, L. S., & Bronner-Fraser, M. (2003). Neural crest specification: migrating into genomics. *Nature Reviews Neuroscience*, 4(10), 795-805.

- Gammill, L. S., & Roffers-Agarwal, J. (2010). Division of labor during trunk neural crest development. *Developmental biology*, 344(2), 555-565.
- Geetha-Loganathan, P., Nimmagadda, S., Antoni, L., Fu, K., Whiting, C. J., Francis-West, P., & Richman, J. M. (2009). Expression of WNT signalling pathway genes during chicken craniofacial development. *Developmental Dynamics*, 238(5), 1150-1165.
- Geliflimine, E. N. T. (2010). The effects of meloxicam on neural tube development in the early stage of chick embryos. *Turkish Neurosurgery*, 20(2), 111-116.
- Gessert, S., & Kuhl, M. (2010). The multiple phases and faces of wnt signaling during cardiac differentiation and development. *Circulation research*, 107(2), 186-199.
- Gestri, G., Link, B. A., & Neuhauss, S. C. (2012). The visual system of zebrafish and its use to model human ocular diseases. *Developmental neurobiology*, 72(3), 302-327.
- Gilbert S. F. & Barresi M. J. F. (2018). *Developmental biology* (Eleventh). Sinauer Associates.
- Gitelman, I. (1997). Twist protein in mouse embryogenesis. *Developmental Biology*, 189(2), 205-214.
- Gor, A. P., & Saksena, M. (2011). Adverse drug reactions of nonsteroidal antiinflammatory drugs in orthopedic patients. *Journal of Pharmacology and Pharmacotherapeutics*, 2(1), 26-29.
- Gordon, M. D., & Nusse, R. (2006). Wnt signaling: multiple pathways, multiple receptors, and multiple transcription factors. *Journal of Biological Chemistry*, 281(32), 22429-22433.
- Graham, A., Begbie, J., & McGonnell, I. (2004). Significance of the cranial neural crest. *Developmental dynamics: an official publication of the American Association of Anatomists*, 229(1), 5-13.
- Graham, A., Francis-West, P., Brickell, P., & Lumsden, A. (1994). The signalling molecule BMP4 mediates apoptosis in the rhombencephalic neural crest. *Nature*, 372(6507), 684-686.
- Grainger, R. M. (1992). Embryonic lens induction: shedding light on vertebrate tissue determination. *Trends in Genetics*, 8(10), 349-355.
- Graw, J. (2010). Eye development. *Current Topics in Developmental Biology*, 90, 343-386.
- Grindley, J. C., Davidson, D. R., & Hill, R. E. (1995). The role of Pax-6 in eye and nasal development. *Development*, 121(5), 1433-1442.
- Grosser, T., Yusuff, S., Cheskis, E., Pack, M. A., & FitzGerald, G. A. (2002). Developmental expression of functional cyclooxygenases in zebrafish. *Proceedings of the National Academy of Sciences*, 99(12), 8418-8423.
- Haley, R. M., & von Recum, H. A. (2019). Localized and targeted delivery of NSAIDs for treatment of inflammation: A review. *Experimental Biology and Medicine*, 244(6), 433-444.

- Hall, B. K. (2018). Germ layers, the neural crest and emergent organization in development and evolution. *Genesis*, 56(6-7), e23103.
- Hamburger, V., & Hamilton, H. L. (1951). A series of normal stages in the development of the chick embryo. *Journal of Morphology*, 88(1), 49-92.
- Helms, J. A., Cordero, D., & Tapadia, M. D. (2005). New insights into craniofacial morphogenesis. *Developmental Biology*, 286(1), 1-4.
- Hilfer, S. R. (1983). Development of the eye of the chick embryo. *Scanning Electron Microscopy*, (Pt 3), 1353-1369.
- Hilliard, S. A., Yu, L., Gu, S., Zhang, Z., & Chen, Y. P. (2005). Regional regulation of palatal growth and patterning along the anterior–posterior axis in mice. *Journal of anatomy*, 207(5), 655-667.
- Hintermann, A., Guerreiro, I., Lopez-Delisle, L., Bolt, C. C., Gitto, S., Duboule, D., & Beccari, L. (2022). Developmental and evolutionary comparative analysis of a regulatory landscape in mouse and chicken. *Development*, 149(12), dev200594.
- His, W. (1868). Investigations into the first rudiments of the vertebrate body: the first development of the chick in the egg (Vol. 1). *FCW bird*.
- Horb, M. E., & Thomsen, G. H. (1999). Tbx5 is essential for heart development. *Development*, 126(8), 1739-1751.
- Hovland, A. S., Rothstein, M., & Simoes-Costa, M. (2020). Network architecture and regulatory logic in neural crest development. *Wiley Interdisciplinary Reviews: Systems Biology and Medicine*, 12(2), e1468.
- Hu, D., & Helms, J. A. (1999). The role of sonic hedgehog in normal and abnormal craniofacial morphogenesis. *Development*, 126(21), 4873-4884.
- Hu, D., & Marcucio, R. S. (2009). A SHH-responsive signaling center in the forebrain regulates craniofacial morphogenesis via the facial ectoderm. *Developmental Biology*, 331(2), 316-328.
- Hu, D., Marcucio, R. S., & Helms, J. A. (2003). A zone of frontonasal ectoderm regulates patterning and growth in the face.
- Huang, J., Liu, Y., Filas, B., Gunhaga, L., & Beebe, D. C. (2015). Negative and positive auto-regulation of BMP expression in early eye development. *Developmental biology*, 407(2), 256-264.
- Huang, J., Min Lu, M., Cheng, L., Yuan, L. J., Zhu, X., Stout, A. L., ... & Parmacek, M. S. (2009). Myocardin is required for cardiomyocyte survival and maintenance of heart function. *Proceedings of the National Academy of Sciences*, 106(44), 18734-18739.
- Huang, X., & Saint-Jeannet, J. P. (2004). Induction of the neural crest and the opportunities of life on the edge. *Developmental Biology*, 275(1), 1-11.

- Hung, F. C., Zhao, S., Chen, Q., & Overbeek, P. A. (2002). Retinal ablation and altered lens differentiation induced by ocular overexpression of BMP7. *Vision research*, 42(4), 427-438.
- Hutson, M. R., & Kirby, M. L. (2007). Model systems for the study of heart development and disease: cardiac neural crest and conotruncal malformations. *Seminars in cell & developmental biology*, 18(1), 101-110.
- Hyer, J., Kuhlman, J., Afif, E., & Mikawa, T. (2003). Optic cup morphogenesis requires pre-lens ectoderm but not lens differentiation. *Developmental Biology*, 259(2), 351-363.
- Ishii, M., Han, J., Yen, H. Y., Sucov, H. M., Chai, Y., & Maxson Jr, R. E. (2005). Combined deficiencies of Msx1 and Msx2 cause impaired patterning and survival of the cranial neural crest. *Developmental Biology*, 281(2), 301-312.
- Ishikawa, T. O., Griffin, K. J., Banerjee, U., & Herschman, H. R. (2007). The zebrafish genome contains two inducible, functional cyclooxygenase-2 genes. *Biochemical and Biophysical Research Communications*, 352(1), 181-187.
- Jabbour, H. N., Kelly, R. W., & Boddy, S. C. (2002). Autocrine/paracrine regulation of apoptosis in epithelial cells by prostaglandin E2. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 67(5), 357-363.
- Jang, T. J., Jeon, K. H., & Jung, K. H. (2009). Cyclooxygenase-2 expression is related to the epithelial-to-mesenchymal transition in human colon cancers. *Yonsei Medical Journal*, 50(6), 818-824.
- Jeong, J., Mao, J., Tenzen, T., Kottmann, A. H., & McMahon, A. P. (2004). Hedgehog signaling in the neural crest cells regulates the patterning and growth of facial primordia. *Genes & Development*, 18(8), 937-951.
- Jiang, J. Q., Li, R. G., Wang, J., Liu, X. Y., Xu, Y. J., Fang, W. Y., ... & Yang, Y. Q. (2013). Prevalence and spectrum of GATA5 mutations associated with congenital heart disease. *International journal of cardiology*, 165(3), 570-573.
- Johnston, M. C. (1966). A radioautographic study of the migration and fate of cranial neural crest cells in the chick embryo. *The Anatomical Record*, 156(2), 143-155.
- Johnston, M. C., & Bronsky, P. T. (1995). Prenatal craniofacial development: new insights on normal and abnormal mechanisms. *Critical Reviews in Oral Biology & Medicine*, 6(4), 368-422.
- Johnston, M. C., Morriss, G. M., Kushner, D. C., & Bingle, G. J. (1977). Abnormal organogenesis of facial structures. In C. L. Berry & M. W. Clark (Eds.), *Handbook of Teratology: Mechanisms and Pathogenesis* (pp. 421-451). Plenum Press.
- Kain, K. H., Miller, J. W., Jones-Paris, C. R., Thomason, R. T., Lewis, J. D., Bader, D. M., ... & Zijlstra, A. (2014). The chick embryo as an expanding experimental model for cancer and cardiovascular research. *Developmental Dynamics*, 243(2), 216-228.

- Kalcheim, C., & Burstyn-Cohen, T. (2003). Early stages of neural crest ontogeny: formation and regulation of cell delamination. *International Journal of Developmental Biology*, 49(2-3), 105-116.
- Kamachi, Y., Uchikawa, M., Tanouchi, A., Sekido, R., & Kondoh, H. (2001). Pax6 and SOX2 form a co-DNA-binding partner complex that regulates initiation of lens development. *Genes & development*, 15(10), 1272-1286.
- Karfunkel, P. (1974). The mechanisms of neural tube formation. *International Review of Cytology*, 38, 245-271.
- Karner, C., Wharton, K. A., & Carroll, T. J. (2006). Apical-basal polarity, Wnt signaling and vertebrate organogenesis. *Seminars in Cell & Developmental Biology*, 17(2), 214-222.
- Kathiriya, I. S., & Srivastava, D. (2000). Left-right asymmetry and cardiac looping: implications for cardiac development and congenital heart disease. *American journal of medical genetics*, 97(4), 271-279.
- Kiecker, C. (2016). The chick embryo as a model for the effects of prenatal exposure to alcohol on craniofacial development. *Developmental Biology*, 415(2), 314-325.
- Kirby, M. L., & Hutson, M. R. (2010). Factors controlling cardiac neural crest cell migration. *Cell adhesion & migration*, 4(4), 609-621.
- Kirby, M. L., & Waldo, K. L. (1995). Neural crest and cardiovascular patterning. *Circulation research*, 77(2), 211-215.
- Kirby, M. L., Gale, T. F., & Stewart, D. E. (1983). Neural crest cells contribute to normal aortopulmonary septation. *Science*, 220(4601), 1059-1061.
- Klaus, A., Saga, Y., Taketo, M. M., Tzahor, E., & Birchmeier, W. (2007). Distinct roles of Wnt/ β -catenin and Bmp signaling during early cardiogenesis. *Proceedings of the National Academy of Sciences*, 104(47), 18531-18536.
- Knierbein, B., Reul, H., Eilers, R., Lange, M., Kaufmann, R., & Rau, G. (1992). Compact mock loops of the systemic and pulmonary circulation for blood pump testing. *The International journal of artificial organs*, 15(1), 40-48.
- Kodo, K., Uchida, K., & Yamagishi, H. (2021). Genetic and cellular interaction during cardiovascular development implicated in congenital heart diseases. *Frontiers in Cardiovascular Medicine*, 8, 653244.
- Kos, R., Reedy, M. V., Johnson, R. L., & Erickson, C. A. (2001). The winged-helix transcription factor FoxD3 is important for establishing the neural crest lineage and repressing melanogenesis in avian embryos. *Development*, 128(8), 1467-1479.
- Kosaka, K., Hama, K., & Eto, K. (1985). Light and electron microscopic study of fusion of facial prominences: A distinctive type of superficial cells at the contact sites. *Anatomy and Embryology*, 173, 187-201.
- Koshiba-Takeuchi, K., Morita, Y., Nakamura, R., & Takeuchi, J. K. (2016). Combinatorial functions of transcription factors and epigenetic factors in heart development and disease.

Etiology and Morphogenesis of Congenital Heart Disease: From Gene Function and Cellular Interaction to Morphology, 295-303.

Kraus, P., & Lufkin, T. (2006). Dlx homeobox gene control of mammalian limb and craniofacial development. *American Journal of Medical Genetics Part A*, 140(13), 1366-1374.

Kröger, R. H. H., Campbell, M. C. W., Fernald, R. D., & Wagner, H. J. (1999). Multifocal lenses compensate for chromatic defocus in vertebrate eyes. *Journal of Comparative Physiology A*, 184, 361-369.

Krumlauf, R. (1994). Hox genes in vertebrate development. *Cell*, 78(2), 191-201.

Kulesa, P. M., Bailey, C. M., Kasemeier-Kulesa, J. C., & McLennan, R. (2010). Cranial neural crest migration: new rules for an old road. *Developmental Biology*, 344(2), 543-554.

Kurowski, A., Molotkov, A., & Soriano, P. (2019). FGFR1 regulates trophectoderm development and facilitates blastocyst implantation. *Developmental Biology*, 446(1), 94-101.

Laforest, B., & Nemer, M. (2011). GATA5 interacts with GATA4 and GATA6 in outflow tract development. *Developmental biology*, 358(2), 368-378.

Le Douarin, N. M., Ziller, C., & Couly, G. F. (1993). Patterning of neural crest derivatives in the avian embryo: in vivo and in vitro studies. *Developmental Biology*, 159(1), 24-49.

Le Douarin, N., & Kalcheim, C. (1999). The neural crest (No. 36). *Cambridge university press*.

Leong, J., Hughes-Fulford, M., Rakhlin, N., Habib, A., Macclouf, J., & Goldyne, M. E. (1996). Cyclooxygenases in human and mouse skin and cultured human keratinocytes: association of COX-2 expression with human keratinocyte differentiation. *Experimental cell research*, 224(1), 79-87.

Lepore, J. J., Mericko, P. A., Cheng, L., Lu, M. M., Morrissey, E. E., & Parmacek, M. S. (2006). GATA-6 regulates semaphorin 3C and is required in cardiac neural crest for cardiovascular morphogenesis. *The Journal of clinical investigation*, 116(4), 929-939.

Lièvre, C. L., & Douarin, N. L. (1975). Mesenchymal derivatives of the neural crest: analysis of chimaeric quail and chick embryos. *Development*, 34(1), 125-154.

Linask, K. K., Han, M., Cai, D. H., Brauer, P. R., & Maisastry, S. M. (2005). Cardiac morphogenesis: matrix metalloproteinase coordination of cellular mechanisms underlying heart tube formation and directionality of looping. *Developmental dynamics: an official publication of the American Association of Anatomists*, 233(3), 739-753.

Liu, B., Rooker, S. M., & Helms, J. A. (2010, May). Molecular control of facial morphology. *Seminars in Cell & Developmental Biology*, 21(3), 309-313.

Liu, S., Narumi, R., Ikeda, N., Morita, O., & Tasaki, J. (2020). Chemical-induced craniofacial anomalies caused by disruption of neural crest cell development in a zebrafish model. *Developmental Dynamics*, 249(7), 794-815.

- Liu, W., Lagutin, O. V., Mende, M., Streit, A., & Oliver, G. (2006). Six3 activation of Pax6 expression is essential for mammalian lens induction and specification. *The EMBO journal*, 25(22), 5383-5395.
- Liu, W., Sun, X., Braut, A., Mishina, Y., Behringer, R. R., Mina, M., & Martin, J. F. (2005). Distinct functions for Bmp signaling in lip and palate fusion in mice.
- Livak, K.J., & Schmittgen, T.D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta CT$ method. *Methods*, 25(4), 402-408.
- Logan, C. Y., & Nusse, R. (2004). The Wnt signaling pathway in development and disease. *Annual Review of Cell and Developmental Biology*, 20, 781-810.
- Loganathan, P. G., Nimmagadda, S., Huang, R., Scaal, M., & Christ, B. (2005). Comparative analysis of the expression patterns of Wnts during chick limb development. *Histochemistry and Cell Biology*, 123, 195-201.
- Lopez-Sanchez, C., Garcia-Masa, N., Gañan, C. M., & Garcia-Martinez, V. (2009). Movement and commitment of primitive streak precardiac cells during cardiogenesis. *International Journal of Developmental Biology*, 53(8-9-10), 1445-1455.
- Louvi, A., Yoshida, M., & Grove, E. A. (2007). The derivatives of the Wnt3a lineage in the central nervous system. *Journal of Comparative Neurology*, 504(5), 550-569.
- Lumsden, A., Sprawson, N., & Graham, A. (1991). Segmental origin and migration of neural crest cells in the hindbrain region of the chick embryo. *Development*, 113(4), 1281-1291.
- Lwigale, P. Y. (2015). Corneal development: different cells from a common progenitor. *Progress in molecular biology and translational science*, 134, 43-59.
- MacGrogan, D., Münch, J., & de la Pompa, J. L. (2018). Notch and interacting signalling pathways in cardiac development, disease, and regeneration. *Nature Reviews Cardiology*, 15(11), 685-704.
- Madonna, R., Taylor, D. A., Geng, Y. J., De Caterina, R., Shelat, H., Perin, E. C., & Willerson, J. T. (2013). Transplantation of mesenchymal cells rejuvenated by the overexpression of telomerase and myocardin promotes revascularization and tissue repair in a murine model of hindlimb ischemia. *Circulation research*, 113(7), 902-914.
- Mai, C. T., Isenburg, J. L., Canfield, M. A., Meyer, R. E., Correa, A., Alverson, C. J., ... & Kirby, R. S. (2019). National population-based estimates for major birth defects, 2010–2014. *Birth Defects Research*, 111(18), 1420-1435.
- Marics, I., Padilla, F., Guillemot, J. F., Scaal, M., & Marcelle, C. (2002). FGFR4 signaling is a necessary step in limb muscle differentiation. *Developmental Biology*, 247(2), 265-276.
- Marnett, L. J. (2009). The COXIB experience: a look in the rearview mirror. *Annual Review of Pharmacology and Toxicology*, 49, 265-290.
- Martin, J., Afouda, B. A., & Hoppler, S. (2010). Wnt/ β -catenin signalling regulates cardiomyogenesis via GATA transcription factors. *Journal of anatomy*, 216(1), 92-107.

- Martina, S. D., Vesta, K. S., & Ripley, T. L. (2005). Etoricoxib: a highly selective COX-2 inhibitor. *Annals of Pharmacotherapy*, 39(5), 854-862.
- Martinez-Morales, J. R., & Wittbrodt, J. (2009). Shaping the vertebrate eye. *Current Opinion in Genetics & Development*, 19(5), 511-517.
- Martínez-Morales, J. R., Dolez, V., Rodrigo, I., Zaccarini, R., Leconte, L., Bovolenta, P., & Saule, S. (2003). OTX2 activates the molecular network underlying retina pigment epithelium differentiation. *Journal of Biological Chemistry*, 278(24), 21721-21731.
- Marvin, M. J., Di Rocco, G., Gardiner, A., Bush, S. M., & Lassar, A. B. (2001). Inhibition of Wnt activity induces heart formation from posterior mesoderm. *Genes & development*, 15(3), 316-327.
- Mattia, C., & Coluzzi, F. (2005). COX-2 inhibitors: pharmacological data and adverse effects. *Minerva Anestesiologica*, 71(7-8), 461-470.
- McGettigan, P., & Henry, D. (2000). Current problems with non-specific COX inhibitors. *Current Pharmaceutical Design*, 6(17), 1693-1724.
- Medio, M., Yeh, E., Popelut, A., Babajko, S., Berdal, A., & Helms, J. A. (2012). Wnt/ β -catenin signaling and Msx1 promote outgrowth of the maxillary prominences. *Frontiers in Physiology*, 3, 375.
- Mendias, C. L., Tatsumi, R., & Allen, R. E. (2004). Role of cyclooxygenase-1 and-2 in satellite cell proliferation, differentiation, and fusion. *Muscle & Nerve*, 30(4), 497-500.
- Merrill, A. E., Eames, B. F., Weston, S. J., Heath, T., & Schneider, R. A. (2008). Mesenchyme-dependent BMP signaling directs the timing of mandibular osteogenesis. *Developmental Biology*, 314(2), 481-492.
- Meulemans, D., & Bronner-Fraser, M. (2004). Gene-regulatory interactions in neural crest evolution and development. *Developmental cell*, 7(3), 291-299.
- Meyer, M., Müller, A. K., Yang, J., Moik, D., Ponzio, G., Ornitz, D. M., ... & Werner, S. (2012). FGF receptors 1 and 2 are key regulators of keratinocyte migration in vitro and in wounded skin. *Journal of Cell Science*, 125(23), 5690-5701.
- Michailovici, I., Eigler, T., & Tzahor, E. (2015). Craniofacial muscle development. *Current Topics in Developmental Biology*, 115, 3-30.
- Milet, C., & Monsoro-Burq, A. H. (2012). Neural crest induction at the neural plate border in vertebrates. *Developmental Biology*, 366(1), 22-33.
- Molkentin, J. D., Lin, Q., Duncan, S. A., & Olson, E. N. (1997). Requirement of the transcription factor GATA4 for heart tube formation and ventral morphogenesis. *Genes & development*, 11(8), 1061-1072.
- Monsoro-Burq, A. H., Wang, E., & Harland, R. (2005). Msx1 and Pax3 cooperate to mediate FGF8 and WNT signals during *Xenopus* neural crest induction. *Developmental cell*, 8(2), 167-178.

- Morales, A. V., Barbas, J. A., & Nieto, M. A. (2005). How to become neural crest: From segregation to delamination. *Seminars in Cell & Developmental Biology*, 16(6), 655-662.
- Morita, I. (2002). Distinct functions of COX-1 and COX-2. *Prostaglandins & other lipid mediators*, 68, 165-175.
- Morris, A. C. (2011). The genetics of ocular disorders: insights from the zebrafish. *Birth Defects Research Part C: Embryo Today: Reviews*, 93(3), 215-228.
- Mossey, P. A., & Catilla, E. E. (2003). Global registry and database on craniofacial anomalies: report of a WHO Registry Meeting on Craniofacial Anomalies.
- Mukherjee, D., Nissen, S. E., & Topol, E. J. (2001). Risk of cardiovascular events associated with selective COX-2 inhibitors. *JAMA*, 286(8), 954-959.
- Mukhopadhyay, M., Shtrom, S., Rodriguez-Esteban, C., Chen, L., Tsukui, T., Gomer, L., ... & Westphal, H. (2001). Dickkopf1 is required for embryonic head induction and limb morphogenesis in the mouse. *Developmental Cell*, 1(3), 423-434.
- Murray, S. A., Oram, K. F., & Gridley, T. (2007). Multiple functions of Snail family genes during palate development in mice.
- Muta, M., Kamachi, Y., Yoshimoto, A., Higashi, Y., & Kondoh, H. (2002). Distinct roles of SOX2, Pax6 and Maf transcription factors in the regulation of lens-specific $\delta 1$ -crystallin enhancer. *Genes to Cells*, 7(8), 791-805.
- Nagata, S., Rhoton Jr, A. L., & Barry, M. (1988). Microsurgical anatomy of the choroidal fissure. *Surgical Neurology*, 30(1), 3-59.
- Nakanishi, Y., Kamijo, R., Takizawa, K., Hatori, M., & Nagumo, M. (2001). Inhibitors of cyclooxygenase-2 (COX-2) suppressed the proliferation and differentiation of human leukaemia cell lines. *European Journal of Cancer*, 37(12), 1570-1578.
- Narita, N., Bielinska, M., & Wilson, D. B. (1997). Wild-type endoderm abrogates the ventral developmental defects associated with GATA-4 deficiency in the mouse. *Developmental biology*, 189(2), 270-274.
- Narumiya, S., Sugimoto, Y., & Ushikubi, F. (1999). Prostanoid receptors: structures, properties, and functions. *Physiological Reviews*, 79(4), 1193-1226.
- Nayak, A. K., & Panigrahi, P. P. (2012). Solubility enhancement of etoricoxib by cosolvency approach. *ISRN Physical Chemistry*, 1-5.
- Neeb, Z., Lajiness, J. D., Bolanis, E., & Conway, S. J. (2013). Cardiac outflow tract anomalies. Wiley Interdisciplinary Reviews: *Developmental Biology*, 2(4), 499-530.
- Neil, J. R., Johnson, K. M., Nemenoff, R. A., & Schiemann, W. P. (2008). COX-2 inactivates Smad signaling and enhances EMT stimulated by TGF- β through a PGE₂ dependent mechanism. *Carcinogenesis*, 29(11), 2227-2235.
- Nemer, G., & Nemer, M. (2003). Transcriptional activation of BMP-4 and regulation of mammalian organogenesis by GATA-4 and-6. *Developmental biology*, 254(1), 131-148.

- Newton, R., Seybold, J., Liu, S. F., & Barnes, P. J. (1997). Alternate COX-2 transcripts are differentially regulated: implications for post-transcriptional control. *Biochemical and Biophysical Research Communications*, 234(1), 85-89.
- Nguyen, M. T. T., & Arnheiter, H. (2000). Signaling and transcriptional regulation in early mammalian eye development: a link between FGF and MITF. *Development*, 127(16), 3581-3591.
- Nie, X., Luukko, K., & Kettunen, P. (2004). BMP signalling in craniofacial development. *International Journal of Developmental Biology*, 50(6), 511-521.
- Nie, X., Luukko, K., & Kettunen, P. (2006). FGF signalling in craniofacial development and developmental disorders. *Oral diseases*, 12(2), 102-111.
- Nieto, M. A., Sargent, M. G., Wilkinson, D. G., & Cooke, J. (1994). Control of cell behavior during vertebrate development by Slug, a zinc finger gene. *Science*, 264(5160), 835-839.
- Nordquist, D., & McLoon, S. C. (1991). Morphological patterns in the developing vertebrate retina. *Anatomy and Embryology*, 184, 433-440.
- Nørregaard, R., Kwon, T. H., & Frøkiær, J. (2015). Physiology and pathophysiology of cyclooxygenase-2 and prostaglandin E2 in the kidney. *Kidney research and clinical practice*, 34(4), 194-200.
- Northcutt, R. G., & Gans, C. (1983). The genesis of neural crest and epidermal placodes: a reinterpretation of vertebrate origins. *The Quarterly Review of Biology*, 58(1), 1-28.
- Oliveros, J. C., Franch, M., Tabas-Madrid, D., San-León, D., Montoliu, L., Cubas, P., & Pazos, F. (2016). Breaking-Cas—interactive design of guide RNAs for CRISPR-Cas experiments for ENSEMBL genomes. *Nucleic Acids Research*, gkw407. doi: 10.1093/nar/gkw407.
- Olson, E. N. (2006). Gene regulatory networks in the evolution and development of the heart. *Science*, 313(5795), 1922-1927.
- Paiva, K. B. S., das Graças Silva-Valenzuela, M., Massironi, S. M. G., Ko, G. M., Siqueira, F. M., & Nunes, F. D. (2010). Differential Shh, Bmp and Wnt gene expressions during craniofacial development in mice. *Acta histochemica*, 112(5), 508-517.
- Pakrasi, P. L., & Jain, A. K. (2008). Cyclooxygenase-2-derived endogenous prostacyclin reduces apoptosis and enhances embryo viability in mouse. *Prostaglandins, leukotrienes and essential fatty acids*, 79(1-2), 27-33.
- Pandur, P., Läsche, M., Eisenberg, L. M., & Kühl, M. (2002). Wnt-11 activation of a non-canonical Wnt signalling pathway is required for cardiogenesis. *Nature*, 418(6898), 636-641.
- Parada, C., Akiyama, K., Chai, Y., & Shi, S. (2012). Stem cell biology in the craniofacial apparatus. *Mineralized Tissues in Oral and Craniofacial Science*, 79-92.

- Parmar, B. K., Verma, U. R., Vaishnav, J. A., & Balakrishnan, S. (2022). Cyclooxygenase-2 plays a crucial role during myocardial patterning of developing chick. *International Journal of Developmental Biology*, 66(7-8-9), 373-381.
- Parr, B. A., Shea, M. J., Vassileva, G., & McMahon, A. P. (1993). Mouse Wnt genes exhibit discrete domains of expression in the early embryonic CNS and limb buds. *Development*, 119(1), 247-261.
- Peinado, H., Portillo, F., & Cano, A. (2004). Transcriptional regulation of cadherins during development and carcinogenesis. *International Journal of Developmental Biology*, 48(5-6), 365-375.
- Perron, M., & Harris, W. A. (2000). Determination of vertebrate retinal progenitor cell fate by the Notch pathway and basic helix-loop-helix transcription factors. *Cellular and Molecular Life Sciences CMLS*, 57, 215-223.
- Person, A. D., Beiraghi, S., Sieben, C. M., Hermanson, S., Neumann, A. N., Robu, M. E., ... & Lohr, J. L. (2010). WNT5A mutations in patients with autosomal dominant Robinow syndrome. *Developmental Dynamics*, 239(1), 327-337.
- Peterkin, T., Gibson, A., Loose, M., & Patient, R. (2005). The roles of GATA-4,-5 and-6 in vertebrate heart development. In *Seminars in cell & developmental biology*, 16(1), 83-94.
- Piatigorsky, j. (1981). Lens differentiation in vertebrates: a review of cellular and molecular features. *Differentiation*, 19(1-3), 134-153.
- Picker, A., Cavodeassi, F., Machate, A., Bernauer, S., Hans, S., Abe, G., ... & Brand, M. (2009). Dynamic coupling of pattern formation and morphogenesis in the developing vertebrate retina. *PLoS Biology*, 7(10), e1000214.
- Pierpont, M. E., Basson, C. T., Benson Jr, D. W., Gelb, B. D., Giglia, T. M., Goldmuntz, E., ... & Webb, C. L. (2007). Genetic basis for congenital heart defects: current knowledge: a scientific statement from the American Heart Association Congenital Cardiac Defects Committee, Council on Cardiovascular Disease in the Young: endorsed by the American Academy of Pediatrics. *Circulation*, 115(23), 3015-3038.
- Pini, B., Grosser, T., Lawson, J. A., Price, T. S., Pack, M. A., & FitzGerald, G. A. (2005). Prostaglandin E synthases in zebrafish. *Arteriosclerosis, thrombosis, and vascular biology*, 25(2), 315-320.
- Pittack, C., Grunwald, G. B., & Reh, T. A. (1997). Fibroblast growth factors are necessary for neural retina but not pigmented epithelium differentiation in chick embryos. *Development*, 124(4), 805-816.
- Piven, O. O., & Winata, C. L. (2017). The canonical way to make a heart: β -catenin and plakoglobin in heart development and remodeling. *Experimental biology and medicine*, 242(18), 1735-1745.
- Pla, P., Moore, R., Morali, O. G., Grille, S., Martinozzi, S., Delmas, V., & Larue, L. (2001). Cadherins in neural crest cell development and transformation. *Journal of cellular physiology*, 189(2), 121-132.

- Plageman, T. F., & Yutzey, K. E. (2004). Differential expression and function of Tbx5 and Tbx20 in cardiac development. *Journal of Biological Chemistry*, 279(18), 19026-19034.
- Pomeranz, H. D., Sherman, D. L., Smalheiser, N. R., Tennyson, V. M., & Gershon, M. D. (1991). Expression of a neurally related laminin binding protein by neural crest-derived cells that colonize the gut: relationship to the formation of enteric ganglia. *Journal of Comparative Neurology*, 313(4), 625-642.
- Prendergast, G. C. (2001). Actin' up: RhoB in cancer and apoptosis. *Nature Reviews Cancer*, 1(2), 162-168.
- Ramón Martínez-Morales, J., Rodrigo, I., & Bovolenta, P. (2004). Eye development: a view from the retina pigmented epithelium. *Bioessays*, 26(7), 766-777.
- Randall, C. L., Anton, R. F., Becker, H. C., Hale, R. L., & Ekblad, U. (1991). Aspirin dose-dependently reduces alcohol-induced birth defects and prostaglandin E levels in mice. *Teratology*, 44(5), 521-529.
- Raphel, L., Talasila, A., Cheung, C., & Sinha, S. (2012). Myocardin overexpression is sufficient for promoting the development of a mature smooth muscle cell-like phenotype from human embryonic stem cells.
- Rasmussen, J. T., Deardorff, M. A., Tan, C., Rao, M. S., Klein, P. S., & Vetter, M. L. (2001). Regulation of eye development by frizzled signaling in *Xenopus*. *Proceedings of the National Academy of Sciences*, 98(7), 3861-3866.
- Rasouli, S. J., El-Brolosy, M., Tsedeke, A. T., Bensimon-Brito, A., Ghanbari, P., Maischein, H. M., ... & Stainier, D. Y. (2018). The flow responsive transcription factor Klf2 is required for myocardial wall integrity by modulating Fgf signaling. *eLife*, 7, e38889.
- Reedy, M. V., Faraco, C. D., & Erickson, C. A. (1998). The delayed entry of thoracic neural crest cells into the dorsolateral path is a consequence of the late emigration of melanogenic neural crest cells from the neural tube. *Developmental biology*, 200(2), 234-246.
- Reiter, J. F., Alexander, J., Rodaway, A., Yelon, D., Patient, R., Holder, N., & Stainier, D. Y. (1999). Gata5 is required for the development of the heart and endoderm in zebrafish. *Genes & development*, 13(22), 2983-2995.
- Reza, H. M., Takahashi, Y., & Yasuda, K. (2007). Stage-dependent expression of Pax6 in optic vesicle/cup regulates patterning genes through signaling molecules. *Differentiation*, 75(8), 726-736.
- Ricciotti, E., & FitzGerald, G. A. (2011). Prostaglandins and inflammation. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 31(5), 986-1000.
- Rice, D. P., Åberg, T., Chan, Y. S., Tang, Z., J. Kettunen, P., Pakarinen, L., ... & Thesleff, I. (2000). Integration of FGF and TWIST in calvarial bone and suture development. *Development*, 127(9), 1845-1855.
- Rice, R., Spencer-Dene, B., Connor, E. C., Gritli-Linde, A., McMahon, A. P., Dickson, C., ... & Rice, D. P. (2004). Disruption of Fgf10/Fgfr2b-coordinated epithelial-mesenchymal interactions causes cleft palate. *The Journal of Clinical Investigation*, 113(12), 1692-1700.

- Richman, J. M., Herbert, M., Matovinovic, E., & Walin, J. (1997). Effect of fibroblast growth factors on outgrowth of facial mesenchyme. *Developmental Biology*, 189(1), 135-147.
- Riordan-Eva, P., & Cunningham, E. T. (2011). Vaughan & Asbury's general ophthalmology. *McGraw Hill Professional*.
- Robert M. Langille. (1993). Formation of the Vertebrate Face: Differentiation and Development. *American Zoologist*, 33(4), 462-471.
- Rogers, C. D., Saxena, A., & Bronner, M. E. (2013). Sip1 mediates an E-cadherin-to-N-cadherin switch during cranial neural crest EMT. *Journal of Cell Biology*, 203(5), 835-847.
- Rothstein, M., Bhattacharya, D., & Simoes-Costa, M. (2018). The molecular basis of neural crest axial identity. *Developmental biology*, 444, S170-S180.
- Roumie, C. L., Mitchel Jr, E. F., Kaltenbach, L., Arbogast, P. G., Gideon, P., & Griffin, M. R. (2008). Nonaspirin NSAIDs, cyclooxygenase 2 inhibitors, and the risk for stroke. *Stroke*, 39(7), 2037-2045.
- Ruest, L. B., Xiang, X., Lim, K. C., Levi, G., & Clouthier, D. E. (2004). Endothelin-A receptor-dependent and-independent signaling pathways in establishing mandibular identity.
- Ruijtenbeek, K., De Mey, J. G. R., & Blanco, C. E. (2002). The chicken embryo in developmental physiology of the cardiovascular system: a traditional model with new possibilities. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 283(2), R549-R551.
- Saha, M. S., Servetnick, M., & Grainger, R. M. (1992). Vertebrate eye development. *Current Opinion in Genetics & Development*, 2(4), 582-588.
- Santagati, F., & Rijli, F. M. (2003). Cranial neural crest and the building of the vertebrate head. *Nature Reviews Neuroscience*, 4(10), 806-818.
- Sasagawa, S., Takabatake, T., Takabatake, Y., Muramatsu, T., & Takeshima, K. (2002). Axes establishment during eye morphogenesis in *Xenopus* by coordinate and antagonistic actions of BMP4, Shh, and RA. *genesis*, 33(2), 86-96.
- Sauka-Spengler, T., & Bronner-Fraser, M. (2008). A gene regulatory network orchestrates neural crest formation. *Nature Reviews Molecular Cell Biology*, 9(7), 557-568.
- Schilling, T. F. (1997). Genetic analysis of craniofacial development in the vertebrate embryo. *Bioessays*, 19(6), 459-468.
- Schultheiss, T. M., Burch, J. B., & Lassar, A. B. (1997). A role for bone morphogenetic proteins in the induction of cardiac myogenesis. *Genes & development*, 11(4), 451-462.
- Schumacher, J. A., Hashiguchi, M., Nguyen, V. H., & Mullins, M. C. (2011). An intermediate level of BMP signaling directly specifies cranial neural crest progenitor cells in zebrafish. *PLOS ONE*, 6(11), e27403.

- Sela-Donenfeld, D., & Kalcheim, C. (2000). Inhibition of noggin expression in the dorsal neural tube by somitogenesis: a mechanism for coordinating the timing of neural crest emigration. *Development*, 127(22), 4845-4854.
- Shah, B. H., & Catt, K. J. (2005). Roles of LPA3 and COX-2 in implantation. *Trends in Endocrinology & Metabolism*, 16(9), 397-399.
- Shen, H., Wilke, T., Ashique, A. M., Narvey, M., Zerucha, T., Savino, E., ... & Richman, J. M. (1997). Chicken transcription factor AP-2: cloning, expression and its role in outgrowth of facial prominences and limb buds. *Developmental Biology*, 188(2), 248-266.
- Shi, J., Severson, C., Yang, J., Wedlich, D., & Klymkowsky, M. W. (2011). Snail2 controls mesodermal BMP/Wnt induction of neural crest. *Development*, 138(15), 3135-3145.
- Shim, M., Foley, J., Anna, C., Mishina, Y., & Eling, T. (2010). Embryonic expression of cyclooxygenase-2 causes malformations in axial skeleton. *Journal of Biological Chemistry*, 285(21), 16206-16217.
- Shimomura, T., Kawakami, M., Tatsumi, K., Tanaka, T., Morita-Takemura, S., Kirita, T., & Wanaka, A. (2019). The role of the Wnt signaling pathway in upper jaw development of chick embryo. *Acta Histochemica et Cytochemica*, 52(1), 19-26.
- Simmons, D. L., Botting, R. M., & Hla, T. (2004). Cyclooxygenase isozymes: the biology of prostaglandin synthesis and inhibition. *Pharmacological Reviews*, 56(3), 387-437.
- Singh, B., Berry, J. A., Shoher, A., Ramakrishnan, V., & Lucci, A. (2005). COX-2 overexpression increases motility and invasion of breast cancer cells. *International journal of oncology*, 26(5), 1393-1399.
- Singh, M. K., Li, Y., Li, S., Cobb, R. M., Zhou, D., Lu, M. M., ... & Gruber, P. J. (2010). Gata4 and Gata5 cooperatively regulate cardiac myocyte proliferation in mice. *Journal of Biological Chemistry*, 285(3), 1765-1772.
- Sinn, R., & Wittbrodt, J. (2013). An eye on eye development. *Mechanisms of Development*, 130(6-8), 347-358.
- Sisson, B. E., & Topczewski, J. (2009). Expression of five frizzleds during zebrafish craniofacial development. *Gene Expression Patterns*, 9(7), 520-527.
- Sizarov, A., Lamers, W. H., Mohun, T. J., Brown, N. A., Anderson, R. H., & Moorman, A. F. (2012). Three-dimensional and molecular analysis of the arterial pole of the developing human heart. *Journal of anatomy*, 220(4), 336-349.
- Slack, J. M. W., Darlington, B. G., Heath, J. K., & Godsave, S. F. (1987). Mesoderm induction in early *Xenopus* embryos by heparin-binding growth factors. *Nature*, 326, 197-200.
- Smith, H. S., & Voss, B. (2012). Pharmacokinetics of intravenous ibuprofen: implications of time of infusion in the treatment of pain and fever. *Drugs*, 72, 327-337.
- Smith, J. C. (1987). A mesoderm-inducing factor is produced by a *Xenopus* cell line. *Development*, 99(1), 3-14.

- Sobolewski, C., Cerella, C., Dicato, M., Ghibelli, L., & Diederich, M. (2010). The role of cyclooxygenase-2 in cell proliferation and cell death in human malignancies. *International journal of cell biology*, 2010.
- Sokol, S. Y. (2015). Spatial and temporal aspects of Wnt signaling and planar cell polarity during vertebrate embryonic development. *Seminars in Cell & Developmental Biology*, 42, 78-85.
- Sperber, G. H. (2006). New insights in facial development. *Seminars in Orthodontics*, 12(1), 4-10.
- Srivastava, D., Thomas, T., Lin, Q., Kirby, M. L., Brown, D., & Olson, E. N. (1997). Regulation of cardiac mesodermal and neural crest development by the bHLH transcription factor, dHAND. *Nature genetics*, 16(2), 154-160.
- Stanfield, K. M., & Khan, K. N. M. (2003). Localization of COX-2 in the male reproductive tract during sexual maturation. *Inflammopharmacology*, 11, 259-266.
- Stanfield, K. M., Bell, R. R., Lisowski, A. R., English, M. L., Saldeen, S. S., & Khan, K. N. M. (2003). Expression of cyclooxygenase-2 in embryonic and fetal tissues during organogenesis and late pregnancy. *Birth Defects Research Part A: Clinical and Molecular Teratology*, 67(1), 54-58.
- Stenkamp, D. L. (2015). Development of the vertebrate eye and retina. *Progress in Molecular Biology and Translational Science*, 134, 397-414.
- Stern, C. D. (2005). The chick: a great model system becomes even greater. *Developmental Cell*, 8(1), 9-17.
- Steventon, B., & Mayor, R. (2012). Early neural crest induction requires an initial inhibition of Wnt signals. *Developmental biology*, 365(1), 196-207.
- Steventon, B., Araya, C., Linker, C., Kuriyama, S., & Mayor, R. (2009). Differential requirements of BMP and Wnt signalling during gastrulation and neurulation define two steps in neural crest induction.
- Stewart, R. A., Arduini, B. L., Berghmans, S., George, R. E., Kanki, J. P., Henion, P. D., & Look, A. T. (2006). Zebrafish foxd3 is selectively required for neural crest specification, migration and survival. *Developmental biology*, 292(1), 174-188.
- Sun, J., & Stathopoulos, A. (2018). FGF controls epithelial-mesenchymal transitions during gastrulation by regulating cell division and apicobasal polarity. *Development*, 145(19), dev161927.
- Suzuki, K., Yamaguchi, Y., Villacorte, M., Mihara, K., Akiyama, M., Shimizu, H., ... & Yamada, G. (2009). Embryonic hair follicle fate change by augmented β -catenin through Shh and Bmp signaling.
- Svetic, V., Hollway, G. E., Elworthy, S., Chipperfield, T. R., Davison, C., Adams, R. J., ... & Kelsh, R. N. (2007). Sdf1a patterns zebrafish melanophores and links the somite and melanophore pattern defects in choker mutants.

- Szabo-Rogers, H. L., Geetha-Loganathan, P., Nimmagadda, S., Fu, K. K., & Richman, J. M. (2008). FGF signals from the nasal pit are necessary for normal facial morphogenesis. *Developmental Biology*, 318(2), 289-302.
- Taneyhill, L. A. (2008). To adhere or not to adhere: the role of Cadherins in neural crest cell development. *Cell adhesion & migration*, 2(4), 223-230.
- Tapadia, M. D., Cordero, D. R., & Helms, J. A. (2005). It's all in your head: new insights into craniofacial development and deformation. *Journal of Anatomy*, 207(5), 461.
- Tatarakis, D., Cang, Z., Wu, X., Sharma, P. P., Karikomi, M., MacLean, A. L., ... & Schilling, T. F. (2021). Single-cell transcriptomic analysis of zebrafish cranial neural crest reveals spatiotemporal regulation of lineage decisions during development. *Cell reports*, 37(12), 110140.
- Theveneau, E., & Mayor, R. (2012). Neural crest delamination and migration: from epithelium-to-mesenchyme transition to collective cell migration. *Developmental biology*, 366(1), 34-54.
- Trainor, P. A. (2005). Specification and patterning of neural crest cells during craniofacial development. *Brain, behavior and evolution*, 66(4), 266-280.
- Trainor, P. A., & Tam, P. P. (1995). Cranial paraxial mesoderm and neural crest cells of the mouse embryo: co-distribution in the craniofacial mesenchyme but distinct segregation in branchial arches. *Development*, 121(8), 2569-2582.
- Tsuchihashi, T., Maeda, J., Shin, C. H., Ivey, K. N., Black, B. L., Olson, E. N., ... & Srivastava, D. (2011). Hand2 function in second heart field progenitors is essential for cardiogenesis. *Developmental biology*, 351(1), 62-69.
- Tsuda, T., Majumder, K., & Linask, K. K. (1998). Differential expression of flectin in the extracellular matrix and left-right asymmetry in mouse embryonic heart during looping stages. *Developmental genetics*, 23(3), 203-214.
- Tsukui, T., Capdevila, J., Tamura, K., Ruiz-Lozano, P., Rodriguez-Esteban, C., Yonei-Tamura, S., ... & Belmonte, J. C. I. (1999). Multiple left-right asymmetry defects in *Shh*^{-/-} mutant mice unveil a convergence of the *Shh* and retinoic acid pathways in the control of Lefty-1. *Proceedings of the National Academy of Sciences*, 96(20), 11376-11381.
- Tucker, A. S., Yamada, G., Grigoriou, M., Pachnis, V., & Sharpe, P. T. (1999). Fgf-8 determines rostral-caudal polarity in the first branchial arch. *Development*, 126(1), 51-61.
- Tzahor, E., Kempf, H., Mootosamy, R. C., Poon, A. C., Abzhanov, A., Tabin, C. J., ... & Lassar, A. B. (2003). Antagonists of Wnt and BMP signaling promote the formation of vertebrate head muscle. *Genes & Development*, 17(24), 3087-3099.
- van den Hoff, M. J., Kruithof, B. P., & Moorman, A. F. (2004). Making more heart muscle. *Bioessays*, 26(3), 248-261.
- Van Raay, T. J., & Vetter, M. L. (2005). Wnt/frizzled signaling during vertebrate retinal development. *Developmental neuroscience*, 26(5-6), 352-358.

- Veeman, M. T., Axelrod, J. D., & Moon, R. T. (2003). A second canon: functions and mechanisms of β -catenin-independent Wnt signaling. *Developmental Cell*, 5(3), 367-377.
- Veien, E. S., Rosenthal, J. S., Kruse-Bend, R. C., Chien, C. B., & Dorsky, R. I. (2008). Canonical Wnt signaling is required for the maintenance of dorsal retinal identity.
- Verma, U., Gautam, M., Parmar, B., Khaire, K., Wishart, D. S., & Balakrishnan, S. (2021). New insights into the obligatory nature of cyclooxygenase-2 and PGE2 during early chick embryogenesis. *Biochimica et Biophysica Acta (BBA)-Molecular and Cell Biology of Lipids*, 1866(4), 158889.
- Villanueva, S., Glavic, A., Ruiz, P., & Mayor, R. (2002). Posteriorization by FGF, Wnt, and retinoic acid is required for neural crest induction. *Developmental biology*, 241(2), 289-301.
- Vogel-Höpker, A., Momose, T., Rohrer, H., Yasuda, K., Ishihara, L., & Rapaport, D. H. (2000). Multiple functions of fibroblast growth factor-8 (FGF-8) in chick eye development. *Mechanisms of development*, 94(1-2), 25-36.
- Vogel-Höpker, A., Momose, T., Rohrer, H., Yasuda, K., Ishihara, L., & Rapaport, D. H. (2000). Multiple functions of fibroblast growth factor-8 (FGF-8) in chick eye development. *Mechanisms of development*, 94(1-2), 25-36.
- von Maltzahn, J., Chang, N. C., Bentzinger, C. F., & Rudnicki, M. A. (2012). Wnt signaling in myogenesis. *Trends in Cell Biology*, 22(11), 602-609.
- Waldo, K., Miyagawa-Tomita, S., Kumiski, D., & Kirby, M. L. (1998). Cardiac neural crest cells provide new insight into septation of the cardiac outflow tract: aortic sac to ventricular septal closure. *Developmental biology*, 196(2), 129-144.
- Waldo, K., Zdanowicz, M., Burch, J., Kumiski, D. H., Stadt, H. A., Godt, R. E., ... & Kirby, M. L. (1999). A novel role for cardiac neural crest in heart development. *The Journal of clinical investigation*, 103(11), 1499-1507.
- Walker, C. (2018). Are all oral COX-2 selective inhibitors the same? A consideration of celecoxib, etoricoxib, and diclofenac. *International Journal of Rheumatology*, 2018.
- Wall, N. A., & Hogan, B. L. (1995). Expression of bone morphogenetic protein-4 (BMP-4), bone morphogenetic protein-7 (BMP-7), fibroblast growth factor-8 (FGF-8) and sonic hedgehog (SHH) during branchial arch development in the chick. *Mechanisms of Development*, 53(3), 383-392.
- Wang, Y., Song, L., & Zhou, C. J. (2011). The canonical Wnt/ β -catenin signaling pathway regulates Fgf signaling for early facial development. *Developmental Biology*, 349(2), 250-260.
- Wawersik, S., Purcell, P., Rauchman, M., Dudley, A. T., Robertson, E. J., & Maas, R. (1999). BMP7 acts in murine lens placode development. *Developmental biology*, 207(1), 176-188.

- Wilke, T. A., Gubbels, S., Schwartz, J., & Richman, J. M. (1997). Expression of fibroblast growth factor receptors (FGFR1, FGFR2, FGFR3) in the developing head and face. *Developmental Dynamics*, 210(1), 41-52.
- Wu, G., Luo, J., Rana, J. S., Laham, R., Sellke, F. W., & Li, J. (2006). Involvement of COX-2 in VEGF-induced angiogenesis via P38 and JNK pathways in vascular endothelial cells. *Cardiovascular Research*, 69(2), 512-519.
- Wu, L. Y., Li, M., Hinton, D. R., Guo, L., Jiang, S., Wang, J. T., ... & Liu, Y. H. (2003). Microphthalmia resulting from MSX2-induced apoptosis in the optic vesicle. *Investigative ophthalmology & visual science*, 44(6), 2404-2412.
- Wu, L. Y., Li, M., Hinton, D. R., Guo, L., Jiang, S., Wang, J. T., ... & Liu, Y. H. (2003). Microphthalmia resulting from MSX2-induced apoptosis in the optic vesicle. *Investigative ophthalmology & visual science*, 44(6), 2404-2412.
- Xu, D. J., Bu, J. W., Gu, S. Y., Xia, Y. M., Du, J. L., & Wang, Y. W. (2011). Celecoxib impairs heart development via inhibiting cyclooxygenase-2 activity in zebrafish embryos. *The Journal of the American Society of Anesthesiologists*, 114(2), 391-400.
- Yang, T., Huang, Y. G., Ye, W., Hansen, P., Schnermann, J. B., & Briggs, J. P. (2005). Influence of genetic background and gender on hypertension and renal failure in COX-2-deficient mice. *American Journal of Physiology-Renal Physiology*, 288(6), F1125-F1132.
- Yasojima, K., Schwab, C., McGeer, E. G., & McGeer, P. L. (1999). Distribution of cyclooxygenase-1 and cyclooxygenase-2 mRNAs and proteins in human brain and peripheral organs. *Brain Research*, 830(2), 226-236.
- Ye, B., Li, L., Xu, H., Chen, Y., & Li, F. (2019). Opposing roles of TCF7/LEF1 and TCF7L2 in cyclin D2 and Bmp4 expression and cardiomyocyte cell cycle control during late heart development. *Laboratory Investigation*, 99(6), 807-818.
- Yelbuz, T. M., Waldo, K. L., Kumiski, D. H., Stadt, H. A., Wolfe, R. R., Leatherbury, L., & Kirby, M. L. (2002). Shortened outflow tract leads to altered cardiac looping after neural crest ablation. *Circulation*, 106(4), 504-510.
- Yu, J. K., Meulemans, D., McKeown, S. J., & Bronner-Fraser, M. (2008). Insights from the amphioxus genome on the origin of vertebrate neural crest. *Genome research*, 18(7), 1127-1132.
- Yu, Z., Yu, W., Liu, J., Wu, D., Wang, C., Zhang, J., & Zhao, J. (2018). Lens-specific deletion of the Msx2 gene increased apoptosis by enhancing the caspase-3/caspase-8 signaling pathway. *Journal of International Medical Research*, 46(7), 2843-2855.
- Zagozewski, J. L., Zhang, Q., & Eisenstat, D. D. (2014). Genetic regulation of vertebrate eye development. *Clinical genetics*, 86(5), 453-460.
- Zarghi, A., & Arfaei, S. (2011). Selective COX-2 inhibitors: a review of their structure-activity relationships. *Iranian Journal of Pharmaceutical Research: IJPR*, 10(4), 655.
- Zhang, L., Ye, Y., Long, X., Xiao, P., Ren, X., & Yu, J. (2016). BMP signaling and its paradoxical effects in tumorigenesis and dissemination. *Oncotarget*, 7(47), 78206.

Zhang, S. S. M., Fu, X. Y., & Barnstable, C. J. (2002). Molecular aspects of vertebrate retinal development. *Molecular Neurobiology*, 26, 137-152.

Zhang, X., Schwarz, E. M., Young, D. A., Puzas, J. E., Rosier, R. N., & O'Keefe, R. J. (2002). Cyclooxygenase-2 regulates mesenchymal cell differentiation into the osteoblast lineage and is critically involved in bone repair. *The Journal of clinical investigation*, 109(11), 1405-1415.

Zhang, Z., Song, Y., Zhao, X., Zhang, X., Fermin, C., & Chen, Y. (2002). Rescue of cleft palate in Msx1-deficient mice by transgenic Bmp4 reveals a network of BMP and Shh signaling in the regulation of mammalian palatogenesis.

Zhao, S., & Overbeek, P. A. (2001). Regulation of choroid development by the retinal pigment epithelium. *Molecular Vision*, 7(277), e282.

Zhao, Z., & Rivkees, S. A. (2000). Programmed cell death in the developing heart: regulation by BMP4 and FGF2. *Developmental Dynamics: An Official Publication of the American Association of Anatomists*, 217(4), 388-400.

Zhou, C. J., Molotkov, A., Song, L., Li, Y., Pleasure, D. E., Pleasure, S. J., & Wang, Y. Z. (2008). Ocular coloboma and dorsoventral neuroretinal patterning defects in Lrp6 mutant eyes. *Developmental dynamics: an official publication of the American Association of Anatomists*, 237(12), 3681-3689.

WEBLIOGRAPHY

<https://entokey.com/embryology-and-anatomy-of-the-developing-face/#CR10>

<https://quizlet.com/559978056/gastrulation-to-neurulation-flash-cards/>