

CHAPTER – VII

- Acevedo-Rodriguez, P. 2018. Guide to the genera of lianas and climbing plants in the neotropics: Sapindaceae.
- Acevedo-Rodríguez, P. 2003. *Melicoccus and Talisia*. Published for Organization for Flora Neotropica by New York Botanical Garden.
- Acevedo-Rodríguez, P. 2005. Vines and climbing plants of Puerto Rico and the Virgin Islands. *Contributions from the United States National Herbarium*. 51: 1-483.
- Angyalossy, V, Angeles, G., Pace, M.R., Lima A.C., DiasLeme C.L., Lúcia G., Lohmann L.G. and Carolina MaderoVega C. 2011. An overview on the anatomy, development and evolution of the vascular system of lianas. *Plant Ecology & Diversity*. 5(2): 167-182.
- Angyalossy, V., Pace, M.R. and Lima, A.C. 2015. Liana anatomy: a broad perspective on structural evolution of the vascular system. – In: Schnitzer, S. A., Bongers, F., Burnham, R. and Putz, F. E. (eds), *Ecology of Lianas*. Wiley-Blackwell Publishers. 253–287.
- Araque O.Z., de Pernia N.E. and León W.J. 2000. Estudio anatómico del leño de seis especies de lianas. *Revista Forestal Venezolana*. 44(2): 39-48.
- Araque, O.Z., León, H.W.J. and Hernández, P.C. 2007. Wood anatomy of lianas of the Bignoniaceae family in Caparo Forest Reserve (Barinas state, Venezuela). *Acta Botanica Venezuelica*. 30: 191–215.
- Araújo, G.U.C. and Costa, C.G. 2006. Cambial variant in the stem of *Serjania corrugata* (Sapindaceae). *IAWA Journal* 27: 269–280.
- Araújo, G.U.C. and Costa, C.G. 2007. Anatomia do caule de *Serjania corrugata* Radlk. (Sapindaceae). *Acta Botanica Brasilica*. 21: 489–497.

- Arroyo-Rodríguez, V., Asensio, N., Dunn, J.C., Cristóbal-Azkarate, J., and Gonzalez-Zamora, A. 2015. Use of lianas by primates: more than a food source. *Ecology of lianas*, 407-426.
- Babweteera, F., Plumptre, A. and Obua, J. 2000. Effect of gap size and age on climber abundance and diversity in Budongo Forest Reserve, Uganda. *African Journal of Ecology*. 38: 230–237.
- Balée, W. and Campbell, D.G. 1990. Evidence for the successional status of liana forest (Xingu river basin, Amazonian Brazil). *Biotropica*. 22:36–47.
- Baranetzky, J. 1900. Recherches sur les faisceaux bicollatéraux. *Ann. Sci. Nat. Bot.* 8(12): 262-332.
- Basson, P.W. and Bierhorst, D.W. 1967. An analysis of differential lateral growth in the stem of *Bauhinia surinamensis*. *Bull Torrey Bot Club* 94: 404-411.
- Bastos, C.L., Tamaio, N. and Angyalossy, V. 2016. Unravelling roots of lianas: a case study in Sapindaceae. *Ann. Bot.* 118: 733–46.
- Beck, C.B. 2010. *An Introduction to Plant Structure and Development*, 2nd ed.; Cambridge University Press: New York, NY, USA. 433.
- Beentje, H. 2010. *The Kew Plant Glossary: an illustrated dictionary of plant terms*. Kew Publishing, Royal Botanic Garden, London.
- Bell, A. and Bryan, A. 2008. *Plant form: an illustrated guide to flowering plant morphology*. Timber Press.
- Benson, W.W., Brown, Jr., K.S., and Gilbert, L.E. 1975. Coevolution of plants and herbivores: passion flower butterflies. *Evolution*. 29: 659–680.
- Berlyn, G.P. and Miksche, J.P. 1976. *Botanical microtechnique and cytochemistry*. Ames, The Iowa State University Press.

- Bohm, H.F., Gunther, F., Fink, S. and Speck, S. 2015. A passionate free climber: Structural development and functional morphology of the adhesive tendrils in *Passiflora discophora*. *International Journal of Plant Sciences*. 176(3): 294–305.
- Bohn, T., McDougall, G.J., Alegría, A., Alminger, M., Arrigoni, E., Aura, A.M., Brito, C., Cilla, A., El, S.N., Karakaya, S. and Martínez-Cuesta, M.C., 2015. Mind the gap deficits in our knowledge of aspects impacting the bioavailability of phytochemicals and their metabolites—a position paper focusing on carotenoids and polyphenols. *Molecular Nutrition & Food Research*. 59(7): 1307-1323.
- Bongers, F. J. J. M., Schnitzer, S. A., and Traore, D. 2002. The importance of lianas and consequences for forest management in West Africa. *BioTerre*, Special edition. 59-70.
- Bonnemain, J. L. 1972. Transport chez la plante supérieure. – *Physiol. Veg.* 10: 697–729.
- Bonnemain, J.L. 1969. Le phloème interne et le phloème inclus des dicotylédones: Leur histogénèse et leur physiologie. *Rev. Gén. Bot.* 76: 5–36.
- Boureau, E. 1957. *Anatomie végétale*. Vol. 3. Paris: Presses Universitaires de France. 525–752.
- Bowling, A.J. and Vaughn, K.C. 2009. Gelatinous fibres are widespread in coiling tendrils and twining vines. *American Journal of Botany*. 96(4): 719-727.
- Braun, H.J. 1970. Funktionelle Histologie der sekundären Sprossachse. I. Das Holz. *Handbuch der Pflanzenanatomie*, vol 9(1). Gehrüder Borntraeger, Berlin. 1-190.
- Braun, H.J. 1983. Zur Dynamik der Wassertransportes in Bäumen. *Ber Dtsch Bot Ges.* 96: 29-47.

- Braun, H.J. 1984. The significance of the accessory tissues of the hydrosystem for osmotic water shifting as the second principle of water ascent, with some thoughts concerning the evolution of trees. *IAWA Journal*. 5(4): 275-294.
- Burnham, R.J. 2009. An overview of the fossil record of climbers: bejucos, sogas, trepadoras, lianas, cipos, and vines. *Revista Brasilia Paleontologia*. 12: 149–160.
- Burnham, R.J. and Revilla-Minaya, C. 2011. Phylogenetic Influence on Twining Chirality in Lianas from Amazonian Peru¹. *Annals of the Missouri Botanical Garden*. 98(2): 196-205.
- Caballé, G. 1986. Sur la biologie des lianes ligneuses en forêt gabonaise. Ph.D. Thesis, Université Montpellier 2, Montpellier, France.
- Caballé, G. 1993. Liana structure, function and selection: A comparative study of xylem cylinders of tropical rainforest species in Africa and America. *Bot. J. Linn. Soc.* 113: 41–60.
- Caballé, G. 1998. Le port autoportant des lianes tropicales: une synthèse des stratégies de croissance. *Canadian Journal of Botany*. 76: 1703–1716.
- Cabanillas, P.A. and Hurrell J.A. 2012. Plantas trepadoras: tipo biológico y clasificación. *Revista Ciencias Morfológicas*. 14: 1–15.
- Cabanillas, P.A., Pace, M.R. and Angyalossy, V. 2017. Structure and ontogeny of fissured stems of *Callaeum* (Malpighiaceae). *IAWA J.* 38: 49–66.
- Cambell, E.J.F and Newbery D.M.C. 1993. Ecological relationships between lianas and trees in lowland rainforest in Sabah, East Malaysia. *Jour. Trop. Ecol.* 9: 469-490.
- Carlquist, S. 1975. Wood Anatomy of Onagraceae, with notes on alternative modes of photosynthate movement in dicotyledon woods. *Ann. Missouri Bot. Garden*. 62: 386–424.

- Carlquist, S. 1985. Wood and stem anatomy of Misodendraceae: systematic and ecological conclusions. *Brittonia*. 37:58–75.
- Carlquist, S. 1988. *Comparative Wood Anatomy: Systematic, Ecological and Evolutionary Aspect of Dicotyledon Wood*; Springer: Berlin/Heidelberg, Germany; New York, NY, USA. 385.
- Carlquist, S. 1991. Anatomy of vine and liana stems: a review and synthesis, in *The Biology of Vines* (eds F.E. Putz & H.A. Mooney), Cambridge University Press, Cambridge. 53–71.
- Carlquist, S. 1991. Anatomy of vines and liana stems: A review and synthesis. In: F.E. Putz and H.A. Mooney (eds.), *The biology of vines*: 53-71. Cambridge Univ. Press, Cambridge.
- Carlquist, S. 1992a. Anatomy of vines and lianas: a review and synthesis. In: Putz F.E., Mooney H.A., Bullock S.H. (eds) *Biology of vines*: 53–71. Cambridge, Cambridge University Press.
- Carlquist, S. 1992b. Wood anatomy of selected Cucurbitaceae and its relationship to habit and systematics. *Nordic Journal of Botany*. 12: 347–355.
- Carlquist, S. 1996. Wood, bark and stem anatomy of New World species of *Gnetum*. – *Bot. J. Linn. Soc.* 120(1): 1–19.
- Carlquist, S. 1996a. Wood, bark, and stem anatomy of Gnetales: a summary, *Int. J Plant Set.* 157(6 suppl.): S58-S76.
- Carlquist, S. 1996b. Wood and stem anatomy of Menispermaceae. *Aliso* 14: 155- 170.
- Carlquist, S. 2001. *Comparative wood anatomy, systematic ecological and evolutionary aspect of dicotyledonous wood*. – Springer.

- Carlquist, S. 2001a. Observations on the vegetative anatomy of *Austrobaileya*: habital, organographic and phylogenetic conclusions. *Botanical Journal of the Linnean Society*. 135: 1–11.
- Carlquist, S. 2007. Bordered pits in ray cells and axial parenchyma: the histology of conduction, storage, and strength in living wood cells. – *Bot. J. Linn. Soc.* 153(2): 157–168.
- Carlquist, S. 2007a. Successive cambia in Aizoaceae: products and process. *Bot J Lin Soc.* 154:141–55.
- Carlquist, S. 2009. Xylem heterochrony: an unappreciated key to angiosperm origin and diversifications. *Botanical Journal of the Linnean Society*. 161: 26–65.
- Carlquist, S. 2013. Interxylary phloem: diversity and functions. – *Brittonia* 65: 477–495.
- Carlquist, S. and Hanson, M. A. 1991. Wood and stem anatomy of *Convolvulaceae*: a survey. – *Aliso*. 13: 51–94.
- Chalk, L. and Chattaway, M.M. 1937. Identification of woods with included phloem. *Trop. Woods*. 50, 1–31.
- Chave, J., Riera, B. and Dubois, M.A. 2001. Estimation of biomass in a neotropical forest of French Guiana: spatial and temporal variability. *Journal of Tropical Ecology*. 17: 79–96.
- Cheadle, V., Gifford, E.M. and Esau, K. 1953. A staining combination for phloem and contiguous tissues. *Stain Technology*. 28: 49-53.
- Chery, J.G., Glos, R.A. and Anderson, C.T. 2022. Do woody vines use gelatinous fibers to climb? *New Phytologist*. 233: 126–131.

- Chery, J.G., M.R. Pace, P. Acevedo-Rodríguez, C.D. Specht, and C.J. Rothfels. 2020a. Modification during early plant development promotes the evolution of nature's most complex woods. *Current Biology*. 30: 1–8.
- Clarke, C.M. & Kitching, R.L. 1995. Swimming ants and pitcher plants: a unique ant-plant interaction from Borneo. *Journal of Tropical Ecology*. 11: 589–602.
- Cockrell, R.A. 1941. A comparative study of the wood structure of several South American species of *Strychnos*. *Am. J. Bot.* 28: 32–41.
- Coley, P.D. and Barone, J.A. 1996. Herbivory and plant defenses in tropical forests. *Annual Review of Ecology and Systematics*. 27: 305–335.
- Crang, R., Lyons-Sobaski, S., and Wise, R. 2018. *Plant anatomy: a concept-based approach to the structure of seed plants*. Springer.
- Croat, T.B. 1978. *Flora of barro colorado island*. Stanford University Press.
- Cunha Neto, I.L.D., Martins, F.M., Somner, G.V., and Tamaio, N. 2018. Successive cambia in liana stems of Paullinieae and their evolutionary significance in Sapindaceae. *Botanical Journal of the Linnean Society*. 186 (1): 66-88.
- Cutler, D.F., Botha, C.E.J. and Stevenson, D.W. 2007. *Plant anatomy: an applied approach*. Blackwell Publishing Ltd., Malden, USA. 1–302.
- Darwin, C. 1867. On the movements and habits of climbing plants. *Journal of the Linnean Society (Botany)*. 9: 1–118.
- Darwin, C. 1865. On the movements and habits of climbing plants. *Journal of the Linnean Society*, London.
- Dawson, T.E. 1993. Water sources of plants as determined from xylem-water isotopic composition: perspectives on plant competition, distribution, and water relations, in *Stable Isotopes and Plant Carbon-Water Relations* (eds J.R. Ehleringer, A.E. Hall & G.D. Farquhar), Academic Press, San Diego. 465–496.

- De Bary, A. 1884. Comparative Anatomy of the Vegetative Organs of the Phanerogams and Ferns; Bower, F.O.; Scott, D.H., Translators; The Clarendon Press: Oxford, UK. 578–580.
- De Jussieu, A. 1843. Monographie de la famille des Malpighiacées. Arch. Du Muséum D'histoire Nat. Paris. 3: 5–151.
- De Mirbel, M. 1828. M'emoire Sur l'origine, le development et l'organisation du bios. Mémoire Du Mus. Hist. Nat. 16: 9–36.
- Dehgan, B. 1982. Comparative anatomy of the petiole and infrageneric relationships in *Jatropha* (Euphorbiaceae). – Am. J. Bot. 69: 1283–1295.
- Den Outer, R.W. and van Veenendaal, W.L.H. 1995. Development of included phloem in the stem of *Combretum nigricans* (Combretaceae). – IAWA J. 16: 155–158.
- Dobbins, D.R. and Fisher, J.B. 1986. Wound responses in girdled stems of lianas. – Bot. Gaz. 147: 278–289.
- Dobbins, D.R., 1971. Studies on the anomalous cambial activity in *Doxantha unguis-cati* (Bignoniaceae). II. A case of differential production of secondary tissues. American Journal of Botany. 58(8): 697-705.
- Dobbins, D.R. 1969. Studies on the anomalous cambial activity in *Doxantha unguis-cati* (Bignoniaceae). I. Development of the vascular pattern. Can. J. Bot. 47: 2101–2106
- Dudley, R., Byrnes, G., Yanoviak, S.P. 2007. Gliding and the functional origins of flight: biomechanical novelty or necessity? Annual Review of Ecology, Evolution, and Systematics. 38: 179–201.
- Dunn, J.C., Asensio, N., Arroyo-Rodríguez, V., Schnitzer, S., and Cristóbal-Azkarate, J. 2012. The ranging costs of a fallback food: liana consumption supplements

- diet but increases foraging effort in howler monkeys. *Biotropica*. 44 (5): 705-714.
- Durigon, J., Miotto, S.T.S. and Gianoli, E. 2014. Distribution and traits of climbing plants in subtropical and temperate South America. *Journal of Vegetation Science*. 25: 1484–1492.
- Durigon, J., Sperotto, P., Ferreira, P.P.G., Dettke, G.A., Záchia, R.A., Farinaccio, Seger G.D.S. and S.T.S. Miotto. 2019. Updates on extratropical region climbing plant flora: news regarding a still-neglected diversity. *Acta Botanica Brasilica* 33: 644–653.
- Duvigneaud, P., Staquet J. and Dewit, J. 1952. Contribution a l' etude anatomique des rameaux chez les sections africaines du genre *Strychnos*. *Bulletin de la Société Royale de Botanique de Belgique*. 85: 39-67.
- Eames, A.J. and MacDaniels, L.H. 1947. An introduction to plant anatomy, 2nd edn. – McGraw-Hill.
- Eames, A.J. and McDaniels, L.H. 1953. An introduction to plant anatomy. McGraw-Hill Book Company, New York.
- Edwards, W., Moles, A.T. and Franks, P. 2007. The global trend in plant twining direction. *Global Ecology and Biogeography*. 16(6): 795-800.
- Ellmore, G.S. and Ewers, F.W. 1985. Hydraulic conductivity in trunk xylem of elm, *Ulmus americana*. *IAWA Journal* 6: 303–307.
- Emmons, L.H. & Gentry, A.H. 1983. Tropical forest structure and the distribution of gliding and prehensile-tailed vertebrates. *American Naturalist*. 121: 513–524.
- Esau, K. 1939. Development and structure of the phloem tissue. *The botanical review*. 5: 373-432.

- Esau, K. 1969. The phloem. – Encyclopedia of Plant Anatomy., Gebr. Borntraeger, Berlin. 5(2).
- Evert, R.F. 2006. Esau's plant anatomy. Meristems, cells and tissues of the plant body: their structure, function and development. Third edition. – John Wiley and Sons Inc., New Jersey.
- Ewers, F.W. and Fisher, J.B. 1989. Variation in vessel length and diameter in stems of six tropical and sub-tropical lianas. Amer. J. Bot. 76: 1452–1459.
- Ewers, F.W. and Fisher, J.B. 1991a. Why vines have narrow stems: histological trends in Bauhinia (Fabaceae). Oecologia. 88: 233–237.
- Ewers, F.W., Fisher, J.B., and Fichtner, K. 1991. Water flux and xylem structure in vines. In The Biology of Vines (eds. F.E. Putz & H.A. Mooney). Cambridge University Press, Cambridge.
- Ewers, F.W., Rosell, J.A., and Olson, M.E. 2015. Lianas as structural parasites. Functional and ecological xylem anatomy. 163-188.
- Fahn, A. 1962. Xylem structure and the annual rhythm of cambial activity in woody species of the east Mediterranean region. IAWA Bull. 1: 2-6.
- Fahn, A., and Shchori, Y. 1967. The organization of the secondary conducting tissues in some species of the Chenopodiaceae. Phytomorphology. 17(1-4): 147-154.
- Feild, T.S., Chatelet, D.S., Balun, L., Schilling, E.E., and Evans, R. 2012. The evolution of angiosperm lianescence without vessels—climbing mode and wood structure—function in *Tasmania cordata* (Winteraceae). New Phytologist, 193(1): 229-240.
- Firetti-Leggieri, F., Lohmann, L.G., Semir, J., Demarco, D., and Castro, M.M. 2014. Using leaf anatomy to solve taxonomic problems within the Anemopaegma

- arvense species complex (Bignoniaceae). *Nordic Journal of Botany*. 32(5): 620-631.
- Fisher, J.B. and Ewers, F.W. 1989. Wound healing in stems of lianas after twisting and girdling injuries. – *Bot. Gaz.* 150: 251–265.
- Fisher, J.B. and Ewers, F.W. 1992. Xylem pathways in liana stems with anomalous secondary growth. *The Botanical Journal of the Linnean Society*. 180: 181–202.
- Fisher, J.B. E. Ewers, F.W. 1991. Structural responses to stem injury in vines. In *The Biology of Vines* (eds. F.E. Putz & H.A. Mooney). 99–124. Cambridge University Press, Cambridge.
- Flora do Brasil. 2020. Jardim Botânico do Rio de Janeiro. Retrieved May 20, 2022, from <http://floradobrasil.jbrj.gov.br/>.
- Font, Quer, P. 2001. Dictionary of botany. Barcelona. *Peninsula*.
- Foster, P.F. and Sork, V.L., 1997. Population and genetic structure of the West African rain forest liana *Ancistrocladus korupensis* (Ancistrocladaceae). *American Journal of Botany*. 84(8): 1078-1091.
- Fukuda, Y. 1967. Anatomical study of the internal phloem in the stems of dicotyledons, with special reference to its histogenesis. *J. Fac. Sci. Univ. Tokyo Sect III*. 9: 313–375.
- Gama, G. and Oskolski A. 2021. Stem anatomy of *Grewia caffra* (Malvaceae): an uncommon cambial variant in the order Malvales. *Plant Systematics and Evolution*. 307: 21.
- Gaudichaud B.Ch. 1833. Observations sur quelques points de physiologie et d'anatomie comparées des végétaux et spécialement sur l'accroissement des tiges. *Arch de Bot.* 2: 481–500.

- Gentry A.H. and Dodson C. 1987. Contribution of nontrees to species richness of a tropical rain forest. *Biotropica*. 19: 149–156.
- Gentry, A.H. 1980. Bignoniaceae: Part I (Crescentia and Tourrettieae). In *Flora Neotropical Monograph*. The New York Botanical Garden, New York. 25 (1).
- Gentry, A.H. 1985. Plant distribution and diversity patterns in Amazonian Peru. *National Geographic Society Research Reports (USA)*.
- Gentry, A.H. 1985. Studies in Bignoniaceae. 48. New South American species of Bignoniaceae. *Phytologia (USA)*.
- Gentry, A.H. 1991. climbing plants. *The biology of vines*, Cambridge, UK: Cambridge.
- Gerolamo, C. S., Nogueira, A., Pace, M. R., & Angyalossy, V. 2020. Interspecific anatomical differences result in similar highly flexible stems in Bignoniaceae lianas. *American Journal of Botany*. 107(12): 1622-1634.
- Goldingay, R.L. 2000. Gliding mammals of the world: diversity and ecological requirements, in *Biology of Gliding Mammals* (eds R.L. Goldingay & J.S. Scheibe), Filander Verlag, Fürth.
- Gondaliya, A.D. and Rajput, K.S. 2016. Stem Anatomy and development of intraxylary phloem in *Vallisneria spiralis* (L.) Kuntze (Palmetaceae). *J. Indian bot. Soc.* 95: 16–27.
- Gondaliya, A.D. and Rajput, K.S. 2017. Stem anatomy and development of inter- and intraxylary phloem in *Leptadenia pyrotechnica* (Forssk.) Decne. (Asclepiadaceae). – *Plant Biosyst.* 151: 855–865.
- Gondaliya, A.D. and Rajput, K.S., 2016. Stem anatomy and development of intraxylary phloem in *Vallisneria spiralis* (L.) Kuntze (Palmetaceae). *The Journal of Indian Botanical Society*, 95(1and2), pp.16-27.

- Rajput, K.S., Patil, V.S. and Rao, K.S. 2014a. Stem anatomy of dwarf subshrub *Cressa cretica* L. (Convolvulaceae). *Flora* 209: 408–413.
- Gondaliya, A.D., Lekhak, M.M., Yadav, S.R. and Rajput, K.S. 2018. Structure of secondary xylem and development of intraxylary phloem in *Beaumontia jerdoniana* (Apocynaceae). *Phyton*. 57: (1-2), 79-90.
- Gryj, E., Martinez del Rio, C. & Baker, I. 1990. Avian pollination and nectar use in *Combretum fruticosum* (Loefl.). *Biotropica*. 22: 266–271.
- Haberland, G. 1914. *Physiological Wood Anatomy*, 4th ed.; Montagu Drummond, B.A., Translator; MacMillon and Company Ltd.: New York, NY, USA; London, UK.
- Haberlandt, G. 1928. *Physiological Plant Anatomy*. MacMillan Company, London.
- Hegarty, E. 1992. Vine–host interactions. In F. Putz & H. Mooney (Eds.), *The Biology of Vines*. Cambridge: Cambridge University Press. 357-376.
- Hegarty, E.E. 1991. Vine-host interactions. *The biology of vines*. 357-375.
- Hegarty, E.E., & Caballé, G. 1991. Distribution and abundance of vines in forest communities. *The biology of vines*. 313: 335.
- Holbrook, N.M. & Putz, F.E. 1996. Physiology of tropical vines and hemiepiphytes: plants that climb up and plants that climb down. In: S.S. Mulkey, R.L. Chazdon, A.P. Smith, editors. *Tropical forests plant ecophysiology*. New York (New York): Chapman & Hall. 363–393.
- IAWA Committee. 1989. IAWA list of microscopic features for hardwood identification. *IAWA Bull.* 10: 219–332.
- Isnard, S. and Silk, W.K. 2009. Moving with climbing plants from Charles Darwin’s time into the 21st century. *American Journal of Botany*. 96: 1205–1221.

- Isnard, S., and Feild, T.S. 2015. The evolution of angiosperm lianescence: a perspective from xylem structure-function. *Ecology of lianas*. 221-238.
- Isnard, S., and Rowe, N.P. 2008. The climbing habit in palms: Biomechanics of the cirrus and flagellum. *American Journal of Botany* 95: 1538 – 1547.
- Isnard, S., Cobb, A. R., Holbrook, N. M., Zwieniecki, M., & Dumais, J. 2009. Tensioning the helix: a mechanism for force generation in twining plants. *Proceedings of the Royal Society B: Biological Sciences*. 276(1667): 2643-2650.
- Jackson, S.M. 1999. Glide angle in the genus *Petaurus* and a review of gliding in mammals. *Mammal Review*. 30: 9–30.
- Jacques, F. M., & De Franceschi, D. 2007. Menispermaceae wood anatomy and cambial variants. *IAWA journal*. 28(2): 139-172.
- Jaffe, M. J., and A. W. Galston. 1968. The physiology of tendrils. *Annual Review of Plant Physiology*. 19: 417–434.
- Jiménez-Castillo, M., Wiser, S.K. & Lusk, C.H. 2007. Elevational parallels of latitudinal variation in the proportion of lianas in woody floras. *Journal of Biogeography*. 34: 163–168.
- Johansen, D.A. 1940. *Plant microtechnique*. – McGraw Hill.
- Joshi, P.C. 1935. Development of anomalous secondary vascular rings in the root of *Spergula*, L. *Proceedings: Plant Sciences*. 1(11): 729-735.
- Kamel, E. A. and Loutfy, M. H. A. 2001. The significance of cuticular features, petiole anatomy and SDS-PAGE in the taxonomy of the Lauraceae. – *J. Biol. Sci.* 4: 1094–1100.

- Kapadane, K.K. 2021. Stem anatomy of some species of *Argyreia* (Convolvulaceae). Ph.D. Thesis. K.B.C. North Maharashtra University, Jalgaon, Maharashtra, India, March 2021.
- Kapadane, K.K., Lawand, P.R., Shimpale, V.B., and Rajput, K.S. 2022. Development of Cambial Variant and Structure of the Secondary Xylem in *Argyreia elliptica* (Roth) Choisy (Convolvulaceae). *Journal of Plant Growth Regulation*, 1-13.
- Kapadane, K.K., Shelke, R.A., Gondaliya, A.D., and Rajput, K.S. 2019. Formation of medullary phloem in *Argyreia nervosa* (Burm. f.) Bojer. *Plant Science Today*. 6(2): 151-159.
- Kerner von, M.A. 1895. The natural history of plants, their forms, growth, reproduction and distribution, from the German. Oliver FW, translator. Vol. II. New York: Henry Holt and Co. 1, 167: 667–710, 734.
- Kilgore, A., Lambers, T.D. & Adler, G.H. 2010. Lianas influence fruit and seed use by rodents in a tropical forest. *Tropical Ecology*. 51: 265–271.
- Kim, S.H., Mizuno, K., Sawada, S., and Fujimura, T. 2002. Regulation of tuber formation and ADP-glucose pyrophosphorylase (AGPase) in sweet potato (*Ipomoea batatas* (L.) Lam.) by nitrate. *Plant growth regulation*. 37: 207-213.
- Klaassen RWM. 1999. Wood anatomy of the Sapindaceae. *IAWA J. Suppl.* 2: 214.
- Kocsis, M., & Borhidi, A. 2003. Petiole anatomy of some Rubiaceae genera. *Acta Botanica Hungarica*. 45(3-4): 345-353.
- Kominami, Y., Sato, T., Takeshita, K. 2003. Classification of bird-dispersed plants by fruiting phenology, fruit size, and growth form in a primary lucidophyllous forest: an analysis, with implications for the conservation of fruit–bird interactions. *Ornithological Society of Japan*, 2, 3–23.

- Kuo, J. and Pate, J.S. 1981. Internal (medullary) phloem in *Macrotyloma uniflorum* (Fabaceae). – *Ann. Bot.* 48: 403–407.
- LaFrankie, J.V. 2005. Lowland tropical rain forests of Asia and America: parallels, convergence, and divergence, in *Pollination Ecology and the Rain Forest: Sarawak Studies* (eds D.W. Roubik, S. Sakai & A.A. Hamid Karim), Springer, New York. 178–190.
- Lahaye, R., Civeyrel L., Speck, T. and Rowe, N.P. 2005. Evolution of shrublike growth forms in the lianoid subfamily Secamonoideae (Apocynaceae s.l.) of Madagascar: phylogeny, biomechanics, and development. *American Journal of Botany* 92: 1381–1396.
- Lambert, T.D. and Halsey, M.K., 2015. Relationship between lianas and arboreal mammals: examining the Emmons–Gentry hypothesis. *Ecology of lianas*. 398–406.
- Leal M.O.L., Nascimento L.B., Coutinho A.J., Tamaio N. and BrandeA.F.N. 2020. Development of external vascular cylinders (neoformations) in stems and roots of *Chiococca alba* (L.) Hitchc. (Rubiaceae). *Flora* 264: 151569.
- Leeuwenberg, A.J.M. 1969. The Loganiaceae of Africa. VIII. *Strychnos* III. *Mededeelingen van de Landbouwhogeschool te Wageningen* 69: 1-3.
- Lekhak, M. M., Gondaliya, A. D., Yadav, S. R. and Rajput, K.S. 2018. Stem anatomy at various developmental stages of secondary growth in *Turbina corymbosa* (Convolvulaceae). – *Plant Ecol. Evol.* 151: 219–230.
- Leme CLD, Cunha Neto and Angyalossy A. 2020. How the neotropical liana *Machaerium multifoliatum* (Fabaceae) develop their distinctive flattened stems. *Flora* 269: 151629.
- Lev-Yadun S., Aloni R. 1991. Polycentric vascular rays in *Suaeda monoica* and the control of ray initiation and spacing. *Trees* 5: 22–29.

- Liang Hu, Youfang Chen, Meicun Liu. 2017. Impacts of environmental factors on the climbing behaviors of herbaceous stem-twiners, *Ecology and Evolution*, 10.1002/ece3.3479, 7, 22, (9405-9414).
- Lopes WAL, De Souza LA, De Almeida OJG. 2017. Procambial and cambial variants in *Serjania* and *Urvillea* species (Sapindaceae: Paullinieae). *Journal of Botanical Research Institute of Texas* 11(2): 421–432.
- Lowell, C. and Lucansky, T. W. 1986. Vegetative anatomy and morphology of *Ipomoea hederifolia* (Convolvulaceae). – *Bull. Torrey Bot. Club* 113: 382–397.
- Lowell, C. and Lucansky, T. W. 1990. Vegetative anatomy and morphology of *Ipomoea quamoclit* (Convolvulaceae). – *Bull. Torrey Bot. Club* 117: 232–246.
- Luizon Dias Leme, C., Pace, M. R., & Angyalossy, V. 2021. The “Lianescent Vascular Syndrome” statistically supported in a comparative study of trees and lianas of Fabaceae subfamily Papilionoideae. *Botanical Journal of the Linnean Society*. 197(1): 25-34.
- Mabel, A. F., Johnson, A. A., & Temitope, O. O. 2013. Petiole anatomy of some species of Asteraceae in southwest Nigeria. *African Journal of Plant Science*. 7(12): 608-612.
- Maheu, J., 1902. *Recherches anatomiques sur les Ménispermacées*.
- McDonald J.A. 1992. Evolutionary implications of typical and anomalous secondary growth in arborescent *Ipomoea* (Convolvulaceae). *Bull. Torrey Bot. Club* 119: 262–267.
- Meinzer, F.C., Andrade, J.L., Goldstein, G. et al. 1999. Partitioning of soil water among canopy trees in a seasonally dry tropical forest. *Oecologia*, 121, 293–301.
- Melzer, B., Seidel, R., Steinbrecher, T. & Speck, T. 2012. Biomechanics of the attachment system of English Ivy (*Hedera helix*): properties and structure of

- attachment roots in relation to the climbing substrate. *Journal of Experimental Botany*, 63, 191–201.
- Melzer, B., Steinbrecher, T., Seidel, R. et al. 2010. The attachment strategy of English ivy: a complex mechanism acting on several hierarchical levels. *Journal of Royal Society Interface*, 7, 1383–1389.
- Menezes, N.L., Silva, D.C., Arruda, R.C.O., Melo de Pinna, G.F., Cardoso, V.A., Castro, N.M., Scatena, V.L. and Screminias, E. 2005. Meristematic activity of the endodermis and the pericycle in the primary thickening in monocotyledons. Considerations on the “PTM”. *Anais da Academia Brasileira de Ciencias*. 77:259–274.
- Mennega A.M.W. 1969. The wood structure of *Dicranostyles* (Convolvulaceae). – *Acta Bot. Neerl.* 18(1): 173– 179.
- Mennega A.M.W. 1982. Stem structure of the new world *Menispermaceae*. *Journal of the Arnold Arboretum* 63: 145–171.
- Metcalf C.R. and Chalk, L. 1983. *Anatomy of the dicotyledons*. Vol. II. 2nd edition. – Clarendon Press, Oxford.
- Metcalf, C. R. and Chalk, L. 1950. *Anatomy of the dicotyledons*. – Clarendon Press.
- Migahid, A.M., Wahab, A.M., Batanouny, K.H. 1972. Eco-physiological studies on desert plants. VII. Water relations of *Leptadenia pyrotechnica* (Forsk.) Decne. growing in the Egyptian desert. *Oecologia* 10: 79–91.
- Mikesell, J. and Schroeder, A.C. 1984. Internal phloem development in *Pharbitis nil* Choisy. (Convolvulaceae). – *Bot. Gaz.* 145: 196–203.
- Mikesell, J.E. and Popham, R.A. 1976. Ontogeny and correlative relationships of the primary thickening meristem in four o'clock plants (Nyctaginaceae) maintained under long and short photoperiods. *Am J Bot* 63: 427–437.

- Moya R., Gondaliya A.D., and Rajput K.S. 2018. Development of successive cambia and formation of flat stems in *Rhynchosia pyramidalis* (Lam.) Urb. (Fabaceae). Plant Biosystem 152(5): 1031–1038.
- Moya, R., Gondaliya, A.D. and Rajput, K.S. 2017. Stem anatomy and development of interxylary phloem in *Strychnos bredemeyeri* (Loganiaceae). – Ann. Biol. 39: 75–87.
- Moya, R.; Gondaliya, A.D.; Rajput, K.S. 2019. Formation of successive cambia and structure of secondary xylem in *Dicranostyles ampla* and *Maripa nicaraguensis* (Convolvulaceae). Phytom. 59, (1-2): 119–129.
- Muller-Landau, H.C. & Hardesty, B.D. 2005. Seed dispersal of woody plants in tropical forests: concepts, examples, and future directions, in Biotic Interactions in the Tropics (eds D.F.R.P. Burslem, M.A. Pinard & S. Hartley), Cambridge University Press, Cambridge. 267–309.
- Nabe-Nielsen, J. 2001. Diversity and distribution of lianas in a neotropical rain forest, Yasuni National Park, Ecuador. Journal of Tropical Ecology 17: 1-19.
- Noraini, T., & Cutler, D. F. 2009. Leaf anatomical and micromorphological characters of some Malaysian Parashorea (Dipterocarpaceae). Journal of Tropical Forest Science. 156-167.
- Obaton, M. 1957. Les lianes ligneuses à structure anormale des forêts denses d'Afrique occidentale, Ph.D. Thesis, Faculté des Sciences, Paris, France.
- Obaton, M. 1960. Les lianesligneuses à structure anormale des forêts denses d'Afrique Occidentale. Ann. Sci. Natur. Bot. Biol. Végé. 12, 1–20.
- Oliver-Bever, B.E.P., 1986. Medicinal plants in tropical West Africa. Cambridge university press.

- Olson, M.E. 2003. Stem and leaf anatomy of the arborescent Cucurbitaceae *Dendrosicyos socotrana* with comments on the evolution of pachycauls from lianas. *Plant Systematics and Evolution* 239: 199-214.
- Onyenedum, J. G., & Pace, M. R. (2021). The role of ontogeny in wood diversity and evolution. *American Journal of Botany*. 108(12): 2331-2355.
- Pace MR, Angyalossy V, Acevedo-Rodriguez P, Wen J. 2018. Structure and ontogeny of successive cambia in *Tetrastigma* (Vitaceae), the host plants of *Rafflesiaceae*. *J. Syst. Evol.* 56: 394–400.
- Pace MR, Zuntini AR, Lohmann LG, Angyalossy V. 2016. Phylogenetic relationships of enigmatic *Sphingiphila* (Bignoniaceae) based on molecular and wood anatomical data. *Taxon* 65(5): 1050–1063.
- Pace, M.R. & Angyalossy, V. 2013. Wood evolution: a case study in the Bignoniaceae. *International Journal of Plant Sciences*. 174: 1014–1048.
- Pace, M.R., Lohmann, L.G. & Angyalossy, V. 2009. The rise and evolution of the cambial variant in Bignoniaceae (Bignoniaceae). *Evolution and Development*. 11: 465–479.
- Pant DD and Bhatnagar S. 1975. Morphological studies in *Argyreia* Lour. (Convolvulaceae). *Bot. J. Linn. Soc.* 70: 45–69.
- Parren, M. & Bongers, F. 2001. Does climber cutting reduce felling damage in southern Cameroon? *Forest Ecology and Management*. 141: 175–188.
- Parren, M.P.E. 2003. Lianas and logging in West Africa. Ph.D. dissertation, Wageningen University.
- Patel, S. L. 2013. A botanical investigation on climbing plants of Gujarat. Doctoral Thesis, Sardar Patel University, Vallabh Vidyanagar.

- Patil, V. S., Koyani, R. D., Sanghvi, G. V., & Rajput, K.S. 2014. Structure and development of internal phloem in *Solanum pseudocapsicum* (Solanaceae). IAWA journal. 35(1): 1-11.
- Patil, V.S. and Rajput, K.S. 2008. Structure and development of inter- and intraxylary phloem in *Leptadenia reticulata* (Asclepiadaceae). Pol. Bot. J. 53: 5–15.
- Patil, V.S., Marcati, C.R. and Rajput, K.S. 2011. Development of intra-and interxylary phloem in *Coccinia indica* (Cucurbitaceae). IAWA J. 32(4): 475-491.
- Patil, V.S., Rao, K.S. and Rajput, K.S. 2009. Development of intraxylary phloem and internal cambium in *Ipomoea hederifolia* (Convolvulaceae). J. Torrey Bot. Soc. 136(4), 423-432.
- Pérez-Salicrup, D. R., & De Meijere, W. 2005. Number of lianas per tree and number of trees climbed by lianas at Los Tuxtlas, Mexico 1. Biotropica: The Journal of Biology and Conservation. 37(1): 153-156.
- Pérez-Salicrup, D. R., Sork, V. L., & Putz, F. E. 2001. Lianas and trees in a liana forest of Amazonian Bolivia 1. Biotropica. 33(1): 34-47.
- Perry, D.R. 1978. A method of access into the crowns of emergent and canopy trees. Biotropica. 10: 155–157.
- Pfeiffer H 1926. Convolvulaceae. In: Linsbauer K (ed) Handbuch der Pflanzenanatomie. 2. Abt., 2. Teil, Band 9. Borntraeger, Berlin.
- Philipson, W. R. 1990. Anomalous cambia. – In: Iqbal, M. (ed.), The vascular cambium. Research Studies Press. 201–212.
- Philipson, W. R., Ward, J.M., and Butterfield, B.G. 1971. The vascular cambium: its development and activity. The vascular cambium: its development and activity.
- Philipson. W. R., & Ward, J. 1965. Ontogeny of vascular cambium in stem of seed plants. Biological reviews of the cambridge philosophical society. 40(4): 534.

- Phillips O.L., Va'squez M.R., Arroyo L., Baker T., Killeen T., Lewis S.L., Malhi Y., Monteagudo Mendoza A., Neill D., Núñez Vargas P., Alexiades M., Cerón C., Di Fiore A., Erwin T., Jardim A., Palacios W., Saldias M., Vinceti B. 2002. Increasing dominance of large lianas in Amazonian forests. *Nature*. 418: 770-774.
- Putz F. E. 1984. The natural history of lianas on Barro Colorado Island, Panama. *Ecology*. 65(6): 1713-1724.
- Putz F.E. and Holbrook N.M. 1991. Biomechanical studies of vines. In: Putz F.E. and Mooney H. A. (Eds.), *The Biology of Vines*. Cambridge University Press, Cambridge, 73-97.
- Putz FE, Mooney HA, eds. 1991. *The biology of vines*. Cambridge: Cambridge University Press.
- Putz, F. E., and Windsor, D. M. 1987. Liana phenology on Barro Colorado Island, Panama. *Biotropica*. 334-341.
- Putz, F.E. and Holbrook, N.M. 1991. Biomechanical studies of vines, in *The Biology of Vines* (eds F.E. Putz & H.A. Mooney), Cambridge University Press, Cambridge.
- Putz, F.E., Sirot, L.K. & Pinard, M.A. 2001. Tropical forest management and wildlife: silvicultural effects on forest structure, fruit production, and locomotion of non-volant arboreal animals, in *The Cutting Edge: Conserving Wildlife in Managed Tropical Forests* (eds R. Fimbel, A. Grajal & J. Robinson), Columbia University Press, New York.
- Quintanar-Castilo, A. and Pace, M.R. 2022. Phloem wedges in Malpighiaceae: origin, structure, diversification, and systematic relevance. *EvoDevo*. 13: 11.
- Radlkofer, L. 1875. *Monographie der Sapindaceen-Gattung Serjania*. In *Verlag der Königl. Bayer; Akademie: Munich, Germany*.

- Rajput KS, Fiamengui MB, Marcatti CR. 2012a. Stem anatomy and development of successive cambia in the Neotropical liana *Securidaca rivinifolia* (Polygalaceae). IAWA Journal. 33(4): 391–402.
- Rajput KS, Lekhak MM, Kapadane KK, Yadav SR 2017. Formation of trilobed stem and successive cambia in the stems of *Argyreia hookeri* C. B. Clarke (Convolvulaceae). Flora 233:140–149.
- Rajput KS, Nunes OM, Brandes AFN, Tamaio N. 2012b. Development of successive cambia and pattern of secondary growth in the stem of the Neotropical liana *Rhynchosia phaseoloides* (SW.) DC. (Fabaceae) Flora. 207: 607–614.
- Rajput, K.S. 2017. Development of inverse cambia and structure of secondary xylem in *Ipomoea turbinata* (Convolvulaceae). – Polish Bot. J. 62: 87–97.
- Rajput, K.S., & Gondaliya, A. D. 2017. Internal cambium and intraxylary phloem development in *Ipomoea turbinata* Lag. (Convolvulaceae). Flora. 226: 47-54.
- Rajput, K.S., & Rao, K.S. 2003. Cambial variant and xylem structure in the stem of *Cocculus hirsutus* (Menispermaceae). Iawa Journal. 24(4): 411-420.
- Rajput, K.S., Fiamengui, M. B. and Marcatti, C. R. 2010. Stem anatomy of *Strychnos bicolor* Prog. (Loganiaceae) from Brazilian Cerrado. – Phytomorphology 60: 49–57.
- Rajput, K.S., Patil, V. S. and Rao, K.S. 2013. Wood anatomy and the development of interxylary phloem of *Ipomoea hederifolia* Linn. (Convolvulaceae). – J. Plant Growth Regul. 32: 654–662.
- Rajput, K.S., Raole, V. M. and Gandhi, D. 2008. Radial secondary growth, formation of successive cambia and their products in *Ipomoea hederifolia* L. (Convolvulaceae). – Bot. J. Linn. Soc. 158: 30–40.

- Rajput, K.S., Romeiro, D., Longui, E. L., & Marcati, C. R. 2012. Development of successive cambia and structure of wood in *Gallesia integrifolia* (Spreng.) Harms (Phytolaccaceae). *Trees*. 26: 1943-1950.
- Rajput, K.S. 2003. Structure of cambium and its derivatives in the compressed stem of *Canavalia ensiformis* (L.) DC. In *Phyton-Annales Rei Botanicae*. 43: 135–146.
- Rajput, K.S. 2015. Comparative study on secondary xylem and formation of successive cambia in stems and roots of *Antigonon leptopus* Hook. & Arn. (Polygonaceae). *Flora*. 217: 131-137.
- Rajput, K.S. 2017. Development of inverse cambia and structure of secondary xylem in *Ipomoea turbinata* (Convolvulaceae). – *Polish Bot. J.* 62: 87–97.
- Rajput, K.S. and Gondaliya, A.D. 2017. Internal cambium and intraxylary phloem development in *Ipomoea turbinata* Lag. (Convolvulaceae). *Flora*. 226: 47-54.
- Rajput, K.S. and Gupta, S. 2015. Formation of successive cambia in the menispermum tree *Cocculus laurifolius* (Menispermaceae). *IAWA journal*. 36(4): 400-408.
- Rajput, K.S., 2015. Comparative study on secondary xylem and formation of successive cambia in stems and roots of *Antigonon leptopus* Hook. & Arn. (Polygonaceae). *Flora-Morphology, Distribution, Functional Ecology of Plants*. 217: 131-137.
- Rajput, K.S., Dayatar, S.R., Lekhak, M.M. and Gondaliya, A.D. 2022. Petiole anatomy of some species of *Bauhinia* L. sensu lato (Leguminosae Juss.) occurring in India. *Nordic Journal of Botany*. 2022(2): e03303.
- Rajput, K.S., Fiamengui, M.B. and Marcati, C.R. 2010. Stem anatomy of *Strychnos bicolor* Prog. (Loganiaceae) from Brazilian Cerrado. – *Phytomorphology*. 60: 49–57.

- Rajput, K.S., Gondaliya, A.D. and Baijnath, H. 2021. Development of cambial variant and parenchyma proliferation in *Hewittia malabarica* (Convolvulaceae) from India and South Africa. – IAWA J. 42: 50–63.
- Rajput, K.S., Gondaliya, A.D. and Baijnath, H., 2020. Development of cambial variant and parenchyma proliferation in *Hewittia malabarica* (Convolvulaceae) from India and South Africa. IAWA Journal. 42(1): 50-63.
- Rajput, K.S., Gondaliya, A.D. and Moya, R. 2021. Structure of the secondary xylem and development of a cambial variant in *Serjania mexicana* (Sapindaceae). IAWA Journal. 43(1-2): 103-115.
- Rajput, K.S., Gondaliya, A.D., Lekhak, M.M. and Yadav, S.R. 2018. Structure and ontogeny of intraxylary secondary xylem and phloem development by the internal vascular cambium in *Campsis radicans* (L.) Seem. (Bignoniaceae). – J. Plant Growth Regul. 37: 755–767.
- Rajput, K.S., Lekhak, M.M., Kapadane, K.K. and Yadav, S.R. 2017. Formation of trilobed stem and development of successive cambia in the stems of *Argyreia hookeri* C.B. Clarke (Convolvulaceae). – Flora 233: 140–149.
- Rajput, K.S., Patil, V.S. and Rao, K.S. 2013. Wood anatomy and the development of interxylary phloem of *Ipomoea hederifolia* Linn. (Convolvulaceae). – J. Plant Growth Regul. 32: 654–662.
- Rajput, K.S., Patil, V.S., and Rao, K.S. 2009. Development of included phloem of *Calycopteris floribunda* Lamk. (Combretaceae). The Journal of the Torrey Botanical Society. 136(3): 302-312.
- Rajput, K.S., Patil, V.S., and Rao, K.S. 2014. Multiple cambia and secondary xylem of *Ipomoea pes-caprae* (L.) R. Br. (Convolvulaceae). Acta botanica gallica. 161(1): 13-19.

- Rajput, K.S., Raole, V.M. and Gandhi, D. 2008. Radial secondary growth, formation of successive cambia and their products in *Ipomoea hederifolia* L. (Convolvulaceae). – Bot. J. Linn. Soc. 158: 30–40.
- Rajput, K.S., Raole, V.M. and Gandhi, D. 2008. Radial secondary growth, formation of successive cambia and their products in *Ipomoea hederifolia* L. (Convolvulaceae). – Bot. J. Linn. Soc. 158: 30–40.
- Rajput, K.S., Romeiro, D., Longui, E.L., and Marcati, C.R. 2012. Development of successive cambia and structure of wood in *Gallesia integrifolia* (Spreng.) Harms (Phytolaccaceae). Trees. 26: 1943-1950.
- Ramoliya, D.G., Gondaliya, A.D., Raole, V.M., and Rajput, K.S. 2022. Structure and development of phloem in some species of *Merremia* Dennst. ex Endl. sensu lato (Convolvulaceae). Nordic Journal of Botany. e03776.
- Rapoport, H.F. and Loomis, R.S. 1986. Structural aspects of root thickening in *Beta vulgaris* L.: comparative thickening in sugarbeet and chard. Botanical Gazette. 147: 70-277.
- RICHARDS, P. W. 1996. The tropical rain forest: An ecological study. Cambridge University Press, Cambridge, UK.
- Rowe NP and Speck T. 1996. Biomechanical characteristics of the ontogeny and growth habit of the tropical liana *Condylocarpon guianense* (Apocynaceae). International Journal of Plant Science. 157(4): 406–417.
- Rowe NP, Isnard S, Gallenuller F, Speck T. 2006. Diversity of mechanical architectures in climbing plants: an ecological perspective. In: Herrel A, Speck T, Rowe NP, eds. Ecology and biomechanics: a mechanical approach to the ecology of animals and plants. Boca Raton, FL, USA: Taylor and Francis. 35–59.

- Rowe, N., and Speck, T. 2005. Plant growth forms: an ecological and evolutionary perspective. *New phytologist*. 166(1): 61-72.
- Rowe, N., Isnard, S. and Speck, T. 2004. Diversity of mechanical architectures in climbing plants: an evolutionary perspective. *Journal of Plant Growth Regulation*. 23: 108-128.
- Rowe, N.P. and Speck, T. 1996. Biomechanical characteristics of the ontogeny and growth habit of the tropical liana *Condylocarpon guianense* (Apocynaceae). *International Journal of Plant Science*. 157(4): 406–417.
- Rowe, N.P.; Speck, T. 1998. Biomechanics of plant growth forms: The trouble with fossil plants. *Rev. Plaeobot. Palynol*. 102: 43–62.
- Rozefelds, A.C., and M.R. Pace. 2018. The first record of fossil Vitaceae wood from the Southern Hemisphere, a new combination for *Vitaceoxylon ramunculiformis*, and reappraisal of the fossil record of the grape family (Vitaceae) from the Cenozoic of Australia. *Journal of Systematics and Evolution*. 56: 283–296.
- Rudall, P. 2007. Monocots-Comparative Biology and Evolution (excluding Poales). *Kew Bulletin*. 62(3): 524.
- Sajo M.G. and Castro N.M. 2006. Caule. In: *Anatomia Vegetal* (eds. B. Appezzato-da-Gloria & S. M. Carmello-Guerreiro), Editora UFV, Vigosa. 283-302.
- Sankamethawee, W., Pierce, A.J., Gale, G.A. & Hardesty, B.D. 2011. Plant-frugivore interactions in an intact tropical forest in north-east Thailand. *Integrative Zoology*. 6: 195–212.
- Sauter, J.J. 1966a Untersuchungen zur Physiologie der Pappelholzstrahlen. I. Jahresperiodischer Verlauf der Stärkespeicherung im Holzstrahlparenchym. *Z Pfianzenphysiol*. 55:246-258.

- Sauter, J.J. 1966b Untersuchungen zur Physiologie der Pappelholzstrahlen. II. Jahresperiodische Änderungen der Phosphatase-Aktivität im Holzstrahlparenchym und ihre mögliche Bedeutung für den Kohlehydratstoffwechsel und den aktiven Assimilattransport. Z Pflanzenphysiol. 55:349-382
- Schenck, H. 1892. Beiträge zur Biologie und Anatomie der Lianen, im besonderen der in Brasilien einheimischen Arten. I T Tobin eil. Beiträge zur Biologie der Lianen, in Botanische Mitteilungen aus den Tropen, Verlag von Gustav Fischer, Jena.
- Schenck, H. 1893. Beiträge zur Biologie und Anatomie der Lianen im besonderen der in Brasilien einheimischen Arten. In Botanische Mittheilungen aus den Tropen; Schimper, Gustav Fisher, Jena. 5, 1–271.
- Schnitzer S., A., Bongers F, Burnham R., Putz F.E. 2015. *Ecology of lianas*. Oxford: Wiley-Blackwell.
- Schnitzer S.A., Kuzee M.E., Bongers F. 2005. Disentangling above- and below-ground competition between lianas and trees in a tropical forest. Journal of Ecology. 93: 1115–1125.
- Schnitzer, S.A. & Carson, W.P. 2010. Lianas suppress tree regeneration and diversity in treefall gaps. Ecology Letters. 13: 849–857.
- Schnitzer, S.A. 2005. A mechanistic explanation for global patterns of liana abundance and distribution. American Naturalist. 166: 262–276.
- Schnitzer, S.A. and Bongers, F. 2002. The ecology of lianas and their role in forests. Trends in Ecology and Evolution. 17: 223–230.
- Schnitzer, S.A. and Bongers, F. 2011. Increasing liana abundance and biomass in tropical forests: emerging patterns and putative mechanisms. Ecology Letters. 14: 397–406.

- Scott, D.H. and Brebner, G. 1889. On the anatomy and histogeny of *Strychnos*. *Annals of Botany*. 3(11): 275-304.
- Singh, B. 1943. The origin and distribution of inter-and intraxylary phloem in *Leptadenia*. In *Proceedings of the Indian Academy of Sciences-Section B*, Springer India. 18: 14-19.
- Skutch, A.F. 1969. A study of the Rufous-fronted Thornbird and associated birds: Part 1. Life history of the Rufous-fronted Thornbird. *Wilson Bulletin*. 81: 5–43.
- Skutch, A.F. 1971. Life history of the Keel-billed Toucan. *Auk*. 88: 381–424.
- Smiley, J. 1987. Plant chemistry and the evolution of host specificity: new evidence from *Heliconius* and *Passiflora*. *Science*. 201: 745.
- Solerder, H. 1908. *Systematic anatomy of the dicotyledons*, vol I. Clarendon Press, Oxford. 601–611.
- Solereeder, H. 1908. *Systematic Anatomy of the Dicotyledons (Vol I)*; Boodle, L.A.; Fritsch, F.E.; Scott, D.H., Translators; Clarendon Press: Oxford, UK. 562–575.
- Sousa, Baena, M. S., Lohmann, L. G., Hernandez, Lopes, J., & Sinha, N. R. 2018b. The molecular control of tendril development in angiosperms. *New Phytologist*. 218(3): 944-958.
- Sousa-Baena, M. S., Sinha, N. R., Hernandez-Lopes, J., & Lohmann, L. G. 2018a. Convergent evolution and the diverse ontogenetic origins of tendrils in angiosperms. *Frontiers in plant science*, 9: 403.
- Speck T & Bugert I. 2011. Plant Stems: Functional design and mechanics. *Annual Review of Material Research*. 41:169-93.
- Sperotto P, Acevedo-Rodríguez P, Vasconcelos TNC, Roque N. 2020. Towards a standardization of terminology of the climbing habit in plants. *The Botanical Review*. 86: 180–210.

- Spicer, R. and Groover, A. 2010. Evolution of development of vascular cambia and secondary growth. *New Phytologist*. 186: 577–592.
- Srebotnik, E. and Messner, K. 1994. A simple method that uses differential staining and light microscopy to assess the selectivity of wood delignification by white rot fungi. – *Appl. Environ. Microbiol.* 60: 1383–1386.
- Stein, B.A. 1992. Sicklebills, hummingbirds, ants, and flowers. *BioScience*. 42: 27–33.
- Stein, W.E., Berry, C.M., Hernick, L.V. & Mannolini, F. 2012. Surprisingly complex community discovered in the mid-Devonian fossil forest at Gilboa. *Nature*. 483: 78–81.
- Stiles, F.G. 1981. Geographical aspects of bird-flower coevolution, with particular reference to Central America. *Annals of the Missouri Botanical Garden*. 68: 323–351.
- Tabanez, A.A.J. & Viana, V.M. 2000. Patch structure within Brazilian Atlantic forest fragments and implications for conservation. *Biotropica*. 32: 925–933.
- Tamaio N, Angyalossy V. 2009. Variacao cambial em *Serjania caracasana* (Sapindaceae): enfoque na adequacao terminologica. *Rodriguesia*. 60: 651–666.
- Tamaio N., Neves M.F., Brandes, A.F.N., Vieira RC. 2011. Quantitative analyses establish the central vascular cylinder as the standard for wood-anatomy studies in lianas having compound stems (Paullinieae: Sapindaceae). *Flora*. 206: 987–996.
- Tamaio N., Ricardo C.V. and Angyalossy V. 2009. Origin of successive cambia on stem in three species of Menispermaceae. *Revista Brasil. Bot.* 32(4): 839-848.
- Tamaio, N., Braga, J.M.A. and Rajput, K.S. 2021. Development of successive cambia and structure of secondary xylem in the stems and roots of *Distimake tuberosus* (Convolvulaceae). – *Flora*. 279: 151814.

- Tamaio, N. Somner, G.V. 2010. Development of corded vascular cylinder in *Thinouia restingae* Ferruci and Somner (Sapindaceae: Paullinieae). *J. Torrey Bot. Soc.* 137: 319–326.
- Terrazas, T., Rodriguez, S.A. and Ojanguren, C.T. 2011. Development of successive cambia, cambial activity and their relationship to physiological traits in *Ipomoea arborescens* (Convolvulaceae) seedlings. – *Am. J. Bot.* 98: 765–774.
- Tobin, I., Bony, S. and Roca, R., 2012. Observational evidence for relationships between the degree of aggregation of deep convection, water vapor, surface fluxes, and radiation. *Journal of Climate.* 25(20): 6885-6904.
- Tra Bi, F.H., 1997. Utilisation des plantes, par l’homme, dans les forêts classées du Haut-Sassandra et de Scio, en Côte-d’Ivoire. These de doctorat de troisieme cycle, université de Cocody-Abidjan, FAST, numéros d’ordre. 257(97): 212.
- Tra Bi, F.H., Kouame, F.N. and Traore, D., 2002. Utilisation des lianes dans deux Forêts Classées de l’Ouest de la Côte d’Ivoire. Chapitre dans le livre Bongers & Traoré.
- Treub, M. 1883. Sur une nouvelle cat é gorie de plantes grimpantes. *Annales du Jardin Botanique de Buitenzorg.* 3: 44 – 75.
- Trigo, J.R. & Motta, P.C. 1990. Evolutionary implications of pyrrolizidine alkaloid assimilation by danaine and ithomiine larvae (Lepidoptera: Nymphalidae). *Experientia.* 46: 332–334.
- Van Der Heijden, G.M., Powers, J.S., & Schnitzer, S.A. 2015. Lianas reduce carbon accumulation and storage in tropical forests. *Proceedings of the National Academy of Sciences.* 112(43): 13267-13271.
- van der Heijden, G.M.F., Powers, J.S. and Schnitzer, S.A. 2015. Lianas reduce carbon accumulation and storage in tropical forests. *Proceedings of the National Academy of Sciences of the United States of America.* 112: 13267–13271.

- van der Walt J.J.A., van der Schiff, H.P., Schweickerdt, H.G. 1973. Anomalous growth in the stems of the lianes *Mikania cordifolia* (Burm. f.) Rohins (Compositae) and *Paullinia pinnata* Linn. (Sapindaceae). *Kirkia*. 9: 109-138
- Van Veenendaal, W.L.H. and den Outer, R.W. 1993. Development of included phloem and organization of the phloem network in the stem of *Strychnos millepunctata* (Loganiaceae). – *IAWA J.* 14: 253–265.
- Vasquez-Cooz, I. and Meyer, R.W. 2002. A differential staining method to identify lignified and unlignified tissues. *Biotech, and Histochem.* 77: 277- 282.
- Vaughn, K.C. & A.J. Bowling. 2011. *Biology and Physiology of Vines*. John Wiley & Sons, Inc.: Hoboken.
- Villagra, B.L. P. & S.R. Neto. 2014. Nomenclatura das plantas de hábito trepador. Pp. 3–12. In: B. L. P. Villagra, M. M. R. F. Melo, S. R. Neto & L. M. Barbosa (eds.), *Diversidade e conservação de trepadeiras: contribuição para a restauração de ecossistemas brasileiros*. Instituto de Botânica, São Paulo.
- Walter, D.E., O'Dowd, D. & Barnes, V. 1994. The forgotten arthropods: foliar mites in the forest canopy. *Memoirs of the Queensland Museum*. 36: 221–226.
- Westermaier, M. and Ambronn, H., 1881. *Beziehungen zwischen Lebensweise und Structur der Schling-und Kletterpflanzen*. Neubauer'sche Buchdruckerei.
- Wheeler, E.A., and C.A. La Pasha. 1994. Woods of the Vitaceae-fossil and modern. *Review of Palaeobotany* 80: 175–207.
- Wyka T.P., Oleksyn J., Karolewski P. & Schnitzer S.A. 2013. Phenotypic correlates of linescent growth form: A review. *Annals of Botany* 112: 1667-1681.
- Yanoviak, S.P. 2015. Effects of lianas on canopy arthropod community structure. *Ecology of lianas*. 343-361.

- Yanoviak, S.P., and Schnitzer, S. A. 2013. Functional roles of lianas for forest canopy animals. In *Treetops at risk*. Springer, New York, NY. 209-214.
- Zózimo E., Tamaio N. and Vieira R.C. 2011. Development of intraxylary phloem in the stem of *Combretum rotundifolium* (Combretaceae). – *IAWA J.* 32(1): 14–24.