

# List of Tables

<b>Table No.</b>	<b>Caption</b>	<b>Page No.</b>
<b>Table 2. 1</b>	<i>The stable isotopes of the samples and reference foil element along with the natural abundances [7].</i>	22
<b>Table 2. 2</b>	<i>The masses of the samples Sb, V, Rh, Cu, Se and the reference foils Al used in each irradiation along with the thickness.</i>	23
<b>Table 2. 3</b>	<i>The experimental details concerning the proton energy and irradiation time.</i>	25
<b>Table 3. 1</b>	<i>The different neutron production reaction channels for the <math>^{nat}\text{Li}(p, n)</math> reaction.</i>	33
<b>Table 3. 2</b>	<i>The <math>\gamma</math>-ray energies of the <math>^{152}\text{Eu}</math> sources [8].</i>	37
<b>Table 3. 3</b>	<i>Measured values of fitting parameters of the HPGe detector efficiencies.</i>	38
<b>Table 3. 4</b>	<i>Nuclear spectroscopic decay data half-lives, decay mode, <math>\gamma</math>-ray energies, intensities of the most intense <math>\gamma</math>-rays and reaction thresholds for samples and reference reactions with their uncertainties [8].</i>	42
<b>Table 3. 5</b>	<i>The measured <math>^{121}\text{Sb}(n, 2n)^{120}\text{Sb}^m</math> and <math>^{123}\text{Sb}(n, 2n)^{122}\text{Sb}</math> reaction cross sections with their uncertainties.</i>	44
<b>Table 3. 6</b>	<i>The measured <math>^{103}\text{Rh}(n, 2n)^{102}\text{Rh}</math>, <math>^{103}\text{Rh}(n, 2n)^{102}\text{Rh}^m</math> and <math>^{103}\text{Rh}(n, 2n)^{102}\text{Rh}^g</math> reactions cross sections with their uncertainties.</i>	44
<b>Table 3. 7</b>	<i>The measured <math>^{51}\text{V}(n, p)^{51}\text{Ti}</math> reaction cross sections with their uncertainties.</i>	44
<b>Table 3. 8</b>	<i>The measured <math>(n, p)</math> reaction cross sections for Se isotopes with their uncertainties.</i>	44

<b>Table 3. 9</b>	<i>The measured <math>^{65}\text{Cu}(n, p)^{65}\text{Ni}</math> reaction cross sections with their uncertainties.</i>	44
<b>Table 3. 10</b>	<i>The standard <math>^{27}\text{Al}(n, \alpha)^{24}\text{Na}</math> reaction cross section with their covariance and correlation matrix obtained from the IRDFF-1.05 database.</i>	46
<b>Table 3. 11</b>	<i>The standard <math>^{27}\text{Al}(n, \alpha)^{24}\text{Na}</math> reaction cross section with their covariance and correlation matrix obtained from the IRDFF-1.05 database.</i>	46
<b>Table 3. 12</b>	<i>The values of <math>\gamma</math>-ray self-attenuation and low energy background neutrons correction factors used to measure the cross section.</i>	47
<b>Table 3. 13</b>	<i>Compilation of the uncertainties (%) for the measured <math>^{65}\text{Cu}(n, p)^{65}\text{Ni}</math> reaction cross section.</i>	49
<b>Table 3. 14</b>	<i>The partial uncertainties of various parameters used to obtain HPGe detector efficiency (Sb and V data).</i>	50
<b>Table 3. 15</b>	<i>The partial uncertainties in the HPGe detector efficiency due to the different attributes (Se data).</i>	51
<b>Table 3. 16</b>	<i>The calculated covariance and correlation matrix for the HPGe detector efficiencies (Sb and V).</i>	51
<b>Table 3. 17</b>	<i>The calculated covariance and correlation matrix for the HPGe detector efficiencies (Se data).</i>	52
<b>Table 3. 18</b>	<i>The interpolated detector efficiencies of the characteristics <math>\gamma</math>-ray of the <math>^{51}\text{Ti}</math> and <math>^{24}\text{Na}</math> product nuclide with their uncertainties along with covariance and correlation matrix.</i>	53
<b>Table 3. 19</b>	<i>The interpolated detector efficiencies of the characteristics <math>\gamma</math>-ray of the <math>^{120}\text{Sb}^m</math>, <math>^{122}\text{Sb}</math> and <math>^{24}\text{Na}</math> product nuclide with their uncertainties along with covariance and correlation matrix.</i>	53
<b>Table 3. 20</b>	<i>The interpolated detector efficiencies of the characteristics <math>\gamma</math>-ray of the <math>^{76}\text{As}</math>, <math>^{77}\text{As}</math>, <math>^{78}\text{As}</math>, <math>^{80}\text{As}</math> and <math>^{24}\text{Na}</math> product nuclide with</i>	53

*their uncertainties along with covariance and correlation matrix.*

<b>Table 3. 21</b>	<i>The partial uncertainties in various parameters to obtain the <math>^{121}\text{Sb}(n, 2n)^{120}\text{Sb}^m</math> and <math>^{123}\text{Sb}(n, 2n)^{122}\text{Sb}</math> reactions cross section.</i>	54
<b>Table 3. 22</b>	<i>The calculated covariance and correlation matrix at 12.50, 15.79 and 18.87 MeV neutron energies for the <math>^{121}\text{Sb}(n, 2n)^{120}\text{Sb}^m</math> and <math>^{123}\text{Sb}(n, 2n)^{122}\text{Sb}</math> reactions cross section.</i>	55
<b>Table 3. 23</b>	<i>The partial uncertainties in various parameters to obtain the (n, p) reaction cross section for Se isotopes.</i>	55
<b>Table 3. 24</b>	<i>The calculated covariance and correlation matrix at 10.5, 13.52, 16.86 and 19.81 MeV neutron energies for the <math>^{76}\text{Se}(n, p)^{76}\text{As}</math>, <math>^{77}\text{Se}(n, p)^{77}\text{As}</math>, <math>^{78}\text{Se}(n, p)^{78}\text{As}</math> and <math>^{80}\text{Se}(n, p)^{80}\text{As}</math> reactions cross sections.</i>	58
<b>Table 3. 25</b>	<i>The partial uncertainties and correlations coefficient of various parameters used to obtain the <math>^{51}\text{V}(n, p)^{51}\text{Ti}</math> reaction cross section.</i>	59
<b>Table 3. 26</b>	<i>The calculated covariance and correlation matrix at 7.87, 13.05 and 16.98 MeV neutron energies for the <math>^{51}\text{V}(n, p)^{51}\text{Ti}</math> reaction cross section.</i>	60
<b>Table 3. 27</b>	<i>The systematic formulae for (n, p) reaction given by the different authors.</i>	61
<b>Table 3. 28</b>	<i>The systematic formulae for (n, 2n) reaction given by the different authors.</i>	62
<b>Table 3. 29</b>	<i>The systematic formulae for (n, <math>\alpha</math>) reaction given by the different authors.</i>	62
<b>Table 5. 1</b>	<i>The different phenomenological and microscopic models of the optical potential, level densities and <math>\gamma</math>-ray strength function.</i>	89

<b>Table 5. 2</b>	<i>The statistical models and parameterizations of the TALYS (ver. 1.9) code were used to calculate (n, 2n) reaction cross section of <math>^{103}\text{Rh}</math>, <math>^{121}\text{Sb}</math> and <math>^{123}\text{Sb}</math> isotopes.</i>	89
<b>Table 5. 3</b>	<i>The statistical models and parameterizations of the EMPIRE (ver. 3.2.2) code were used to calculate (n, 2n) reaction cross section of <math>^{103}\text{Rh}</math>, <math>^{121}\text{Sb}</math> and <math>^{123}\text{Sb}</math> isotopes.</i>	89
<b>Table 5. 4</b>	<i>Basic keywords and corresponding values used in input file of the TALYS 1.9 code to reproduce the cross sections of neutron induced reactions on <math>^{103}\text{Rh}</math>, <math>^{121}\text{Sb}</math> and <math>^{123}\text{Sb}</math>.</i>	90
<b>Table 5. 5</b>	<i>Basic keywords and corresponding values used in input file of the EMPIRE 3.2.2 code to reproduce the cross sections of neutron induced reactions on <math>^{103}\text{Rh}</math>, <math>^{121}\text{Sb}</math> and <math>^{123}\text{Sb}</math>.</i>	91
<b>Table 5. 6</b>	<i>The (n, 2n) reaction cross section for <math>^{103}\text{Rh}</math>, <math>^{121}\text{Sb}</math> and <math>^{123}\text{Sb}</math> isotopes estimated using the systematic formulae.</i>	109
<b>Table 6. 1</b>	<i>The experimental value of <math>D_0</math> for the <math>^{65}\text{Cu}</math> was obtained from the RIPL-3 database and compared with the theoretical values predicted for each level density model by TALYS (ver. 1.9) code.</i>	119
<b>Table 6. 2</b>	<i>The statistical model codes used for the default theoretical calculations of the (n, p) reaction cross section of the <math>^{76}\text{Se}</math>, <math>^{77}\text{Se}</math>, <math>^{78}\text{Se}</math>, <math>^{80}\text{Se}</math>, <math>^{65}\text{Cu}</math>, <math>^{52}\text{Cr}</math>, <math>^{51}\text{V}</math> and <math>^{48}\text{Ti}</math> nuclei.</i>	121
<b>Table 6. 3</b>	<i>Summary of the <math>^{65}\text{Cu}(n, p)^{65}\text{Ni}</math> reaction cross sections from the previous measurements.</i>	128
<b>Table 6. 4</b>	<i>The TALYS (ver. 1.9) adjusted model calculations with different statistical models and parameters of the <math>^{65}\text{Cu}(n, p)^{65}\text{Ni}</math> reaction cross section.</i>	134

<b>Table 6. 5</b>	<i>The EMPIRE (ver. 3.2.3) adjusted model calculations with different statistical models and parameters of the <math>^{65}\text{Cu}(n, p)^{65}\text{Ni}</math> reaction cross section.</i>	135
<b>Table 6. 6</b>	<i>Theoretical models and optimum parameters are used in TALYS calculations to reproduce the data of <math>^{52}\text{Cr}</math> isotope.</i>	140
<b>Table 6. 7</b>	<i>Cross section for <math>^{51}\text{V}(n, p)^{51}\text{Ti}</math> reaction estimated over the threshold to 22 MeV neutron energies using different optical potential models of the TALYS code.</i>	143
<b>Table 6. 8</b>	<i>Cross section for <math>^{51}\text{V}(n, p)^{51}\text{Ti}</math> reaction estimated over the threshold to 22 MeV neutron energies using different pre-equilibrium models of the TALYS code.</i>	143
<b>Table 6. 9</b>	<i>Cross section for <math>^{51}\text{V}(n, p)^{51}\text{Ti}</math> reaction estimated over the threshold to 22 MeV neutron energies using different level density options of the TALYS code.</i>	143
<b>Table 6. 10</b>	<i>The default and adjust level density parameters of the <math>^{51}\text{V}(n, p)^{51}\text{Ti}</math> reaction cross section.</i>	144
<b>Table 6. 11</b>	<i>Theoretical models and optimum parameters are used in TALYS calculations to reproduce the data of <math>^{48}\text{Ti}</math> isotope.</i>	152
<b>Table 6. 12</b>	<i>The <math>(n, p)</math> reaction cross sections for <math>^{48}\text{Ti}</math>, <math>^{51}\text{V}</math>, <math>^{52}\text{Cr}</math> and <math>^{65}\text{Cu}</math> calculated from the systematic formulae.</i>	155
<b>Table 6. 13</b>	<i>The <math>(n, \alpha)</math> reaction cross sections for <math>^{48}\text{Ti}</math>, <math>^{51}\text{V}</math>, <math>^{52}\text{Cr}</math> and <math>^{65}\text{Cu}</math> calculated from the systematic formulae.</i>	156
<b>Table 6. 14</b>	<i>The <math>(n, p)</math> reaction cross sections for <math>^{76}\text{Se}</math>, <math>^{77}\text{Se}</math>, <math>^{78}\text{Se}</math> and <math>^{80}\text{Se}</math> calculated from the systematic formulae.</i>	157