
REFERENCES

- Abahussain, E. A., D. E. Ball, and W. C. Matowe. 2006. Practice and opinion towards disposal of unused medication in Kuwait. *Med. Prin. Pract.* 15: 352 – 357.
- Adams, C., Y. Wang, K. Loftin, and M. Meyer. 2002. Removal of antibiotics from surface and distilled water in conventional water treatment processes. *J. Environ. Eng.* 128: 253 – 260.
- Adler, P., T. Steger – Hartmann, and W. Kalbfus. 2001. Distribution of natural and synthetic estrogenic steroid hormones in water samples from southern and middle Germany. *Acta Hydrochim. Hydrobiol.* 29: 227 – 241.
- Ahel, M., and I. Jelacic. 2001. Phenazone analgesics in soil and groundwater below a municipal solid waste landfill. In: Daughton, C.G., and T. Jones – Lepp. (Eds.), *Pharmaceuticals and Personal Care Products in the Environment: Scientific and Regulatory Issues*. Symposium Series 791, ACS, Washington DC. 100 – 115.
- Aherne, G. W., A. Hardcastle, and A. H. Nield. 1990. Cytotoxic drugs and the aquatic environment. Estimation of bleomycin in river and water samples. *J. Pharm. Pharmacol.* 42: 741 – 742.
- Aherne, G. W., J. English, and V. Marks. 1985. The role of immunoassay in the analysis of microcontaminants in river samples. *Ecotoxicol. Environ. Saf.* 9: 79 – 83.
- Ahrer, W., E. Scherwenk, and W. Buchberger. 2001. Determination of drug residues in water by the combination of liquid chromatography or capillary electrophoresis with electrospray mass spectrometry. *J. Chromatogr. A.* 910: 69 – 78.
- Alder, A. C., C. S. McArdell, E. M. Golet, S. Ibric, E. Molnar, N. S. Nipales, and W. Giger. 2001. Occurrence and fate of fluoroquinolone, macrolide, and sulfonamide antibiotic during wastewater treatment and in ambient waters in Switzerland. In: Daughton, C. G. and T. Jones – Lepp. (Eds.),

- Pharmaceuticals and Personal Care Products in the Environment: Scientific and Regulatory Issues*. Symposium Series 791, ACS, Washington DC, 56 – 69.
- Andersen, H., H. Siegrist, B. Halling – Sorensen, and T. A. Ternes. 2003. Fate of estrogens in a municipal sewage treatment plant. *Environ. Sci. Technol.* 37: 4021 – 4026.
- Andersson, T., M. Hassan – Alin, G. Hasselgren, K. Rohss, and L. Weidolf. 2001. Pharmacokinetic studies with esomeprazole, the (S) – isomer of omeprazole. *Clin. Pharmacokinet.* 40: 411 – 426.
- Attarassi, B., M. Saghi, and G. Flatau. 1993. Multiple antibiotic resistance of bacteria in atlantic coast (Marocco). *Environ. Technol.* 14: 1179 – 1186.
- Ayscough, N. J., J. Fawell, G. Franklin, and W. Young. 2000. Review of human pharmaceuticals in the environment. *R & D technical report P390. Environmental Agency of England and Wales, Bristol, U.K.*
- Barbara, K., R. M. Dinsdale, and A. J. Guwy. 2008. The occurrence of pharmaceuticals, personal care products, endocrine disruptors and illicit drugs in surface water in South Wales, UK. *Water Res.* 42: 3498 – 3518.
- Baroni, L., L. Cenci, M. Tettamanti, and M. Berati. 2007. Evaluating the environmental impact of various dietary patterns combined with different food production systems. *Eur. J. Clin. Nutr.* 61: 279–286.
- Baronti, C., R. Curini, G. d'Ascenzo, A. DiCorcia, A. Gentili, and R. Samperi. 2000. Monitoring natural and synthetic estrogens at activated sludge sewage treatment plants and in receiving river water. *Environ. Sci. Technol.* 34: 5059 – 5066.
- Batchelder, A. R. 1981. Chlortetracycline and oxytetracycline effects on plant growth and development in liquid cultures. *J. Environ. Qual.* 10: 515 – 518.

- Batchelder, A. R. 1982. Chlortetracycline and oxytetracycline effects on plant growth and development in soil systems. *J. Environ. Qual.* 11: 675 – 678.
- Batt, A. L., and D. S. Aga. 2005. Simultaneous analysis of multiple classes of antibiotics by ion trap LC/MS/MS for assessing surface water and groundwater contamination. *Anal. Chem.* 77: 2940 – 2947.
- Bau, M., and P. Dulski. 1996. Anthropogenic origin of positive gadolinium anomalies in river waters. *Earth Planet. Sci. Lett.* 143: 245 – 255.
- Belfroid, A. C., A. Van der Horst, A. D. Vethaak, A. J. Schafer, G. B. J. Rijs, J. Wegener, and W. P. Cofino. 1999. Analysis and occurrence of estrogenic hormones and their glucuronides in surface water and waste water in The Netherlands. *Sci. Total Environ.* 225: 101 – 108.
- Bendz, D., N. A. Paxeus, T. R. Ginn, and F. J. Loge. 2005. Occurrence and fate of pharmaceutically active compounds in the environment, a case study: Hoje River in Sweden. *J. Hazard. Mater.* 122: 195 – 204.
- Bergman, K., L. Müller L, and S. W. Teigen. 1996. The genotoxicity and carcinogenicity of paracetamol: a regulatory (re)view. *Mutat. Res.* 349: 263 – 288.
- Bertolini, A., A. Ferrari, A. Ottani, S. Guerzoni, R. Tacchi, and S. Leone. 2006. Paracetamol: New vistas of an old drug. *CNS drug rev.* 12: 250 – 275.
- Bhatnagar, A., and A. K. Minocha. 2006. Conventional and non – conventional adsorbents for removal of pollutants from water – A review. *Indian J. Chem. Techn.* 13: 203 – 217.
- Birkett, J.W., and J.N. Lester. 2002. *Endocrine Disrupters in Wastewater and Sludge Treatment*. IWA Publishing, London.
- Bjorklund, H., J. Bondestam, and G. Bylund. 1990. Residues of Oxytetracycline in wild fish and sediments from fish farms. *Aquaculture* 86: 359 – 367.

- Blume, R. R., R. L. Younger, A. Aga, and C. J. Myers. 1976. Effects of residues of certain antihelminthics in bovine manure on *Onthophagus gazelle*, a non – target organism. *Southwest Entomol.* 1: 100 – 103.
- Boonkerd S., M. Lauwers, M. R. Detaevernier, and Y. Michotte. 1995. Separation and simultaneous determination of the components in an analgesic tablets formulation by micellar electrokinetic chromatography. *J. Chromatogr. A.* 695: 97 – 102.
- Bouhsain Z., S. Garrigues, M., and De la Guardia. 1997. Pls – UV spectrophotometric method for the simultaneous determination of paracetamol, acetylsalicylic acid and caffeine in pharmaceutical formulations. *Fresenius' J. Anal. Chem.* 357: 973 – 976.
- Bouhsain Z., S. Garrigues, and M. De la Guardia. 1996. Simultaneous stopped – flow determination of paracetamol, acetylsalicylic acid and caffeine in pharmaceutical formulations by Fourier transform infrared spectrometry with partial least squares data treatment. *Analyst* 121: 1935 – 1938.
- Bound, J. P., and N. Voulvoulis. 2005. Household disposal of pharmaceuticals as a pathway for aquatic contamination in the United Kingdom. *Environ. Health Persp.* 113: 1705 – 1711.
- Boxall, A. B. A., D. Kolpin, B. Halling – Sorensen, and J. Tolls. 2003. Are veterinary medicines causing environmental risks? *Environ. Sci. Technol.* 37: 286A – 294A.
- Boxall, A. B. A., L. A. Fogg, P. Kay, P. A. Blackwell, E. J. Pemberton, and A. Croxford. 2004. Veterinary medicines in the environment. *Rev. Environ. Contam. T.* 180: 1 – 91.
- Brauch, H. J., F. Sacher, E. Denecke, and T. Tacke. 2000. Efficiency of bank filtration for the removal of hydrophilic organic micropollutants. *GWF, Wasser / Abwasser* 141: 226 – 234.

British Pharmacopeia, 2007.

Brown, K. D., J. Kulis, B. Thomson, T. H. Chapman, and D. B. Mawhinney. 2006. Occurrence of antibiotics in hospital, residential, and dairy effluents, municipal wastewater, and the Rio Grande in New Mexico. *Sci. Total. Environ.* 366: 772 – 783.

Buchberger, W. W. 2007. Novel analytical procedures for screening of drug residues in water, waste water, sediment and sludge. *Anal. Chem. Acta.* 593: 129 – 139.

Burakham, R., S. Lapanantnoppakhun, J. Jakhmune, and K. Grudpan. 2005. Exploiting sequential injection analysis with lab – at – valve (LAV) approach for on – line liquid – liquid micro – extraction spectrophotometry. *Talanta* 68: 416 – 421.

Burhenne, J., M. Ludwig, and M. Spiteller. 1997. Photolytic degradation of fluoroquinolone carboxylic acids in aqueous solution. Isolation and structural elucidation of polar photometabolites. *Environ. Sci. Pollute. Res.* 4: 61 – 67.

Buser, H. R., T. Poiger, and M. D. Muller. 1998b. Occurrence and fate of the pharmaceuticals drug diclofenac in surface water: rapid photodegradation in a lake. *Environ. Sci. Technol.* 32: 3449 – 3456.

Buser, H. R., T. Poiger, and M. D. Muller. 1999. Occurrence and environmental behavior of the pharmaceutical drug ibuprofen in surface waters and in wastewater. *Environ. Sci. Technol.* 33: 2529 – 2535.

Buser, H., M.D. Muller, and N. Theobald, 1998a. Occurrence of the pharmaceutical drug chlofbric acid and the herbicide mecoprop in various Swiss lakes and in the North Sea. *Environ. Sci. Technol.* 32: 188 – 192.

Calamari, D., E. Zuccato, S. Castiglioni, R. Bagnati, and R. Fanelli. 2003. Strategic survey of therapeutic drugs in the rivers Po and Lambro in Northern Italy. *Environ. Sci. Technol.* 37: 1241 – 1248.

- Carballa, M., F. Omil, J. M. Lema, M. Llompart, C. Garcia – Jares, I. Rodriguez, M. Gomez, and T. Ternes. 2004. Behavior of pharmaceuticals, cosmetics and hormones in a sewage treatment plant. *Water Research* 38: 2918 – 2926.
- Castiglioni, S., R. Bagnati, D. Calamari, R. Fanelli, and E. Zuccato. 2005. A multiresidue analytical method using solid-phase extraction and high-pressure liquid chromatography tandem mass spectrometry to measure pharmaceuticals of different therapeutic classes in urban water. *J. Chromatogr. A* 1092: 206 – 215.
- Chinadaily.com.cn.2005. *China says water pollution so severe that cities could lack safe supplies*. http://www.chinadaily.com.cn/english/doc/2005-06/content_449451.htm
- Connor, H. A., M. Strocckel, J. Evrad, and M. S. Legator. 1977. The contribution of metronidazole and two metabolites to the mutagenic activity detected in urine of treated humans and mice. *Cancer Res.* 37: 629 – 633.
- Coyne, R., M. Hiney, B. O'Conner, D. Cazabon, and P. Smith. 1994. Concentration and persistence of oxytetracycline in sediments under a marine salmon farm. *Aquaculture* 123: 31 – 42.
- Cunningham, V. 2008. Special characteristics of pharmaceuticals related to environmental fate. In: Kummerer, K. (Ed.), *Pharmaceuticals in the Environment. Sources Fate Effects and Risks*, 3rd edition. Springer Publisher, Berlin Heidelberg New York, 23 – 34.
- Daly, F. F. S., J. S. Fountain, L. Murray, A. Graudins, and N. A. Buckley. 2008. Guidelines for the management of paracetamol poisoning in Australia and New Zealand--explanation and elaboration. A consensus statement from clinical toxicologists consulting to the Australasian poisons information centres. *Med. J. Aust.* 188: 296 – 301.
- Daughton, C. G., and T. A. Ternes. 1999. Pharmaceuticals and personal care products in the environment: agents of subtle change? *Environ. Health Perspect.* 107(Suppl.6): 907 – 938.

- Desbrow, C., E. J. Routledge, G. C. Brighty, J. P. Sumpter, and M. Waldock. 1998. Identification of estrogenic chemicals in STP effluent. 1. Chemical fractionation and in vitro biological screening. *Environ. Sci. Technol.* 32: 1549 – 1558.
- Diaz – Cruz, M. S., and D. Barcelo. 2005. LC – MS² trace analysis of antimicrobials in water, sediment and soil. *Trends Anal. Chem.* 24: 645 – 657.
- Dojmi di Delupis, G., A. Macri, C. Civitareale, and L. Migliore. 1992. Antibiotic of zootechnical use: effects of acute high and low dose contamination on *Daphia magna* Straus. *Aquat. Toxicol.* 22: 53 – 59.
- Eckel, W. P., B. Ross, and R. Isensee. 1993. Pentobarbital found in ground water. *Ground Water* 31: 801 – 804.
- Eddleston, M., E. Juszczak, N. A. Buckley, L. Senarathna, F. Mohamed, W. Dissanayake, A. Hittarage, S. Azher, K. Jeganathan, S. Jayamanne, M. H. R. Sherif, and D. A. Warrell. 2008. Multiple – dose activated charcoal in acute self – poisoning a randomized controlled trial. *Lancet* 371: 579 – 587.
- El – Gindy, A., S. Emara, M. K. Mesbah, and G. M. Hadad. 2005. Spectrophotometric and liquid chromatographic determination of fenofibrate and vinpocetine and their hydrolysis products. *II Farmaco* 60: 425 – 438.
- Elvers, K.T., and S. J. L. Wright. 1995. Antibacterial activity of the anti – inflammatory compounds ibuprofen. *Lett. Appl. Microbiol.* 20: 82 – 84.
- EPA, 2005. *Protecting Water Quality from Agricultural Runoff*. Fact Sheet No. EPA – 841 – F – 05 – 001. http://www.epa.gov/owow/nps/Ag_Runoff_Fact_Sheet.pdf
- EPA, Environmental Protection Agency Washington, DC, United States. 2007. *The National Water Quality Inventory: Report to Congress for the 2002 Reporting Cycle – A Profile*. Fact Sheet No. EPA 84 – F – 07 – 003. <http://www.epa.gov/305b/2002report/factsheet2002305b.pdf>

- Espinosa – Aquirre, J. J., R. A. De la Torre, I. Lares – Asseff, J. Rubio, V. Dorado, M. Wong, and J. M. Hernandez. 1996. Bacterial mutagens in the urine of patients under tinidazole treatment. *Mutat. Res.* 359: 133 – 140.
- Farre, M., I. Ferrer, A. Ginebreba, M. Figueras, L. Olivella, L. Tirapu, M. Vilanova, and D. Barcelo. 2001. Determination of drugs in surface water and wastewater samples by liquid chromatography – mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri*. *J. Chromatogr. A* 938: 187 – 197.
- Fatta, D., A. Nikolaou, A. Achilleos, and S. Meric. 2007. Analytical methods for tracing pharmaceutical residues in water and wastewater. *Trends Anal. Chem.* 26: 515 – 533.
- Fick, J., H. Soderstrom, R. H. Linderg, C. Phan, M. Tysklind, and D. G. J. Larsson. 2009. Pharmaceuticals and personal care products in the environment, contamination of surface, ground and drinking water from pharmaceutical production. *Environ. Toxicol. Chem.* 28: 2522 – 2527.
- Franeta, J. T., D. D. Agbaba, S. M. Eric, S. Pavkov, S. D. Vladimirov, and M. B. Aleksic. 2001. Quantitative analysis of analgoantipyretics in dosage form using planar chromatography. *J. Pharm. Biomed. Anal.* 24: 1169 – 1173.
- Garcia – Araya, J. F., F. J. Beltran, P. Alvarez, and F. J. Masa. 2003. Activated carbon adsorption of some phenolic compounds present in agroindustrial wastewater. *Adsorption* 9: 107 – 115.
- Garrison, A. W., J. D. Pope, and F. R. Allen. 1976. In: Keith, C.H. (Ed.), *Identification and analysis of organic pollutants in water*. Ann Arbor Science Publishers. Inc., Michigan, 517 – 566.
- Gartiser, S., L. Brinker, T. Erbe, K. Kummerer, and R. Willmund. 1996. Contamination of hospital wastewater with hazardous compounds as defined by 7a WHG. *Acta Hydrochim. Hydrobiol.* 24: 90 – 97.

- Geyer, H. J., G. G. Rimkins, I. Scheunert, A. Kaune, K. -W. Schramm, A. Kettrup, M. Zeeman, D. C. G. Muir, L. G. Hansen, and D. Mackay. 2000. In: B. Beek (Ed.), *The Handbook of Environmental Chemistry: Vol. 2 Part J, Bioaccumulation*. Springer – Verlag, Berlin, Germany. 1 – 166.
- Giuliana, F., T. Koller, F. E. Wurgler, and R. M. Widmer. 1996. Detection of genotoxic activity in native hospital waste water by the umuC test. *Mutat. Res.* 368: 49 – 57.
- Glassmeyer, S.T., E. T. Furlong, D. W. Kolpin, J. D. Cahill, S. D. Zaugg, S. L. Werner, M. T. Meyer, and D. D. Kryak. 2005. Transport of chemical and microbial compounds from known wastewater discharges: potential for uses as indicators of human fecal contamination. *Environ. Sci. Technol.* 39: 5157 – 5169.
- Golet, E. M., A. C. Alder, A. Hartmann, T. A. Ternes, and W. Giger. 2001. Trace determination of fluoroquinolone antibacterial agents in urban wastewater by solid – phase extraction and liquid chromatography with fluorescence detection. *Anal. Chem.* 73: 3632 – 3638.
- Golet, E., I. Xifra, H. Siegrist, A. C. Alder, and W. Giger. 2003. Environmental exposure assessment of fluoroquinolone antibacterial agents from sewage to soil. *Environ. Sci. Technol.* 37: 3243 – 3249.
- Gomes, R. L., H. E. Deacon, K. M. Lai, J. W. Birkett, M. D. Scrimshaw, and J. N. Lester. 2004. An assessment of the bioaccumulation of estrone in *Daphnia magna*. *Environ. Toxicol. Chem.* 23: 105 – 108.
- Gomez, M.J., M. Petrovic, A. R. Fernandez – Alba, and D. Barcelo. 2006. Determination of pharmaceuticals of various therapeutic classes by solid – phase extraction and liquid chromatography – tandem mass spectrometry analysis in hospital effluent wastewaters. *J. Chromatogr. A.* 1114: 224 – 233.
- Goosens, H., M. Ferech, S. Coenen, and P. Stephens. 2007. European surveillance of antimicrobial consumption project group. Comparison of outpatient systemic

- antibacterial use in 2004 in the United States and 27 European countries. *Clin. Infect. Dis.* 44, 1091 – 1095.
- Goossens, H., M. Ferech, R. V. Stichele, M. Elseviers, and ESAC Project Group. 2005. Outpatient antibiotic use in Europe and association with resistance: a cross –national database study. *Lancet* 365: 579 – 587.
- Gotz, K., and F. Keil. 2007. Medikametenentsorgung in privaten Haushalten: Ein Faktor bei der Gewasserbelastung mit Arzneimittelwirkstoffen? (Drug disposal in private household: Does the disposal of pharmaceuticals via domestic sanitary devices contribute to water contamination?) *UWSF –Z Umweltchem. Okotox.* 18: 180 – 188.
- Gravel, A. and M. M. Vijayan. 2006. Salicylate distrupts interrenal steroidogenesis and brain glycocorticoid receptor expression in rainbow trout. *Toxicol. Sci.* 93: 41 – 49.
- Groning, J., C. Held, C. Garten, U. Claussnitzer, S. R. Kaschabek, and M. Schlomann. 2007. Transformation of diclofenac by the indigenous microflora of river sediments and identification of a major intermediate. *Chemosphere* 69: 509 – 516.
- Gros, M., M. Petrovic, and D. Barcelo. 2006. Development of a multi – residue method for the analysis of pharmaceuticals based on solid phase extraction and LC – tandem mass spectrometry in surface and wastewaters. *Talanta* 70: 678 – 690.
- Grundevik, I., G. Jerndal, K. Balmer, and B. A. Persson. 1986. Fully automated gradient elution liquid chromatographic assay of omeprazole and two metabolites. *J. Pharma. Biomed. Anal.* 4: 389 – 398.
- Haiß, A., and K. Kummerer. 2006. Biodegradability of the X-ray contrast compound diatrizoic acid, identification of aerobic degradation products and effects against sewage sludge micro-organisms. *Chemosphere* 62: 294 – 302.

- Halling – Sorensen, B., N. Nielsen, P. F. Lanzky, F. Ingerslev, C. Holten – Lutzhoft, and S. E. Jorgensen. 1998. Occurrence, fate and effects of pharmaceutical substances in the environment – a review. *Chemosphere* 36: 357 – 393.
- Hamscher, G., S. Sczesny, A. Abu – Qare, H. Hopfer, and H. Nau. 2000. Substances with pharmacological effects including hormonally active substances in the environment: identification of tetracyclines in soil fertilized with animal slurry. *Dtsch. Tierarztl. Wochenschr.* 107: 332 – 334.
- Harras, M.C., A. C. Kinding, and F. B. Taub. 1985. Responses of blue – green and green algae to streptomycin in unialgal and paired culture. *Aquat. Toxicol.* 6: 1 – 11.
- Hartig, C., T. Storm, and M. Jekel. 1999. Detection and identification of sulphonamide drugs in municipal waste water by liquid chromatography coupled with electrospray ionization tandem mass spectrometry. *J. Chromatogr. A.* 854: 163 – 173.
- Hartmann, A., A. C. Alder, T. Koller, and R. M. Widmer. 1998. Identification of fluoroquinolone antibiotics as the main source of umuC genotoxicity in native hospital wastewater. *Environ. Toxicol. Chem.* 17: 377 – 382.
- Hartmann, A., E. M. Golet, S. Gartiser, A. C. Alder, T. Koller, and R. M. Widmer. 1999. Primary DNA damage but not mutagenicity correlates with ciprofloxacin concentration in German hospital wastewaters. *Arch. Environ. Con. Tox.* 36: 115 – 119.
- Haskins, J. T., J. A. Moyer, E. A. Muth, and E. B. Sigg. 1985. DMI, Wy – 45,030, Wy – 45, 881 and ciramadol inhibit locus coeruleus neuronal activity. *Eur. J. Pharmacol.* 115: 139 – 146.
- Hawkins, L. C., J. N. Edwards, and P. I. Dargan. 2007. Impact of restricting paracetamol pack sizes on paracetamol poisoning in the United kingdom: review of the literature. *Drug Saf.* 30: 465 – 479.

- Heberer T. H., and H. J. Stan. 1997. Determination of clofibric acid and N – (phenylsulfonyl) – sacrosine in sewage, river and drinking water. *Int. J. Environ. Anal. Chem.* 67:113 – 124.
- Heberer, T. 2002a. Tracking down persistent pharmaceutical residues from municipal sewage to drinking water. *J. Hydrol.* 266: 175 – 189.
- Heberer, T. 2002b. Occurrence, fate, and removal of pharmaceutical residues in the aquatic environment: a review of recent research data. *Toxicol. Lett.* 131: 5 – 17.
- Heberer, T., B. Fuhrmann, K. Schmidt – Baumler, D. Tsipi, V. Koutsouba, and A. Hiskia. 2001a. Occurrence of pharmaceutical residues in sewage, river, ground and drinking water in Greece and Germany. In: Daughton, C.G., Jones – Lepp, T. (Eds.), *Pharmaceuticals and Personal Care Products in the Environment: Scientific and Regulatory Issues*. Symposium Series 791, ACS, Washington, DC. 70 – 83.
- Heberer, T., D. Feldmann, K. Reddersen, H. Altmann, and T. Zimmermann. 2002a. Production of drinking water from highly contaminated surface water: removal of organic, inorganic, and microbial contaminations applying mobile membrane filtration units. *Acta Hydrochim. Hydrobiol.* 30: 24 – 33.
- Heberer, T., I. M. Verstraeten, M. T. Meyer, A. Mechlinski, and K. Reddersen. 2001b. Occurrence and fate of pharmaceuticals during bank filtration – preliminary results from investigations in Germany and the United States. *Water Resources Update* 120: 4 – 17.
- Heberer, T., K. Reddersen, and A. Mechlinski. 2002b. From municipal sewage to drinking water: fate and removal of pharmaceutical residues in the aquatic environment in urban areas. *Water Sci. Technol.* 46: 81 – 88.
- Heberer, T., U. Dunnbier, Ch. Reilich, and H. J. Stan. 1997. Detection of drugs and drug metabolites in groundwater samples of a drinking water treatment plant. *Fresenius' Environ. Bull.* 6:438 – 443.

- Herberer, T., S. Butz, and H. – J. Stan. 1995. Analysis of phenoxy carboxylic acids and other acidic compounds in tap, ground, surface and sewage water at the low ppt level. *Int. J. Environ. Anal. Chem.* 58: 43 – 54.
- Hernando, M. D., M. J. Gomez, A. Aguera, and A. R. Fernandez – Alba. 2007. LC – MS analysis of basic pharmaceuticals (beta – blockers and anti – ulcer agents) in wastewater and surface water. *Trends Anal. Chem.* 26:581 – 594.
- Hernando, M. D., M. Mezcua, A. R. Fernandez – Alba, and D. Barcelo. 2006. Environmental risk assessment of pharmaceutical residues in wastewater effluents, surface waters and sediments. *Talanta* 69: 334 – 342.
- Hicks, D. R., D. Wolaniuk, A. Russell, N. Cavanaugh, and M. Kraml. 1994. A high – performance liquid chromatographic method for the simultaneous determination of venlafaxine and o – desmethylvenlafaxine in biological fluids. *Ther. Drug Monit.* 16: 100 – 107.
- Hignite, C., and D. L. Azarnoff. 1977. Drugs and drug metabolites as environmental contaminants: chlorophenoxoyisobutyrate and salicylic acid in sewage water effluent. *Life Sci.* 20: 337 – 342.
- Hilton, M.J., K. V. Thomas, and D. Ashton. 2003. Targeted Monitoring Programme for Pharmaceuticals in the Aquatic Environment, *R&D technical report P6 – 012/06/TR*, Environment Agency of England and Wales, Bristol, U.K.
- Hirsch, R., T. A. Ternes, K. Haberer, A. Mehlich, F. Ballwanz, and K. –L. Kratz. 1998. Determination of antibiotics in different water compartments via liquid chromatography – electrospray tandem mass spectrometry. *J. Chromatogr. A.* 815: 213 – 223.
- Hirsch, R., T. A. Ternes, K. Haberer, and K. L. Kratz. 1999. Occurrence of antibiotics in the aquatic environment. *Sci. Total Environ.* 225: 109 – 118.

- Hoffman, U., M. Schwab, G. Treiber, and U. Klotz. 2006. Sensitive quantification of omeprazole and its metabolites in human plasma by liquid chromatography – mass spectrometry. *J. Chromatogr. B.* 831: 85 – 90.
- Holbrook, R. D., J. T. Novak, T. J. Grizzard, and N. G. Love. 2002. Estrogen receptor agonist fate during wastewater and biosolids treatment processes: a mass balance analysis. *Environ. Sci. Technol.* 36: 4533 – 4539.
- Holm, J. V., K. Rugge, P. L. Bjerg, and T. H. Christensen. 1995. Occurrence and distribution of pharmaceutical organic compounds in the ground water down gradient of a landfill (Grinsted, Denmark). *Environ. Sci. Technol.* 29: 1415 – 1420.
- Holm, R.H., G. W. Everett, and A. Chakravorty. 2007. Metal complex of Schiff bases and β – Ketoamines. In: Cotton, F. A. (Ed.), *Progress in Inorganic Chemistry*, Volume 7, John Wiley & Sons, Inc., Hoboken, NJ, USA.
- Holter, P., C. Sommer, J. Gronvold, and M. Madsen. 1993. Effects of ivermectin treatment on the attraction of dung beetles (Coleoptera: Scarabaeidae and Hydrophilidae) to cow pats. *Bull. Entomol. Res.* 83: 53 – 58.
- <http://www.drugs.com/acetaminophen.html>
- Huang, C. H., and D. L. Sedlak. 2001. Analysis of estrogenic hormones in municipal wastewater effluent and surface water using enzyme – linked immunoadsorbent assay and gas chromatography / tandem mass spectrometry. *Environ. Toxicol. Chem.* 20: 133 – 139.
- Huber, M. M., S. Canonica, G. Park, and U. von Gunten. 2003. Oxidation of pharmaceuticals during ozonation and advanced oxidation processes. *Environ. Sci. Technol.* 37: 1016 – 1024.
- Huber, M. M., T. A. Ternes, and U. von Gunten. 2004. Removal of estrogenic activity and formation of oxidation products during ozonation of 17 α – ethinylestradiol. *Environ. Sci. Technol.* 38: 5177 – 5186.

- Huber, M., S. Korhonen, T. A. Ternes, and U. von Gunten. 2005. Oxidation of pharmaceuticals during water treatment with chlorine dioxide. *Water Res.* 39: 3607 – 3617.
- Hummel, D., D. Löffler, G. Fink, and T. A. Ternes. 2006. Simultaneous determination of psychoactive drugs and their metabolites in aqueous matrices by liquid chromatography mass spectrometry. *Environ. Sci. Technol.* 40: 7321 – 7328.
- Jacobsen, P., and L. Berglind. 1988. Persistence of oxytetracycline in sediments from fish farms. *Aquaculture* 70: 365 – 370.
- Jana, S., B. Dutta, R. Bera, and S. Koner. 2007. Anchoring of copper complex in MCM – 41 matrix: a highly efficient catalyst for epoxidation of olefins by tert – BuOOH. *Langmuir* 23: 2492 – 2496.
- Johnson, A. C., and J. P. Sumpter. 2001. Removal of endocrine – disrupting chemicals in activated sludge treatment works. *Environ. Sci. Technol.* 35: 4697 – 4703.
- Johnson, A.C., A. Belfroid, and A. Di Corcia. 2000. Estimating steroid oestrogen inputs into activated sludge treatment works and observations on their removal from the effluent. *Sci. Total Environ.* 256: 163 – 173.
- Jones, O. A. H., N. Voulvoulis, and J. N. Lester. 2001. Human pharmaceuticals in the aquatic environment: a review. *Environ. Technol.* 22:1383 – 1394.
- Jones, O. A. H., N. Voulvoulis, and J. N. Lester. 2003. Analytical method development for the simultaneous determination of five human pharmaceuticals in water and wastewater samples by gas chromatography – mass spectrometry. *Chromatographia*, 58: 471 – 477.
- Julian, D. G., D. A. Chamberlain, and S. J. Pocock. 1996. A comparison of aspirin and anticoagulation following thrombolysis for myocardial infarction (the AFTER study): a multicentre unblinded randomised clinical trial. *Brit. Med. J.* 313: 1429 – 1431.

- Kanazawa, H., A. Okada, Y. Matsushima, H. Yokata, S. Okubo, F. Mashige, and K. Nakahara. 2002. Determination of omeprazole and its metabolites in human plasma by liquid chromatography-mass spectrometry. *J. Chromatogr. A* 949: 1 – 9.
- Kanda, R., P. Griffin, H. A. James, and J. Fothergill. 2003. Pharmaceutical and personal care products in sewage treatment works. *J. Environ. Monit.* 5: 823 – 830.
- Kasprzyk – Hordern B., R. M. Dinsdale, and A. J. Guwy. 2009. The removal of pharmaceuticals, personal care products, endocrine disruptors and illicit drugs during wastewater treatment and its impact of the quality of receiving waters. *Water Research* 43: 363 – 380.
- Kasprzyk – Hordern, B., R. M. Dinsdale, and A. J. Guwy. 2008. The occurrence of pharmaceuticals, personal care products, endocrine disruptors and illicit drugs in surface water in South Wales, UK. *Water Research* 42: 3498 – 3518.
- Khashab, M., A. J. Tector, and P. Y. Kwo. 2007. Epidemiology of acute liver failure. *Curr. Gastroenterol Rep.* 9: 66 – 73.
- Khopkar, S. M. 2008. *Basic concepts of analytical chemistry*. 3rd edition. New age international (P) Ltd. New Delhi.
- Koch, H. M., J. Muller, H. Drexler, and J. Angerer. 2005. Dibutylphthalat (DBP) in medications: are pregnant women and infants at risk? *Umweltmed.Forsch. Prax.* 10: 144 – 146.
- Kolpin, D.W., E. T. Furlong, M. T. Meyer, E. M. Thurman, S. D. Zaugg, L. B. Barber, and H. T. Buxton. 2002. Pharmaceuticals, hormones and other organic wastewater contaminants in U.S. streams, 1999 – 2000: Methods, Development and National Reconnaissance. *Environ. Sci. Technol.* 36: 1202 – 1211.

- Kolpin, D. W., M. Skopec, M. T. Meyer, E. T. Furlong, and S. D. Zaugg. 2004. Urban contribution of pharmaceuticals and other organic wastewater contaminants to streams during differing flow conditions. *Sci. Total Environ.* 328: 119 – 130.
- Kreuzinger, N., M. Clara, B. Strenn, and H. Kroiss. 2004. Relevance of the sludge retention time (SRT) as design criteria for wastewater treatment plants for the removal of endocrine disruptors and pharmaceuticals from wastewater. *Water Sci. Technol.* 50: 149 – 156.
- Krumholz, H. M., M.J. Radford, E. F. Ellerbeck, J. Hennen, T. P. Meehan, M. Petrillo, Y. Wang, T. F. Kresowik and S. F. Jencks. 1995. Aspirin in the treatment of acute myocardial infarction in elderly medicare beneficiaries. *Circulation* 92: 2841 – 2847.
- Kuch, H. M., and K. Ballschmiter. 2000. Determination of endogenous and exogenous estrogens in effluents from sewage treatment plants at the ng L⁻¹ level. *Fresenius' J. Anal. Chem.* 366: 392 – 395.
- Kulshreshtha, S. N. 1998. A Global Outlook for Water Resources to the Year 2025. *Water Resour. Manag.* 12: 167 – 184.
- Kummerer, K. 2001a. Drugs in the environment: emission of drugs, diagnostic aids and disinfectants into wastewater by hospitals in relation to other sources – a review. *Chemosphere* 45: 957 – 969.
- Kummerer, K. 2001b. *Pharmaceuticals in the environment: Sources, Fate, Effects and Risks*. 1st edition. Springer, Berlin, Heidelberg, New York.
- Kummerer, K. 2009a. Antibiotic in the environment – a review – Part II. *Chemosphere* 75: 435 – 441.
- Kummerer, K., and E. Helmers. 1997. Hospital effluents as a source for platinum in the environment. *Sci. Total Environ.* 193: 179 – 184.

- Kummerer, K., and E. Helmers. 2000. Hospital effluents as a source for gadolinium in the aquatic environment. *Environ. Sci. Technol.* 34: 573 – 577.
- Kummerer, K., T. Steger – Hartmann, and M. Meyer. 1997. Biodegradability of the anit – tumor agent ifosfamide and its occurrence in hospital effluents and communal sewage. *Water Res.* 31: 2705 – 2710.
- Lacroix, P. M., B. A. Dawson, R. W. Sears, D. B. Black, T. D. Cyr, and J. C. Ethier. 1998. Fenofibrate raw materials: HPLC methods for assay and purity and an NMR method for purity. *J. Pharm. Biomed. Anal.* 18: 383 – 402.
- Lagerstrom, P. O., and B. A. Persson. 1984. Determination of omeprazole and metabolites in plasma and urine by liquid chromatography. *J. Chromatogr. Biomed. Appl.* 309: 347 – 356.
- Lai, K. M., K. L. Johnson, M. D. Scrimshaw, and J. N. Lester. 2000. Binding of waterborne steroid estrogens to solid phases in river and estuarine systems. *Environ. Sci. Technol.* 34: 3890 – 3894.
- Lai, K. M., M. D. Scrimshaw, and J. N. Lester. 2002. Biotransformation and bioconcentration of steroid estrogens by *Chlorella vulgaris*. *Appl. Environ. Microbiol.* 68: 859 – 864.
- Lange, R., T. H. Hutchinson, C. P. Croudace, and F. Siegmund. 2001. Effect of the synthetic estrogen 17 α – ethinylestradiol on the life – cycle of the fathead minnow (*Pimephales promelas*). *Environ. Toxicol. Chem.* 20: 1216 – 1227.
- Langin, A., A. Schuster, and K. Kummerer. 2008. Chemicals in the environment – the need for a clear nomenclature: parent compounds, metabolites, transformation products and their elimination. *Clean* 36: 349 – 350.
- Lanzky, P. F., and B. Halling – Sorensen. 1997. The toxic effect of the antibiotic metronidazole on aquatic organisms. *Chemosphere* 35: 2553 – 2561.

- Larsen, T. A., J. Lienert, A. Joos, and H. Siegrist. 2004. How to avoid pharmaceuticals in the aquatic environment. *J. Biotechnol.* 113: 295 – 304.
- Larson, A. M., J. Polson, R. J. Fontana, T. J. Davern, E. Lalani, L. S. Hynan, J. S. Reisch, F. V. Schiodt, G. Ostapowicz, A. O. Shakil, W. M. Lee, and the Acute Liver Failure Study Group. 2005. Acetaminophen – induced acute liver failure: results of a United States multicenter, prospective study. *Hepatology* 42: 1364 – 1372.
- Larsson, D. G. J., C. de Pedro, and N. Paxeus. 2007. Effluent from drug manufactures contains extremely high levels of pharmaceuticals. *J. Hazard. Mater.* 148: 751 – 755.
- Lee, C., C. Schmidt, J. Yoon, and U. von Gunten. 2007. Oxidation of N – nitrosodimethylamine (NDMA) precursors with ozone and chlorine dioxide: kinetics and effect on NDMA formation potential. *Environ. Sci. Technol.* 41: 2056 – 2063.
- Lee, W. Y., and C. R. Arnold. 1983. Chronic toxicity of ocean dumped pharmaceuticals wastes to the marine amphipod *Amphithoe valida*. *Mar. Pollut. Bull.* 14: 150 – 153.
- Leff, L. G., J. R. Dana, J. V. McArthur, and L. J. Shimkets. 1993. Detection of Tn5 – like sequences in Kanamycin – resistant stream Bacteria and Environmental DNA. *Appl. Environ. Microb.* 59: 417 – 421.
- Lewis, H. D., J. W. Davis, D. G. Archibald, W. E. Steinke, T. C. Smitherman, J. E. Doherty, H. W. Schnaper, M. M. LeWinter, E. Linares, J. M. Pouget, S. C. Sabharwal, E. Chesler, and H. DeMots. 1983. Protective effects of aspirin against acute myocardial infarction and death in men with unstable angina. Results of a Veterans Administration Cooperative Study. *N. Engl. J. Med.* 309: 396 – 403.
- Li, D., M. Yang, J. Hu, L. Ren, Y. Zhang, H. Chang, and K. Li. 2008a. Determination and fate of oxytetracycline and related compounds in oxyteracycline

- production wastewater and the receiving river. *Environ. Toxicol. Chem.* 27: 80 – 86.
- Li, D., M. Yang, J. Hu, Y. Zhang, H. Chang, and F. Jin. 2008b. Determination of penicillin G and its degradation products in a penicillin production wastewater treatment plant and the receiving river. *Water Res.* 42: 307 – 317.
- Lind, T., L. Rydberg, A. Kyleback, A. Jonsson, T. Andersson, G. Hasselgren, J. Holmberg, and K. Rohss. 2000. Esomeprazole provides improved acid control vs. omeprazole in patients with symptoms of gastro-oesophageal reflux disease. *Aliment. Pharmacol. Ther.* 14: 861 – 867.
- Lindqvist, N., T. Tuhkanen, and L. Kronberg, 2005. Occurrence of acidic pharmaceuticals in raw and treated sewage and in receiving waters. *Water Res.* 39: 2219 – 2228.
- Lindsey M. E., T. M. Meyer, and E.M. Thurman. 2001. Analysis of trace levels of sulfonamide and tetracycline antimicrobials in groundwater and surface water using solid – phase extraction and liquid chromatography/mass spectrometry. *Anal. Chem.* 73: 4640 – 4646.
- Lipatova, T. F., and Yu. N. Nizelskii. 1970. Spectroscopic study of complex formation by methanol and phenyl isocyanate with bis (acetylacetonate) copper. *Theor. Exp. Chem.* 4: 421 – 424.
- Liu, J., X. Liang, G. Jiang, Y. Cai, Q. Zhou, and G. Liu. 2003. Evaluation of an on – line coupled continuous flow liquid membrane extraction and precolumn system as trace enrichment technique by liquid chromatographic determination of bisphenol A. *Talanta* 60: 1155 – 1161.
- Loraine, G., and M. Pettigrove. 2006. Seasonal variations in concentrations of pharmaceuticals and personal care products in drinking water and reclaimed wastewater in southern California. *Environ. Sci. Technol.* 40: 687 – 695.

- Macdonald, S. 2002. Aspirin use to be banned in under 16 year old. *Br. Med. J. (Clin. Res. Ed.)* 325: 988.
- Macri, A., A. V. Staza, and G. Dojmi di Delupis. 1988. Acute Toxicity of furazolidone on *Artemia salina*, *Daphnia Magana*, and *Culex pipiens molestus* Larvac. *Ecotoxicol. Environ. Saf.* 16: 90 – 94.
- Macri, A., and E. Sbardella, E. 1984. Toxicological evaluation of nitrofurazone and furazolidone on *selenastrum capriocrnutum*, *Daphnia magna* and *Musca domestica*. *Ecotoxicol. Environ. Saf.* 8: 101 – 105.
- Masnatta, L. D., L. A. Cuniberti, R. H. Rey, and J. P. Werba. 1996. Determination of benzaifibrate ciprofibrate and fenofibric acid in human plasma by high performance liquid chromatography. *J. Chromatogr. B. Biomed. Appl.* 687:437 – 442.
- Matsui, S., H. Takigami, T. Matsuda, N. Taniguchi, J. Adachi, H. Kawami and Y. Shimizu. 2000. Estrogen and estrogen mimics contamination in water and the role of sewage treatment. *Water Sci. Technol.* 42: 173 – 179.
- Mendez – Arriaga, F., S. Esplugas, J. Gimenez. 2008. Photocatalytic degradation of non-steroidal anti-inflammatory drugs with TiO_2 and simulated solar irradiation. *Water Res.* 42: 585 – 594.
- Metzger, J.W. 2004. Drugs in municipal landfills and landfills leachates. In: Kummerer, K. (Ed.), *Pharmaceuticals in the Environment. Sources Fate Effects and Risks*, 2nd edition. Springer, Berlin Heidelberg New York, 133 – 138.
- Meylan, W. M., and P. H. Howard. 1995. Atom / fragment contribution method for estimating octanol – water partition coefficients. *J. Pharmacol. Sci.* 84: 83 – 92.

- Migliore, L., C. Civitareale, G. Brambilla, and G. D. Di Delupis. 1997. Toxicity of several important agricultural antibiotic to *artemia*. *Water Res.* 31: 1801 – 1806.
- Mohd, Z. Z., A. I. Fathelrahman, and A. F. Ab. Rahman. 2006. Characteristics and outcomes of paracetamol poisoning cases at a general hospital in Northern Malaysia. *Singapore Med. J.* 47:134 – 137.
- Moldovan, Z. 2006. Occurrences of pharmaceuticals and personal care products as micropollutants in rivers from Romania. *Chemosphere* 64: 1808 – 1817.
- Mompelat, S. B. Le Bot, and O. Thomas. 2009. Occurrence and fate of pharmaceutical product and by – products, from resource to drinking water. *Environ. International.* 35: 803 – 814.
- Monteith, D. K., T. H. Conner, J. A. Benvenuto, E. J. Fairchild, and J. C. Theiss. 1987. Stability and inactivation of mutagenic drugs and their metabolites in the urine of patients administered antineoplastic therapy. *Environ. Mol. Mutagen.* 10: 341 – 356.
- Montforts, H. M. M. 2001. Regulatory and methodological aspects concerning the risk assessment for medicinal products; need for research. In: Kummerer, K. (Ed.), *Pharmaceuticals in the Environment: Sources, Fate, Effects and Risks*. Springer, Heidelberg.
- Muth, E. A., J. T. Haskins, J. A. Moyer, G. E. Husbands, S. T. Nielsen, and E. B. Sigg. 1986. Antidepressant biochemical profile of the novel bicyclic compound Wy – 45, 030, an ethyl cyclohexanol derivatives. *Biochem. Pharm.* 35: 4493 – 4497.
- Neill, G.P., N. W. Davies, and S. McLean. 1991. Automated screening procedure using gas chromatography – mass spectrometry for identification of drugs after their extraction from biological samples. *J. Chromatogr. B.* 565: 207 – 224.

- Nikolaou, A., S. Meric, and D. Fatta. 2007. Occurrence patterns of pharmaceuticals in water and wastewater environments. *Anal. Bioanal. Chem.* 387: 1225 – 1234.
- Niquille, A., and O. Bugnon. 2008. Pharmaceuticals and environment: role of community pharmacies. In: Kummerer, K. (Ed.), *Pharmaceuticals in the Environment: Source, fate effects and risks*, 3rd edition. Springer, Berlin Heidelberg, 467 – 473.
- Nogowska M., I. Muszalska, and M. Zajac. 1999. Simultaneous spectrophotometric determination of acetyl salicylic acid, paracetamol and caffeine in pharmaceuticals preparations. *Chem. Anal.* 44:1041 – 1048.
- Nygaard, K., B. T. Lunestad, H. Hektoen, J. A. Bergr, and V. Hormazabal. 1992. Resistance to oxytetracycline, oxolinic acid and furazolidone in bacteria from marine sediments. *Aquaculture* 104: 31 – 36.
- Oleksy – Frenzel, J., S. Wischnak, and M. Jekel. 2000. Application of ion – chromatography for the determination of the organic – group parameters AOCl, AOBr and AOI in water. *Fresenius' J. Anal. Chem.* 366: 89 – 94.
- Oliveira, C. H., R.E.Barrientos – Astigarraga, E. Abib, G. D.Mendes, D. R. da Silva, and G. de Nucci. 2003. Lansoprazole quantification in human plasma by liquid chromatography – electrospray tandem mass spectrometry. *J. Chromatogr. B.* 783: 453 – 459.
- Ollers, S., H. P. Singer, P. Fassler, and R. S. Muller. 2001. Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the low – ng / l level in surface and waste water. *J. Chromatogr. A.* 911: 225 – 234.
- Petrović M., A. Diaz, F. Ventura, and D. Barcelo. 2003b. Occurrence and removal of estrogenic short – chain ethoxy nonylphenolic compounds and their halogenated derivatives during drinking water production. *Environ. Sci. Technol.* 37: 4442 – 4448.

- Petrovic, M., E. Eljarrat, M. J. Lopez de Alda, and D. Barcelo. 2002. Recent advances in the mass spectrometric analysis related to endocrine disrupting compounds in aquatic environmental samples. *J. Chromatogr. A*. 974: 23 – 51.
- Petrovic, M., S. Gonzalez, and D. Barcelo. 2003a. Analysis and removal of emerging contaminants in wastewater and drinking water. *Trends Anal. Chem.* 22: 685 – 696.
- Pink, Daniel H. 2006. *Investing in Tomorrow's Liquid Gold*. Yahoo. <http://finance.yahoo.com/columnist/article/trenddesk/3748>.
- Pinkston, K. and D. Sedlak. 2004. Transformation of aromatic ether- and amine containing pharmaceuticals during chlorine disinfection. *Environ. Sci. Technol.* 38: 4019 – 4025.
- Poiger, T., H. R. Buser, and M. D. Muller. 2001. Photodegradation of the pharmaceutical drug diclofenac in a lake: pathway, field measurements and mathematical modeling. *Environ. Toxicol. Chem.* 20: 256 – 263.
- Psillakis, E., A. Ntelekos, D. Mantzavinos, E. Nikolopoulos, and N. Kalogerakis. 2003. Solid – phase microextraction to monitor the sonochemical degradation of polycyclic aromatic hydrocarbons in water. *J. Environ. Monit.* 5: 135 – 140.
- Purdom, C.E., P. A. Hardiman, V. J. Bye, N. C. Eno, C. R. Tyler, and J. P. Sumpter. 1994. Estrogenic effects of effluents from sewage treatment works. *Chem. Ecol.* 8: 275 – 285.
- Putschew, A., and M. Jekel. 2001. Iodinated X-ray contrast media in the anthropogenic influenced water cycle. *Vom Wasser* 97: 103 – 114.
- Putschew, A., S. Schittko, and M. Jekel. 2001. Quantification of triiodinated benzene derivatives and X-ray contrast media in water samples by liquid chromatography – electrospray tandem mass spectrometry. *J. Chromatogr. A*. 930: 127 – 134.

- Putschew, A., S. Wischnack, and M. Jekel. 2000. Occurrence of triiodinated X – ray contrast agents in the aquatic environment. *Sci. Total Environ.* 255: 129 – 134.
- Ramusino, A. C., and A. Carozzi. 1986. Simple and rapid method for determining procetofenic acid, an active metabolite of procetofen [fenofibrte], in biological fluids by solid – phase extraction and high – performance liquid chromatography. *J. Chromatogr. Biomed. Appl.* 383:419 – 424.
- Rao, R. N., and V. Nagaraju. 2003. An overview of the recent trends in development of HPLC methods for determination of impurities in drugs. *J. Pharm. Biomed. Anal.* 33: 335 – 377.
- Ravina, M., L. Campanella, and J. Kiwi. 2002. Accelerated mineralization of the drug diclofenac via Fenton reactions in a concentric photo – reactor. *Water Res.* 36: 3553 – 3560.
- Reddersen, K., and T. Heberer. 2003. Multi – compound methods for the detection of pharmaceutical residues in various waters applying solid phase extraction (SPE) and gas chromatography with mass spectrometric (GC – MS) detection. *J. Sep. Sci.* 26:1443 – 1450.
- Reddersen, K., T. Heberer, and U. Dunnbier. 2002. Identification and significance of phenazone drugs and their metabolites in ground and drinking water. *Chemosphere* 49: 539 – 544.
- Renew, J. E., and C. Huang. 2004. Simultaneous determination of fluoroquinolone, sulfonamide, and trimethoprim antibiotics in wastewater using tandem solid phase extraction and liquid chromatography – electrospray mass. *J. Chromatogr. A.* 1042:113 – 121.
- Reynolds, J. E. F. 1989. *Analgesic and anti – inflammatory agents. In Martindale: The extra pharmacopoeia.* 29th edition. London: The Pharmaceutical Press, 1 – 46.

- Richter, B. E., B. A. Jones, J. L. Ezzell, and N. L. Porter. 1996. Accelerated solvent extraction: a technique for sample preparation. *Anal. Chem.* 68: 1033 – 1039.
- Roberts, P. H., and K. V. Thomas. 2006. The occurrence of selected pharmaceuticals in wastewater effluent and surface waters of the lower Tyne catchment. *Sci. Total Environ.* 356: 143 – 153.
- Rodriguez – Mozaz, S., and H. S. Weinberg. 2010. Meeting report: Pharmaceuticals in water – an interdisciplinary approach to a public health challenge. *Environ. Health Perspect.* 118:1016 – 1020.
- Romanyshyn, L. A., and P. R. Tiller. 2001. Ultra – short columns and ballistic gradients: considerations for ultra – fast chromatographic liquid chromatographic – tandem mass spectrometric analysis. *J. Chromatogr. A.* 928: 41 – 51.
- Rossi, D. T., and N. Zhang. 2000. Automating solid-phase extraction: current aspects and future prospects *J. Chromatogr. A.* 885: 97 – 113.
- Routledge, E. J., D. Sheahan, C. Desbrow, G. C. Brighty, M. Waldock, and J. P. Sumpter. 1998. Identification of estrogenic chemicals in STW effluent. 2. In vivo responses in trout and roach. *Environ. Sci. Technol.* 32: 1559 – 1565.
- Rudorfer, M., and W. Potter. 1989. Antidepressants. A comparative review of the clinical pharmacology and therapeutic use of the 'newer' versus the 'older' drugs. *Drug* 37:713 – 738.
- Ruiz – Medina, A., M. L. F. Cordova, and A. M. Diaz. 1999. Simultaneous determination of paracetamol, caffeine and acetylsalicylic acid by means of a FI ultraviolet pls multiptosensing device. *J. Pharm. Biomed. Anal.* 21: 983 – 992.
- Ruiz – Medina, A., M. L. F. Cordova, M. J. Ayora – Canada, M. I. Pascual – Reguera, and A. Molina – Diaz. 2000. A flow – through solid phase UV

- spectrophotometric biparameter sensor for the sequential determination of ascorbic acid and paracetamol. *Anal. Chem. Acta.* 404: 131 – 139.
- Sacher, F., F. T. Lange, H. J. Brauch, and I. Blankenhorn. 2001. Pharmaceuticals in groundwaters. Analytical methods and results of a monitoring program in Baden – Wurttemberg, Germany. *J. Chromatogr. A.* 938: 199 – 210.
- Safarik, I., K. Nymburska, and M. Safarikova. 1997. Adsorption of water – soluble organic dyes on magnetic charchaol. *J. Chem. Tech. Biotechnol.* 69: 1 – 4.
- Samuelsen, O.B., V. Torsvik, and A. Ervik, 1992. Long – range changes in oxytetracycline concentration and bacterial resistance towards oxytetracycline in a fish farm sediment after medication. *Sci. Tot. Environ.* 114: 25 – 36.
- Sanda, R. A., V. L. Torsvik, and J. Goksoyr, 1992. Transferable drug resistance in bacteria from fish – farm sediment. *Can. J. Microbiol.* 38: 1061 – 1065.
- Sanyal, A.K., D. Roy, B. Chowdhury, and A. B. Banerjee. 1993. Ibuprofen, a unique anti-inflammatory compound with antifungal activity against dermatophytes. *Lett. Appl. Microbiol.* 17: 109 – 111.
- Sarmah, A. K., M. T. Meyer, and A. B. A. Boxall. 2006. A global perspective on the use, sales, exposure pathways, occurrence, fate and effects of veterinary antibiotics (Vas) in the environment. *Chemosphere* 65: 725 – 759.
- Scheytt, T., P. Mersmann, and T. Heberer. 2001. Natural attenuation of pharmaceuticals. In: *Proceedings of the 2nd International Conference on Pharmaceuticals and Endocrine Disrupting Chemicals in Water*, October 9 – 11, Minneapolis. Minnesota. 253 – 259.
- Schluter, A., R. Szczepanowski, A. Puhler, and E. M. Top. 2007. Genomics of IncP – 1 antibiotic resistance plasmids isolated from wastewater treatment plants provides evidence for a widely accessible drug resistance gene pool. *FEMS Microbiol. Rev.* 31: 449 – 477.

- Schroder, H. F. 2002. Mass spectrometric monitoring of the degradation and elimination efficiency for hardly eliminable and hardly biodegradable polar compounds by membrane bioreactors. *Water Sci. Technol.* 46: 57 – 64.
- Schultz, M. M., and E. T. Furlong. 2008. Trace analysis of antidepressant pharmaceuticals and their select degradates in aquatic matrixes by LC/ESI/MS/MS. *Anal. Chem.* 80:1756 – 1762.
- Schuster, A., C. Hadrich, and K. Kummerer. 2008. Flows of active pharmaceutical ingredients originating from health care practices on a local, regional, and nationwide level in Germany – is hospital effluent treatment an effective approach for risk reduction? *Water Air Soil Poll.* 8: 457 – 471.
- Seehusen, D.A., and J. Edwards. 2006. Patient practices and beliefs concerning disposal of medications. *J. Am. Board. Fam. Med.* 19: 542 – 547.
- Seifrtova, M., A. Pena, C. M. Lino, and P. Solich. 2008. Determination of fluoroquinolone antibiotic in hospital and municipal wastewaters in Coimbra by liquid chromatography with a monolithic column and fluorescence detection. *Anal. Bioanal. Chem.* 391: 799 – 805.
- Seiler, R. L., S. D. Zaugg, J. M. Thomas, and D. L. Howcroft. 1999. Caffeine and pharmaceuticals as indicators of waste water contamination in wells. *Ground Water* 37: 405 – 410.
- Shimizu, M., T. Uno, T. Niioka, N. Yau – Furukori, T. Takahata, K. Sugawara, and T. Tateishi. 2006. Sensitive determination of omeprazole and its two main metabolites in human plasma by column – switching high – performance liquid chromatography: Application to pharmacokinetic study in relation to CYP2C19 genotypes. *J. Chromatogr. B.* 832: 241-248.
- Shore, L. S., M. Shemesh, and R. Cohen. 1988. The role of oestradiol and oestrone in chicken manure silage in hyperoestrogenism in cattle. *Aust. Vet. J.* 65: 68.

Sign Guidelines 40 Section 6: *Control of Pain in Patients with Cancer*. <http://www.sign.ac.uk/guidelines/fulltext/44/section6.html>

Silva, A. R., C. Freire, and B. de Castro. 2004. Modulation of the catalytic activity of manganese (III) salen complexes in the epoxidation of styrene: Influence of the oxygen source. *New J. Chem.* 28: 253 – 260.

Silva, A. R., M. M. A. Freitas, C. Freire, B. de Castro, and J. L. Figueiredo. 2002. Heterogenization of a functionalized copper (II) Schiff base complex by direct immobilization onto an oxidized activated carbon. *Langmuir* 18: 8017 – 8024.

Simon R. E., L. K. Walton, Y. L. Liang, and M. B. Denton. 2001. Fluorescence quenching high – performance thin – layer chromatographic analyzing utilizing a scientifically operated charge – couple device detector. *Analyst* 126: 446 – 450.

Singh, S. P., A. Azua, A. Chaudhary, S. Khan, K. L. Willett, and P. R. Gardinali. 2010. Occurrence and distribution of steroids, hormones and selected pharmaceuticals in South Florida coastal environments. *Ecotoxicology* 19: 338 – 350.

Sommer, C., and B. Overgaard Nielsen. 1992. Larvae of the dung beetle *Onthophagus gazelle* F. (Col. Scarabaeidae) exposed to lethal and sublethal ivermectin concentrations. *J. Appl. Entomol.* 114: 502 – 509.

Sommer, C., B. Steffansen, B. O. Nielsen, J. Gronvold, K. –M. V. Jensen, J. B. Jespersen, J. Springborg, and P. Nansen. 1992. Ivermectin excreted in cattle dung after subcutaneous injection or pour – on treatment: concentration and impact on dung fauna. *B. Entomol. Res.* 82: 257 – 264.

Southcott, W.H. 1980. Anthelmintic medication and pasture productivity. *Aust. Vet. J.* 56: 202 – 203.

Stackelberg, P. E., J. Gibbs, E. T. Furlong, M. T. Meyer, S. D. Zaugg, and R.L. Lippincott. 2007. Efficiency of conventional drinking – water – treatment

- processes in removal of pharmaceuticals and other organic compounds. *Sci. Total Environ.* 377: 255 – 272.
- Steger – Hartmann, T., K. Kummerer, and A. Hartmann. 1997. Biological degradation of cyclophosphamide and its occurrence in sewage water. *Ecotoxicol. Environ. Saf.* 36: 174 – 179.
- Steger – Hartmann, T., K. Kummerer, and J. Schecker. 1996. Trace analysis of the antineoplastics ifosfamide and cyclophosphamide in sewage water by two step solid phase extraction and GC/MS. *J. Chromatogr. A.* 726: 179 – 184.
- Stenhoff, H., A. Blomqvist, and P. O. Lagerstrom. 1999. Determination of the enantiomers of omeprazole in blood plasma by normal-phase liquid chromatography and detection by atmospheric pressure ionization tandem mass spectrometry, *J. Chromatogr. B.* 734: 191 – 201.
- Streel, B., P. Hubert, and A. Ceccato. 2000. Determination of fenofibrate acid in human plasma using automated solid – phase extraction coupled to liquid chromatography. *J. Chromatogr. B. Biomed. Sci. Appl.* 742: 391 – 400.
- Stuer – Lauridsen, F., M. Birkved, L. P. Hansen, H. C. Holten – Luthoft, and B. Halling – Sorensen. 2000. Environmental risk assessment of human pharmaceuticals in Denmark after normal therapeutic use. *Chemosphere* 40: 783 – 793.
- Stumpf, M., T. A. Ternes, K. Haberer, and W. Baumann. 1998. Isolation of ibuprofen – metabolites and their importance as pollutants of the aquatic environment. *Vom Wasser* 91: 291 – 303.
- Stumpf, M., T. A. Ternes, R. –D. Wilken, S. V. Rodrigues, and W. Baumann. 1999. Polar drug residues in sewage and natural waters in the state of Rio de Janeiro, Brazil. *Sci. Total Environ.* 225: 135 – 141.

- Suter, M. J. F., and W. Giger. 2001. Trace determinants of emerging water pollutants: endocrine disruptors, pharmaceuticals, and speciality chemicals. *Chimia (Aarau)* 54: 13 – 16.
- Sweetman, S. C., 2002. *Martindale – The Complete Drug Reference*. 33rd edition. Pharmaceutical Press.
- Tabak, H. H., and R. L. Brunch. 1970. Steroid hormones as water pollutants I. Metabolism of natural and synthetic ovulation inhibiting hormones by micro – organisms of activated sludge and primary settled sludge. *Develop. Ind. Microbiol.* 11: 367 – 376.
- Ternes T, M. Meisenheimer, D. McDowell, F. Sacher, H. J. Brauch, B. Haist – Gulde, G., Preuss, U., Wilme, and N., Zulei – Seibert. 2002. Removal of pharmaceuticals during drinking water treatment. *Environ. Sci. Technol.* 36: 3855 – 3863.
- Ternes, T. A. 1998. Occurrence of drugs in German sewage treatment plants and rivers. *Water Res.* 32: 3245 – 3260.
- Ternes, T. A. 2000. *Residues of pharmaceuticals diagnostics and antiseptics in wastewater, rivers and ground water – A new challenge for the water technology, Habilitation at Johannes Gutenberg University, Mainz, Germany.*
- Ternes, T. A. 2001a. Pharmaceuticals and metabolites as contaminants of the aquatic environment. In: Daughton, C. G., and T. Jones – Lepp. (Eds.), *Pharmaceuticals and Personal Care Products in the Environment: Scientific and Regulatory Issues*. Symposium Series 791, ACS, Washington DC, 39 – 54.
- Ternes, T. A., M. Bonerz, and T. Schmidt. 2001. Determination of neutral pharmaceuticals in wastewater and rivers by liquid chromatography – electrospray tandem mass spectrometry. *J. Chromatogr. A* 938: 175 – 185.

- Ternes, T. A., M. Stumpf, B. Schuppert, and K. Haberer. 1998. Simultaneous determination of antiseptic and acidic drugs in sewage and river water. *Vom Wasser* 90: 295 – 309.
- Ternes, T. A., P. Kreckel, and J. Mueller. 1999b. Behavior and occurrence of estrogens in municipal sewage treatment plants – II. Aerobic batch experiments with activated sludge. *Sci. Total Environ.* 225: 91 – 99.
- Ternes, T. A. 2001b. Analytical methods for the determination of pharmaceuticals in aqueous environmental samples. *Trends Anal. Chem.* 20: 419 – 434.
- Ternes, T. A., A. Joss, and H. Siegrist. 2004a. Scrutinizing pharmaceuticals and personal care product in wastewater treatment. *Environ. Sci. Technol.* 15: 393A – 399A.
- Ternes, T. A., and R. Hirsch. 2000. Occurrence and behavior of X-ray contrast media in sewage facilities and the aquatic environment. *Environ. Sci. Technol.* 34: 2741 – 2748.
- Ternes, T. A., J. Stüber, N. Herrmann, D. McDowell, A. Ried, M. Kampmann, and B. Teiser. 2003a. Ozonation: a tool for removal of pharmaceuticals, contrast media and musk fragrances from wastewater? *Water Res.* 37: 1976 – 1982.
- Ternes, T. A., M. Stumpf, J. Mueller, K. Haberer, R. D. Wilken, and M. Servos. 1999a. Behavior and occurrence of estrogens in municipal sewage treatment plants – I. Investigation in Germany, Canada and Brazil. *Sci. Total Environ.* 225: 81 – 90.
- Ternes, T. A., N. Herrmann, M. Bonerz, T. Knacker, H. Siegrist, and A. Joss. 2004b. A rapid method to measure the solid – water distribution coefficient (K_d) for pharmaceuticals and musk fragrances in sewage sludge. *Water Res.* 38: 4075 – 4084.
- The New York Times. 2007. *As China Roars, Pollution Reaches Deadly Extremes*. <http://www.nytimes.com/2007/08/26/world/asia/26china.html>

- Thomas, K. V., and K. Langford. 2008. *Pharmaceuticals in the environment: The relevance of different point sources*. Lecture given at the First International Conference on Sustainable Pharmacy, Osnabruck. http://www.dbu.de/550artikel27307_135.html.
- Tilton, F., W. H. Benson, and D. Schlenk. 2002. Evaluation of estrogenic activity from a municipal wastewater treatment plant with predominantly domestic input. *Aquat. Toxicol.* 61: 211 – 224.
- Trautwein, C., J. Metzger, and K. Kummerer. 2008. Aerobic biodegradability of the calcium channel antagonist verapamil and identification of the dead – end metabolite 2 – (3,4 – dimethoxyphenyl) – 2 – isopropyl – 5 – (methylamino) pentane nitrile. *Chemosphere.* 72: 442 – 450.
- United Nation. 2004. *World Contraceptive Use 2003*. United Nations publication, Sales No. E. 04. XIII.2.
- van Dijk – Looijaard, A. M. and J. van Genderen. 2000. Levels of exposure from drinking water. *Food Chem. Toxicol.* 38: S37 – S42.
- Vanderford, B. J., R. A. Pearson, D. J. Rexing, and S. A. Snyder. 2003. Analysis of endocrine disruptors, pharmaceuticals, and personal care products in water using liquid chromatography/tandem mass spectrometry. *Anal. Chem.* 75: 6265 – 6274.
- Verbrugh, H. A., and A. J. de Neeling. 2003. *Consumption of antimicrobial agents and antimicrobial resistance among medically important bacteria in the Netherlands*. SWAB, NETHMAP.
- Verstraeten, I. M., T. Heberer, and T. Scheytt. 2002. Occurrence, characteristics, and transport and fate of pesticides, pharmaceutical active compounds, and industrial and personal care products at bank – filtration sites. In: Ray, C. (Ed.), *Bank Filtration for Water Supply*, Kluwer Academic Publishers, Dordrecht.

- Vieno, N. M., T. Tuhkanen, and L. Kronberg. 2005. Seasonal variation in the occurrence of pharmaceuticals in effluents from a sewage treatment plant and in the recipient water. *Environ. Sci. Technol.* 39:8220 – 8226.
- Vieno, N. M., T. Tuhkanen, and L. Kronberg. 2006. Analysis of neutral and basic pharmaceuticals in sewage treatment plants and in recipient rivers using solid phase extraction and liquid chromatography – tandem mass spectrometry detection. *J. Chromatogr. A.* 1134: 101 – 111.
- Vu, R., D. Helmeste, L. Albers, and C. Reist. 1997. Rapid determination of venlafaxine and O – desmethylvenlafaxine in human plasma high – performance liquid chromatography with fluorimetric detection. *J. Chromatogr. B. Biomed. Sci. Appl.* 703: 195 – 201.
- Wall, R., and L. Strong. 1987. Environment consequences of treating cattle with the anti – parasitic drug ivermectin. *Nature* 327: 418 – 421.
- Wang, J., Y. Wang, J. P. Fawcett, Y. Wang, and J. Gu. 2005. Determination of omeprazole in human plasma by liquid chromatography – electrospray quadrupole linear ion trap mass spectrometry. *J. Pharm. Biomed. Anal.* 39: 631 – 635.
- Warman, P. R., and R. L. Thomas. 1981. Chlortetracycline in soil amended with poultry manure. *Can. J. Soil Sci.* 61: 161 – 163.
- Watts, C.D., M. Craythorne, M. Fielding, and C. P. Steel. 1983. Identification of Non-volatile organics in water using field desorption Mass Spectrometry and High Performance Liquid Chromatography. In: Angeletti, G. and Bjorseth, D. D.(Eds.). *3rd European Symposium on Organic Micropollutents in Water*. Reidel Publishing Co – Dordrecht, 120 – 132.
- Weigel, S., U. Berger, E. Jensen, R. Kallenborn, H. Thoresen, and H. Hühnerfuss. 2004. Determination of selected pharmaceuticals and caffeine in sewage and seawater from Tromsø/Norway with emphasis on ibuprofen and its metabolites. *Chemosphere*. 56: 583 – 592.

- West, L. 2006. *World Water Day: A Billion People Worldwide Lack Safe Drinking Water*. About. <http://environment.about.com/od/environmentalevents/a/waterdayqa.htm>.
- Westerhoff, P. Y., and S. W. E. Snyder. 2005. Fate of endocrine – disruptor, pharmaceuticals, and personal care product chemicals during simulated drinking water treatment processes. *Envrion. Sci. Technol.* 39: 6649 – 6643.
- Woolf, E. J., and B.K.Matuszewski. 1998. Simultaneous determination of omeprazole and 5' – hydroxyomeprazole in human plasma by liquid chromatography – tandem mass spectrometry. *J. Chromatogr. A.* 828: 229 – 238.
- Xiao, X. –Y., D. V. McCalley, and J. McEvoy. 2001. Analysis of estrogens in river water and effluents using solid – phase extraction and gas chromatography – negative chemical ionisation mass spectrometry of the pentafluorobenzoyl derivatives. *J. Chromatogr. A.* 923:195 – 204.
- Yeung, P. K. F., R. Little, Y. Q. Jiang, S. J. Buckley, P. T. Pollak, H. Kapoor, and S. J. O. V. van Zanten. 1998. A simple high – performance liquid chromatography assay for simultaneous determination of omeprazole and metronidazole in human plasma and gastric fluids. *J. Pharm. Biomed. Anal.* 17: 1393 – 1398.
- Yuen, K. H., W. P. Choy, H. Y. Tan, J. W. Wong, and S. P. Yap. 2001. Improved high performance liquid chromatographic analysis of omeprazole in human plasma. *J. Pharma. Biomed. Anal.* 24: 715 – 719.
- Zuccato, E., R. Bagnatir, F. Fioretti, M. Natangeleo, D. Calamari, and R. Fanelli. 2001. Environmental loads and detection of pharmaceuticals in Italy. In: Kummerer, K. (Ed.), *Pharmaceuticals in the Environment Sources, Fate, Effects and Risks*, Springer – Verlag, Berlin – Heidelberg, 19 – 27.
- Zuccato, E., S. Castiglioni, R. Bagnati, C. Chiabrando, P. Grassi, and R. Fanelli. 2008. Illicit drugs, a novel group of environmental contaminants. *Water Research* 42: 961 – 968.

- Zuhlke, S., U. Dunnbier, and T. Heberer. 2004. Detection and identification of phenazone-type drugs and their microbial metabolites in ground- and drinking water applying solid-phase extraction and gas chromatography with mass spectrometric detection. *J. Chromatogr. A*. 1050: 201 – 209.
- Zwiener, C., and F. H. Frimmel. 2000. Oxidation treatment of pharmaceuticals in water. *Water Res.* 34:1881 – 1885.
- Zwiener, C., T. Glauner, and F. H. Frimmel. 2000. Biodegradation of pharmaceutical residues investigated by SPE – GC/ITD – MS and on-line derivatization. *J. High Resol. Chrom.* 23:474 – 478.