LIST OF TABLES

Table No.	Title	Page No.
1	Tissue culture studies in some of the tree species	35
2	Synthetic seed with various encapsulation matrices	54
3	Composition of MS and WPM medium	58
4	MS and WPM medium stocks	59
5	Preparation of 1mM PGR stocks	60
6	Different encapsulation matrices and regenerative media in <i>O.indicum</i>	75
7	Different encapsulation matrices and regenerative media in S. suaveolens	76
8	Effect of individual cytokinins on shoot induction from cotyledonary node	87
	explants of O.indicum after 4 weeks	
9	Effect of two cytokinins on shoot induction from cotyledonary node	93
	explants of <i>O.indicum</i> after 4 weeks	
10	Effect of cytokinins and auxins on shoot induction from cotyledonary node	95
4.4	explants of <i>O.indicum</i> in MS medium after 4 weeks	
11	Effect of cytokinins and auxins on shoot induction from cotyledonary node	97
10	explants of <i>O.indicum</i> in WPM medium after 4 weeks	00
12	Effect of individual cytokinins on shoot indcution from nodal explants of <i>O.indicum</i> after 4 weeks	99
13		103
13	Effect of two cytokinins on shoot induction from nodal explants of <i>O.indicum</i> after 4 weeks	103
14	Effect of cytokinins and auxins on shoot induction from nodal explants of	112
11	O.indicum in MS medium after 4 weeks	112
15	Effect of cytokinins and auxins on shoot induction from nodal explants of	113
-	O.indicum in WPM medium after 4 weeks	110
16	Effect of half and full strength MS medium fortified with IBA and NAA	128
	on root induction of <i>O.indicum</i> after 4 weeks	
17	Effect of half and full strength WPM medium fortified with IBA and NAA	130
	on root induction of <i>O.indicum</i> after 4 weeks	
18	Effect of different concentration of sodium alginate and calcium chloride	148
	on synthetic seed formation	
19	Effect of half and full strength WPM medium matrix on synseed	153
20	germination in <i>O.indicum</i> after 4 weeks	
20	Effect of half strength and full strength WPM medium matrix fortified with	155
21	BAP(16μM) on synseed germination in <i>O.indicum</i> after 4 weeks	150
21	Effect of half and full strength WPM medium matrix fortified with	158
	BAP(16μM)+IBA(0.1μM) on synseed germination in <i>O.indicum</i> after 4 weeks	
22	Effect of individual cyokinins on shoot induction from cotyledonary node	170
22	explants of S. suaveolens after 4 weeks	1/0
23	Effect of two cyokinins on shoot induction from cotyledonary node	178
	explants of <i>S. suaveolens</i> in MS medium after 4 weeks	170
24	Effect of two cyokinins on shoot induction from cotyledonary node	181
	explants of S. suaveolens in WPM Medium after 4 weeks	- 3 -

Effect of cyokinins and auxins on shoot induction from cotyledonary node explants of S.suaveolens in MS Medium after 4 weeks			
26Effect of cyokinins and auxins on shoot induction from cotyledonary node explants of S.suaveolens in WPM Medium after 4 weeks18627Effect of individual cyokinins on shoot induction from nodal explants of S.suaveolens after 4 weeks18928Effect of two cyokinins on shoot induction from nodal explants of S.suaveolens after 4 weeks20129Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in MS Medium after 4 weeks20930Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in WPM Medium after 4 weeks21131Effect of half and full strength MS medium fortified with IBA and NAA on induction of S.suaveolens after 4 weeks21732Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of S.suaveolens after 4 weeks21933Effect of half and full strength MS medium matrix on S.suaveolens synseed germination after 4 weeks23534Effect of half and full strength MS medium matrix fortified with BAP(20µM) on S.suaveolens synseed germination after 4 weeks23835Effect of half and full strength MS medium matrix fortified with Kn(8µM) on S.suaveolens synseed germination after 4 weeks24236Effect of full strength MS medium matrix fortified with TDZ(0.2µM) on S.suaveolens synseed germination after 4 weeks24337Effect of half and full strength MS medium matrix fortified with BAP(8µM) +TDZ(0.2µM) on S.suaveolens synseed germination after 4247	25	Effect of cyokinins and auxins on shoot induction from cotyledonary node	184
26Effect of cyokinins and auxins on shoot induction from cotyledonary node explants of S.suaveolens in WPM Medium after 4 weeks18627Effect of individual cyokinins on shoot induction from nodal explants of S.suaveolens after 4 weeks18928Effect of two cyokinins on shoot induction from nodal explants of S.suaveolens after 4 weeks20129Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in MS Medium after 4 weeks20930Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in WPM Medium after 4 weeks21131Effect of half and full strength MS medium fortified with IBA and NAA on induction of S.suaveolens after 4 weeks21732Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of S.suaveolens after 4 weeks21933Effect of half and full strength MS medium matrix on S.suaveolens synseed germination after 4 weeks23534Effect of half and full strength MS medium matrix fortified with BAP(20µM) on S.suaveolens synseed germination after 4 weeks23835Effect of half and full strength MS medium matrix fortified with Kn(8µM) on S.suaveolens synseed germination after 4 weeks24236Effect of full strength MS medium matrix fortified with TDZ(0.2µM) on S.suaveolens synseed germination after 4 weeks24337Effect of half and full strength MS medium matrix fortified with BAP(8µM) +TDZ(0.2µM) on S.suaveolens synseed germination after 4247		explants of <i>S. suaveolens</i> in MS Medium after 4 weeks	
Effect of individual cyokinins on shoot induction from nodal explants of S. suaveolens after 4 weeks Effect of two cyokinins on shoot induction from nodal explants of S. suaveolens after 4 weeks Effect of cyokinins and auxins on shoot induction from nodal explants of S. suaveolens in MS Medium after 4 weeks Effect of cyokinins and auxins on shoot induction from nodal explants of S. suaveolens in WPM Medium after 4 weeks Effect of half and full strength MS medium fortified with IBA and NAA on induction of S. suaveolens after 4 weeks Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of S. suaveolens after 4 weeks Effect of half and full strength MS medium matrix on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S. suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with Kn(8μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S. suaveolens synseed germination after 4 weeks	26		186
Effect of individual cyokinins on shoot induction from nodal explants of S. suaveolens after 4 weeks Effect of two cyokinins on shoot induction from nodal explants of S. suaveolens after 4 weeks Effect of cyokinins and auxins on shoot induction from nodal explants of S. suaveolens in MS Medium after 4 weeks Effect of cyokinins and auxins on shoot induction from nodal explants of S. suaveolens in WPM Medium after 4 weeks Effect of half and full strength MS medium fortified with IBA and NAA on induction of S. suaveolens after 4 weeks Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of S. suaveolens after 4 weeks Effect of half and full strength MS medium matrix on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S. suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with Kn(8μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S. suaveolens synseed germination after 4 weeks		explants of <i>S. suaveolens</i> in WPM Medium after 4 weeks	
S. suaveolens after 4 weeks Effect of two cyokinins on shoot induction from nodal explants of S. suaveolens after 4 weeks Effect of cyokinins and auxins on shoot induction from nodal explants of S. suaveolens in MS Medium after 4 weeks Effect of cyokinins and auxins on shoot induction from nodal explants of S. suaveolens in WPM Medium after 4 weeks Effect of half and full strength MS medium fortified with IBA and NAA on induction of S. suaveolens after 4 weeks Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of S. suaveolens after 4 weeks Effect of half and full strength MS medium matrix on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S. suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with Kn(8μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S. suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S. suaveolens synseed germination after 4 weeks	27		189
S.suaveolens after 4 weeks 29 Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in MS Medium after 4 weeks 30 Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in WPM Medium after 4 weeks 31 Effect of half and full strength MS medium fortified with IBA and NAA on induction of S.suaveolens after 4 weeks 32 Effect of half and full strength WPM medium fortified with IBA and NAA on on root induction of S.suaveolens after 4 weeks 33 Effect of half and full strength MS medium matrix on S.suaveolens synseed germination after 4 weeks 34 Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S.suaveolens synseed germination after 4 weeks 35 Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks 36 Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks 37 Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks			
29 Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in MS Medium after 4 weeks 30 Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in WPM Medium after 4 weeks 31 Effect of half and full strength MS medium fortified with IBA and NAA on induction of S.suaveolens after 4 weeks 32 Effect of half and full strength WPM medium fortified with IBA and NAA on on root induction of S.suaveolens after 4 weeks 33 Effect of half and full strength MS medium matrix on S.suaveolens synseed germination after 4 weeks 34 Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S.suaveolens synseed germination after 4 weeks 35 Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks 36 Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks 37 Effect of half and full strength MS medium matrix fortified with Effect of half and full strength MS medium matrix fortified with Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks 37 Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks	28	Effect of two cyokinins on shoot induction from nodal explants of	201
S.suaveolens in MS Medium after 4 weeks Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in WPM Medium after 4 weeks Effect of half and full strength MS medium fortified with IBA and NAA on induction of S.suaveolens after 4 weeks Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of S.suaveolens after 4 weeks Effect of half and full strength MS medium matrix on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks		S.suaveolens after 4 weeks	
S.suaveolens in MS Medium after 4 weeks Effect of cyokinins and auxins on shoot induction from nodal explants of S.suaveolens in WPM Medium after 4 weeks Effect of half and full strength MS medium fortified with IBA and NAA on induction of S.suaveolens after 4 weeks Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of S.suaveolens after 4 weeks Effect of half and full strength MS medium matrix on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks	29	Effect of cyokinins and auxins on shoot induction from nodal explants of	209
S.suaveolens in WPM Medium after 4 weeks Effect of half and full strength MS medium fortified with IBA and NAA on induction of S.suaveolens after 4 weeks Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of S.suaveolens after 4 weeks Effect of half and full strength MS medium matrix on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks		S.suaveolens in MS Medium after 4 weeks	
 Effect of half and full strength MS medium fortified with IBA and NAA on induction of <i>S.suaveolens</i> after 4 weeks Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of <i>S.suaveolens</i> after 4 weeks Effect of half and full strength MS medium matrix on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with AP(8μM) +TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 	30	Effect of cyokinins and auxins on shoot induction from nodal explants of	211
induction of <i>S.suaveolens</i> after 4 weeks 219 Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of <i>S.suaveolens</i> after 4 weeks Effect of half and full strength MS medium matrix on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks		· · · · · · · · · · · · · · · · · · ·	
 Effect of half and full strength WPM medium fortified with IBA and NAA on root induction of <i>S. suaveolens</i> after 4 weeks Effect of half and full strength MS medium matrix on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 	31	Effect of half and full strength MS medium fortified with IBA and NAA on	217
on root induction of <i>S.suaveolens</i> after 4 weeks Effect of half and full strength MS medium matrix on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4		induction of S. suaveolens after 4 weeks	
 Effect of half and full strength MS medium matrix on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on S.suaveolens synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on S.suaveolens synseed germination after 4 	32	Effect of half and full strength WPM medium fortified with IBA and NAA	219
synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(20μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) 242 on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on <i>S.suaveolens</i> synseed germination after 4		on root induction of <i>S. suaveolens</i> after 4 weeks	
 Effect of half and full strength MS medium matrix fortified with BAP(20μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 	33	Effect of half and full strength MS medium matrix on S. suaveolens	235
BAP(20μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with Kn(8μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4		synseed germination after 4 weeks	
 Effect of half and full strength MS medium matrix fortified with Kn(8μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 	34	Effect of half and full strength MS medium matrix fortified with	238
on <i>S. suaveolens</i> synseed germination after 4 weeks 36 Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4 weeks 37 Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4		BAP(20µM) on <i>S. suaveolens</i> synseed germination after 4 weeks	
 Effect of full strength MS medium matrix fortified with TDZ(0.2μM) on S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on S.suaveolens synseed germination after 4 	35	Effect of half and full strength MS medium matrix fortified with Kn(8μM)	242
S.suaveolens synseed germination after 4 weeks Effect of half and full strength MS medium matrix fortified with BAP(8µM) +TDZ(0.2µM) on S.suaveolens synseed germination after 4		on S. suaveolens synseed germination after 4 weeks	
37 Effect of half and full strength MS medium matrix fortified with BAP(8μM) +TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4	36	Effect of full strength MS medium matrix fortified with TDZ(0.2µM) on	243
BAP(8μM) +TDZ(0.2μM) on <i>S. suaveolens</i> synseed germination after 4		S.suaveolens synseed germination after 4 weeks	
	37		247
weeks		BAP(8μM) +TDZ(0.2μM) on S. suaveolens synseed germination after 4	
WEEKS		weeks	