

References

1. N. S. Hoyer, in ' Powder Metallurgy Handbook ' Vol. 7, 9th Edn. (ASM International, New York), (1984) p.630.
2. L. Rodstein, Electrical Contact Equipment (Mir publishers, Moscow), (1974), p.15.
3. Yuan Shou Shen, W. D. Gote and Lawrence J. Gould, " A historic review of Ag-MeO materials", in Proc. of 13th Holm Conf. on Electrical Contacts, (1986) p.71
4. M. Poniatowski, E. D. Schulz and A. Wirths, " The replacement of silver- cadmium oxide by silver-tin oxide in low-voltage switchgear devices", in Proc. of 8th Int. Conf. on Electrical Contact Phenomena (1976), p.359.
5. K. Hertz, E. Sauter, " Erosion, welding and contact resistance characteristics of several powder metallurgy electrical contact materials " in Proc. of Holm Conf. on Electrical Contacts, (1984), p.214.
6. K. Sakarai, H. Tsuji and K. Tsuchiya, "Manufacturing process and characteristics of Ag-SnO₂ electrical contact materials", in Proc. of HolmConf. on Electrical Contacts, (1982), p.77.
7. H. Yamasaki, S. Oda and K. Miyakawa, " Sintered silver-tin oxide materials for electrical contacts", in Proc. of 10th Int. Conf. on Electrical Contact Phenomena, (1980), p.799.
8. M. Osada, S. Ochi, T. Igarashi, Y. Amano, A. Fukui, S. Ikeda and N. Ueda, "Ag-SnO₂-In₂O₃ alloy and its properties as electrical contacts", Sumitomo Electric Tech. Review, 20 (1981), p.182
9. C. Lambert, D. Weber, S. Coupez and J. P. Gurlet, "A new doped silver-tin oxide material with improved electrical behaviour", Proc. of 35 th IEEE Holm Conf. on Electrical Contacts, (1989), p.69.

10. B. Gengenbach, U. Mayer, R. Michal, K. E. Saeger, "Investigation on switching behaviour of Ag-SnO₂ materials in commercial contactors", in Proc. of 12th Int. Conf. on Electrical Contact Phenomena (1984), p.243.
11. A. J. Stevens, "Powder metallurgy solutions to electrical contact problems", Powder Metallurgy, Vol.17, No.34, (1974), p.331.
12. Donald G. Fink and H. Wayne Beaty, "Standard Handbook for Electrical Engineers", McGraw Hill Book Company, New York, 12th Edn. (1985), Sect. 10, p.64.
13. R. K. Dubey, P. Basak and S. C. Dev, "Production of electrical contact materials" Workshop on Electrical Contacts and Contact Materials held at ERDA, Baroda on 4th Sept. (1980).
14. K. H. Schroder, "Development of contact materials for power engineering in Europe", in Proc. of 33rd IEEE Holm.Conf. on Electrical Contacts (1987) p. 163.
15. R. M. German, "Powder Metallurgy Science", Metal Powder Industries Federation, Princeton, New Jersey, (1984), p.94.
16. Fritz V. Lenel, "Powder Metallurgy-Principles and Applications", Metal Powder Industries Federation, Princeton, New Jersey, (1980), p.39.
17. W. D. Jones, "Fundamental Principles of Powder Metallurgy", Edward Arnold (Publishers) Ltd., London, (1960), p.7.
18. C. G. Goetzel, "Treaties on Powder Metallurgy", Vol. I, Interscience Publishers Inc. New York, Vol. I (1950), p.35.
19. Yuan- Shou-Shen and Lawrence J. Gould, " A study of manufacturing Ag-MeO contacts from oxidized alloy powders ", in Proc. of Holm Conf. on Electrical Contacts, (1983), p.185.
20. Samuel Bradbury, "Powder Metallurgy Equipment Mannual", Metal Powder Industries Federation, Princeton, New Jersey, 3rd Edn. (1986), p.5.

21. M. H. Cooke, D. J. Stephens and J. Bridgwater "Powder mixing - A literature survey", Powder Tech. Vol.15 (1976), p.1.
22. H. H. Hausner, "Handbook of Powder Metallurgy", Chemical Publishing Co.Inc.New York (1973), p.68.
23. N. T. George, SLN Acharyalu, G. S. Bhattacharjee and Bijoy Sarma, "Silver-cadmium oxide contact materials", Workshop on Electrical Contacts and Contact Materials, held at ERDA, Baroda on 4th Sept. (1980).
24. J. S. Benjamin, "Dispersion strengthened superalloy by Mechanical Alloying", Met. Trans. Vol. 1, October (1970), p.2943.
25. P. S. Gilman and J. S. Benjamin, "Mechanical Alloying", Ann. Rev. of Mat. Sci. 13, (1983), p. 279.
26. J. S. Benjamin and R. D. Schelleng, "Dispersion strengthened Aluminium-4 pct. Magnesium alloy made by Mechanical Alloying", Met. Trans. Vol.12 A, October (1981), p. 1827.
27. J. S. Benjamin and M. J. Bomford, "Dispersion strengthened Aluminium made by Mechanical Alloying", Met. trans. Vol. 8A, Aug. (1977), p.1301.
28. J. H. Perry, "Chemical Engineers Handbook", McGraw Hill Handbooks 4th edn. (1963) p.8-26
29. J. S. Benjamin, "Mechanical Alloying", Scientific American, Vol. 234 (1976), p.40.
30. P. S. Gilman and W. D. Nix, "The structure and properties of aluminium alloys produced by Mechanical Alloying-Powder processing and resultant powder structures", Met. Trans. Vol. 12A, May (1981), p.813.
31. G. H. Borhani, A. N. Tiwari and P. Ramakrishnan, "Tribological behaviour of mechanically alloyed Al-8Fe-2Cr system", Trans. of Powder Met. Association of India, Vol. 20, (1993), p.7.

32. A. Bhaduri, V. Gopinath, P. Ramakrishnan and A. P. Miodownik, "Mechanical Alloying of high strength Al-SiC composites", *Trans. Powder Met. Association of India*, Vol. 21 (1994), p.1.
33. E.S Bhagiradha Rao, "Mechanical Alloying" in *Powder Metallurgy Recent Advances*, Edited by V.S. Arunachalam and O. V. Roman, Oxford and IBH Publi. Corp. Ltd., Bombay, (1989), p. 27.
34. J.C. Cabanas-Moreno and V.M. Lopez Hirata, "Copper and cobalt alloys made by Mechanical Alloying," *Materials Trans. J I M* Vol.36, No.2 (1995), p.218.
35. Prakash and E.S. Bhagiradha Rao, "Mechanical Alloying of thoria-dispersed nichrome," *Trans. IIM*, Vol. 31, No.4, August (1978), p.261.
36. E.S. Bhagiradha Rao, R. M. Mallya and D.H. Sastry, "Effect of Attritor speed on the alloying of Cr in Ni in the Mechanical Alloying of Ni-20Cr-2ThO₂," *Trans. IIM*, vol. 39, No.6, Dec.(1986), p.597.
37. Y.S. Shen, E.J.Zdanuk and R.H. Crock, "The effect of additives from Groups IA and II A on the morphology and properties of silver-cadmium oxide contacts," in *Proc. of Holm conf. on Electrical Contacts* (1971),p.31.
38. B.A. Yudin, N.Kolesnikov, A.N.Butenko, "Effect of precipitation conditions on particle size of mixed silver and cadmium carbonates," *Soviet Powder Met. and Metal Ceramics*, No.1-6, Jan-June, (1970), p.357.
39. B.A. Yudin, N. Kolesnikov, V.P. Kornienko, "Effect of precipitation conditions on crystal size of silver-oxalate nickel-oxalate salt mixtures," *Soviet Powder Met. and Metal Ceramics*, No. 7-12, July-Dec. (1974), p.531.
40. Douglas and Thomas Ian Stewart, "Method of producing powdered materials," *US Patent No. 4,023,961*: May 17, (1977).
41. T.I. Stewart, P. Douglas and J.P. McCarthy, and A.J. Schulte, "Silver-metal oxide contact materials fabricated by spray - coprecipitation.," *IEEE Trans.*, vol. PHP-13, No.1. March (1977),p.35.

42. F.J. Schnettler, F.R. Monforte and W.W Rhodes, " A cryochemical method for preparing ceramic materials", *Sci of Ceramics*, Vol.4, (1968),p.79.
43. M. D. Rigterink," Advances in technology of cryochemical processes", *Ceramic Bulletin*, vol.51, No.2, (1972),p.158.
44. Marvin C. Tinkle, Los Almos, N. Mex, "Cryochemical method for forming spherical metal oxide particles from metal salt solutions," US Patent No. 3,776,988, Dec.4, (1973).
45. H. T. Meryman, " Sublimation freeze-drying without vacuum," *Science*, Vol.130, (1959),p.628.
46. V.V. Mirkovich and T.A. Wheat, "Use of liquid nitrogen in spray-freezing", *Ceramic Bulletin* vol.49, No.8, (1970), p.724.
47. R. E. Jaeger, T. J. Miller and J. C. Williams, "Effect of ammonium hydroxide on phase separation in the cryochemical processing of salt solutions", *Ceramic Bulletin*, Vol. 53, No.12, (1974), p.850.
48. D. J. Anderton and F. R. Sale, "Application of the freeze-drying process to the production of silver-cadmium oxide contact materials", in *Proc. of Holm Conf. on Electrical Contacts*, (1978), p.183.
49. L. A. Xue, F. L. Riley and R. J. Brook, "Tertiary Butyl Alcohol-A mediumfor freeze drying : Applications to Barium Titanate", *Br. Ceram. Trans. J.* Vol.85, (1986),p.47.
50. J. P. Celis, J. R. Roos amd M. D. Bonte, "Development and industrial applications of electroless coatings", in *Proc. of 1st Int.Conf. on Surface Modification Technology* sponsored by the Mechanical Metallurgy Committee. 117th TMS Annual Meeting, Phoenix, Arizona Jan. 25-28, (1988), p. 215.
51. F. A. Lowenheim, "Modern Elctroplating", John Wiley and Sons, New York, 2nd Edn., (1963), p. 609.

52. P. J. Anderson and P. Murray, "Zeta potentials in relation to rheological properties of oxide slips", *Jr. of American Ceramic Society*, Vol. 42, No.2, Feb. (1959), p. 70.
53. James Reed, "Introduction to the principles of ceramic processing", John Wiley and Sons, New York, (1988), p. 133.
54. H. Chang, C. H. Pitt and G. B. Alexander "Novel method for preparation of silver-tin oxide electrical contacts", *Journal of Materials Engg. and Performance*, vol. 1(2), April (1992), p. 255.
55. A. Verma, A. Roy and N. T. George, "Development of silver-tin oxide contact materials", *Trans. of Powder Met. Association of India* Vol. 15, Sept. (1988), p. 40.
56. George Y. Onoda, Larry L. Hench, "Ceramic processing before firing", John Wiley & Sons, New York. (1978), p.125.
57. I. J. Mc Colm and N. J. Clark, "Forming, shaping and working of high performance ceramics", Chapman and Hall, New York. (1988), p.84.
58. D. W. Johnson, "Powder preparation-Ceramics", in *Advances in Powder Technology 1981 Seminar*, Edited by Gilbert Y. Chin, American Society for Metals, Metals park, Ohio, (1982), p. 23.
59. Christian Marcilly, Phillipe Courty and Bernard Delmon, "Preparation of highly dispersed mixed oxides and oxide solid solutions by pyrolysis of amorphous organic precursors", *Jr. of American Ceramic Society*, Vol. 53, No.1, January (1970), p. 56.
60. Maggio P. Pechini, "Method of preparing Lead and alkaline earth titanates and niobates and coating method using same to form a capacitor", US Patent No. 3, 330, 697, July 11, (1967).
61. R. E. Jaeger and T. J. Miller, "Preparation of ceramic oxide powders by liquid drying", *Ceramic Bulletin*, Vol. 53, No. 12 (1974), p.855.

62. C. E. Li, H. Y. Ni, and Z. W. Yin, "Preparation of active powder for electronic ceramics by alcohol dehydration of citrate solutions", in *Ceramic Powders*, edited by P. Vincenzini, Elsevier Scientific Publishing Co., Amsterdam, (1983) p. 593.
63. Lin Zuxing and Yu Huijun, "Preparation of NASICON by liquid drying method" in *Ceramic Powders*, edited by P. Vincenzini, Elsevier Scientific Publishing Co., Amsterdam, (1983) p. 583.
64. K. S. Mazdiyasni, "Gel technology in ceramics", in *High Tech. Ceramics*, Edited by P. Vincenzini, Elsevier Science Publishers B.V., Amsterdam, (1987), p.693.
65. M. C. Sneed, J. L. Maynard and R. C. Brasted, "Comprehensive Inorganic Chemistry", Volume 2, D. Van Nostrand Company, Inc., New York, (1954), p. 146.
66. F. N. Rhines, "A metallographic study of internal oxidation in the alpha solid solution of copper", *Trans. AIME*, 137, (1940) p. 246
67. K. H. Schroder, "Silver-metal oxides as contact materials", *IEEE Trans., CHMT-10*, No. 1, March (1987), p. 127.
68. E. M. Jost, "Manufacturing processes for silver-cadmium oxide contact materials", in *Proc. of Holm Conf. on Electrical Contacts*, (1983), p. 177.
69. A. Verma and T. R. Anantharaman, "Processing and properties of internally oxidized silver-tin oxide electrical contact materials without additives", *Metals, Materials and Processes*, Vol. 6, No. 2 (1994), p. 125.
70. M. Ohta, S. Matsuda, K. Ogawa, A. Shibata, "New contact material of silver-metal oxide system", in *Proc. of 16th Int. Conf. on Electrical Contact Phenomena*, (1992), p. 421.
71. D. J. Pedder, P. Douglas and J. P. Mc Carthy, "I. O. A. P. - A novel process for the manufacture of long life silver-cadmium oxide AC contact material", in *Proc. of Holm Conf. on Electrical Contacts*, (1976), p. 109.
72. M. Sato, M. Hijikata and I. Morimoto, "Influence of oxides on material transfer behaviour of silver-base contacts containing various metal oxides", *Trans. Japan Inst. Metals*, Vol. 15, (1974), p. 399.

73. M. Sato, Mi Hijikata and I. Morimoto, "Characteristics for the electrical contact of silver base alloys containing two kinds of oxides out of magnesium, manganese, lanthanum and zirconium", Trans. J I M , Vol. 15 (1974), p. 408.
74. D. J. Pedder and F. S. Brugner, "The effect of density and oxide particle size on the electrical conductivity of silver-cadmium oxide electrical contact material", in Proc. of Holm Conf. on Electrical Contacts(1975), p. 47.
75. M. Poniatowski, K. H. Schroder and E. D. Schulz, "Ein-und Ausschaltverhalten von silber- Metalloxid-Werkstoffen in der elektrischen Energietechnik", in Proc. of 7th Int. conf. on Electrical Contact Phenomena, (1974), p. 477.
76. G. S. Tendolkar, "Application of P/M for the Production of Contact Materials with Special References to India", in 'Powder Metallurgy Opportunities for Indian Industries edited by P. Ramakrishnan, Oxford and IBH Publishing Co. Pvt.Ltd., New Delhi (1987), p. 63.
77. DODUCO Data Book, 2nd Edition, Pforzheim, April (1977), p. 332.
78. H. C. Furtado and V. L. A. da Silveria, "Metallurgical study of Ag-Cd and Ag-CdO alloy electrical contacts", in Proc. of Holm Conf. on Electrical Contacts, (1987), p.149.
79. O. Johari, F. C. Holtz and I. Corvin, "Study of contact surfaces with the scanning electron microscope", in Proc. of Holm Conf. on Electrical Contacts, (1968), p. 207.
80. M. J. Vasile and G. W. Kammlott, "Studies of electrical contact phenomena using the scanning electron microscope", in Proc. of Holm. Conf. on Electrical Contacts (1971), p. 99.
81. Shinhoo King and Charles Brecher, "Cracking mechanisms in Ag-SnO₂ contact materials and their role in the erosion process", Proc. of Holm Conf. on Electrical Contacts, (1988), p.37.

82. C. Turner and H. W. Turner, "The temperature rise and millivolt drop of contactor contacts", in Proc.of Holm Conf. on Electrical Contacts (1967), P.231
83. G. Bar, "Contact resistance tests", Qualitaet und Zuverlaessigkeit, Vol. 39
Iss : 8, August (1994) p. 868.
84. R. W. Caven and J. Jalali, "Predecting the contact resistance distribution of electrical contacts by modelling the contact interface" in Proc. of Holm Conf. on Electrical Contacts (1992), p. 83.
85. N. N. Dzekster and V.V.Izmailov, "On the life-time of stationary contacts", in Proc. of 16th Int. Conf. on Electrical Contacts (1992), p. 175.
86. M. Rozwadowski, J. Wittek, "Tests using a new probe to assess the resistance of contacts", Wiadomosci Telekomunikacyine, Vol. 29, Iss : 6, (1989), p. 26.
87. Philip C. Wingert and Chi. H. Leung, "Comparison of the inherent erosion behaviours of silver-cadmium oxide and silver-tin oxide contact materials", in Proc. of Holm Conf. on Electrical Contacts (1986), p. 63.
88. N. L. Pravoverov, A. G. Duksina, V. L. Kalikhman and N. N. Nikolaeva, "Erosion properties of electrical contacts of the system silver-cadmium oxide obtained by different methods", Sov. Powder Met. and Metal Ceramics, Vol. 28, Iss : 8, Aug (1989), p. 658.
89. D. Nath, "Comparative behaviour of silver tin oxide and silver cadmium oxide contact materials in commercially available contactors", in Proc. of Int.Conf. on Electrical Contacts (1990), p. 126.
90. Hans G.Hirsbrunner, "Improved sintered silver cadmium oxide material for electrical contacts", in Proc.of Holm Conf. on Electrical Contacts (1974) p.207.
91. M. Huck, A. Kraus, R. Michal and K. E. Saeger, "Guidelines for the use of Ag-SnO₂ contact materials in switching devices for low-voltage power engineering", in Proc. of 15th Int. Conf. on Electrical Contacts (1990) p. 133.

92. P. Braumann, K. H. Schroder, A. Feygin, "New powder metallurgical Ag-SnO₂ contact material for different loads", in Proc. of 40th IEEE Holm Conf. on Electrical Contacts (1994), p. 288.
93. W. Rieder, "Silver/metal oxide materials for electrical contacts", VDE Fachberichte, vol : 42, (1991), p. 65.
94. B. Dubravec, "Degradation and erosion of contacts Ag-CdO-15 and Ag-SnO₂-12 heated by switching arcs at arcing times 2.5 ms and 1 ms" in Proc. of 7th Int. Conf. on Switching Arc Phenomena, Part 1 (1993), p. 250.
95. J. Muniesa, "Silver-tin oxide materials used in low-voltage switching devices", in Proc. of 15th Int. Conf. on Electrical Contacts (1990), p. 139.
96. V. Behrens, T. Honig, A. Kraus, R. Michal, K. Saeger, R. Schmidberger and T. Staneff, "An advanced silver/tin oxide contact material", IEEE Trans. on CPMT, Part A, Vol. 17, Iss : 1 (1994), p. 24.
97. V. Behrens, T. Honig, A. Kraus, R. Michal, N. Minkenberg and K. E. Saeger, "Application of a new silver/tin oxide for capacitive loads", in Proc. of 40th IEEE Holm Conf. on Electrical Contacts (1994), p. 269.
98. C. M. Emmons, "DC contact switching evaluation" in Proc. of 41st Relay Conf. (1993), p.1.
99. T. Kubono, "Some characteristics of Ag-SnO₂ punched contacts in a DC 30V-10A resistive circuit", Trans. of the Inst. of Electronics Information and Communication Engineers, C-II, Vol. 173 C-II, Iss : 1 (1990), p. 1.
100. T. Kubono, "An experimental study about the sticking phenomena on electric contacts switching a DC-10 A circuit" Trans. of the Inst. of Electronics, Information & Communication Engineers, C-II, Vol. 175 C-II, Iss : 8, (1992) p.398.
101. L. H. Matthias, Fox Point and Eugene C. Ragatz, "Contact for electrical switches" US Patent No. 2, 496, 555, Feb. 7, (1950).

102. J. P. Gurlet, H. Ladenise and C. Lambert, "A simple testing machine for the evaluation of the main contact properties of contact materials", in Proc. of Holm Conf. on Electrical Contacts (1984), p. 525.
103. A. Carballeira and J. Galand, "A new equipment for evaluating welding and erosion tendencies of electric contacts", in Proc. of 8th Int. Conf. on Electrical Contact Phenomena, (1976), p. 633.
104. H. Schreiner and W. Haufe, "The properties of P/M Electrical Contact Materials", The Int. Journal of Powder Met. and Powder Tech., Vol. 12, No. 3, July (1976), p. 219.
105. P. N. Mishra, S. N. Singh, S. C. Dev, P. Basak, Amitava Roy and O. N. Mohanty, "An instrumentation system for evaluation of contact materials", Meas. Sci. Technol. 4, (1993), p. 221.
106. V. Saravanan, S. Vynatheya and Parvati Ramaswamy, "Electrical contact materials by coprecipitation route", CPRI News, No. 56, Oct. (1995), p. 9.
107. A. C. Snowden and L. E. Boudreau, "Precision weld testing of contact materials", in Proc. of 26th Holm Conf. on Electrical Contacts (1980), p. 161.
108. Daniel J. Cotter, "A computerized instrument to evaluate the welding characteristics of contact materials", Proc. of 12th Int. Conf. on Electrical Contact Phenomena, (1984), p. 539.
109. E. Walczuk and D. Boezkowski, "Computer controlled testing and evaluation of welding contact materials" in Proc. of 15th Int. Conf. on Electrical Contacts (1990), p. 143.
110. F. S. Brugner, "The dispersion of lithium in lithium modified silver cadmium oxide", in Proc. of 10th Int. Conf. on Electrical Contact Phenomena (1980), p. 785.
111. Masaharu Iida, "Ag-SnO-InO contact materials by internal oxidation process", in Proc. of 8th Int. Conf. on Electrical Contact Phenomena (1976), p. 348.

112. N. L. Pravoverov, M. P. Afonin, L. V. Vyatkin, N. M. Mashkov and I. A. Tribunskaya, "Effect of additions of indium, tin, bismuth and tungsten oxides on the properties of a silver-cadmium oxide composite", *Sov. Powder Met. and Metal Ceramics* Vol. 25, No.11, Nov. (1986), p.879.
113. Sankichi Shida, Shinji Okuma, Mashiro Oita, Hyogo Hirohata, "Electrical contact material and method of making the same", *US Patent* 4, 141, 727, Feb.27,(1979).
114. R. Michal, K. E. Saeger, "Applications of silver-base contact materials in air-break switching devices for power engineering", *Proc. of 34th IEEE Holm. Conf. on Electrical Contacts* (1988), p. 121.
115. Y. S. Shen, E. J. Zdnauk, and R. H. Krock, "The effect of single element additions on microstructure and properties of Ag-10 CdO electrical contact materials", in *Proc. of Holm Conf. on Electrical Contacts* (1972), p. 335.
116. H. J. Kim and F. Joseph Reid, "Process for preparing silver-cadmium oxide alloys" *US Patent* 3, 969, 112, July 13, (1976).
117. H. J. Kim and F. J. Reid, "Development of improved Ag-CdO contact material by a reactive sintering process", in *Proc. of 10th Int. Conf. on Electrical Contact Phenomena*, (1980), p. 775.
118. Mou-Chih Lu, Julius K. Sims and F. S. Brugner, "Cadmium oxide particle coarsening with lithium additions in silver-cadmium oxide", in *Proc. of Holm Conf. on Electrical Contacts*, (1980), p. 171.
119. Gerald J. Witter and Mou-Chih Lu , "The effect of lithium additions and contact density for silver-cadmium oxide contacts for make and break arcs", in *Proc. of Holm Conf. on Electrical Contacts*, (1984) p. 229.
120. F. S. Brugner, "An erosion resistant lithium additive modified Ag-CdO", *IEEE Trans. on CHMT*, Vol. CHMT-2, No.1, March (1979), p. 120.
121. F. S. Brugner, "An erosion resistant, lithium additive modified Ag-CdO" in *Proc. of Holm Conf. on Electrical Contacts* (1978), p. 191.

122. C. Brecher and J. C. Gustafson, "The effect of additive concentration on material erosion in matrix-strengthened silver-cadmium oxide", in Proc. of Holm Conf. on Electrical Contacts (1983), p. 193.
123. J.C. Gustafson, H. J. Kim and R. C. Bevington "Arc erosion studies of matrix-strengthened silver-cadmium oxide", in Proc. of Holm Conf. on Electrical Contacts, (1982), p. 69.
124. K. W. Jager, U. Mayer and K. E. Saeger, "On the influence of the small alkali additions on the switching behaviour and material properties of silver-cadmium oxide contact materials", in Proc. of 10th Int. Conf. on Electrical Contact Phenomena, (1980) p. 765.
125. F.S. Brugner, "The influence of Na and K impurities in Ag-CdO on the tendency for arc reignition during 600 VAC interruption by motor control gear", in Proc. of Holm Conf. on Electrical Contacts (1977), p.77.
126. C.G. Chen, "The influence of Sodium, potassium and lithium on the non-weldability of Ag-CdO contacts", in Proc. of Holm conf. on Electrical Contacts (1980), p.167.
127. M Lindmayer and W. Botron, "Effect of alkali on the switching behaviour of Ag/CdO", in 10th Int. Conf. on Electrical Contact Phenomena, (1980), p.849.
128. C.G. Chen, "The effect of Na, K and Li on the arc interrupting capability of Ag-CdO contacts", in Proc. of Holm Conf on Electrical Contacts, (1979), p.199.
129. H. Lindmayer, "Effect of alkali additives on the reignition voltage of Ag/CdO", in Proc. of Holm Conf. on Electrical Contacts (1979), p.205.
130. Yuan-Shou Shen and Lawrence J. Gould, "DTA and TGA studies of four Ag-MeO electrical contact material", in Proc. of 12th Int. Conf. on Electrical Contact Phenomena (1984), p.193.
131. Yuan-Shou Shen and Lawrence J. Gould, "Erosion modes of internally oxidised Ag-CdO and Ag-(Sn,In) O material", in Proc. of Holm Conf. on Electrical Contacts, (1987), p.157.

132. W. Bohm, M. Lindmayer and M. Clasing, "Influence of small alloying additions on the internal oxidation and the switching behaviour of AgSnIn- alloys", in Proc. of 10th Int. Conf. on Electrical Contact Phenomena, (1980) p.905.
133. N. Behrens, J. Bohm: P. Braccmann & G. Klipp, "Experiences with the contact material Ag/SnO₂", in Proc. of Holm. Conf. on Electrical Contacts, (1984),p.185.
134. Phillip C Wingert and Chi. H. leung, "The development of silver-based cadmium-free contact materials", in Proc. of Holm Conf. on Electrical Contact, (1988), p.31.
- 135 William J. Mahn , " Academic Laboratory Chemical Hazards Guide Book, " Van Nostrand Reinhold, New York, (1991), p.118.
136. "CRC Handbook of Physics and Chemistry", Edited by David R.Lide , 74th Edn.(1993-94),Pages E78-79 & E70-71. CRC Press, London.
- 137.Vogel, " A Textbook of Quantitative Inorganic Analysis Including Elementary Instrumental Analysis", English Language Book Society and Longman Group Limited (London), 4th Edition, (1978), p. 324 & 330.
138. Frank J. Welcher and Richard B. Hahn, "Semimicro Qualitative Analysis", D. Van Nostrand Co. Inc. princeton, New Jersey (1969), p. 229.
139. 'The Oxide Handbook', Edited by G. V. Samsonov, Translated from Russian by C. Nigel Turton and Tatiana I. Turton, IFI / Plenum, New York, (1973), p.273-5 .
140. Ervin E. Underwood, in ASM Handbook of "Metallography and Microstructures", Vol. 9, 9th Edn., (1985), p. 124.
141. George F. Vander Voort, "ASTM standards for Quantitative Metallography", in Conf. Proc. of EUROMAT 94, Vol. 1, 30th May -1st June, Hungary, (1994), p. 69.
142. Kunal Basu, "Twenty years of research work in contact materials at LCIE", Proc. of Symp. Contact Materials for Switchgear (Vadodara, India) April (1983).