LIST OF TABLES

| Table | Title | Page |
|-------|---|--------|
| k. | | No. |
| 2.1 | INFLATED HUMAN LUNG MORPHOLOGY-DIMENSIONS | 17 |
| 2.2 | CRITICAL ISSUES IN LUNG DELIVERY | 22 |
| 3.1 | ESTIMATION OF BLOOD GLUCOSE LEVEL IN SERUM | 92 |
| | BY GOD/POD METHOD | |
| 3.2 | ESTIMATION OF INSULIN BY BCA METHOD | 93 |
| 3.3 | ESTIMATION OF PEAK AREA OF ISULIN BY HPLC | 94 |
| | METHOD | |
| 3.4 | ESTIMATION OF BLOOD CALCIUM LEVEL IN SERUM | 95 |
| | BY ORTHO-CRESOLPHTHALEIN COMPLEXONE | |
| | METHOD | |
| 3.5 | ESTIMATION OF CALCITONIN BY BCA METHOD | 96 |
| 3.6 | ESTIMATION OF PEAK AREA OF CALCITONIN BY HPLC | 97 |
| | METHOD | |
| 4.1 | COMPOSITION OF INSULIN FORMULATIONS FOR | 123-24 |
| | INTRATRACHEAL ADMINISTRATION | |
| 4.2 | STATISTICAL DATA ANALYSIS | 125 |
| 4.3 | PHARMACODYNAMIC PARAMETERS AFTER | 126 |
| | SUBCUTANEOUS ADMINISTRATION OF INSULIN IN | |
| | RATS | |
| 4.4 | PHARMACODYNAMIC PARAMETERS AFTER | 127 |
| | INTRATRACHEAL ADMINISTRATION OF DIFFERENT | |
| | FORMULATIONS OF INSULIN | |
| 4.5 | PHARMACODYNAMIC PARAMETERS AFTER | 128 |
| | SUBCUTANEOUS ADMINISTRATION OF CALCITONIN | |
| | IN RATS | |
| 4.6 | STATISTICAL DATA ANALYSIS | 129 |
| 4.7 | PHARMACODYNAMICS OF CALCITONIN | 130 |
| | FORMULATIONS WITH DIFFERENT PH ADMINISTERED | |
| | INTRATRACHEALLY IN RATS | |

| Fable | Title | Page |
|--------------|---|------|
| | | No. |
| 4.8 | COMPOSITION AND PHARMACODYNAMICS OF THE | 131 |
| | CALCITONIN FORMULATIONS WITH PENETRATION | |
| | ENHANCERS FOR INYTRATRACHEAL | |
| | ADMINISTRATION | |
| 4.9 | COMPOSITION AND PHARMACODYNAMICS OF THE | 132 |
| | CALCITONIN FORMULATIONS WITH PROTEASE | |
| | INHIBITORS FOR INYTRATRACHEAL | |
| | ADMINISTRATION | |
| 4.10 | COMPOSITION AND PHARMACODYNAMICS OF THE | 133 |
| | CALCITONIN FORMULATIONS WITH COMBINATION | |
| | OF PENETRATION ENHANCERS AND PROTEASE | |
| | INHIBITORS FOR INYTRATRACHEAL | |
| | ADMINISYTRATION | |
| 5.1 | COMPOSITION OF INSULIN FORMULATIONS FOR IN | 156 |
| | VITRO STUDY | |
| 5.2 | COMPOSITION OF CALCITONIN FORMULATIONS FOR | 157 |
| | IN VITRO STUDY | |
| 5.3 | BLOOD GLUCOSE REDUCTION AFTER | 158 |
| | INTRATRACHEAL ADMINISTRATION OF INSULIN IN | |
| | RATS | |
| 5.4 | BLOOD CALCIUM REDUCTION AFTER | 159 |
| | INTRATRACHEAL ADMINISTRATION OF CALCITONIN | |
| | IN RATS | |
| 5.5 | IN VITRO-IN VIVO CORRELATION OF INSULIN AND | 160 |
| | CALCITONIN FORMULATIONS | |
| 6.1 | COMPOSITION OF INSULIN FORMULATIONS | 190 |
| 6.2 | PARTICLE SIZE DISTRIBUTION OF INSULIN AND | 191 |
| | LACTOSE | |
| 6.3 | DEPOSITION OF INSULIN AND LACTOSE FROM | • |
| | DIFFERENT FORMULATIONS AT A FLOW RATE OF 30 | 192 |
| | l/min. | |

| Table | Title | Page |
|--------------|---|------|
| | | No. |
| 6.4 | DEPOSITION OF INSULIN AND LACTOSE FROM | 193 |
| | DIFFERENT FORMULATIONS AT A FLOW RATE OF 60.0 | |
| | I/min | |
| 6.5 | FLOW PROPERTIES OF INSULIN WITH CARRIER | 194 |
| 6.6 | COMPOSITION OF CALCITONIN FORMULATIONS | 195 |
| 6.7 | PARTICLE SIZE DISTRIBUTION OF CALCITONIN | 196 |
| | POWDER MIXTURE AND LACTOSE | |
| 6.8 | FLOW PROPERTIES OF CALCITONIN WITH CARRIER | 197 |
| 6.9 | COMPARISON OF INSULIN AND CALCITONIN DPI | 198 |