Literature cited

LITERATURE CITED

- Adams MB, NT Edwards, GE Taylor Jr. And BL Skaggs 1990. Whole plant 14C-photosynthate allocation in *Pinus taeda*: Seasonal patterns at ambient and elevated ozone levels. *Can. J. For. Res.*, **20**, 152-58.
- Agrawal S and S L Tiwari 1997. Susceptibility level of few plants on basis of air pollution tolerance index. *Indian Forester*, 123, 319-22.
- Ahmad K J, M Yunus, S N Singh, K Srivastava, N Singh, V Pandey and J Misra 1991. Air Pollution and Plants. CSIR News. 41, 170-174.
- Ali E A 1993. Damage to plants due to industrial pollution and their use as bioindicators in Egypt. *Environ. Pollut.*, **81**, 251-55.
- *Arndt U, W Nobel and B Schweizer 1987. Bioindikatoren: Moglichkeiten, Grenzen und neue Erkenntnisse. Ulmer, Stuttgart, Germany.
- * Arndt U, C Franz-Gerstein, D Hinger, J Schachner, T Scherrieble, F Flores & T Strehl 1991. Untersuchungen zur Eignung subtropischer pflanzen als Bioindikatoren in Entwicklunglandem. VDI Berichte, 901, 559-75.
- Ashenden T W, S A Bell and C R Rafarel 1995. Responses of white clover to gaseous pollutants and acid mists: implications for setting critical levels and loads. New Phytol., 130, 89-96.
- Ayer S K and S J Bedi 1991. Effect of industrial air pollution on *Triticum aestivum* L. cultivator J-24 (wheat). *Proc. Natl. Acad. Sci.* India. Sect (B), 61, 223-29.
- Back J, S Huttunen and M Roitto 1993. Pollutant response and eco-physiology of conifers in open-top chamber experiments. Aquilo Ser. Bot., 32, 9-19.
- Bell C I, D T Clarkson and W J Cram 1995. Partitioning and redistribution of sulphur during S-stress in *Macroptilium astropurpurmn* cv. Siratro. *J.Expt.Bot.*, 46, 73-81.
- Bergstrom R and K Danell 1987. Effects of simulated winter browsing by moose on morphology and biomass of two birch species. *J.Ecol.*, 75, 533-44.
- Bhattacharya A K 1994. Efficacy of tree species towards gaseous pollutants and its significance in air pollution control by plantations of pollution resistant trees. *Indian Forester*, 120, 658-67.

- Bor-Hung Sheu 1994. Effects of sulphur dioxide on growth, photosynthesis and enzyme activities of chinese Guger-tree seedlings. *Environ. Pollut.*, **86**, 349-54.
- Bosac C, V J Black, C R Black, J A Roberts and F Lockwood 1993. Impact of O₃ and SO₂ on reproductive development in oil rape seed (*Brassica napus* L.). I.Pollen germination and pollen tube growth. *New Phytol.*, **124**, 439-46.
- Bosac C, J A Roberts, V J Black and C R Black 1994. Impact of O₃ and SO₂ on reproductive development in oil rape seed (*Brassica napus* L.) II. Reproductive site losses. *New Phytol.*, **126**, 71-79.
- Boxman A W, P L W Cobben and J G M Roelofs 1994. Does (K+Mg+Ca+P) fertilization lead to recovery of tree health in a nitrogen stressed *Quercus rubra* L. Stand? *Environ. Pollut.*, **85**, 297-303.
- Brabec E, P Kovar and A Deab Kova 1981. Particle deposition in three vegetation stands; A seasonal change. Atmos. Environ., 15, 583-87.
- Brakenhielm S and L Qinghong 1995. Impact of sulphur and nitrogen deposition on plant species assemblages in natural vegetation. *Water, Air and Soil Pollut.*, 85, 1581-86.
- Bussotti F, R Gellini, M Ferretti, E Cenni, R Pietrini and G Sbrilli 1992. Monitoring in 1989 of mediterranean tree condition and nutritional status in Southern Tuscany, Italy. For. Ecol., and Manage., 51, 81-93.
- Bussotti F, M Ferretti, A Cozzi, P Grossoni, A Bottacci and C Tani 1995. Crown status of Holm Oak (*Quercus ilex* L.) trees as related to phenology and environmental stress. *Water, Air and Soil Pollut.*, 85, 1269-74.
- Cairns J Jr and B R Niederlehner 1996. Developing a field of landscape ecotoxicology. *Ecol. Applts.*, 6, 790-96.
- Caldwell M M, J H Richards, D A Johson, R S Nowak and R S Dzurec 1981. Coping with herbivory: Photosynthetic capacity and resource allocation in two semi arid *Agropyron* bunchgrasses. *Oecologia*, 50, 14-24.
- Cape J N 1993. Direct damage to vegetation caused by acid rain and polluted cloud: Definition of critical levels for forest trees. *Environ. Pollut.*, **82**, 167-80.
- Chaphekar S B 1972. Effects of atmospheric pollutants in Bombay. J. Biol. Sci., 15, 1-6.

- Chaphekar S B and M R Karbhari 1974. Sulphur dioxide injury to plants some experiments. Geobios, 1, 141-42.
- Chappelka A H, B I Chevone and T E Burk 1985. Growth response of yellow poplar (*Liriodendron tulipifera* L.) seedlings to ozone, sulphur dioxide and simulated acidic precipitation, alone and in combination. *Environ. Expt. Bot.*, 25, 233-44.
- Chappelka A H and B I Chevone 1989. Two methods to determine plant responses to pollutant mixtures. *Environ. Pollut.*, 61, 31-45.
- *Chappelka A H and B I Chevone 1992. Tree responses to ozone. In Surface Level Ozone Exposures and Their Effects on Vegetation (Ed. A S Lefohn) Lewis Publ., Chelsea, MI, pp, 271-324.
- Chappelka A H and P H Freer-Smith 1995. Predisposition of trees by air pollutants to low temperatures and moisture stress. *Environ. Pollut.*, 87, 105-17.
- Chaudhuri A B 1994. Trees aneliorate environmental hazards. In *Tree and the Environment*. Ashish Publ. house, New Delhi, **pp**, 142-68.
- Chen Y, P W Lucas and A R Wellburn 1991. Relationship between foliar injury and changes in antioxidant levels in red and Norway spruce exposed to acidic mists. *Environ. Pollut.*, 69, 1-15.
- Chiariello N R, H A Mooney and K Williams 1989. Growth, carbon allocation and cost of plant tissues. In *Plant physiology ecology field methods and instrumentation*. (Eds. R W Pearcy, J N Enleringer, H A Mooney and P W Rundel). Chapman & Hall, London, **pp**, 329-34.
- Clapperton M J and D M Reid 1994. Effects of sulphur dioxide (SO₂) on growth and flowering of SO₂ tolerant and non-tolerant genotypes of *Phleum pratense*. Environ. Pollut., **86**, 251-58.
- Clarke K and F Murray 1990. Stimulatory effects of SO₂ on growth of *Eucalyptus rudis* Endl. New Phytol., 115, 633-37.
- Cooley D R and W J Manning 1987. The impact of ozone on assimilate partitioning in plants: a review. *Environ. Pollut.*, 47, 95-113.
- Cornelissen J H C 1993^a. Tree seedlings in subtropical China: growth response to light environment. Ph.D Thesis. Univ. of Utrecht, Utrecht, The Netherlands.

- Cornelissen J H C 1993^b. Growth, Morphology and leaf characteristics after stimulated herbivory in Chinese subtropical evergreen saplings. *Ecol. Res.*, 8, 143-50.
- Darrall N M 1989. The effect of air pollutants on physiological processes in plants. Plant, Cell and Environ., 12, 1-30.
- Dasch J M 1989. Dry deposition of Sulphur dioxide or Nitric acid to Oak, Elm and Pine leaves. *Environ. Pollut.*, 59, 1-16.
- Davidson C G and W R Remphrey 1990. An analysis of architectural parameters of male and female *Fraxinus pennsylvanica* in relation to crown shape and crown location. *Can. J. Bot.*, **68**, 2035-43.
- Davidson C I and Yee-Lin Wu 1990. Dry deposition of particles and vapors. In *Acidic deposition: Vol 3 Sources, Deposition and canopy interactions.* (Eds. S E Lindberg, A L Page and S A Norton), Springer Verlag, New York. pp. 103-215.
- de Baur L I and S V Krupa 1990. The valley of Mexico Summary of observational studies on its air quality and effects on vegetation. *Environ. Pollut.*, 65, 109-18.
- Deo Narayan, M Agrawal, J Pandey and J Singh 1994. Changes in vegetation characteristics downwind of an aluminium factory in India. *Annals Bot.*, 73, 557-65.
- Draaijers G P J, P M F Ivens and W Bleuten 1988. Atmospheric deposition in forest edges measured by monitoring canopy throughfall. Water, Air and Soil Pollut., 42, 129-36.
- Draaijers G P J 1993. The variability of atmospheric deposition to forests. The effects of canopy structure and forest edges. Ph. D Thesis, Univ. of Utrecht, Utrecht, The Netherlands.
- Dubay D T and W H Murdy 1983. Direct adverse effects of SO₂ on seed set in Geranium carolinianum L. A consequence of reduced pollen germination on the stigma. Bot. Gaz., 144, 376-81.
- *Eagar C and M B Adams (Eds) 1992. The Ecology and Decline of Red Spruce in the Eastern United States, Springer-Verlag, New York.

- Economopoulos A P 1991. A model for the maximum credible hourly impact on any ground receptor from point sources with thermal plume rise. *Environ. Pollut.*, 74, 1-29.
- Edge C P, S A Bell and T W Ashenden 1994. Contrasting growth responses of herbaceous species to acidic fogs. Agric. Eco. Environ., 51, 293-99.
- Edwards N T, G S Edwards, J M Kelly and G E Taylor 1992. Three year growth responses of *Pinus taeda* L. seedlings to rain chemistry, soil magnesium status, and tropospheric ozone. *Water, Air and Soil Pollut.*, 63, 105-18.
- Edwards G S, S D Wullschleger and J M Kelly 1994. Growth and physiology of northern red oak preliminary comparisons of mature tree and seedling responses to ozone. *Environ. Pollut.*, 83, 215-21.
- Erisman J W 1992. Atmospheric deposition of acidifying compounds in the Netherlands. Ph.D. Thesis, Univ. of Utrecht, Utrecht, The Netherlands.
- Eschenbach C and L Kappen 1996. Leaf area index determination in an alder forest: a comparison of three methods. J. Expt. Bot., 47, 1457-62.
- Eveling D.W. 1986. Scanning electron microscopy of damage by dust deposits to leaves and petals. *Bot. Gaz.*, 147, 159-65.
- *Evdokimova G A 1993. Nitrate pollution of plants on soils with elevated heavy metal concentrations. *Pochvovedenie*, **0**, 104-7.
- Fangmeier A 1989. Effects of open-top fumigations with SO₂, NO₂ and Ozone on the native herb layer of a beech forest. *Environ. and Expt. Bot.*, 29, 199-213.
- Ferretti M, F Bussotti, A Cozzi and E Cenni 1995^a. Forest decline and environmental pollution in Italy A critical reassement. In *Response of plants to air pollution*. (Eds. G Lorenzini and G F Soldatini). Proceedings of conference held in Pisa, 7-8 April.
- *Ferretti M, F Bussotti, A Cozzi and E Cenni 1995^b. Forest decline and environmental pollution in Italy A critical reassessment. *Agr. Med. Special Volume*, 248-65.
- Fisher J B 1986. Branching patterns and angles in trees. In On the economy of plant form and function (Ed. T J Givnish), Cambridge Univ. Press, Cambridge, pp, 493-523.

- Fischer Th, Ch Bergmann and R F Huttl 1995. Soil carbon and nitrogen budget in Scots pine (*Pinus sylvestris* L.) stands along an air pollution gradient in Eastern Germany, *Water*, *Air and Soil Pollut.*, **85**, 1671-76.
- Fredericksen T S, B J Joyce, J M Skelly, K C Steiner, T E Kolb, K B Kouterick, J E Savage and K R Snyder 1995. Physiology, morphology, and ozone uptake of leaves of black cherry seedlings, saplings and canopy trees. *Environ. Pollut.*, 89, 273-83.
- Friend A L and P T Tomlinson 1992. Mild ozone exposure alters ¹⁴C dynamics in foliage of *Pinus taeda* L. *Tree Physiol.*, 11, 214-27.
- Garg M R and N S Tiwana 1995. *The Air* (Prevention and Control of Pollution) *Act*, 1981 Lacunaes and Remedies. In *Environmental Pollution and Protection* (Eds M R Garg, V K Bansal and N S Tiwana), Deep & Deep Publs., New Delhi, pp, 3-20.
- Garrido L M 1964. Determination of sulphur in plant material. Analyst, 89, 61-66.
- *Garty J 1987. Metal amounts in the lichen *Ramalina duriaei* (De Not.) Bagl. transplanted at biomonitoring sites around a new coal-fired power station after one year of operation. *Environ. Res.*, 43, 104-16.
- Gavali J G, D Saha, N S R Krishnayya and S J Bedi 1997. Phenological alterations and biomass reductions in two deciduous tree species growing in polluted environs. *Ecol. Environ. and Cons.*, 3, 19-22.
- *GEMS 1988. Assessment of urban air quality, UNEP, Nairobi.
- Gerant D, M Podor, M Dixon, D Le Thicec, F Antoni, V Fontaine, D Martin, G Corbel, P Grieu, J P Garrec and P Dizengremel 1996. Interaction between ozone and mild drought stress on coniferous gas exchanges and carbon metabolism. comparison between Spruce (*Picea abies* L. Karst.) and Aleppo pine (*Pinus halepensis* Mill.). In 17th International Meeting for Specialists in Air Pollution effects on forest ecosystems, Firenze, Sept 14-19, Italy.
- *Gonzelez M V A and C S Rivas 1992. The tobacco plants as bioindicators of damage of ozone in the Mexico City metropolitan area. In *Ecological Indicators*, (Eds. D H McKenzie, D E Hyatt and V J McDonald). Elsevier Applied Sci. Publ., Berkeley, pp,1530-31.

- Gorissen A, N N Joosten and A E Jansen 1991. Effects of ozone and ammonium sulphate on carbon partitioning to mycorrhizal roots of juvenile Douglas fir. *New Phytol.*, 119, 243-50.
- Grunthard-Goerg M S, R Matyssek, C Scheidegger and T Keller 1993.

 Differentiation and structural decline in the leaves and bark of birch (*Betula pendula*) under low ozone concentration. *Trees*, 7, 104-114.
- Hay M J M and P C D Newton 1996. Effect of severity of defoliation on the viability of reproductive and vegetative axillary buds of *Trifolium repens* L. *Annals Bot.*, 78, 117-23.
- Hirano T, M Kiyota and I Aiga 1995. Physical effects of dust on leaf physiology of cucumber and kidney bean plants. *Environ. Pollut.*, 89, 255-61.
- Holopainen J K 1990. The relationship between multiple leaders and mechanical and frost damage to the apical meristem of Scots pine seedlings. Can. J. For. Res., 20, 280-84.
- Houlden G, S McNeill, M Aminu-Kano and J N B Bell 1990. Air pollution and agricultural aphid pests. I: Fumigation experiments with SO₂ and NO₂. Environ. Pollut., 67, 305-14.
- Huttunen S 1994. Effects of air pollutants on epicuticular wax structure. In Air Pollutants and the Leaf Cuticle, (Eds. K E Percy, J N Cape, R Jagels and C J Simpson). NATO ASI Ser. G. Vol. 36. Springer-Verlag, Berlin, pp. 81-96.
- Hynynen J 1995. Predicting tree crown ratio for unthinned and thinned scots pine stands. Can. J. For. Res., 25, 57-62.
- Kageson P 1995. Control techniques and strategies for regional air pollution from the transport sector The European case. Water, Air and Soil Pollut., 85, 225-36.
- Kandler O and J L Innes 1995. Air pollution and forest decline in Central Europe. *Environ. Pollut.*, 90, 171-80.
- Kargiolaki R, D J Osborne and F B Thompson 1991. Leaf abscission and stem lesions (intumescences) on Poplar clones after SO₂ and O₃ fumigations: A link with ethylene release? J. Expt. Bot., 42, 1189-98.

- Kelly J M, G E Jr Taylor, N T Edwards, M B Adams, G S Edwards and A L Friend 1993. Growth, physiology and nutrition of loblolly pine seedlings stressed by ozone and acidic precipitation: a summary of the ROPIS South Project. Water, Air and Soil Pollut., 69, 363-91.
- Kennedy R A 1980. Ash from Mt. St. Helens. Nature, 287, 581.
- Kennedy D and I R Brown 1984. Crown development and shoot in Betula pendula Roth, and its implications for forestry and arboriculture. Arbori. J., 8, 245-57.
- Khan A M, V Pandey, J Shukla, N Singh, M Yunus, S N Singh and K J Ahmad 1990. Effect of thermal power plant emissions on *Catharanthus roseus* L. *Bull. Environ. Contan. Toxicol.*, 44, 865-70.
- Khan M R and M W Khan 1994. Single and interactive effects of O₃ and SO₂ on tomato. Environ. Expt. Bot., 34(4), 461-69.
- Kindermann G, K Huve, S Slovik, H Lux and H Rennenberg 1995. Emission of hydrogen sulphide by twigs of conifers a comparison of Norway spruce (*Picea abies* [L.] Karst.), Scots pine (*Pinus sylvestris* L.) and blue spruce (*Picea pungens* Engelm). *Plant and Soil*, 168-69, 421-23.
- *Klumpp A, G Klumpp and R Guderian 1988. Wuchsleistung and aussere schadigungsmerkmale bei Buche nach Einwirkung von ozon, Schwefeldioxid and Stickstoffdioxid. *Allgemeine Forstzeischrift*, 26, 731-34.
- Klumpp A, G Klumpp and M Domingos 1994. Plants as bioindicators of air pollution at the Serra Do Mar near the industrial complex of Cubatao, Brazil. *Environ. Pollut*, 85, 109-16.
- *Kord M, F Fahmy and H Abbass 1993. Effect of hydrogen sulfide on growth and some biochemical changes in rocket and radish plants. *Egypt. J. Physiol. Sci.*, 17, 117-37.
- Kosta-Rick R and W J Manning 1993. Radish (*Raphanus sativus* L.): A model for studying plant responses to air pollutants and other environmental stresses. *Environ. Pollut.*, 82, 107-38.
- Kozlowski T T and H A Constantinidou 1986. Environmental pollution and tree growth. Part II. Factors affecting responses to pollution and alleviation of pollution effects. For. Abstr., 47, 105-32.

- Kozlowski T T 1992. Carbohydrate sources and links in woody plants. Bot. Rev., 58, 107-22.
- Krishnayya N S R and S J Bedi 1986. Biochemical changes in Ficus benghalensis L. And Azadirachta indica Juss. growing in high pollution zones. In, Proc. of the 7th World Clean Air Congress, Sydney, 5, 220-21.
- Krishnayya N S R and S J Bedi 1988. Effect of industrial air pollution on flowering and fruiting of Moringa pterygosperma Goert. In Proc. of the Natl. Sem. on Environ. Pollut. Control and Monitoring, CSIR, India, 143-45.
- Krishnayya N S R 1989. Effects of industrial air pollution on some tree species. Ph. D. Thesis. The M.S. University of Baroda, Baroda.
- Krishnayya N S R and M V Date 1996. The impact of SO₂ and SO₂ + ascorbic acid treatments on growth and partitioning of dry matter in *Trigonella foenum* graecum L. Environ. Pollut., 91, 121-25.
- Kropff M J, J Mooi, J Goudriaan, W Smeets, A Leemans and C Kliffen 1989. The effects of long-term open air fumigation with SO₂ on a field crop of broad beans (*Vicia faha* L.) II: Effects of growth components, leaf area development and elemental composition. New Phytol., 113, 345-51.
- Krupa S V and W J Manning 1988. Atmospheric ozone formation and effects on vegetation. *Environ. Pollut.*, **50**, 101-37.
- Krupa S V and M Nosal 1989. A multivariate, time series model to relate alfalfa responses to chronic, ambient sulphur dioxide exposures. *Environ. Pollut.*, 61, 3-10.
- Krupa S V, M Nosal and A H Legge 1994. Ambient ozone and crop loss: Establishing a cause-effect relationship. *Environ. Pollut.*, 83, 269-76.
- Laurence J A, R G Amundson, A L Friend, E J Pell and P J Temple 1994. Allocation of carbon in plants under stress: An analysis of the ROPIS experiments. J. Environ. Qual., 23, 412-17.
- Lechowicz M J 1987. Resource allocation by plants under air pollution stress: Implications for plant-pest-pathogen interactions. *The Botl. Rev.*, **53**, 281-300.
- Lechowicz M J 1995. Seasonality of flowering and fruiting in temperate forest trees. Can. J. Bot., 73, 175-82.

- *Ledig F T 1974. Concepts of growth analysis. In *Proc. of the 3rd North American Forest Biology Workshop*, (Eds. C P P Reid and G H Fechmer), Colorado State Univ., Fort Collins, pp, 166-82.
- Leith I D, L J Sheppard and J N Cape 1995^a. Effects of acid mist on needles from nature sitka spruce grafts. Part II. Influence of developmental stage, age and needle morphology on visible damage. *Environ. Pollut.*, **90**, 363-70.
- Leith I D, L J Sheppard and M B Murray 1995^b. Potential mechanisms of acid mist injury to red spruce. *Environ. and Expt. Bot.*, 35, 1125-37.
- Liblik V, A Ratsep and H Kundel 1995. Pollution sources and spreading of sulphur dioxide in the North-Eastern Estonia. Water, Air and Soil Pollut., 85, 1903-08.
- Lindberg S E and G M Lovett 1992. Deposition and forest canopy interactions of airborne sulfur: Results from the Integrated Forest Study. *Atmos. Environ.*, 26, 1477-92.
- Lindberg S E and J G Owens 1993. Throughfall studies of deposition to firest edges and gaps in montane ecosystems. *Biogeochemistry*, 19, 173-94.
- Maclean D C 1990. Joint action of ozone and hydrogen floride on foliar senescence in maize. *Environ. Pollut.*, **63**, 283-92.
- *Manning W J and W A Feder 1980. Biomonitoring Air Pollutants with Plants. Applied Sci. Publ., London.
- Matzner E and D Murach 1995. Soil changes induced by air pollutant deposition and their implication for forests in Central Europe. Water, Air and Soil Pollut., 85, 63-76.
- *Mc Laughlin S B, R K Mc Conathy, D Duvick and L K Mann 1982. Effects of chronic air pollution stress on photosynthesis, carbon allocation and growth of white pine trees. For. Sci., 28, 60-70.
- Millington W F 1963. Shoot tip abortion in *Ulmus americana*. Ame. J. Bot., 50, 371-78.
- Misra J, V Pandey, S N Singh, M Yunus and K J Ahmad 1993. Growth responses of Lycopersicon esculentum to cement dust treatment. J. Environ. Sci. Health, 28, 1771-80.

- *Mohren G M J, I T M Jorritsma and A W M Vermetten 1992. Quantifying the direct effects of SO₂ and O₃ forest growth. For. Ecol. and Manage., 51, 137-50
- *Montieth J L and M H Unsworth 1990. Principles of Environmental Physics, Second edition. (Ed. A Edward), London.
- Moorby and Wareing 1963. Ageing in woody plants. Annals. Bot., 27, 291-308.
- Mortensen L M and O Skre 1990. Effects of low ozone concentrations on growth of Betula pubescens Ehrh., Betula verrucosa Ehrh. and Alnus incana (L.) Moench. New Physiol., 115, 165-70.
- Murphy Jr. C E and J T Sigmon 1990. Dry deposition of sulphur and nitrogen oxide gases to forest vegetation. In *Acidic Precipitation Vol 3: Sources, Deposition and Canopy interactions.* (Eds. S E Lindberg, A L Page and S A Norton) Springer Verlag, New York, pp, 217-240.
- Murray F, R Monk and C D Walker 1994^a. The responses of shoot growth of *Eucalyptus* species to concentration and frequency of exposure to nitrogen oxides. *For. Eco. and Manage.*, 64, 83-95.
- Murray F, S Wilson and S Samaraweera 1994^b. NO₂ increases wheat grain yield even in the presence of SO₂. Agric. Ecos. and Environ., 48, 115-23.
- Murray F, R Monk, K Clarke and M Qifu 1994^c. Growth responses of N and S deficient white clover and burr medic to SO₂, NO and NO₂. Agric. Ecos. and Environ., 50, 113-21.
- *Naveh Z, E H Steinberger and S Chaim 1979. The use of bioindicators for monitoring of air pollution by fluor ozone and sulphur dioxide. In Environmental Biomonitoring, Assessment Prediction and Management Certain case studies and related quantitative issues. (Eds. J Cairns Jr, G P Patil and W E Waters). Intl. Co-operative publ. House, Fairland, Maryland, pp, 21-47.
- Okano K, T Machida and T Totsuka 1989. Differences in ability of NO₂ absorption in various broad-leaved tree species. *Environ. Pollut.*, 58, 1-17.
- Olszyk D M, A Bytnerowicz and B K Takemoto 1989. Photochemical oxidant pollution and vegetation: Effects of mixtures of gases, fog and particles. *Environ. Pollut.*, **61**, 11-29.

- Patterson M T and P W Rundel 1995. Stand Characteristics of Ozone-stressed populations of *Pinus Jeffreyi* (Pinaceae): Extent, development and physiological consequences of visible injury. Ame. J. Bot., 82, 150-58.
- Pearson M and T A Mansfield 1993. Interacting effects of ozone and water stress on the stomatal resistance of beech (Fagus sylvatica L.) New Phytol., 123, 351-58.
- Pearson M and T A Mansfield 1994. Effects of exposure to ozone and water stress on the following season's growth of beech (Fagus sylvatica L.) New Phytol., 126, 511-15.
- Pearson M, R T Besford and D W Hand 1994. The effects of oxides of nitrogen and carbon dioxide enrichment on growth and content of Ribulose-1, 5-Biphosphate Carboxylase Oxygenase and nitrite reductase in glasshouse lettuce. J. Hort. Sci., 69, 257-66.
- Pedersen L B, K Hansen, J Bille-Hansen, M Lqber and M F Hovmand 1995.

 Throughfall and canopy buffering in three sitka spruce stands in Denmark.

 Water, Air and Soil Pollut., 85, 1593-98.
- Percy K E and E A Baker 1991. Effects of simulated rain on needle wettability and rain retension by two sitks spruce (*Picea sitchensis*) clones. *Can. J. For. Res.*, 21, 694-97.
- Percy K E, C J McQuattie and J A Rebbeck 1994. Effects of air pollutants on epicuticular wax chemical composition. In *Air Pollutants and the Leaf Cuticle*. (Eds. K E Percy, J N Cape R Jagels and C J Simpson). NATO ASI Ser. G. Vol. 36. Springer Verlag, Berlin, **pp**, 67-80.
- Pokhriyal T C and S Nautiyal 1991. Green belts vis-a-vis environmental pollution. *Indian Forester*, 117, 468-75.
- Polle A, M Eiblmeier and H Rennenberg 1994. Sulphate and antioxidants in needles of Scots pine from three SO₂ polluted field sites in eastern Germany. New Phytol., 127(3), 571-77.
- *Porter J R 1989. Pruning, canopy architecture and plant productivity. In *Manipulation of fruiting*. (Ed. C J Wright), Butters-Worth, London. pp, 293-304.
- *Rantanen L, V Palomaki, A L Harrison, P W Lucas and T A Mansfield 1994.

 Interactions between combined exposure to SO₂ & NO₂ and nutrient status of

- trees: Effects of nutrient contents & uptake, growth, needle ultrastructure and pigment. New Phytol., 128(4), 689-701.
- Rao D N 1981 Phytomonitoring of air pollution. WHO-Workshop on biological indicators and indices of environmental pollution, Hyderabad.
- Rao M V and P S Dubey 1988. Comparative tolerance of two common tree species against sulphur dioxide, *Environ. Pollut.*, 3, 109-12.
- Rao G U, A Jain and K R Shivanna 1992. Effects of high temperature stress on *Brassica* pollen: Viability, germination and ability to set fruit and seeds. *Annals Bot.*, 68, 193-98.
- Raitio H, J P Tuovinen and P Anttila 1995. Relation between sulphur concentrations in the Scots pine needles and the air in Northermost Europe. Water, Air and Soil Pollut., 85, 1361-66.
- Reich P B, C Uhl, M B Walters and D S Ellsworth 1991^a. Leaf life span as a determinant of leaf structure and function among 23 Amazonian tree species. *Oecologia*, 86, 16-24.
- Reich P B, M B Walters and D S Ellsworth 1991^b. Leaf age and season influence the relationships between leaf nitrogen, leaf mass per area and photosynthesis in Maple and Oak trees. *Plant, Cell and Environ.*, 14, 251-59.
- Reich P B, M B Walters and D S Ellsworth 1992. Leaf life span in relation to leaf, plant and stand characteristics among diverse ecosystems. *Ecol. Monogr.*, **62**, 365-92.
- Remphrey W R and C G Davidson 1992. Branch architecture and its relation to shoot-tip abortion in mature Fraxinus pennsylvanica. Can. J. Bot., 72, 1147-53.
- Rennenberg H 1984. The fate of excess sulphur in higher plants. Ann. Rev. Plant. Physiol., 35, 121-53.
- Sanders G E, L S Karby, M R Ashmore and J Fuhrer 1995. Establishing critical levels for the effects of air pollution on vegetation. Water, Air and Soil Pollut., 85, 189-200.
- Sawada S, Y Hazama, T Hayakawa and T Totsuka 1989. Simulation of effects of atmospheric ethylene on tree leaf shedding. *Environ. Pollut.*, 61, 173-185.

- Schaefer D A and W A Reiners 1990. Throughfall chemistry and canopy processing mechanisms. In *Acidic Precipitation Vol 3: Sources, Deposition and Canopy interactions*. (Eds. S E Lindberg, A L Page and S A Norton) Springer Verlag New York, **pp**, 241-284.
- Schmieden U and A Wild 1995. The contribution of ozone to forest decline. *Physiol. Planta.*, **94**, 371-78.
- *Schultze E D, O L Lange and R Oren (Eds) 1989. Forest Decline and Air Pollution. A Study of Spruce (Picea abies) on Acid Soils. Ecolog. Studies Services, 77, Springer Verlag, Berlin.
- Sellden G and H Pleijel 1995. Photochemical oxidant effects on vegetation Response in relation to plant strategy. Water, Air and Soil Pollut., 85, 111-22.
- *Sergeichik S A and A A Sergeichik 1993. Nitrogen metabolism and metal accumulation in tree leaves in relation to resistance to air pollution. Vestsi Akad, Navuk Belarusi Ser. Biyal Navuk, 2, 32-38.
- Shaw P J A, M R Holland and N M Darrall 1993. The occurrence of SO₂ related foliar symptoms on Scot pine (*Pinus sylvestris* L.) in an open-air forest fumigation experiment. New Phytol., 123, 143-52.
- Sheppard L J 1994. Casual mechanisms by which sulphate, nitrate and acidity influence frost hardiness in red spruce: Review and hypothesis. *New Phytol.*, 127, 69-82.
- Shukla J, V Pandey, S N Singh, M Yunus, N Singh and K J Ahmad 1990. Effect of cement dust on the growth and yield of *Brassica campestris* L. *Environ Pollut.*, 66, 81-88.
- Silvennoinen R, T Jaskelainen, K Nygnen, J Huttunen and J Parkkine 1995. Temporal and spatial environmental classification of pine reflectance spectra. *Environ. Sci. Tech.*, 29, 1456-59.
- Singh N, S N Singh, K Srivastava, M Yunus, K J Ahmad, S C Sharma and A N Sharga 1990. Relative sensitivity and tolerance of some *Gladiolus* cultivars to sulphur dioxide. *Annals Bot.*, **65**, 41-44.
- Smeulders S M, A Gorissen, N N Joosten and J A Van Veen 1994. Effect of short-term ozone exposure on the carbon economy of mature and juvenile Douglas firs [Pseudotsuga menziesii (Mirb.) Franco] New Phytol., 129, 45-53.

- Sobrado M A 1991. Cost-benefit relationships in deciduous and evergreen leaves of tropical dry forest species. Functl. Ecol., 5, 608-16.
- *Solomon J D 1983. Lilac borer (*Podosesia syringae*) discovered causing terminal mortality and resulting forks in young green ash trees. J. Ga. Entomol. Soc., 18, 320-23.
- Solvik S, A Siegmund, G Kindermann, R Riebeling and A Balaza 1995. Stomatal SO₂ uptake and sulphate accumulation in needles of Norway Spruce stands (*Picea abies*) in central Europe. *Plant and Soil*, 168-169, 405-19.
- Spence R D, Rykiel E J and P J H Sharpe 1990. Ozone alters carbon allocation in loblolly pine: Assessment with carbon-II labeling. *Environ. Pollut.*, 64, 93-106.
- Steubing L, A Fangmeier, R Both and M Frankenfeld 1989. Effects of SO₂, NO₂ and O₃ on population development and morphological and physiological parameters of native herb layer species in a beech forest. *Environ. Pollut.*, 58, 281-302.
- Strehl T and E A Lobo 1989. Analysis of morphological characters of *Tillandsia aeranthos* (Loisel.) L B Smith, and *T recurvata* (L.) (Bromeliaceae) as bioindicators of the urban pollution in Porto Alegre city, Southern Brazil. *Aquilo Ser. Bot.*, 27, 19-27.
- * Struraro A, G Parvoli and L Duretli 1993. Plant tree bark as a passive sampler of polycyclic aromatic hydrocarbons in an urban environment. *J. Chromatogr*, **643**, 435-38.
- Szarek G 1995. Sulphur and nitrogen input to the Ratanica forested catchment Carpathian foothills, Southern Poland. Water, Air and Soil Pollut., 85,1765-70.
- Tenberge K B 1992. Ultrastructure and development of the outer epidermal wall of spruce (*Picea abies*) needles. *Can. J. Bot.*, 70, 1467-87.
- Temple P J 1989. Oxidant air pollution effects on plants of Joshua tree National Monument. *Environ. Pollut.*, **61**, 35-48.
- Temple P J, G H Riechers, P R Miller and R W Lennox 1993. Growth responses of ponderosa pine to long-term exposure to ozone, wet and dry acidic deposition and drought. Can. J. For. Res., 23, 59-66.
- *Tingey D T, R G Wilhour and O C Tayloe 1979. The measurement of plant response. In Handbook of Methodology for the Assessment of Air Pollution

- Effects on Vegetation, (Eds. W W Heck, S V Krupa, S Linzon and E R Fredrick), Upper Midwest Section, Air Pollution Control Association.pp,7-35.
- Tiwari S and S Bansal 1993. Effects of NO₂ pollution on *Mimusops elangi* Linn. Asian J. Plant Sci., 5, 43-46.
- Van Breeman N and H F G Van Dijk 1988. Ecosystem effects of atmospheric deposition of nitrogen in The Netherlands. *Environ. Pollut.*, **54**, 249-74.
- Van Dam D, G W Heil, B Heijnes and R Robbink 1991. Throughfall below grassland canopies: A comparison of conventional and Ion exchange methods. *Environ. Pollut.*, 73, 85-99.
- Van Den Driessche R and C Langebartels 1994. Foliar symptoms, ethylene biosynthesis and water use of young Norway spruce (*Picea abies*(L.) Karst.) exposed to drought and ozone. *Water, Air and Soil Pollut.*, 78, 153-68.
- Van Stempvoort D R, J J Wills and P Fritz 1991. Above ground vegetation effects on the deposition and cycling of atmospheric sulphur: chemical and stable isotope evidence. Water, Air and Soil Pollut., 60, 55-82.
- Vijayan R 1988. Effect of industrial air pollution on some fruit trees. Ph. D. Thesis. The M. S. Univ. of Baroda, Baroda.
- Vijayan R and S J Bedi 1988. Studies on distribution and responses of herbs to air pollutants near a fertilizer complex. *IBC*, 5, 15-18.
- Vijayan R and S J Bedi 1988^b. Use of leaf epidermis in air pollution impact study. In *Proc. of Natl. Semi. on Environ. Pollut. Control and Monitoring*. Chandigarh, 274-78.
- Vijayan R and S J Bedi 1988^c. Effects of SO₂ on Syzygium cumini Skeels. (Jamun) and its amelioration by ascorbic acid treatment. Indian J. Environ. Health, 30, 155-62.
- Wahid A, R Maggs, S R A Shamsi, J N B Bell and M R Ashmore 1995. Air pollution and its impacts on wheat yield in the Pakistan Punjab. *Environ. Pollut.*, 88, 147-54.
- Wellburn A R 1990. Why are atmospheric oxides of nitrogen usually phytotoxic and not alternative fertilizers? New Phytol., 115, 395-429.

- Wiltshire J J J, C J Wright, M H Unsworth and J Craigon 1993. The effects of ozone episodes on autumn leaf fall in apple. New Phytol., 124, 433-37.
- Wiltshire J J J, M B Unsworth and C J Wright 1994. Seasonal changes in water use of ash trees exposed to zone episodes. *New Phytol.*, 127, 349-54.
- Wolfenden J, M Pearson and B J Francis 1991. Effects of over-winter fumigation with sulphur and nitrogen dioxides on biochemical parameters and spring growth in red spruce (*Picea rubens* Sarg.) *Plant, Cell and Environ.*, 14, 35-45.
- Woodbury P B, J A Laurence and G W Hudler 1994. Chronic ozone exposure alters the growth of leaves, and roots of hybrid *Populus*. Environ. Pollut., 85, 103-8.
- Yunus M, A K Dwivedi, K Kulshreshtha and K J Ahmad 1985. Dust loading on some common plants near Lucknow city. *Environ. Pollut.*, 9, 71-80.
- *Zoettl H W and R F Huettl 1991. Management of Nutrition in Forests Under Stress. Kluwer Academic Publ., The Netherlands.
- Zundel T, O Rentz, R Dorn, A Jattke and M Wietschel 1995. Control techniques and strategies for regional air pollution control from energy and industrial sectors. *Water, Air and Soil Pollut.*, 85, 213-24.

^{*} Originals not referred.