<u>ACKNOWLEDGEMENT</u>



The author sincerely and honestly expresses his deep sense of gratitude to his mentor, Dr. A. V. Joshi, Reader, Department of Geology, M. S. University of Baroda, under whose immaculate guidance, the pursued study has been made possible. His impeccable counseling and supervision, flash help, constant support, co-operation and encouragement and above all the brotherly affection has unflaggingly accelerated the momentum of the author to achieve the best target of the undertaken endeavour. Without the constant inspiration extended by him, the author would not have been able to write this thesis. His association during the tenure of the present study has enriched author's wisdom not only in geological vistas, but also in all walks of life.

The author also owes a special gratitude to Dr. K. C. Tiwari, Reader, Department of Geology, M. S. University of Baroda, for the help, support, co-operation, guidance and care shown by him throughout the present study and it is beyond any doubt that he has also played a pivotal role in inspiring and encouraging the author to take up and proceed with the present study.

The author also takes this opportunity to thank head, Department of Geology, M. S. University, Baroda for extending the necessary infrastructural facilities available in the department, during the progress of this work.

The concern, encouragement, technical discussions and timely help extended by Prof. N. D. Desai, Prof. S Ganapathi Prof. R. V. Karanth, Dr. Bhatt and Dr. D. Ramakrishnan (former faculty) of the department, had remained a motivation for the author from time to time.

The author expresses his sincere and special thanks to Dr. P. C. Rao and Shri G. Prabhu from National Institute of Oceanography, Goa and Dr. Chandrasekharam

and Ms. Trupti from Indian Institute of Technology, Powai, Mumbai, for carrying out the X-Ray analyses. He is also equally grateful to Dr. M. L. Nagori and Dr. A. Jakhar, Mohanlal Sukhadia University, Udaipur for carrying out the scanning electron microscope studies and for the technical discussions.

The author is highly indebted to Dr. Vijayrangan, Dr. M. Shanmukhappa, Dr. K. Nayak, Oil and Natural Gas Corporation Ltd., Baroda, Dr. S. K. Dutta, Department of Metallurgy, M. S. University, Baroda and Dr. G. Mathews, Indian Institute of Technology, Powai, Mumbai, who have helped in carrying out the laboratory analyses successfully. The author also acknowledges and appreciates the timely and instant help rendered to him by Shri Vikas Sharma, Biochemistry Department, M. S. University, Baroda, Shri Anil Nair, Shri Rajeev Saraswat and Shri Abhijeet from National Institute of Oceanography, Goa.

The author is also thankful to the Heads of Department of Geography, Archaeology, Chemistry, Botany and Biochemistry, M. S. University of Baroda, for providing necessary permission to carry out laboratory investigations during the present study. The author expresses his heartfelt thanks to the deputy executive engineer, GWSSB, Surat and Valsad Division, Superintendent Engineer, GWSSB, Vadodara Circle, Geologist, GWRDC, Surat, Senior Hydrologist, CGWB, Ahmedabad and Senior Geologist, SUDA, Surat, for providing relevant sub-surface bore-hole data.

The author is also thankful to the Deputy Director General and the librarian, Geological Survey of India, Gandhinagar, Research Officer, Directorate of Economics and Statistics, Gandhinagar and District Statistical Officer, District Panchayat, Surat for providing indispensable literature and information pertaining to the present study. The author also acknowledges the good-hearted help of the Range Forest Officer, Mandvi (South), Surat for facilitating long stays at their guest house. The help, support and co-operation extended by his senior's and fellow colleagues viz. Dr. Parag Sohoni, Dr. Sanjay Shah, Dr. Jignesh Patel, Dr. Uday Bhonde, Shri Yogendrasinh Jadeja, Shri Mahendra Gadhavi, Shri Anand Mehta and other lovely juniors is highly appreciated.

It is also the author's duty to acknowledge the all round help and co-operation received from the entire office staffs of the Geology Department as well as Science Faculty.

This dissertation forms a part of the research project {No. ESS/CA/A3-21/96} sponsored by the Department of Science and Technology, New Delhi and the financial assistance extended to the author in the form of Junior Research Fellowship, during the first half of this study, is gratefully acknowledged. The author also sincerely acknowledges the financial assistance provided by Council of Scientific and Industrial Research in the form of Senior Research Fellowship {file no. 9/114(125)/2002-EMR-1}, New Delhi.

The benignant love, help, support and care shown by his close friends, especially Pratima Mishra and charming Meenakshi, cannot be expressed in words.

Last but not the least, the author would be failing in his duties, if he does not express his most affectionate appreciation of the love, trust and emotional support provided by his esteemed parents, dearest sisters, respectable brother-in-laws and cutest Anindita and Chhandita, without which the author could not have even thought of completing his studies.

(Sunit Kumar Biswas)