

List of Figures

<i>Sl. No.</i>	<i>Figures</i>	<i>Page No</i>
1.1	Location map of the study area.	4
2.1	Tectonic trends of the south Gujarat and its adjoining area (after Biswas, 1987)	11
2.2	DSS Profile of the study area (modified after Kaila et al., 1981)	16
2.3	Lineament map of south Gujarat, based on satellite imagery (IRS IC LISS III, 1998)	19
2.4	Block diagram depicting morphotectonic setting of the south Gujarat terrain (The transverse profile A – A' and the position of faults is based on the works after Kaila et al. 1981 and Biswas 1982, 1987).	21
2.5	Fence diagram showing sub-surface distribution of various litho-stratigraphic units in south Gujarat alluvial plains.	23
2.6	Geological map of the study area (based on the field observations)	24
3.1	Satellite Imagery (IRS-1C LISS III, 1998) of the study area.	34
3.2	Physiographic map of the study area.	35
3.3	Geomorphological map of the study area. Inset figure depicting the presence of ravines near (A) Kamrej and (B) Mandvi.	39
3.3C	Figure depicting the ravines present in the northern bank of Mindhola river, between Palsana and Karchaka.	44
3.4	Diagram showing 3D morphology of Tapi lobe - I.	50
3.5	Diagram showing the sub-surface Transverse (A – A') and Longitudinal (B – B', C – C' and D – D') profiles along Tapi lobe – I.	51
3.6	Diagram showing 3D morphology of Tapi lobe - II.	50
3.7	Diagram showing the sub-surface Transverse (D – D') and Longitudinal (A – A', B – B' and C – C') profiles along Tapi lobe – II.	53
3.8	Diagram showing 3D morphology of Tapi lobe - III.	55
3.9	Diagram showing the sub-surface Transverse (C – C', D – D', E – E' and F – F') and Longitudinal (A – A' and B – B') profiles along Tapi lobe – III.	56
3.10	Diagram showing 3D morphology of Tapi lobe - IV.	55
3.11	Diagram showing the sub-surface Transverse (C – C') and Longitudinal (A – A' and B – B') profiles along Tapi lobe – IV.	57
3.12	Drainage map of the Lower Tapi Drainage System (LTDS)	62
3.13	Map showing drainage pattern within the Mindhola River Drainage System (MRDS). Inset figures show the presence of (A) Directional Trellis, (B) Fault Trellis and (C) Palimpsest Patterns within the MRDS.	63
3.14	Longitudinal profiles of Kim, Tapi and Mindhola rivers along with the position of High Water Line and the inferred lithology.	66
4.1	Figure showing the locations of transverse and longitudinal profiles in the study area.	71

4.2A	Figure showing the sub-surface transverse profiles along A – A', B – B' and C – C' of the study area.	72
4.2B	Figure showing the sub-surface longitudinal profiles along D – D', E – E' and F – F' of the study area.	73
4.3	Distribution of epicenters in seismic provinces of peninsular shield area (after Bansal and Gupta, 1998).	85
4.4	Seismograms of 1986 earthquake event recorded at Ukai observatories (after Rao et al., 1986).	86
5.1	Locations of the inventoried cliff-sections along the Kim, Tapi, Vyare khadi (a tributary of Tapi river) and Mindhola rivers. Inset figure shows the locations along the middle reaches of Tapi river.	89
5.2	Litho-stratigraphic succession of the exposed cliff-section (loc:-Dungri)	88
5.3	Litho-stratigraphic succession of the exposed cliff-section (loc:-Velachha)	90
5.4	Litho-stratigraphic succession of the exposed cliff-section (loc:-Kathodra)	91
5.5	Litho-stratigraphic succession of the exposed cliff-section (loc:-Kimamli)	92
5.6	Litho-stratigraphic succession of the exposed cliff-section (loc:-Panjroli)	93
5.7	Litho-stratigraphic succession of the exposed cliff-section (loc:-Chopda)	94
5.8	Litho-stratigraphic succession of the exposed cliff-section (loc:-Jhaloda)	95
5.9	Litho-stratigraphic succession of the exposed cliff-section (loc:-Piloda)	96
5.10	Litho-stratigraphic succession of the exposed cliff-section (loc:-Thalner)	98
5.11	Litho-stratigraphic succession of the exposed cliff-section (loc:-Tekwade)	98
5.12	Litho-stratigraphic succession of the exposed cliff-section (loc:-Wareth)	100
5.13	Litho-stratigraphic succession of the exposed cliff-section (loc:-Mandvi)	101
5.14	Litho-stratigraphic succession of the exposed cliff-section (loc:-Puna)	103
5.15	Diagrammatic representation of lateral distribution of sediments along the cliff-sections (Loc: Puna)	105&106
5.16	Litho-stratigraphic succession of the exposed cliff-section (loc:-Bodhan)	107
5.17	Litho-stratigraphic succession of the exposed cliff-section (loc:-Dhatwa)	108
5.18	Litho-stratigraphic succession of the exposed cliff-section (loc:-Kholeswar)	109

5.19	Litho-stratigraphic succession of the exposed cliff-section (loc:- Kamrej)	110
5.20	Fence Diagram showing sub-surface distribution of Quaternary sediments in and around Surat city.	114
5.21	Litho-stratigraphic succession of the exposed cliff-section (loc:- Devgarh)	115
5.22	Litho-stratigraphic succession of the exposed cliff-section (loc:- Gordha)	116
5.23	Litho-stratigraphic succession of the exposed cliff-section (loc:- Karchaka)	117
5.24	Litho-stratigraphic succession of the exposed cliff-section (loc:- Wadhawa)	118
5.25	Litho-stratigraphic succession of the exposed cliff-section (loc:- Utara)	118
5.26	Litho-stratigraphic succession of the exposed cliff-section (loc:- Tajpura)	119
5.27	Litho-stratigraphic succession of the exposed cliff-section (loc:- Amalsadi)	120
5.28	Litho-stratigraphic succession of the exposed cliff-section (loc:- Palsana)	123
5.29	Litho-stratigraphic succession of the exposed cliff-section (loc: - N. H. Bridge)	124
5.30	Litho-stratigraphic succession of the exposed cliff-section (loc:- Kansad)	124
5.31	Calcrete profile of the exposed cliff-section (loc:- Dhatwa)	126
6.1a	Diagram showing the frequency curve of sediments belonging to first cycle of Quaternary succession (Loc:- Kim river).	134
6.1b	Diagram showing the cumulative frequency curve of sediments belonging to first cycle of Quaternary succession (Loc:- Kim river).	
6.2a	Diagram showing the frequency curve of sediments belonging to third cycle of Quaternary succession (Loc:- Kim river).	135
6.2b	Diagram showing the cumulative frequency curve of sediments belonging to third cycle of Quaternary succession (Loc:- Kim river).	
6.3	Figure depicting the bivariant discriminant plots using (A) M_z Vs. σ_1 and (B) SK_1 Vs. σ_1 combinations for Kim, Tapi and Mindhola rivers (after Moiola & Weiser, 1968).	138
6.4	Figure depicting the bivariant plots of σ_1 vs. median combinations for sediments of the study area (After Stewart, 1958).	139
6.5	Figure depicting the bivariant plots using M_z Vs. σ_1 combinations for sediments of study area (after Gleister & Nelson, 1974).	139
6.6	Figure depicting the log - log plot for the sediments of the study area (After Sahu, 1964).	140
6.7	Figure depicting the CM pattern for the sediments of the study area (after Passega, 1964).	140
6.8a	Diagram showing the frequency curve of sediments belonging to first cycle of Quaternary succession (Loc:- Tapi river).	144

6.8b	Diagram showing the cumulative frequency curve of sediments belonging to first cycle of Quaternary succession (Loc:- Tapi river).	
6.9a	Diagram showing the frequency curve of sediments belonging to second cycle of Quaternary succession (Loc:- Tapi river).	145
6.9b	Diagram showing the cumulative frequency curve of sediments belonging to second cycle of Quaternary succession (Loc:- Tapi river).	
6.10a	Diagram showing the frequency curve of sediments belonging to third cycle of Quaternary succession (Loc:- Tapi river).	146
6.10b	Diagram showing the cumulative frequency curve of sediments belonging to third cycle of Quaternary succession (Loc:- Tapi river).	
6.11a	Diagram showing the frequency curve of sediments belonging to fourth cycle of Quaternary succession (Loc:- Tapi river).	147
6.11b	Diagram showing the cumulative frequency curve of sediments belonging to fourth cycle of Quaternary succession (Loc:- Tapi river).	
6.12a	Diagram showing the frequency curve of sediments belonging to second cycle of Quaternary succession (Loc:- Mindhola river).	152
6.12b	Diagram showing the cumulative frequency curve of sediments belonging to second cycle of Quaternary succession (Loc:- Mindhola river).	
6.13a	Diagram showing the frequency curve of sediments belonging to third cycle of Quaternary succession (Loc:- Mindhola river).	153
6.13b	Diagram showing the cumulative frequency curve of sediments belonging to third cycle of Quaternary succession (Loc:- Mindhola river).	
6.14a	Diagram showing the frequency curve of sediments belonging to fourth cycle of Quaternary succession (Loc:- Mindhola river).	154
6.14b	Diagram showing the cumulative frequency curve of sediments belonging to fourth cycle of Quaternary succession (Loc:- Mindhola river).	
6.15	X-ray diffractograms of Quaternary sediments belonging to Kim river.	161
6.16	X-ray diffractograms of Quaternary sediments belonging to Tapi river.	162
6.17	X-ray diffractograms of Quaternary sediments belonging to Mindhola river.	163
6.18	X-ray diffractogram peaks of clay minerals in Quaternary sediments of study area.	164
6.19	SEM photomicrographs showing the surface features of quartz grains (Location - Kim river sections) [A,B - impact features, C - straight and curved steps, D - straight scratches, E - straight steps and F - conchoidal fractures and mechanically formed "V"s].	166

6.20	SEM photomicrographs showing the surface features of quartz grains (Location - tapi river sections) [A - sub-angular nature, B,C - Straight and Curved Steps along with Oriented Fractures, D - Impact Features and Straight Scratches, E - conchoidal fractures and straight steps and F - mechanically formed "V"s].	167
6.21	SEM photomicrographs showing the surface features of quartz grains (Location - Mindhola river sections) [A,B - impact features, C - straight and curved steps, D - conchoidal fractures, E - mechanically formed "V"s, and F - scratches and grooves on the surfaces of the grains].	168
6.22	Figure depicting trace element concentrations (in ppm) in the Quaternary sediments belonging to Tapi river (Location: Puna and Dhatwa).	170
6.23	SEM photomicrographs showing the microforms recorded in the Quaternary sediments of study area.	172
7.1	Isopach map and basin configuration during middle Miocene (Kand Formation).	176
7.2	Figure depicting the structure contour map of the Quaternary sediments of LTRB.	177
7.3	Figure depicting the isopach map of the Quaternary sediments of LTRB.	177
7.4	Diagram showing the Neogene - Quaternary transition in the western Indian shelf (Modified after Ramanathan and Pandey, 1988).	179
7.5	Schematic representation of stages of development of palaeo-lobatic features during Quaternary period in LTRB.	182
7.6	Figure depicting the composite profiles of continental Quaternary sediments exposed along Kim, Tapi and Mindhola river valleys.	191