

BIBLIOGRAPHY

- Abdullah, Z., Ahmad, R. and Ahmed, J. 1978. Salinity induced changes in the reproductive physiology of wheat plants. *Plant Cell Physiol.* 19 : 99-106.
- Abel, G.H. and Mackenzie, A.J. 1964. Salt tolerance of soybean varieties (Glycine max L. Merrill) during germination and later growth, *Crop. Sci.* 4 : 157-161.
- Abrol, I.P. 1986. Salt affected soils : an overview. In "Approaches for Incorporating Drought and Salinity Resistance in Crop Plants". V.L. Chopra and R.S. Paroda (eds). pp 1-23, Oxford and IBH Publishing Company, New Delhi.
- Acharya, U.T. 1983. Effect of GA₃ on germination of paddy (Oryza sativa L. var GR-3) under saline condition. Ph.D. Thesis, The M.S. University of Baroda, Baroda, India.
- Altman, A. 1982. Retardation of radish leaf senescence by polyamines. *Physiol. Plant.* 54 : 189-193.
- Anker, L. 1975. Auxin-synthesis inhibition by abscisic acid and its reversal by gibberellic acid. *Acta Bot. Neerl.* 24 : 339-347.
- Apelbaum, A., Burgoon, A.C., Anderson, J.D. and Lieberman, M. 1981. Polyamine inhibit biosynthesis of ethylene in higher plant tissue and fruit protoplasts. *Plant Physiol.* 68 : 453-456.

- Archibald, R.M. 1944. Determination of citrullin and allantoine and demonstration of citrulline in blood plasma. J. Biol. Chem. 156: 121-126.
- Artimonova, G.M. and Artimonov, V.I. 1971. Effect of gibberellin on electrolyte permeability of cells. Sov. Plant Physiol. 18 : 536-537.
- Aspinall D. and Paleg, L.G. 1981. Proline accumulation. Physiological aspects : In "The Physiology and Biochemistry of Drought Resistance in Plants" L.G. Paleg and D. Aspinall (eds.) pp 205-241, Academic Press, Sydney.
- Aspinall, D., Singh, T.N and Paleg, L.G. 1973. Stress metabolism V. Absciscic acid and nitrogen metabolism in barley and Lolium temulentum L. Aust. J. Biol. Sci. 26 : 319-327.
- Bagni, N. 1966. Aliphatic amines as a growth factor of coconut milk as stimulating cellular proliferation of Helianthus tuberosus (Jerusalem artichoke) in vitro. Experientia. 22 : 732-736.
- Bagni, N., Adamo, P and Serafini-Fracassini, D. 1981. RNA, proteins and polyamines during tube growth in germinating apple pollen. Plant Physiol. 68: 727-730.
- Bagni, N., Corsini, E. and Serafini-Fracassini, D. 1971. Growth factors and nucleic acid synthesis in Helianthus tuberosus. 1. Reversal of actinomycin D inhibition by spermidine. Physiol.Plant.24:112-117.

- Bagni, N., Malucelli, B. and Torrigiani, P. 1980. Polyamines, storage substances and abscisic acid - like inhibitors during dormancy and very early activation of Helianthus tuberosus tuber tissues. *Physiol. Plant.* 49: 341-345.
- Bagni, N. and Serafini-Fracassini, D. 1979. Polyamines and plant tumors. *Italian J. of Biochem.* 28 :392-394.
- Bagni, N., Serafini-Fracassini, D. and Torrigiani, P. 1981. Polyamines and growth in higher plants. In "Advances in Polyamine Research" Vol.3, C.M. Caldarera et al. (eds) pp. 377-388. Raven Press, New York.
- Baker, N.R., Davis, W.J. and Ong, C.K. 1985. Control of leaf growth. Cambridge University Press, Cambridge, England.
- Balasubramaniam, V. and Sinha, S.K. 1976. Effect of salt stress on growth, nodulation and N-fixation in cowpea and mung beans. *Physiol. Plant.* 36:197-200.
- Ball, M.C. and Farquhar, G.D. 1984. Photosynthetic and stomatal responses of the grey mangrove, Avicennia marina, to transient salinity conditions. *Plant Physiol.* 74:7-11.
- Bandurski, R.S. and Schulze, A. 1974. Concentrations of indole-3-acetic acid and its esters in Avena and Zea *Plant Physiol.* 54 : 257-262.
- Barendse, G. W.M. 1984. Hormonal regulation of enzyme synthesis and activity. In "Aspects of Physiology and Biochemistry of Plant Hormones", S.S. Purohit (ed.) pp 1-68. Kalyani Publishers. New Delhi.

- Barnett, N.M. and Naylor, A.W. 1966. Amino acid and protein metabolism in Bermuda grass during water stress. *Plant Physiol.* 41 : 1222-1230.
- Barr, T.N. 1981. The world food situation and global prospects. *Science.* 214 : 1087-1095.
- Bates, L.S., Waldren, R.P. and Teare, I.D. 1973. Rapid determination of free proline for water-stress studies. *Plant Soil.* 39 : 205-207.
- Baxter, C. and Coscia, C.J. 1973. In vitro synthesis of spermidine in the higher plant, Vinca rosea. *Biochem. Biophys. Res. Commun.* 54 : 147-154.
- Benzioni, A., Itai, C. and Vaadia, Y. 1967. Water and salt stresses, kinetin and protein synthesis in tobacco leaves. *Plant Physiol.* 42 : 361-365.
- Benzioni, A., Mizrahi, Y. and Richmond, A.E. 1974. Effect of kinetin on plant response to salinity. *New Phytol.* 73 : 315-319.
- Bernal-Lugo, I. 1983. Relationship of polyamines endogenous contents and GA₃ effect in barley aleurone layer. *Plant Physiol.* 72 (Suppl.) : 83 (Abstract.473).
- Bernfeld, P. 1955. Amylases, α and β . *Metha. Enzym.* 1 : 149-155.
- Bernier, G., Bronchart, R. and Jacquard, A. 1964. Action of gibberellic acid on the mitotic activity of the different zones of the shoot apex of Rudbeckia bicolor and Perilla nankinensis. *Planta.* 61 : 236-244.
- Bernstein, L. and Hayward, H.A. 1958. Physiology of salt tolerance. *Ann. Rev. Plant Physiol.* 9 : 25-46.

- Bharadwaj, S.N. and Rao, I.M. 1960. Physiological studies on salt tolerance in crop plants : IX. Effect of NaCl and Na_2CO_3 on seedling respiration and growth of wheat and gram. Indian J. Plant Physiol. 3 : 56-71.
- Bodeq H.R. 1959. Uber den Einfluss des Heteroauxins auf die Kationenzusammensetzung der Blatttasche der Tomate. Planta. 53 : 212-218.
- Boggess, S.F., Koeppe, D.E. and Stewart, C.R. 1978. Oxidation of proline by plant mitochondria. Plant Physiol. 62 : 22-25.
- Boucaud, J. and Ungar, I.A. 1976a. Hormonal control of germination under saline conditions of three halophytic taxa in the genus Suaeda. Physiol.Plant 37 : 143-148.
- Boucaud, J. and Ungar, I.A. 1976b. Influence of hormonal treatments on the growth of two halophytic species of Suaeda. Amer. J. Bot. 63: 694-699.
- Bozcuk, S. 1981. Effects of kinetin and salinity on germination of tomato, barley and cotton seeds. Ann. Bot. 48 : 81-84.
- Bradley, P.M., El-Fiki, F. and Giles, K.L. 1984. Polyamines and arginine affect somatic embryogenesis of Daucus carota. Plant Sci. Lett. 34 : 397-401.
- Buhl, M.B. and Stewart, C.R. 1983. Effects of NaCl on proline synthesis and utilization in excised barley leaves Plant Physiol. 72:664-667.

- Chapman, V.J. 1975. The salinity problem in general, its importance, and distribution with special reference to natural halophytes. In " Plants in Saline Environments", A Poljakoff-Mayber and J.Gale (eds), pp 7-24. Springer-Verlag, Berlin, Heidelberg, New York.
- Cheeseman, J.M. 1985. An effect of Na^+ on K^+ uptake in intact Seedlings of Zea mays. Physiol. Plant. 64 :243-246.
- Cheeseman, J.M. and Wickens, L.K. 1986. Control of Na^+ and K^+ transport in Spergularia marina III. Relationship between ion uptake and growth at moderate salinity, Physiol. Plant. 67: 15-22.
- Chin, J. and Sung, S.C. 1972. Effect of spermidine on the activities of DNA polymerase. Biochim. Biophys.Acta. 281: 535-542.
- Chin, S.T.Y. and Beevers, L. 1970. Changes in endogenous growth regulators in nasturtium leaves during senescence. Planta. 92 : 178-188.
- Cho, S.C. 1983. Enhancement by putrescine of gibberellin induced elongation in hypocotyls of lettuce seedlings. Plant Cell Physiol. 24 : 305-308.
- Choudhuri, M.M. and Ghosh, B. 1982. Purification and partial characterization of arginine decarboxylase from rice embryos (Oryza sativa L.) Agri. Biol. Chem. 46: 739-743.

- Chriqui, D., D'Orazi, D. and Bagni, N. 1986. Ornithine and arginine decarboxylases and polyamine involvement during in vivo differentiation and in vitro dedifferentiation of Datura innoxia leaf explants. *Physiol. Plant.* 68 : 589-596.
- Chrispeels, M.J. and Varner, J.E. 1966. Inhibition of gibberellic acid induced formation of α -amylase by abscissin II. *Nature*, 212 : 1066-1067.
- Chu, T.M., Aspinall, D. and Paleg, L.G. 1976. Stress metabolism VIII. Specific ion effects on proline accumulation in barley. *Aust.J.Plant Physiol.* 3 : 503-511.
- Clark, F.E. 1950. Determination of chloride in water. Improved colorimetric and titrimetric methods. *Analyt.Chem.* 22: 553-555.
- Cleland, R., Thompson, M., Rayle, D.L. and Purves, W.K. 1968. Difference in effects of gibberellins and auxins on wall extensibility of cucumber hypocotyls. *Nature*. 219 : 510-511.
- Cocucci, S. and Bagmi, N. 1968. Polyamine induced activation of protein synthesis in ribosomal preparation from Helianthus tuberosus tissue. *Life Sci.* 7 : 113-120.
- Cohen, A.S., Popovic, R.B. and Zalik, S. 1979. Effects of polyamines on chlorophyll and protein content, photochemical activity and chloroplast ultrastructure of barley leaf discs during senescence. *Plant Physiol.* 64 : 717-720.

- Cohen, A.S. and Zalik, S. 1978. Magnesium replacement by polyamines in higher plant cell-free polyphenylalanine synthesis. *Phytochem.* 17 : 113-118.
- Cohen, E., Arad, S.M., Heimer, Y.M. and Mizrahi, Y. 1982. Participation of ornithine decarboxylase in early stages of tomato fruit development. *Plant Physiol.* 70 : 540-543.
- Cohen, P. (ed). 1980. Recently Discovered Systems of Enzyme Regulation by Reversible Phosphorylation. Elsevier/North-Holland Biomedical, Amsterdam, New York.
- Cohen, S.S. Balint, R. and Sindhu, R.K. 1981. The synthesis of polyamines from methionine in intact and disrupted leaf protoplasts of virus-infected chinese cabbage. *Plant Physiol.* 68 : 1150-1155.
- Collins, J.C. and Kerrigan, A.P. 1974. The effect of kinetin and abscisic acid on water and ion transport in isolated maize roots. *New Phytol.* 73 : 309-314.
- Cooke, R.J., Oliver, J. and Davis, D.D. 1973. Stress and protein turnover in *Lemna minor*. *Plant Physiol.* 64 : 1109-1113.
- Costa, G. and Bagni, N. 1983. Effect of polyamines on fruit set of apple. *Hortic.Sci.* 18 : 59-61.
- Costa, G., Baraldi, R. and Bagni, N. 1984. Influence of putrescine on fruit-set of apple (cv Ruby Spur). *Acta Horticult.* 149 : 189-195.
- Cramer, G.R., Lauchli, A. and Polito, V.S. 1985. Displacement of Ca^{2+} by Na^{+} from the plasmalemma of root cells. A primary response to salt stress? *Plant Physiol.* 79: 207-211.

- Dai, Y., Kaur-Sawhney, R. and Galston, A.W. 1982. Promotion by gibberellic acid of polyamine synthesis in internodes of light-grown dwarf peas. *Plant Physiol.* 69 : 103-105.
- Darbyshire, B. 1971. Changes in indole acetic acid oxidase activity associated with plant water potential. *Physiol. Plant.* 25 : 80-84.
- Darra, B.L. and Saxena, S.M. 1973. Role of IAA on the mineral composition of maize (Zea mays) crop under various osmotic stress conditions. *Plant Soil.* 38 : 657-661.
- Dashek, W.V. and Chrispeels, M.J. 1977. Gibberellic acid-induced synthesis and release of cell wall degrading endoxylanase by isolated aleurone layers of barley. *Planta.* 134: 251-256.
- Datta, N., Hardison, L.K. and Roux, S.J. 1986. Polyamine stimulation of protein phosphorylation in isolated pea nuclei. *Plant pPhysiol.* 82 : 681-684.
- Datta, N., Schell, M.B. and Roux, S.J. 1987. Spermine stimulation of a nuclear N. II Kinase from pea plumules and its role in the phosphorylation of a nuclear polypeptide. *Plant Physiol.* 84 : 1397-1401.
- Davis, L.A., Heinz, D.E. and Addicott, F.T. 1968. Gas-liquid chromatography of trimethylsilyl derivatives of abscisic acid and other plant hormones. *Plant Physiol.* 43 : 1389-1394.
- Davies, W.J., Mansfield, T.A. and Wellburn, A.R. 1980. A role for abscisic acid in drought endurance and drought avoidance. In "Plant growth substances, F. Skoog(ed),

- pp 242-253. Springer-Verlag, Berlin.
- DeLa Guardia, M.D. and Benlloch, M. 1980. Effect of potassium and gibberellic acid on stem growth of whole sunflower plants. *Physiol. Plant.* 49 : 443-448.
- Desai, H.V. and Mehta, A.R. 1985. Changes in polyamine levels during shoot formation, root formation and callus induction in cultured Passiflora leaf discs. *J.Plant Physiol.* 119 : 45-53.
- Deshpande, A.A. and Swamy, G.S. 1988. The kinetics of gibberellin stimulation of solubilized and reconstituted ($\text{Na}^+ + \text{K}^+$) - ATPase from sorghum (Sorghum bicolor L.) roots. Abstract No.8.12. "International Congress of Plant Physiology". IARI, New Delhi. Feb. 15-20.
- Dhingra, H.R. and Varghese, T.M. 1985a. Effect of salt stress on viability, germination and endogenous levels of some metabolites and ions in maize (Zea mays L.) pollen. *Ann.Bot.* 55 : 415-420.
- Dhingra, H.R. and Varghese, T.M. 1985b. Effect of growth regulators on the in vitro germination and tube growth of maize (Zea mays L.) pollen from plants raised under sodium chloride salinity. *New Phytol.* 100 : 563-569.
- Diggelen, J., Rozema, J., Dickson, D.M.J. and Broekman, R. 1986. β -3-dimethylsulphonipropionate, proline and quaternary ammonium compounds in Spartina anglica in relation to sodium chloride, nitrogen and sulphur. *New Phytol.* 103 : 573-586.

- Dostanova, R.Kh. 1966. Effect of Na_2SO_4 and NaCl on metabolism and plastid pigments in plants. Soviet Plant Physiol. 13 : 614-622.
- Downton, W.J.S. 1977. Photosynthesis in salt-stressed grapevines. Aust.J.Pl.Physiol. 4 : 183-192.
- Downton, W.J.S. 1984. Salt tolerance of food crops: perspectives for improvements. CRC Critical Reviews in Plant Sciences 1 : 183-201.
- Downton, W.J.S., Grant, W.J.R. and Robinson, S.P. 1985. Photosynthesis and stomatal responses of spinach leaves to salt stress. Plant Physiol. 77 : 85-88.
- Downton, W.J.S. and Loveys, B.R. 1978. Compositional changes during grape berry development in relation to abscisic acid and salinity. Austr.J.Plant Physiol. 5 : 415-423.
- Downton, W.J.S. and Loveys, B.R. 1981. Abscisic acid content and osmotic relations of salt stressed grape vine leaves. Aust.J.Plant Physiol. 8 : 443-452.
- Eder, A., Huber, W. and Sankhla, N. 1977. Interaction between salinity and ethylene in nitrogen metabolism of Pennisetum typhoides seedlings. Biochem.Physiol. Pflanzen. 171 : 93-100.
- Eichberg, J., Zetuský, W.J., Bell, M.E. and Cavanagh, E. 1981. Effects of polyamines on calcium-dependent rat brain phosphatidylinositol-phosphodiesterase. J.Neurochem. 36 : 1868-1871.

- El Fouly, M.M. and Jung, J. 1972. Enzyme activity in wheat seedlings grown under different NaCl salinity levels and their interactions with growth regulators. *Biochem. Physiol. Pflanzen.* 163 : 492-498.
- Epstein, E. 1961. The essential role of calcium in selective cation transport by plant cells. *Plant Physiol.* 36 : 437-444.
- Epstein, E. 1972. Mineral nutrition of plants: Principles and perspectives. John Wiley and Sons Inc. New York.
- Eshel, A. 1985. Response of Suaeda aegyptiaca to KCl, NaCl and Na₂SO₄ treatments. *Physiol. Plant.* 64 : 308-315.
- Feirer, R.P., Mignon, G. and Litvay, J.D. 1984. Arginine decarboxylase and polyamines required for embryogenesis in wild carrot. *Science.* 223 : 1433-1435.
- Feucht, J.R. and Watson, D.P. 1958. The effects of gibberellin on internodal tissues of Phaseolus vulgaris L. *Am.J. Bot.* 45 : 520-522.
- Filho, G.E., Prisco, J.T., Campose, F.A.P., and Filho, J.E. 1983. Effect of salinity in vivo and in vitro on ribonuclease activity of Vigna unguiculata cotyledons during germination. *Physiol.Plant.* 59 : 183-188.
- Fletcher, R.A. 1975. Regulation of leaf and fruit senescence by gibberellic acid. In "Gibberellins and Plant Growth", H.N.Krishnamoorthy (ed.) pp. 183-188. Wiley Eastern Limited, New Delhi.

- Fletcher, R.A. and Osborne, D.J. 1965a. Regulation of protein and nucleic acid synthesis by gibberellin during leaf senescence. *Nature*. 207 : 1176-1177.
- Fletcher, R.A. and Osborne, D.J. 1965b. Gibberellin as a regulator of protein and ribonucleic acid synthesis during senescence in leaf cells of Taraxacum officinale, *Can. J. Bot.* 44 : 739-745.
- Flores, H.E., Young, N.D. and Galston, A.W. 1984. Polyamine metabolism and plant stress. In "Cellular and Molecular Biology of Plant Stress". UCLA symposia on molecular and cellular biology, new series, J.L.Key and T. Kosuge (eds.) 22 : 1-22. Alan R. Liss. Inc. New York.
- Flowers, T.J. and Hall, J.L. 1978. Salt tolerance in the halophyte, Suaeda maritima (L.) Dum. The influence of salinity of the culture solution on the content of various organic compounds. *Ann. Bot.* 42: 1057-1063.
- Flowers, T.J., Troke, P.F. and Yeo, A.R. 1977. The mechanism of salt tolerance in halophytes. *Ann. Rev. Plant. Physiol.* 28 : 89-121.
- Flowers, T.J. and Yeo, A.R. 1981. Variability in the resistance of sodium chloride salinity within rice (Oryza sativa L.) varieties. *New Phytol.* 88:363-373.
- Friedman, R., Altman, A. and Bachrach, U. 1982. Polyamines and root formation in mung bean hypocotyl cuttings. I. Effect of exogenous compounds and changes in endogenous polyamines. *Plant Physiol.* 70 : 844-848.

- Gale, J., Kohl, H.C. and Hagan, R.M. 1967. Changes in the water balance and photosynthesis of onion, bean and cotton plants under saline conditions. *Physiol. Plant.* 20 : 408-420.
- Gale, J., Naaman, R. and Poljakoff Mayber, A. 1970. Growth of Atriplex halimus L. in sodium chloride salinated culture solutions as affected by the relative humidity of the air. *Aust. J. Biol. Sci.* 23 : 947-952.
- Gale, J and Poljakoff-Mayber, A. 1970. Interrelations between growth and photosynthesis of saltbush (Atriplex halimus L.) grown in saline media. *Aust. J. Biol. Sci.* 23 : 937-945.
- Gauch, H.G. and Eaton, F.M. 1942. Effect of saline substrate on hourly levels of carbohydrates and inorganic constituents of barley plants. *Plant Physiol.* 17 : 422-434.
- Gerard, C.J. 1971. Influence of osmotic potential, temperature and calcium on growth of plant roots. *Agron. J.* 63 : 555-558.
- Gill, K.S. and Singh, O.S. 1985. Effect of salinity on carbohydrate metabolism during paddy (Oryza sativa L.) seed germination under salt stress conditions. *Indian J. Expt. Biol.* 23 : 384-386.
- Giorgi, M.C.Dl., Fichera, P and Tropea, M. 1967. New considerations on the use of saline water : III. The influence of the potassium-sodium relationship on a saline-sensitive culture (Citrus aurantium). *Agrochimica* 11 : 166-175.

- Glinka, Z. 1973. Absciscic acid effect on root exudation related to increased permeability to water. *Plant Physiol.* 51 : 217-219.
- Glinka, Z. and Reinhold, L. 1971. Absciscic acid raises the permeability of plant cells to water. *Plant Physiol.* 48 : 103-105.
- Goas, G., Goas, M. and Larher, F. 1982. Accumulation of free proline and glycine betaine in Aster tripolium subjected to saline shock : A kinetic study related to light period. *Physiol. Plant.* 55 : 383-388.
- Gomes Filho, E., Prisco, J.T. Campos, F.A.P. and Eneas Filho, J. 1983. Effect of NaCl salinity in vivo and in vitro on ribonuclease activity of Vigna unguiculata cotyledons during germination. *Physiol. Plant.* 59: 183-188.
- Gordon, S.A. and Weber, R.P. 1951. Colorimetric estimation of indole acetic acid. *Plant Physiol.* 26 : 192-195.
- Gorham, J., McDonnell, E., Budrewicz, E. and Wyn Jones, R.B. 1985. Salt tolerance in the triticeae : Growth and solute accumulation in leaves of Thinopyrum bessarabicum *J. Exp. Bot.* 36 : 1021-1031.
- Gracia, L.A. and Guardiola, J.L. 1981. Effect of gibberellic acid on ion uptake selectivity in pea (Pisum) seedlings. *Planta.* 153 : 494-496.
- Greenway, H. 1973. Salinity, plant growth and metabolism. *J. Aust. Ins. Agric. Sci.* 39: 24-34.
- Greenway, H. and Munns, R. 1980. Mechanism of salt tolerance in non-halophytes. *Ann. Rev. Plant. Physiol.* 31: 149-190.

- Greenway, H. and Osmond, C.B. 1972. Salt response of enzymes from species differing in salt tolerance. *Plant Physiol.* 49 : 256-259.
- Grieve, C.M. and Grattan, S.R. 1983. Rapid assay for determination of water soluble quaternary ammonium compounds. *Plant Soil.* 79: 303-307.
- Grieve, C.M. and Maas, E.V. 1984. Betaine accumulation in salt-stressed sorghum. *Physiol. Plant.* 61: 167-171.
- Guye, M.G. Vigh, L. and Wilson, J.M. 1986. Polyamine titre in relation to chill-sensitivity in *Phaseolus* sp. *J. Exp. Bot.* 37: 1036-1043.
- Halmer, P., Bewley, J.D. and Thorpe, T.A. 1976. An enzyme to degrade lettuce endosperm cell walls. Appearance of a mannanase following phytochrome and gibberellin induced germination. *Planta* 130: 189-196.
- Hanson, A.D. and Scott, N.A. 1980. Betaine synthesis from radioactive precursors in attached, water-stressed barley leaves. *Plant Physiol.* 66: 342-348.
- Hanson, J.B. 1984. The function of calcium in plant nutrition. In "Advances in Plant Nutrition" P.B.Tinker and A. Lauchli (eds.) Vol.1, pp.149-208. Praeger, New York.
- Hanson-Porath, E. and Poljakoff-Mayber, A. 1969. The effect of salinity on the malic dehydrogenase of pea roots. *Plant Physiol.* 44 : 1031-1034.
- Harborne, J.B., 1984. *Phytochemical Methods. A Guide to Modern Techniques of Plant Analysis.* Chapman and Hall. London.

- Hartree, E.F. 1972. Determination of protein. A modification of the Lowry method that gives a linear photometric response. *Anal. Biochem.* 48 : 422-427.
- Harvey, D.M.R., Stelzer, R., Brandfner, R. and Kramer, D. 1985. Effects of salinity on ultrastructure and ion distributions in roots of Plantago coronopus. *Physiol. Plant.* 66: 328-338.
- Harvey, D.M.R. and Thorpe, J.R. 1986. Some observations on the effects of salinity on ion distribution and cell ultrastructure in wheat leaf mesophyll cells. *J. Expt. Bot.* 37: 1-7.
- Hawker J.S. 1980. Invertases from leaves of Phaseolus vulgaris plants grown on nutrient solutions containing NaCl. *Aust. J. Plant. Physiol.* 7 : 67-72.
- Hawker, J.S. and Walker, R.R. 1978. Effect of sodium chloride on expansion rates and invertase activity of leaves. *Aust. J. Plant Physiol.* 5:73-80.
- Heby, O. 1981. Role of polyamines in the control of cell proliferation and differentiation. *Differentiation* 19: 1 - 20.
- Hellal, M., Kock, K. and Mengel, K. 1975. Effect of salinity and potassium on the uptake of nitrogen and nitrogen metabolism in young barley plants. *Physiol. Plant.* 35 : 310-313.
- Hepler, P.K. and Wayne, R.O. 1985. Calcium and plant development. *Annu. Rev. Plant. Physiol.* 36: 397-439.

- Herbst, E.J. and Snell, E.E. 1948. J. Biol. Chem. 181:47-54.
 Quoted from "Advances in Polyamine Research, Vol. 3
 ed. by C.M. Calderera et al. Raven Press, New York, 1981.
- Heuer, B. and Plaut. Z. 1982. Activity and properties of
 ribulose- 1,5-biphosphate carboxylase of sugarbeat
 plants grown under saline conditions. Physiol. Plant.
54 : 505-509.
- Hitz, W.D. and Hanson, A.D. 1980. Determination of glycine
 betaine by pyrolysis - gas chromatography in cereals
 and grasses- Phytochem. 19 : 2371-2374.
- Hodson, M.J. and Mayer, A.M. 1987. Salt-induced changes in the
 distribution of amyloplasts in the root cap of
 excised pea roots in culture. Ann. Bot. 59: 499-503.
- Hopper, W.D. 1981. Recent trends in world food and population
 In "Future Dimensions of World Food and Population",
 R.G. Woods (ed.) pp 35-55. Westview Press, Boulder,
 Colorado.
- Huang, A.H.C. and Cavalieri, A.J. 1979. Proline oxidase and
 water stress-induced proline accumulation in spinach
 leaves. Plant Physiol. 63: 531-535.
- Huber, W., Kreutmeier, F. and Sankhla, N. 1977. Ecophysiological
 studies on Indian arid zone plants. VI. Effect of
 sodium chloride and abscisic acid on amino acid and
 protein metabolism in leaves of Phaseolus aconitifolius
 Z. Pflanzen physiol. 81: 234-247.

- Huber, W., Rustagi, P.N. and Sankhla, N. 1974.
Ecophysiological studies on Indian arid zone plants:
III. Effect of sodium chloride and gibberellin on the
activity of the enzymes of carbohydrate metabolism
in leaves of Pennisetum typhoides. Oecologia 15:77-86.
- Huber, W and Sankhla, N. 1973. Eco-physiological studies
on Indian arid zone plants : II. Effect of salinity
and gibberellin on the activity of the enzymes of
amino acid metabolism in leaves of Pennisetum
typhoides. Oecologia. 13: 271-277.
- Huber, W. and Sankhla, N. 1974. Activity of malate
dehydrogenase in leaves of abscisic and gibberellic
acids treated seedlings of Pennisetum typhoides Z.
Pflanzenphysiol. 71 : 86-89.
- Huber, W and Sankhla, N. 1974a Untersuchungen uber den
Einfluss von Abscisin and Gibberellin Saurebehandlung
auf die Aktivitaten imiger Enzyme des Kohlenhydratsto-
ffwechsels in Blattern von Pennisetum typhoides.
Planta. 116 : 55-64.
- Huhtinen, O., Honkanen, J. and Simole, L. 1982. Ornithine and
putrescine supported divisions and cell colony
formation in leaf protoplasts of alders (Alnus
glutinosa and A. incana). Plant Sci. Lett. 28: 3-9.
- Ilan, I., 1971. Evidence of hormonal regulation of the
selectivity of ion uptake by plant cells. Physiol.
Plant. 25: 230-233.

- Ilan, I. 1973. An auxin-induced pH drop and on the improbability of its involvement in the primary mechanism of auxin induced growth promotion. *Physiol. Plant.* 28 : 145-148.
- Ilan, I., Gilad, T. and Reinhold, L. 1971. Specific effects of kinetin on the uptake of monovalent cations by sunflower cotyledons. *Physiol. Plant.* 24:337-341.
- Inoue, H. and Mizutani, A 1973. A new method for isolation of polyamines from animal tissues. *Anal. Biochem.* 56 : 408-416.
- Itai, C., Richmond, A. and Vaadia, Y. 1968. The role of root cytokinins during water and salinity stress. *Israel J. Bot.* 17 : 198-195.
- Jain, M.L., Kadkade, P.G. and van Huysse. P. 1969. The effect of growth regulatory chemicals on abscission and IAA-oxidasing enzyme system of dwarf bean seedling. *Physiol. Plant.* 22: 1038-1042.
- Jarvis, B.C., Shannon, R.R.M. and Yasmin, S. 1983. Involvement of polyamines with adventitious root development in stem cuttings of mung bean. *Plant Cell Physiol.* 24: 677-683.
- Jasrai, Y.T., Bhatt, P.N. and Mehta, A.R. 1988. Endogenous IAA content and epiphyllous bud regeneration in Kalanchoe mortagie. Abstract No.8.33. " International Congress of Plant Physiology", IARI, New Delhi. Feb 15-20 1988.

- Jennings, D.H. 1976. The effect of sodium chloride on higher plants. *Biol. Rev.* 51 : 453-486.
- Jeschke, W.D. 1982. Shoot-dependent regulation of sodium and potassium fluxes in roots of whole barley seedlings. *J. Expt. Bot.* 33 : 601-618.
- Jindal, K.K. and Hemberg, T. 1976. Influence of gibberellin acid on growth and endogenous auxin level in epicotyl and hypocotyl tissues of normal and dwarf bean plants. *Physiol. Plant.* 38 : 78-82.
- Jones, R.L. 1971. Gibberellin-enhanced release of β -1, 3-glucanase from barley aleurone cells. *Plant Physiol.* 47 : 414-416.
- Jones, R.L., 1973. Gibberellins : their physiological role. *Annu. Rev. Plant. Physiol.* 24 : 571-598.
- Jones, R.L. and Lang, A. 1968. Extractable and diffusible gibberellins from light and dark-grown pea seedlings. *Plant Physiol.* 43 : 629-634.
- Kaddah, M.T. 1963. Salinity effects on growth of rice at the seedling and inflorescence stages of development. *Soil. Sci.* 96 : 105-111.
- Kahane, I. and Poljakoff-Mayber, A. 1968. Effect of substrate salinity on the ability of protein synthesis in pea roots. *Plant Physiol.* 43 : 1115-1119.
- Kakkar, R.K. and Rai, V.K. 1987. Effects of spermine and IAA on carbohydrate metabolism during Rhizogenesis in Phaseolus vulgaris L. hypocotyl cuttings. *Indian J. Expt. Biol.* 25 : 476-478.

- Kalir, A., Omri, G. and Poljakoff-Mayber, A. 1984. Peroxidase and catalase activity in leaves of Halimione portulacoides exposed to salinity. *Physiol. Plant.* 62: 238-244.
- Kalir, A. and Poljakoff-Mayber, A. 1981. Changes in activity of malate dehydrogenase, catalase, peroxidase and superoxide dismutase in leaves of Halimione portulacoides (L.) Allen exposed to high sodium chloride concentrations *Ann. Bot.* 47: 75-85.
- Karami, E. 1974. Emergence of nine varieties of sunflower (Helianthus annuus L.) in salinized soil cultures. *J. Agric. Sci. Camb.* 83: 359-362.
- Karlekar, K., Parekh, T.V. and Chatpar, H.S. 1985. Salt mediated changes in some enzymes of carbohydrate metabolism in halotolerant Cladosporium sphaerospermum. *J. Biosci.* 9 : 197-201.
- Karmoker, J.L. 1984. Hormonal regulation of ion transport in plants. In "Hormonal Regulation of Plant Growth and Development - Vol 1". S.S. Purohit (ed.) pp 219-264, Agro Botanical Publishers, Bikaner, India.
- Karmoker, J.L. and Van Steveninck, R.F.M 1978. Stimulation of volume flow and ion flux by abscisic acid in excised root systems of Phaseolus vulgaris L. cv. Redland Pioneer. *Planta.* 141 : 37-43.
- Karmoker, J.L. and Van Steveninck, R.F.M 1979. The effect of abscisic acid on the uptake and distribution of ions in intact seedlings of Phaseolus vulgaris cv.

- Redland Pioneer. *Physiol. Plant.* 45 : 453-459.
- Kaufman, P.B., 1965. The effects of growth substances on the intercalary growth and cellular differentiation in developing internodes of Avena sativa II. The effects of gibberellic acid, *Physiol. Plant.* 18 : 703-724.
- Kaufman, P.B. 1984. Physiology and biochemistry of gibberellins in developing shoots of grasses. In "Aspects of Physiology and Biochemistry of Plant Hormones", S.S.Purohit (ed.) pp 125-137, Kalyani Publishers, New Delhi.
- Kaufman, P.B. and Jones R.A. 1974. Regulation of growth in Avena sativa (oat) stem sections by gibberellic acid and abscisic acid. *Physiol. Plant.* 51: 39-43.
- Kaufman, P.B., Petering, L.B. and Adams, P.A. 1969. Regulation of growth and cellular differentiation in developing Avena internodes by gibberellic acid indole-3-acetic acid. *Am. J. Bot.* 56 : 918-927.
- Kaufman, M.R. and Ross, K.J. 1970. Water potential, temperature and kinetin effects in seed germination in soil and solute systems. *Amer. J. Bot.* 57 : 413-419.
- Kaur-Sawhney, R., Flores, H.E. and Galston, A.W. 1980. Polyamine-induced DNA synthesis and mitosis in oat leaf protoplasts. *Plant Physiol.* 65 : 368-371.
- Kaur-Sawhney, R., Flores, H.E. and Galston, A.W. 1981. Polyamine oxidase in oat leaves: a cell wall localised enzyme. *Plant Physiol.* 68: 494-498.

- Kaur-Sawhney, R and Galston, A.W. 1979. Interaction of polyamines and light on biochemical processes involved in leaf senescence. *Plant Cell Environ.* 2: 189-196.
- Kaur-Sawhney, R., Shih, R.L.M., Cegielska, T. and Galston, A.W. 1982. Inhibition of protease activity by polyamines. Relevance for control of leaf senescence. *FEBS Lett.* 145: 345-349.
- Kauss, H. and Jeblick, W. 1986. Synergistic activation of 1,3- β -D-glucan synthesis by Ca^{2+} and polyamines. *Plant. Sci.* 43 : 103-107.
- Kazama, H and Katsumi, M. 1974. Auxin-gibberellin relationships in their effects on hypocotyl elongation of light-grown cucumber seedlings. II. Effect of GA_3 -pretreatment on IAA induced elongation. *Plant Cell Physiology* 15: 307-314.
- Kent, L.M. and Lauchli, A. 1985. Germination and seedling growth of cotton : salinity-calcium interactions. *Plant. Cell Environ.* 8: 155-159.
- Khan, A.A. and Tao, K.L. 1977. In "Plant Hormones and Related Compounds", D.S. Letham, P.B. Goodwin and T.J.V. Higgins (eds), North-Holland Publishing Company, Amsterdam. Quoted from "The Physiology and Biochemistry of Seed Dormancy and Germination, A.A. Khan (ed) 1977. North-Holland Publishing Company, Amsterdam.
- Khan, M.A. and Ungar, I.A. 1985. The role of hormones in regulating the germination of polymorphic seeds and early seedling growth of Atriplex triangularis under saline conditions. *Physiol. Plant.* 63 : 109-113.

- Kholdebarin, B. 1981. Effect of auxin, fusiooccin and Tris buffer on ion uptake, organic acid synthesis and cell elongation in barley (Hordeum vulgare cultivar Golden Promise) coleoptile segments. Aust.J. Plant Physiol. 8: 375-384.
- Kingsbury, R.W. and Epstein, E. 1986. Salt sensitivity in wheat. A case for specific ion toxicity. Plant Physiol. 80 : 651-654.
- Kogl, F and Elema, J. 1960. Wirkungsbeziehungen zwischen Indol-3-Essigsäure und Gibberellinsäure Naturwissenschaften, 47: 90.
- Korkor, S.A. and Abdel-Al, R.M. 1974. Effect of total salinity and type of salts on rice crop. Agri.Res. Rev.(Cairo) 52: 73-78.
- Krishnamurthy, R., Anbazhagan, M. and Bhagwat, K.A. 1987a. Effect of sodium chloride toxicity on chlorophyll breakdown in rice. Indian J. Agri.Sci. 57: 567-570.
- Krishnamurthy, R., Anbazhagan, M. and Bhagwat, K.A., 1987b. Effect of NaCl on the inorganic ions, growth and yield of rice. Oryza. 24: 66-69.
- Krishnamurthy, R., Anbazhagan, M. and Bhagwat, K.A. 1987c. Accumulation of free amino acids and distribution of Na^+ , Cl^- and K^+ in rice varieties exposed to NaCl stress. Indian J. Plant Physiol. 30: 183-188.
- Kuhad, M.S., Sheoran, I.S. and Kumari, S. 1987. Alleviation and separation of osmotic and ionic effect during germination and early seedling growth in pearl millet

- by presoaking the seeds with growth regulators.
 Indian J. Plant Physiol. 30 : 139-143.
- Kuiper, P.J.C. 1985. Environmental changes and lipid metabolism of higher plants. *Physiol. Plant.* 64:118-122.
- Kulpa, J.M. Galsky, A.G., Lipetz, P. and Stephens, R. 1985. Polyamines and crown gall tumor growth. *Plant Cell Rep.* 4 : 81-83.
- Kylin, A. and Quatrano, R.S. 1975. Metabolic and biochemical aspects of salt tolerance. In " Plants in Saline Environments", A Poljakoff-Mayber and J. Gale (eds.) pp 147-167. Springer-Verlag, Berlin, Heidelberg and New York.
- Kyriakidis, D.A. 1983. Effect of plant growth hormones and polyamines on ornithine decarboxylase activity during the germination of barley-seeds. *Physiol. Plant.* 57: 499-504.
- Lachno, D.R. and Baker, D.A. 1986. Stress induction of abscisic acid in maize roots. *Physiol. Plant.* 68 : 215-221.
- Lado, P., Rasi-coldegno, F., Colombo, R., Micoelis, M.L. and Marre, E. 1976. Effects of monovalent cations on IAA - and FC stimulated proton - cation exchange in pea stem segments. *Plant. Sci. Lett.* 7: 199-209.
- LaHaye, P.A. and Epstein, E. 1969. Salt toleration by plants: enhancement with calcium. *Science* 166: 395-396.
- Langdale, G.W., Thomas, J.R. and Littleton, 1973. Nitrogen metabolism of stargrass as affected by nitrogen and soil salinity. *Agron. J.* 65: 468-470.

- Lapina, L.P. and Bikhukhametova, S.A. 1972. Effect of isoosmotic concentrations of sodium sulphate and chloride on photosynthesis and respiration in corn leaves. *Soviet Plant Physiol.* 19 : 792-797.
- Larher, F. and Hamelin, J. 1975. L'acide -trimethyl amino-propionique des rameaux de Limonium vulgare Mill. *Phytochem.* 14 : 205-207.
- Lauchli, A. and Epstein, E. 1970. Transport of potassium and rubidium in plant roots : the significance of calcium. *Plant Physiol.* 45 : 639-641.
- Lenton, J.R., Perry, V.M. and Saunders, P.F. 1971. The identification and quantitative analysis of abscisic acid in plant extracts by gas liquid chromatography. *Planta.* 96 : 271-280.
- Leopold, A.C. and Willing, R.P. 1984. Evidence for toxicity effects of salt on membranes. In "Salinity Tolerance in Plants - Strategies for Crop Improvement". R.C. Staples and G.H. Toenniessen (eds) pp 67-76. John Wiley and Sons. New York.
- Lever, B.G. 1982. The need for plant growth regulators. In "Plant Growth Regulator Potential and Practice". T.H. Thomas (ed) pp 3-28, BCPC Publications, Cryodon.
- Levitt, J. 1980. Responses of plants to environmental stresses. Vol.2, water, radiation, salt and other stresses. Academic Press. New York.
- Lewis, L.N., and Varner, J.E. 1970. Synthesis of cellulase during abscission of Phaseolus vulgaris leaf explants. *Plant Physiol.* 46 : 194-199.

- Lin, P.P.C. 1984. Polyamine metabolism and its relation to response of the aleurone layers of barley seeds to gibberellic acid. *Plant Physiol.* 74 : 975-983.
- Little, G.H. A. and Eldt, D.C. 1968. Effect of abscisic acid on bud break, and transpiration in woody species *Nature*, 220 : 498-499.
- Livne, A., and Levin, N. 1967. Tissue respiration and mitochondrial oxidative phosphorylation of NaCl - treated pea seedlings. *Plant Physiol.* 42: 407-414.
- Loveys, B.R. (1977). The intracellular location of abscisic acid in stressed and non-stressed leaf tissue. *Physiol. Plant.* 40: 6-10.
- Low, V.H.K., 1975. Role of gibberellins in root and shoot growth. In "Gibberellins and Plant Growth " H.N. Krishnamoorthy (ed) pp 101-114, Wiley Eastern Limited, New Delhi.
- Loy, J.B. 1977. Hormonal regulation of cell division in the primary elongating meristems of shoots. In "Mechanisms and Control of Cell Division" T.L.Rost and E.M.Gifford, (eds.) pp 92-110, Dowden, Hutchinson and Ross, Stroudsburg, Pennsylvania.
- Luttge, U., Higinbotham, N. and Pallaghy, C.K. 1972. Electrochemical evidence of specific action of indole acetic acid on membranes in Mimulus leaves. *Z. Naturforsch.* 276 : 1239-1242.

- Lynch, J., Cramer, G.R. and Lauchli, A. 1987. Salinity reduces membrane - associated calcium in corn root protoplasts. *Plant Physiol.* 83 : 390-394.
- Maas, E.V. 1984. Salt tolerance of plants. In. "Handbook of Plant Science in Agriculture " B.R.Cristie (ed.) CRC Press Inc. Boca Raton. Florida.
- Maas E.V. and Hoffman, G.J. 1977. Crop salt tolerance - current assessment J. Irrig. Drain. Divn. Amer. Soc. Civil Engg. 103 : 115-134.
- MacMillan, J. (ed.) 1980. Hormonal Regulation of Development. 1. Molecular aspects of plant hormones. Encyclopedia of Plant Physiology New Series Vol.9. Springer-Verlag, Berlin, Heidelberg, New York.
- Marre, E., 1977. Physiological implications of the hormonal control of ion transport in plants, In "Plant Growth Regulation" P.E. Pilet (ed) Springer-Verlag, Berlin, Heidelberg, New York.
- Massoud, F.I. 1974. Salinity and alkalinity as soil degradation hazards. FAO/UNDP- Expert consultation on soil degradation, FAO, Rome.
- Match, T., Watanabe, J. and Takahashi, E. 1987. Sodium, potassium chloride and betaine concentrations in isolated vacuoles from salt grown Atriplex ginelini leaves. *Plant Physiol.* 84 : 173-177.
- Mayak, S. and Dilley, D.R. 1976. Regulation of senescence in carnation (Dianthus caryophyllus). Effect of abscisic acid and carbon dioxide on ethylene production. *Plant Physiol.* 58: 663-665.

- McDonald, R.E. and Kushad, M.M. 1986. Accumulation of putrescine during chill injury of fruits. *Plant Physiol.* 82 : 324-326.
- Mc Dougall, J. and Hillman, J.R. 1978. Purification of IAA from shoot tissues of *Phaseolus vulgaris* and its analysis by GC-MS. *J. Expt. Bot.* 29 : 375-386.
- Mc Laren, J. S. (ed.) 1982. Chemical manipulation of crop growth and development. Butterworth Scientific Publishers, London.
- Meiri, A. and Poljakoff-Mayber, A. 1967. The effect of chloride salinity on growth of bean leaves in thickness and in area. *Israel J. Bot.* 16 : 115-123.
- Meiri A. and Poljakoff-Mayber, A. 1969. Effect of variations in substrate salinity on the water balance and ionic composition of bean leaves. *Israel J. Bot.* 18: 99-112.
- Milborrow, B.V. 1966. The effects of synthetic DL-dormin (abscisin II) on the growth of the oat mesocotyl. *Planta.* 70 : 155-171.
- Milborrow, B.V. 1974. The chemistry and physiology of abscisic acid. *Annu. Rev. Plant Physiol.* 25: 259-307.
- Mizrahi, Y., Blumenfeld, A, Bittner, S. and Richmond, A.E. 1971. Absciscic acid and cytokinin contents of leaves in relation to salinity and relative humidity. *Plant Physiol.* 48 : 752-755.
- Mizrahi, Y. Blumfeld, A and Richmond A.E. 1972. The role of abscisic acid and salinization in the adaptive response of plants to reduced aeration. *Plant and Cell Physiol.* 13 : 15-21.

- Mohan C.V.K., Prabhakar, B., Suhasini and Rajeswara Rao, G. 1986. Physiological studies on salinity and responses to foliar nutrition in some crop plants. In "Proceedings of the "National Symposium on Physiological, Biochemical and Genetic Aspects of Crop Plants in Relation to Environmental Stress, pp 57-62, HAU, Hisar, India.
- Morris, C.J., Thompson, J.F. and Johnson, C.M. 1969. Metabolism of glutamic acid and N-acetyl glutamic acid in leaf discs and cell-free extracts of higher plants. *Plant Physiol.* 44 : 1023-1026.
- Mukhopadhyay, A., Choudhuri, M.M., Sen, K. and Ghosh, B. 1983. Changes in polyamines and related enzymes with loss of viability in rice seeds. *Phytochem.* 22 : 1547-1551.
- Mukhopadhyay, A. and Ghosh, B. 1986. Protein synthesis and loss of viability in rice seeds. Effect of polyamines on in vitro translation. *Physiol. Plant.* 68 : 441-445.
- Munns, R. 1985. Na^+ , K^+ and Cl^- in xylem sap flowing to shoots of NaCl - treated barley. *J. Expt. Bot.* 36 : 1032-1042.
- Munns, R., Greenway, H., Delane, R. and Gibbs, J. 1982. Ion concentration and carbohydrate status of the elongating leaf tissue of Hordeum vulgare growing at high external NaCl. II. Cause of the growth reduction. *J. Expt. Bot.* 33 : 574-583.
- Murthy, K.S. and Janardhan, K.V. 1971. Physiological considerations for selection and breeding of varieties for saline and alkaline tracts. *Oryza J.* 8 : 85-99.

- Murumkar, C.V. and Chavan, P.D. 1987. Salinity induced biochemical changes during germination of chickpea (Cicer arietinum L.). Acta Agron.Hungar. 36 : 43-49.
- Naik, B.I. and Srivastava, S.K. 1978. Effect of polyamines on tissue permeability. Phytochem. 17 : 1885-1887.
- Naik, G.R. and Joshi, G.V. 1986. Metabolism of exogenous proline in sugarcane var co 740 under salinity and PEG stress. Cur. Sci. 55 : 104-106.
- Naqvi, S.M. and Ansari, R. 1974. Estimation of diffusible auxin under saline growth conditions. Experientia. 30 : 350-354.
- Narindrasorasak, S. and Sanwal, B.D. 1986. Purification and polyamine activation of a high-affinity 3,5'-c AMP phospho-diesterase from rabbit muscle. Biochem.Cell Biol. 64 : 930-935.
- Neales, T.F. and Sharkey, P.J. 1981. Effect of salinity on growth and on mineral and organic constituents of the halophyte Disphyma australe (Soland.) J.M.Black. Aust. J. Plant.Physiol. 8 : 165-179.
- Nezovorova, L.A. and Borisova, N.N. 1967. Trigger mechanisms of germinating seeds.III. Effect of diamines on germinating seeds. Fiziol. Rast. 14 : 644-651.
- Nicholls, P.B. and Paleg, L.G. 1963. A barley endosperm bioassay for gibberellins. Nature. 24 : 823-824.
- Nieman, R.H. 1962. Some effects of sodium chloride on growth, photosynthesis and respiration of twelve crop plants. Bot. Gaz. 123 : 279-284.

- Nieman, R.H. 1965. Expansion of bean leaves and its suppression by salinity. *Plant. Physiol.* 40 : 156-161.
- Nieman, R.H. and Bernstein, L. 1959. Interactive effect of gibberellic acid and salinity on the growth of beans. *Amer. J. Bot.* 46 : 667-670.
- Nieman, R.H. and Poulsen, L.L., 1971. Plant growth suppression on saline media. Interactions with light. Botanical Gazette, 132, 14-19.
- Odegbaro, O.A. and Smith, D.E. 1969. Effects of kinetin and salt concentration on germination and early seedling growth of Lactuca sativa L. *J. Amer. Soc. Hort. Sci.* 94: 167-170.
- Okii, M., Onitake, T., Kawai, M., Takematsu, T. and Konnai, M. 1980. Method for protecting crops from suffering damage. U.S. Patent 4,231,789.
- Osborne, D.J. 1962. Effect of kinetin on protein and nucleic acid metabolism in *Xanthium* leaves during senescence. *Plant Physiol.* 37 : 595-602.
- Osborne, D.J. and Halloway, M. 1964. The auxin 2,4-dichlorophenoxyacetic acid as a regulator of protein synthesis and senescence in detached leaves of Prunus. *New Phytol.* 63 : 334-347.
- Osmond, C.B. and Greenway, H. 1972. Salt response of carboxylation enzymes from species differing in salt tolerance. *Plant. Physiol.* 43: 260-263.
- Ostrem, J.A., Olson, S.W., Schmitt, J.M. and Bohnert, H.J. 1987. Salt stress increases the level of translatable mRNA for phosphoenolpyruvate carboxylase in

Mesembryanthemum crystallinum. Plant Physiol.

84 : 1270-1275.

Paricha, P.C., Patra, C.T. and Sahoo, P. 1975. Effect of synthetic sea water on growth and chemical composition of rice at different stages of development . J. Indian Soc. Soil. Sci. 23: 344-348.

Pearson, G.A. 1959. Factors influencing salinity of submerged soils and growth of Caloro rice. Soil Sci. 87: 198-207.

Pearson, G.A., Ayers, A.D. and Eberhard, D.L. 1966. Relative salt tolerance of rice during germination and early seedling development. Soil Sci. 102 : 151-156.

Pesci, P. and Beffagna, N. 1986. Influence of exogenously supplied potassium and sodium salts on the abscisic acid - induced proline accumulation in barley leaf segments. Physiol. Plant. 67: 123-128. 1986.

Pharis, R.P. and King, R.W. 1985. Gibberellins and reproductive development in seed plants. Anna. Rev. Plant. Physiol. 36 : 517-568.

Pharis, R.P. and Reid, D.M. (eds.) 1985. Hormonal Regulation of Development III. Role of Environmental Factors. Encyclopedia of Plant Physiology New Series Vol. 11. Springer -Verlag, Berlin.

Pilet, P.E. 1957. Action des gibberellines sur l'activité auxines-oxydasique de tissus cultivés in vitro C.R. Acad. Sci (Paris), 245 : 1327-1328.

- Plaut, Z. 1974. Nitrate reductase activity of wheat seedlings during exposure of and recovery from water stress and salinity. *Physiol. Plant.* 30 : 212-217.
- Poljakoff-Mayber, A. 1975. Morphological and anatomical changes in plants as a response to salinity stress. In. "Plants in Saline Environments" A. Poljakoff-Mayber and J. Gale (eds.) pp 97-117. Springer-Verlag, Berlin Heidelberg, New York.
- Poljakoff-Mayber, A. 1982. Biochemical and physiological responses of higher plants to saline stress. In "Biosaline Research - A look to the future" Anthony San Pietro(ed) Plenum Press, New York.
- Poljakoff-Mayber A. and Gale, J 1975. Plants in saline environments. Springer-Verlag, Berlin, Heidelberg, New York.
- Pollard, A and Wyn Jones, R.G. 1979. Enzyme activities in concentrated solutions of glycine betaine and other solutes. *Planta*. 144 : 291-298.
- Ponnamperuma, F.N. 1984. Role of cultivar tolerance in increasing rice production on saline lands. In "Salinity Tolerance in Plants - Strategies for Crop Improvement" R.C. Staples and G.H. Toenniessen, (eds) pp 255-271. John Wiley and Sons, New York.
- Popovic, R.B., Kyle, D.J. and Zalik, S. 1979. Stabilization of thylakoid membranes by spermine during stress-induced senescence of barley leaf discs. *Plant Physiol.* 64 : 721-726.

- Porath, E. and Poljakoff-Mayber, A 1965. Effect of salinity on metabolic pathways in pea root tips. *Isr. J.Bot.* 13 : 115-121.
- Prakash,L.and Prathapasenan G. 1986. Effect of NaCl on changes in the levels of polyamines, nucleic acids and protein during germination and seedling growth of rice. In Proceedings of the National Symposium on "Physiological biochemical and Genetic Aspects of Crop plants in relation to environmental stress" pp 74-75. Haryana Agricultural University, Hisar, India.
- Prakash,L, Philip John, Nair,G.M. and Prathapasenan,G. 1988. Effect of spermidine and methyl-glycozal-bis (guanyl-hydrazone) (MGBG) on in vitro pollen germination and tube growth in Catharanthus roseus L.G. Don *Ann. Bot.* 61 (in press).
- Prakash,L. and Prathapasenan, G. 1988. Effect of NaCl salinity and putrescine on shoot growth, tissue ion concentration and yield of rice (Oryza sativa L. var GR-3)- *J. Agron. Crop. Sci.* (inpress)
- Priebe, A. and Jager, H.J. 1978. Effect of NaCl on the levels of putrescine and related polyamines of plants differing in salt tolerance. *Plant. Sci. Lett.* 12 : 365-369.
- Prisco, J.T. and O'Leary, J.W. 1970. Osmotic and toxic effects of salinity on germination of Phaseolus vulgaris L. seeds Turrialba 20 : 177-184.
- Prisco, J.T. and Vieira, G.H.F. 1976. Effect of NaCl salinity on nitrogen compounds and protease during germination

- of Vigna sinensis seeds. *Physiol. Plant.* 36 : 317-320.
- Rains, D.W. 1972. Salt transport by plants in relation to salinity *Ann. Rev. Plant. Physiol.* 23: 367-388.
- Rajagopal, V. and Anderse, A.S. 1978. Does abscisic acid influence proline accumulation in stressed leaves? *Planta* 143: 85-88.
- Ramagopal, S. 1986. Protein synthesis in a maize callus exposed to NaCl and mannitol. *Plant Cell Report.* 5 : 430-434.
- Ramagopal, S. 1987a. Molecular biology of salinity stress : preliminary studies and perspectives. In "Tailoring Genes for Crop Improvement - An Agricultural Perspective ", G. Bruening, J. Harada, T. Kosuge and A. Hollaender (eds.) pp 111-119. Plenum Publishing Corporation, New York.
- Ramagopal, S. 1987b. Salinity stress induced tissue-specific proteins in barley seedlings. *Plant Physiol.* 84: 324-331.
- Ramagopal, S. 1987c Differential mRNA transcription during salinity stress in barley. *Proc. Natl. Acad. Sci. USA.* 84 : 94-98.
- Ramana, K.V.R. and Rama Das, V.S. 1978. Physiological studies on the influence of salinity and alkalinity 1. Changes in growth, respiration, carbohydrates and fats during seedling growth of radish (Raphanus sativus L.) *Ind. J. Plant. Physiol.* 21: 93-105.

- Ramesh, B.V. and Kumar, S. (1975). Seed germination and early seedling growth of wheat (Triticum aestivum L. cv 1553) under the influence of salinity and plant growth hormones. Ann.Arid. Zone. 14: 221-228.
- Rao, G.G. and Rao, G.R. 1981. Pigment composition and chlorophyllase activity in pigeon pea (Cajanus indicus Spring) and gingelly (Sesamum L.) under NaCl salinity. Indian J. Expt. Biol. 19 : 768-770.
- Rao, K., Balakrishna, N., Kantha, K and Perur, N.G. 1973. Varietal tolerance of germinating paddy seeds to different salt concentrations. Mysore J. Agric. Sci. 7 : 325-327.
- Ratner, A., Goren, R and Monselise, S.P. 1969. Activity of pectin esterase and cellulase in the abscission zone of citrus leaf explants. Plant Physiol. 44: 1717-1723.
- Reddell, P., Foster, R.D. and Bowen, G.D. 1986. The effects of sodium chloride on growth and nitrogen fixation in Casuarina obesa Miq. New Phytol. 102: 397-408.
- Reddy, M.P. and Vora, A.B. 1986. Salinity induced changes in pigment composition and chlorophyllase activity of wheat. Indian J. Plant Physiol. 29: 331-334.
- Reddy, P.R. and Goss, J.A. 1971. Effect of salinity on pollen I. Pollen viability as altered by osmotic pressure with NaCl $MgCl_2$ and $CaCl_2$. Amer. J. Bot. 58: 721-725.

- Riedell, W.E. 1987. Effects of Ca^{2+} and polyamines on Na^+ and Rb^+ influx in excised maize roots. *Physiol. Plant.* 69 : 299-304.
- Rush, D.W. and Epstein, E. 1981. Comparative studies on the sodium, potassium, and chloride relations of a wild halophytic and a domestic salt-sensitive tomato species. *Plant Physiol.* 68 : 1308-1313.
- Russell, R.S. and Barber, D.A. 1960. The relationship between salt uptake and absorption of water by intact plants. *Ann. Rev. Plant. Physiol.* 11 : 127-140.
- Sabater, B. 1984. Hormonal regulation of senescence. In "Hormonal Regulation of Plant Growth and Development" S.S. Purohit(ed), pp.169-217. Agro Botanical Publishers Bikaner, India.
- Sachs, R.M., Bretz, C. and Lang, A. 1959. Cell division and gibberellic acid. *Exp. Cell Res.* 18 : 230-244.
- Sachs, R.M. and Lang, A. 1957. Effect of gibberellin on cell division in *Hyoscyamus*. *Science*. 125 : 1144-1145.
- Saluja, D., Bhargava, R., Saxena, S. and Sachar, R.C. 1988. Post-translational control of gene expression by gibberellic acid in wheat and cotton. Abstract No.8.8 "International Congress of Plant Physiology", IARI, New Delhi. Feb. 15-29, 1988.
- Sankhla, N. and Huber, W. 1974. Enzyme activities in Pennisetum seedlings germinated in the presence of abscisic and gibberellic acids. *Phytochem.* 13 : 543-546.

- Sarin, M.N. 1962. Physiological studies on salt tolerance in crop plants. V. Use of IAA to overcome depressing effect of sodium sulphate on growth and maturity of wheat. *Agra. Univ. J. Res. Sci.* II: 187-196.
- Sarin, M.N. and Narayanan, A. 1968. Effects of soil salinity and growth regulators on germination and seedling metabolism of wheat. *Physiol. Plant.* 21 : 1201-1209.
- Sastry, K.S.K. and Muir, R.M. 1965. Effects of gibberellic acid on utilization of auxin precursors by apical segments of the Avena coleoptile. *Plant Physiol.* 40 : 294-298.
- Saunders, P.F. and Poulson, R.H. 1968. Biochemical studies on the possible mode of action of abscisic acid : an apparent allosteric inhibition of invertase activity. In "Biochemistry and Physiology of Plant Growth Substances", F.Wightman and G.Sellerfield (eds). pp 1581-1591, Runge Press. Ottawa.
- Schobert, B. 1977. Is there an osmotic regulatory mechanism in algae and higher plants? *Theor. Biol.* 68 : 17-26.
- Scott, T.K. (ed.) 1984. Hormonal Regulation of Development II. The functions of hormones from the level of the cell to the whole plant. *Encyclopedia of Plant Physiology*, New Series, Vol.10. Springer-Verlag, Berlin.
- Sells, G.D. and Koeppe, D.E. 1981. Oxidation of proline by mitochondria isolated from water-stressed maize shoots. *Plant Physiol.* 68 : 1058-1063.

- Sen, K., Choudhuri, M.M. and Ghosh, B. 1981. Changes in polyamine contents during development and germination of rice seeds. *Phytochem.* 20 : 631-633.
- Serafini-Frassassini, D., Bagni, N., Cionini, P.G. and Bennici, A. 1980. Polyamines and nucleic acids during the first cell cycle of Helianthus tuberosus tissue after the dormancy break. *Planta.* 148 : 332-337.
- Setia, N., Grewal, M. and Malik, C.P. 1986. Seed germination and seedling growth in response to salinity and growth regulators in two wheat cultivars. Proceedings of the "National Symposium on Physiological, Biochemical and Genetic Aspects of Crop Plants in Relation to Environmental Stress". pp 94. Hisar Agri.University, Hisar, India.
- Sharma, S.K. 1986. Mechanism of tolerance in rice varieties differing in sodicity tolerance. *Plant Soil.* 93 : 141-145.
- Sharma, S.K. and Gupta, I.C. 1986. Saline Environment and Plant Growth. Agro Botanical Publishers, India.
- Shaw, M. and Hawkins, A.R. 1958. The physiology of host-parasite relations. V. A preliminary examination of the level of free endogenous indoleacetic acid in rusted and mildewed cereal leaves and their ability to decarboxylate exogenously supplied radioactive indoleacetic acid. *Can.J.Bot.* 36 : 1-16.
- Sheoran, I.S. and Garg, O.P. 1978. Effect of salinity on the activities of RNase, DNase and protease during germinat-

- tion and early seedling growth of mung bean. *Physiol. plant.* 46 : 147-150.
- Shih, L., Kaur-sawhnay, R., Fuhrer, J., Samanta, S. and Galston, A.W. 1982. Effect of exogenous 1,3-Diaminopropane and spermidine on senescence of oat leaves. 1. Inhibition of protease activity, ethylene production, and chlorophyll loss as related to polyamine content. *Plant Physiol.* 70 : 1592-1596.
- Shimokawa, K. 1983. An ethylene forming enzyme in Citrus unshiu fruits. *Phytochem.* 22 : 1903-1908.
- Shininger, T.L., 1975. The morphological, anatomical and cytological effects of gibberellins. In "Gibberellins and Plant Growth", H.N.Krishnamoorthy (ed.) pp 203-224, Wiley Eastern Limited, New Delhi.
- Shomer-Ilan, A., Moualem-Beno, D. and Waisel, Y. 1985. Effect of NaCl on the properties of phosphoenol pyruvate carboxylase from Suaeda monica and Chloris guana. *Physiol. Plant.* 65 : 72-78.
- Siegel, S.M., Siegel, B.Z., Massey, J., Lahne, P. and Cheng J. 1980. Growth of corn in saline waters. *Physiol. Plant.* 50 : 71-73.
- Sindhu, R.K. and Desai, H.V. 1980. Agmatine iminohydrolase activity during development and germination of groundnut seeds. *Experientia* 36 : 530-531.
- Singh, G. and Singh, H. 1980. Effect of growth regulators on the growth parameters of chick pea grown under different salinity levels. *Ind.J.Agric.Sci.* 50 : 23-30.

- Singh, O.S. and Vijayakumar, K.R. 1974. Carryover effects of salinity on yield and quality of wheat seed. *Seed Res.* 2 : 13-18.
- Sivtsev, M.V. 1973. Photochemical activity of chloroplasts and bond strength of chlorophyll complex in plants during action of herbicides, salinization and biologically active compounds. *Soviet Plant Physiol.* 20 : 1176-1181.
- Slocum, R.D. and Galston, A.W. 1985. Changes in polyamine biosynthesis associated with postfertilization growth and development in tobacco ovary tissues. *Plant Physiol.* 79 : 336-343.
- Slocum, R.D., Kaur-Sawhney, R. and Galston, A.W. 1984. The physiology and biochemistry of polyamines in plants. *Arche. Biochem.Biophys.* 235 : 283-303.
- Smith, M.A., Davis, P.J. and Reid, J.B. 1983. The role of polyamines in gibberellin induced stem elongation. *Plant Physiol.* 72 (suppl.) 82 (Abstract 466).
- Smith, M.A., Davis, P.J. and Reid, J.B. 1985. Role of polyamines in gibberellin-induced internode growth in peas. *Plant Physiol.* 78 : 92-99.
- Smith, M.M., Hodson, M.J., Opik, H. and Wainwright, S.J. 1983. Salt-induced ultrastructural damage to mitochondria in root tips of a salt-sensitive ecotype of Agrostis stolonifera. *J.Expt.Bot.* 33 : 886-895.
- Smith, T.A. 1976. Polyamine oxidase from barley and oats. *Phytochem.* 15 : 633-636.

- Smith, T.A. 1982. Polyamines as plant growth regulators. British Plant Growth Regulator Group News Bulletin. 5 : 1-11.
- Smith, T.A., 1984. Putrescine and inorganic ions. In "Recent Advances in Phytochemistry. Phytochemical Adaptations to Stress". B.N. Timmermann, C.Steelink, and F.A. Loewus (eds). pp 7-54. Plenum Press, New York.
- Smith, T.A. 1985. Polyamines. *Ann.Rev.Plant Physiol.* 36 : 117-143.
- Sneath, P.H.A. 1955. Putrescine as an essential growth factor for a mutant of *Aspergillus nidulans*. *Nature.* 175: 818.
- Snedecor, G.W. 1959. Statistical methods. The Iowa State College Press, Ames, Iowa.
- Solomon, M., Ariel, R., Hodson, M.J., Mayer, A.M. and Poljakoff-Mayber, A. 1987. Ion absorption and allocation of carbon resources in excised pea roots grown in liquid medium in absence or presence of NaCl. *Ann.Bot.* 59: 387-398.
- Solov'ev, V.A. 1969. Plant growth and water and mineral nutrient supply under NaCl salinization conditions. *Fiziol.Rast.* 16 : 870-876.
- Somogyi, M. 1952. Notes on sugar determination. *J.Biol.Chem.* 195 : 19-23.
- Srivastava, S.K. and Rajbabu, P. 1985. Regulation of bound peroxidase by polyamines and guanidines in maize Scutellum. 24: 2515-2517.

- Srivastava, S.K. and Smith, T.A. 1982. The effect of some oligoamines and guanidines on membrane permeability in higher plants. *Phytochem.* 21 : 997-1008.
- Starck, Z. and Kozinska, M. 1980. Effect of phytohormones on absorption and distribution of ions in salt-stressed bean plants. *Acta Soc. Bot. Pol.* 49 : 111-126.
- Stewart, C.R. 1980. The mechanism of abscisic acid-induced proline accumulation in barley leaves. *Plant Physiol.* 66 : 230-233. 1980.
- Stewart, C.R. and Boggess, S.F. 1978. Metabolism of (5-³H) proline by barley leaves and its use in measuring the effects of water stress on proline oxidation. *Plant Physiol.* 61 : 654-657.
- Stewart, C.R., Boggess, S.F., Aspinall, D. and Paleg, L.G. 1977. Inhibition of proline oxidation by water stress. *Plant Physiol.* 59 : 930-932.
- Stewart, C.R. and Lee, J.A. 1974. The role of proline accumulation in halophytes. *Planta* 120 : 279-289.
- Stewart, C.R. and Voetberg, G. 1985. Relationship between stress-induced ABA and proline accumulations and ABA-induced proline accumulation in excised barley leaves. *Plant Physiol.* 79 : 24-27.
- Storey, R. and Wyn Jones, R.G. 1975. Betaine and choline levels in plants and their relationship to NaCl stress. *Plant Sci. Lett.* 4 : 161-168.
- Storey, R. and Wyn Jones, R.G. 1978. Salt stress and comparative physiology in the Gramineae III. Effect of salinity upon ion relations and glycine betaine and proline levels

- in Spartina townsendii. Aust.J.Plant Physiol. 5 : 831-838.
- Strack, Z., Karwowska, R. and Kraszewska, E. 1975. The effect of several stress conditions and growth regulators on photosynthesis and translocation of assimilates in the bean plant. Acta Soc.Bot.Pol. 44 : 567-588.
- Strogonov, B.P. 1962. Physiological basis of salt tolerance of plants. Translated by A.Poljakoff-Mayber and A.M.Mayer. Israel programme for scientific translations. Jerusalem.
- Stuiver, C.E.E., Kuiper, P.J.C. and Marschner, H. 1978. Lipids from bean, barley and sugar beet in relation to salt resistance. Physiol.Plant. 42 : 124-128.
- Sugiura, M., Umemura, K. and Oota, K. 1962. The effect of kinetin on protein level of tobacco leaf discs. Physiol. Plant. 15 : 457-464.
- Suttle, J.C. 1981. Effect of polyamines on ethylene production. Phytochem. 20 : 1477-1480.
- Tabor, C.W. and Tabor, H. 1984. Polyamines. Ann.Rev.Biochem. 53 : 749-790.
- Tabor, H. 1981. Polyamine biosynthesis in Eschericia coli: construction of polyamine-deficient mutants. Med.Biol. 59 : 389-393.
- Takeda, Y. and Ohnishi, T. 1975. Binding of transfer RNA to polyamines in preference to Mg^{2+} . Biochim.Biophys.Res. Commun. 63 : 611-617.
- Takemoto, T., Nagamatsu, Y. and Oka, T. 1983. The study of spermidine stimulated polypeptide synthesis in cell-

- free translation of mRNA from lactating mouse mammary gland. *Biochim. Biophys. Acta.* 740 : 73-79.
- Tal, M. 1977. Physiology of polyploid plants: DNA, RNA, protein and abscisic acid in autotetraploid and diploid tomato under low and high salinity. *Physiol. Plant.* 38 : 257-261.
- Taleisnik-Gertel, E. and Tal, M. 1986. Potassium utilization and fluxes in wild salt-tolerant relatives of the cultivated tomato. *Physiol. Plant.* 67 : 415-420.
- Thomas, T.H. (ed.) 1982. Plant Growth Regulator Potential and Practice. BCPC publications, London.
- Thomas, T.H., Wareing, P.F. and Robinson, P.N. 1965. Chemistry and physiology of "dormins" in sycamore. Action of the sycamore "dormin" as a gibberellin antagonist. *Nature.* 205 : 1270-1272.
- Torrigiani, P., Altamura, M.M., Pasqua, G., Monacelli, B., Serafini-Fracassini, D. and Bagni, N. 1987. Free and conjugated polyamines during de novo floral and vegetative bud formation in thin cell layers of tobacco. *Physiol. Plant.* 70 : 453-460.
- Treichel, S. 1975. The effect of NaCl on the concentration of proline in different halophytes. *Z. Pflanzen physiol.* 76 : 56-58.
- Treichel, S. 1986. The influence of NaCl on Δ^1 -pyrroline-5-carboxylate reductase in proline-accumulating cell suspension cultures of Mesembryanthemum nodiflorum and other halophytes. *Physiol. Plant.* 67 : 173-181.

- Trivedi, L.S. and Rao, K.K. 1979. Production of cellulolytic enzymes by Aspergillus fumigatus. Indian J.Expt.Biol. 17 : 671-674.
- Ts'o, P.O.P., Bonner, J. and Vinograd, J. 1958. Structure and properties of microsomal nucleoprotein particles from pea seedlings. Biochim. Biophys.Acta. 30 : 570-582.
- Tucker, D.J. and Mansfield, T.A. 1971. A simple bioassay for detecting 'antitranspirant' activity of naturally occurring compounds such as abscisic acid. Planta 98 : 157-163.
- Turner, L.B. and Stewart, G.R. 1986. The effect of water stress upon polyamine levels in barley (Hordeum vulgare L.) leaves. J.Exp.Bot. 37 : 170-177.
- Twersky, M. and Felhendler, R. 1973. Effect of water quality on relationships between cationic species and leaf lipids at two different development stages in cotton. Physiol. Plant. 29 : 396-401.
- Udovenko, G.V., Gradchaninova, O.D. and Semushina, L.A. 1970. Morphological and anatomical changes in wheat leaves and roots with increasing soil salinity. Botanicheski J. 55 : 931-937.
- Udovenko, G.V., Semushina, L.A and Petrochenko, N.G. 1971. Character and probable causes of the changes in the photosynthetic activity of plants during salinization. Soviet Plant Physiol. 18 : 598-604.

- Ungar, I.A. 1978. Halophyte seed germination. The Bot. Rev. 44 : 233-264.
- Van Steveninck, R.F.M. 1976. Effect of hormones and related substances on ion transport. In : Encyclopaedia of Plant Physiology, New series U.Luttge and M.G.Pitman (eds) 2 B. pp 307-342, Springer-Verlag, Berlin.
- Varner, J.E. and Ho, D.T.H. 1977. Hormonal control of enzyme activity in higher plants. In H. Smith (ed) Regulation of Enzyme Synthesis and Activity in Higher Plants. pp 83-91, Academic Press, London.
- Villanueva, V.R., Adlekho, R.C. and Cantera-Soler, M. 1978. Changes in polyamine concentration during seed germination. Phytochem. 17 : 1245-1249.
- Vioque, A., Albi, M.A. and Vioque, B. 1981. Role of IAA oxidase in the formation of ethylene from 1-aminocyclopropane-1-carboxylic acid. Phytochem. 20 : 1473-1475.
- Voetberg, G. and Stewart, C.R. 1984. Steady state proline levels in salt-shocked barley leaves. Plant Physiol. 76 : 567-570.
- Waisel, Y. 1972. Biology of halophytes. Academic Press, New York.
- Waisel, Y., Eshel, A. and Agami, M. 1986. Salt balance of leaves of the mangrove Avicennia marina. Physiol.Plant 67 : 67-72.
- Walker, R.R., Hawker, J.S. and Torokfalvy, E. 1980. Effect of NaCl on growth, ion composition and ascorbic acid concentrations in capsicum fruit. Scientia Horticult. 12 : 211-220.

- Wareing, P.F (ed) 1982. Plant Growth Substances. Academic Press, London, New York.
- Wareing, P.F., Good, T.E.G. Manuel, J. 1968. Some possible physiological roles of abscisic acid. In. "Biochemistry and Physiology of Plant Growth Substances", F. Wightman and G. Setterfield (eds) pp 1561-1579 Runge, Ottawa.
- Wareing, P.F. and Philips, I.D.J. 1982. Growth and differentiation in plants. Pergamon Press, Oxford, England.
- Weaver, R.J. 1972. Plant Growth substances in Agriculture W.H. Freeman & Co., San Francisco.
- Weimberg, R. 1970. Enzyme levels in pea seedlings grown on highly saline media. Plant Physiol. 46 : 466-470.
- Weimberg, R. 1986. Growth and solute accumulation in 3-week old seedlings of Agropyron elongatum stressed with sodium and potassium salts. Physiol. Plant. 67:129-135.
- Werker, E., Lerner, H.R., Weimberg, R. and Poljakoff-Mayber A. 1983. Structural changes occurring in nuceli of barley root cells in response to a combined effect of salinity and ageing. Amer. J. Bot. 70:222-225.
- Wickner, W., Schekman, R., Geider, K, and Kornberg, A. 1973. Proc. Natt. Acad. Sci. USA. 70: 1764-1767. Quoted from "Physiology and biochemistry of polyamines in plants", Slocum et al. (1984). Arche. Biochem. Biophys. 235: 283-303.

- Wignarajah, K., Jennings, D.H. and Handley, J.F. 1975a.
The effect of salinity on growth of Phaseolus vulgaris
L. 1. Anatomical changes in the first trifoliate leaf.
Ann. Bot. 39: 1029-1038.
- Wignarajah, K., Jennings, D.H. and Handley J.F. 1975b.
The effect of salinity on growth of Phaseolus vulgaris
L. II. Effect on internal solute concentration. Ann.
Bot. 39: 1039-1055.
- Wijesundera, R.L.C., Bailey, J.A. and Byrde, R.J.W. 1984.
Production of pectin lyase by Colletotrichum
lindemuthianum in culture and in infected bean
(Phaseolus vulgaris) tissue. J. Gen. Microbiol. 130:
285-290.
- Wood, A and Paleg, L.G. 1972. The influence of GA₃ on the
permeability of model membrane systems. Plant Physiol.
50: 103-108.
- Wood, A and Paleg, L.G. 1974. Alteration of liposomal
membrane fluidity by gibberellic acid. Aust. J.
Plant Physiol. 1 : 31-40.
- Woolhouse, H.W. 1984. The biochemistry and regulation of
senescence in chloroplasts. Can. J. Bot. 62: 2934-2942.
- Wright, S.T.C. 1968. Multiple and sequential roles of plant
growth regulators. In "Biochemistry and Physiology
of Plant Growth Substances", F. Wrightman and
G. Setterfield (eds) pp 521-542, Runge Press, Ottawa.

- Wright S.T.C. 1978. Phytohormones and Stress phenomena.
In "Phytohormones and Related Compounds - A
Comprehensive Treatise", D.S. Letham, P.B. Goodwin
and T J.V. Higgins (eds.) 2: 495-536. Elsevier/
North - Holland Biomedical Press. Amsterdam.
- Wright, S.T.C. and Hiron, R.W.P. 1972. The accumulation of
abscisic acid in plants during wilting and other
stress conditions. In "Plant Growth Substances",
D.J. Carr (ed.) pp 291-298. Springer-Verlag, Berlin,
Hiedelberg, New York.
- Wyn Jones, R.G. and Storey, R. 1981. Betaines- In "Physiology
and Biochemistry of Drought Resistance in Plants",
L.G. Paleg and D. Aspinall (eds) pp 171-203, Academic
Press, Sydney.
- Yasseen, B.T., Jurjees, J.A and Sofajy, S.A. 1987. Changes in
some growth processes induced by NaCl in individual
leaves of two barley cultivars. Indian J. Plant
Physiol. 30: 1-6.
- Yeo, A.R. 1983. Salinity resistance: Physiologies and prices.
Physiol. Plant. 58 : 214-222.
- Yeo, A.R. and Flowers, T.J. 1982. Accumulation and
localisation of sodium ions within the shoots of
rice (Oryza sativa L.) varieties differing in salinity
resistance. Physiol. Plant. 56: 343-348.
- Yeo, A.R. and Flowers, T.J. 1983. Varietal differences in the
toxicity of sodium ions in rice leaves. Physiol.
Plant. 59: 189-195.

- Yeo, A.R. and Flowers, T.J. 1984. Mechanisms of salinity resistance in rice and their role as physiological criteria in plant breeding. In "Salinity Tolerance in Plants - Strategies for Crop Improvement" R.C. Staples and G.H. Toenniessen (eds.) pp 151-170. John Wiley and Sons. New York, Chichester, Brisbane.
- Yeo, A.R. and Flowers, T.J. 1986. Salinity resistance in rice (Oryza sativa L.) and a pyramiding approach to breeding varieties for saline soils. Aust.J.Plant Physiol. 13 : 161-173.
- Yeo, A.R., Yeo, M.E., Caporn, S.J.M., Lachno, D.R. and Flowers, T.J. 1985. The use of ^{14}C -ethane diol as a quantitative tracer for the transpirational volume flow of water and an investigation of the effects of salinity upon transpiration, net sodium accumulation and endogenous ABA in individual leaves of Oryza sativa L. J.Exp.Bot. 36 : 1099-1109.