

LIST OF TABLES

Sr. No.	Title	Page No.
Chapter 1	Introduction	
Table 1	Classification of vitiligo	3
Table 2	Clinical classification of vitiligo	4
Table 3	Sources of ROS in vitiligo	21
Table 4	Effects of ROS/ Biochemical changes in vitiligo	22
Table 5	Antigens recognized by vitiligo autoantibodies	43
Table 6	Genes that contribute to vitiligo susceptibility	67
Table 7	<i>HLA</i> associations reported in vitiligo	78
Table 8	Susceptibility loci for vitiligo	81
Chapter 2	Role of superoxide dismutase 1 (SOD1) in vitiligo susceptibility	
Table 1	Demographic characteristics of vitiligo patients and unaffected controls	135
Table 2	Primers and restriction enzymes used for <i>SOD1</i> C/T (Ile40Thr) SNP genotyping and gene expression analyses	142
Table 3	Primers used for HRM analysis of <i>SOD1</i> gene	143
Table 4	Association study for <i>SOD1</i> C/T (Ile40Thr) polymorphism in vitiligo patients and controls	151
Chapter 3	Role of superoxide dismutase 2 (SOD2) in vitiligo susceptibility	
Table 1	Demographic characteristics of vitiligo patients and unaffected controls	166
Table 2	Primers and restriction enzymes used for <i>SOD2</i> Leu84Phe (C/T; rs11575993) and Thr58Ile(C/T; rs35289490) SNPs genotyping and gene expression analyses	168
Table 3	Association studies for <i>SOD2</i> gene, C/T (Leu84Phe), C/T (Thr58Ile), T/C (Val16Ala) and T/C (Ile82Thr) polymorphisms in vitiligo patients from Gujarat	178
Table 4	Association studies for <i>SOD2</i> gene, C/T (Leu84Phe), C/T (Thr58Ile) and T/C (Val16Ala) polymorphisms in generalized and localized vitiligo patients from Gujarat	179
Table 5	Association studies for <i>SOD2</i> gene, C/T (Leu84Phe), C/T (Thr58Ile) and T/C (Val16Ala) polymorphisms in patients with active and stable vitiligo from Gujarat	180
Table 6	Distribution of haplotypes frequencies for <i>SOD2</i> gene, C/T (Leu84Phe), C/T (Ile58Thr) and T/C (Val16Ala) polymorphisms among generalized vitiligo patients and controls	181
Chapter 4	Role of superoxide dismutase 3 (SOD3) in vitiligo susceptibility	

Table 1	Demographic characteristics of vitiligo patients and unaffected controls	201
Table 2	Primers and restriction enzymes used for <i>SOD3</i> Arg213Gly (C/G; rs1799895) and Ala40Thr (G/A; rs2536512) SNPs genotyping and gene expression analyses	203
Table 3	Association studies for <i>SOD3</i> gene C/G (Arg213Gly) and G/A (Ala40Thr) polymorphisms in vitiligo patients from Gujarat	209
Table 4	Association studies of <i>SOD3</i> gene for C/G (Arg213Gly) and G/A (Ala40Thr) polymorphisms in generalized and localized vitiligo patients from Gujarat	210
Table 5	Association studies of <i>SOD3</i> gene for C/G (Arg213Gly) and G/A (Ala40Thr) polymorphisms in patients with active and stable vitiligo from Gujarat	211
Chapter 5	Evaluation of oxidative stress and autoimmune hypotheses in onset and progression of vitiligo	
Table 1	Demographic characteristics of vitiligo patients and unaffected controls	225
Chapter 6	Role of tumor necrosis factor α (TNFα) in vitiligo susceptibility	
Table 1	Demographic characteristics of vitiligo patients and unaffected controls of Gujarat	235
Table 2	Primers for <i>TNFA</i> promoter SNPs genotyping and gene expression analysis	238
Table 3	Association study for <i>TNFA</i> promoter polymorphisms in patients with generalized vitiligo from Gujarat	242
Table 4	Association study for <i>TNFA</i> promoter polymorphisms in patients with localized vitiligo from Gujarat	243
Table 5	Pairwise linkage disequilibrium (D') values between <i>TNFA</i> SNPs with >3% minor allele frequencies within generalized vitiligo patients and controls from Gujarat population	246
Table 6	Pairwise linkage disequilibrium (D') values between <i>TNFA</i> SNPs with >3% minor allele frequencies within localized vitiligo patients and controls from Gujarat population	247
Table 7	Distribution of haplotypes frequencies for <i>TNFA</i> promoter polymorphisms among generalized vitiligo patients and controls	248
Table 8	Distribution of haplotypes frequencies for <i>TNFA</i> promoter polymorphisms among localized vitiligo patients and controls	249
Chapter 7	Role of tumor necrosis factor-β (TNFβ) in vitiligo susceptibility	
Table 1	Demographic characteristics of vitiligo patients and unaffected controls	271

Table 2	Primers and restriction enzymes used for <i>TNFB</i> +252G/A SNP genotyping and gene expression analyses	273
Table 3	Association studies for <i>TNFB</i> gene +252G/A and exon 3 A/C polymorphisms in vitiligo patients from Gujarat	277
Table 4	Association studies for <i>TNFB</i> gene +252G/A and exon 3 A/C polymorphisms in generalized and localized vitiligo patients from Gujarat	278
Table 5	Association studies for <i>TNFB</i> gene +252G/A and exon 3 A/C polymorphisms in male and female patients with vitiligo	279
Table 6	Association studies for <i>TNFB</i> gene +252G/A and exon 3 A/C polymorphisms in patients with active and stable vitiligo from Gujarat	284
Table 7	Distribution of haplotype frequencies for <i>TNFB</i> gene, +252 T/C and Exon 3 C/A polymorphisms among generalized vitiligo patients and controls	285