

## **BIBLIOGRAPHY**

6. BIBLIOGRAPHY

Bailey,I.W. 1944. The development of vessels in angiosperms and its significance in morphological research. Amer. J. Bot. 31: 421-428.

Bailey,I.W. 1956. Nodal anatomy in retrospect. J. Arnold Arbor. Harv. Univ. 37: 269-287.

Barykina,R.P. and N.V.Chubatova. 1980. Some traits of leaf structure in evergreen representatives of the Berberidaceae Juss. family. Vest. Mosk. Univ. Ser. 16: 25-37.

Beck,C.B., R.Schmid and G.W.Rothwell. 1982. Stelar morphology and the primary vascular system of seed plants. Bot. Rev. 48: 691-815.

Behnke,H.D. 1975. Companion cells and transfer cells structure, function, development of transfer cell. In: Aronoff,S., et al., (eds.), Phloem Transport. Plenum Press, New York London. pp. 153-175.

Behnke,H.D. and R.D.Sjolund (eds.),1990. Sieve elements: Comparative structure, Induction and Development. Springer-Verlag, Germany.

Benzing,D.H. 1967. Developmental patterns in stem primary xylem of woody Ranales. I. Species with unilacunar nodes. Amer.J.Bot. 54: 813-820.

Berlyn,G.P. and J.P.Miksche. 1976. Botanical Microtechnique and Cytochemistry. IOWA State Univ. Press: Ames, IOWA.

Butterfield,B.G. 1976. The ontogeny of the vascular cambium in Hoheria angustifolia Raoul. New Phytol. 77: 409-420.

\*Candolle,C.DE. 1879. Anatomie compare des fernalles chez quelques familles de dicotyledones. Mem. Soc. Phys. Hist. Nat. Geneva. 26: 427-480. (from Howard,1974).

Catesson,A.M. 1964. Origine, fonctionnement et variations cytologiques sarsonnieres du cambium le I'Acer pseudoplatanus L. Ann.Sci.Nat.Bot. (Ser.125) 5: 229-498.

Catesson,A.M. 1974. Cambial cells. In: A.W.Robards (ed.), Dynamic Aspects of Plant Ultrastructure. McGraw-Hill, New York; pp.358-390.

Cheadle,V.I., E.N.Gifford Jr. and K.Esau 1953. A staining combination for phloem and contiguous tissues. Stain Tech.28: 49-53.

Cheadle,V.I. and K.Esau,1958. Secondary phloem of the Calycanthaceae. Univ. Calif. Publs. Bot. 29: 397-510.

Cheadle,V.T. and K. Esau. 1964. Secondary phloem of Liriodendron tulipifera Univ. Calif. Publs. Bot. 36: 143-252.

Colbert,T.T. and R.F.Evert. 1982. Leaf vasculature in sugarcane. Planta. 156: 136-151.

Croizat,L. 1940. A comment on current notions concerning the leaf and bud scale of the angiosperms. Lingan Sci. J. 19: 49-66.

Cronshaw,J. 1975. P-protein. In: S.Aronoff ; J. Dainty; P.R.Gorham; L.M.Srivastava; C.A.Swanson (eds.), Phloem Transport. Plenum. New York London. pp.79-115.

Cronshaw,J. 1981. Phloem structure and function. Annu. Rev. Plant Physiol. 32 : 465-484.

Cronshaw,J. and D.D. Sabnis. 1990. Phloem Proteins. In : H.D.Behnke and R.D.Sjolund (eds.), Sieve elements : Comparative structure, Induction and Development. Springer-Verlag, Germany. pp. 257-278.

Cumbie,B.G. 1963. The vascular cambium and xylem development in Hibiscus lasiocarpus. Amer. J. Bot. 50 : 944-951.

Cumbie,B.G. 1967. Development and structure of the xylem in Canavalia (Leguminosae). Bull. Torrey Bot. Club. 94 : 162-175.

Cumbie,B.G. 1984. Origin and development of the vascular cambium in Aeschynomene virginia. Bull. Torrey Bot. Club. 111 : 42-50.

Cutter,E.G. 1971. Plant Anatomy. Experiment and Interpretation Part 2. Organs. Edward Arnold, London.

Czaninski,Y. 1977. Vessel-associated cells. IAWA Bull. 1977 : 51-55.

Dave, Y.S. and K.S.Rao. 1981. Seasonal nuclear behaviour in fusiform cambial initials of Tectona grandis L.F. Flora. 171 : 299-305.

Dave,Y.S. and K.S.Rao. 1982. Seasonal activity of the vascular cambium in Gmelina arborea. IAWA Bull. 3 : 59 - 65.

Dehgran,B. 1982. Comparative anatomy of the petiole and intrageneric relationships in Jatropha. Amer. J. Bot. 69 : 1683-1695.

De Maria,M.E., R.Thaine. 1974. Strands in sieve tubes in longitudinal cryostat sections of Cucurbita pepo stems. J. Exp. Bot. 25 : 871-885.

Dengler,R.E. and N.G.Dengler. 1990. Leaf vascular architecture in the atypical C<sub>4</sub> NADP-malic enzyme grass Arundinella hirta. Can. J. Bot. 68 : 1208-1221.

Deshpande,B.P. 1974. On the occurrence of spiny vesicles in the phloem of Salix. Ann. Bot. 38 : 865-868.

Devadas,C. and C.B.Beck. 1971. Development and morphology of stelar components in the stems of some members of the Leguminosae and Rosaceae. Amer. J. Bot. 58 : 432-446.

Devadas,C. and C.B.Beck. 1972. Comparative morphology of the primary vascular systems in some species of Rosaceae and Leguminosae. Amer. J. Bot. 59 : 557-567.

Dickison,W.C. 1975. The bases of angiosperm phylogeny : vegetative anatomy. Ann. Missouri Bot. Gard. 62 : 590-620.

Dickison,W.C. 1987. Leaf and nodal anatomy and systematics of Staphyleaceae. Bot. Gaz. 148 : 475-489.

Dormer,K.J. 1972. Shoot Organization in Vascular Plants. Chapman and Hall, London.

Eleftheriou,E.P. and I.Tsekos. 1982. Development of protophloem in roots of Aegilops comosa var. thessalica. II. Sieve Sieve element differentiation. Protoplasma. 113 : 221-233.

Elliot,J.H. 1937. The development of the vascular system in evergreen leaves more than one year old. Ann. Bot. 1 : 107-127.

Enright,A.M. and B.G.Cumbie. 1973. Stem anatomy and internode development in Phaseolus vulgaris. Amer. J. Bot. 60 : 915-922.

Esau,K. 1938. Ontogeny and structure of the phloem of tobacco. Hilgardia. 11 : 343-406.

Esau,K. 1942. Vascular differentiation in the vegetative shoot of Linum. I. The procambium. Amer. J. Bot. 29 : 738-747.

Esau,K. 1943a. Vascular differentiation in the vegetative shoot of Linum. II. The first phloem and xylem. Amer. J. Bot. 30 : 248-255.

Esau,K. 1943b. Origin and development of primary vascular tissues in seed plants. Bot. Rev. 9 : 125-206.

Esau,K. 1954. Primary vascular differentiation in Plants. Biol. Rev. 29 : 46-86.

Esau,K. 1965a. Vascular Differentiation in Plants. Holt, Rinehart and Winston, New York.

Esau,K. 1965b. Plant Anatomy. John Wiley and Sons, New York.

Esau,K. 1965c. On the anatomy of the woody plant. In : W.CÔTÉ , (ed.), Cellular Ultrastructure of Woody Plants. Syracuse University Press.

Esau,K. 1967. Minor veins in Beta leaves : structure related to function. Proc. Amer. Phil. Soc. 111 : 219-233.

Esau,K. 1969. The Phloem: W.Zimmermann, P.Ozenda, H.D. Wulff (eds.), In Encyclopedia of Plant Anatomy, Vol.5(2). Stuttgart : Gebrider Borntraeger.

Esau,K. 1970. On the phloem of Mimosa pudica L. Ann. Bot. 34 : 505-515.

Esau,K. 1973. Comparative structure of companion cells and phloem parenchyma in Mimosa pudica. Ann. Bot. 37 : 625-632.

Esau,K. 1975. The phloem of Nelumbo nucifera Gaertn. Ann. Bot. 39 : 901-913.

Esau,K. 1977. Anatomy of Seed Plants. John Wiley and Sons, New York.

Esau,K. 1978. Developmental features of the primary phloem of Phaseolus vulgaris. Ann. Bot. 42 : 1-13.

Evert,R.F. 1963. Ontogeny and structure of the secondary phloem in Pyrus malus. Amer. J. Bot. 50: 8-37.

Evert,R.F. 1977. Phloem structure and histochemistry. Annu. Rev. Plant Physiol. 28 : 199-222.

Evert,R.F. 1980. Vascular anatomy of angiospermous leaves, with special consideration of the maize leaf. Ber. Dtsch. Bot. Ges. 93 : 43-55.

Evert,R.F. 1982. Sieve-tube structure in relation to function. Bioscience. 32 : 789-795.

Evert,R.F. 1984. Comparative structure of phloem. In : R.A.White and W.C.Dickison (eds.), Contemporary Problems in Plant Anatomy. Academic Press, Orlando, Florida. pp. 145-234.

Evert,R.F. 1990. Dicotyledons. In : H.D.Behnke and R.D.Sjolund (eds.), Sieve elements : Comparative structure, Induction and Development. Springer-Verlag, Germany. pp. 103-130.

Evert,R.F., W.Eschrich, S.E.Eichhorn. 1973. P-protein distribution in mature sieve elements of Cucurbita maxima. Planta. 109 : 193-210.

Evert,R.F., Eschrich ,W.,Heyser,W. 1978. Leaf structure in relation to solute transport and phloem loading in Zea mays L. Planta. 138 : 279-294.

Evert,R.F. and R.J.Mierzwa. 1986. Pathway(s) of assimilate movement from mesophyll cells to sieve tubes in the Beta vulgaris leaf. In : J.Cronshaw, W.J.Lucas and R.T.Giaquinta (eds.), Phloem Transport. Alan R.Liss, Inc. New York; pp. 419-432.

Ewers,F.W. 1982. Developmental and cytological evidence for mode of origin of secondary phloem in needle leaves of Pinus longaeva (bristle cone pine) and P. flexilis. Bot. Jahrb. Syst. 103 : 59-88.

Ewers,F.W. and R.Schmid. 1981. Longevity of needle fascicles of Pinus longaeva (bristle cone pine) and other North American Pines. *Oecologia* (Berlin). 51 : 107-115.

Ewers,F.W. and R.Aloni. 1987. Seasonal secondary growth in needle leaves of Pinus strobus and Pinus brutia. *Amer. J. Bot.* 74 : 980-987.

Ezelarab,G.E. and K.J.Dormer. 1963. The organization of the primary vascular system in Ranunculaceae. *Ann. Bot.* 27 : 21-38.

Fahn,A. 1982. *Plant Anatomy*, 3rd ed. Pergamon Press, Oxford, England.

Fahn,A., R.Ben-Sasson and T.Sachs. 1972. The relation between the procambium and the cambium. In : A.K.M.Ghouse and M.Yunus.(eds.), *Research Trends in Plant Anatomy*. McGraw-Hill, New Delhi. pp. 161-170.

Fisher,D.G. 1990. Leaf structure of Cananga odorata (Annonaceae) in relation to the collection of photosynthate and phloem loading : morphology and anatomy. *Can. J. Bot.* 68 : 354-363.

Fisher,D.G. and R.F.Evert. 1982a. Studies on the leaf of Amaranthus retroflexus : morphology and anatomy. *Amer. J. Bot.* 69 : 1133-1147.

Fisher,D.G. and R.F.Evert. 1982b. Studies on the leaf of Amaranthus retroflexus : quantitative aspects and solute concentration in the phloem. *Amer. J. Bot.* 69 : 1375-1388.

Gamalei,Y.V. 1988a. The structural and functional evolution of leaf minor veins. Bot. Zh. 11 : 1513-1522.

Gamalei,Y.V. 1988b. The taxonomical distribution of the leaf minor vein types. Bot. Zh. 12 : 1662-1671.

Gamalei,Y.V. 1991. Phloem loading and its development related to plant evolution from trees to herbs. Trees. 5: 50-64.

Gendels,T.V. 1989. Structure of the conductive system of the node and petiole with respect to the morphogenesis of woody dicotyledonous leaves. Bot. Zh. 74 : 1154-1160.

Ghouse,A.K.M. and M.Yunus. 1973. Some aspects of cambial development in the shoots of Dalbergia sisoo. Flora. 18 : 549-558.

Ghouse,A.K.M. and M.Yunus. 1974. Cambial structure in Dalbergia. Phytomorphology. 24 : 152-158.

Giaquinta,R.T. 1983. Phloem loading of sucrose. Annu. Rev. Plant Physiol. 34 : 347-387.

Hare,C.C. 1943. The anatomy of the petiole and its taxonomic value. Proc. Linn. Soc. London. 155 : 223-229.

\*Hartig,T. 1837. Vergleichende Untersuchungen über die Organisation des Stammes der einheimischen Waldbäume - Jahrestsbl. Fortschr. Fortwiss. Und Forstl. Naturk. 1 : 125-168. (From Esau, 1969).

Hickey,L.J. 1979. A revised classification of the architecture of dicotyledonous leaves. In : C.R.Metcalfe and L.Chalk (eds.), Anatomy of the Dicotyledons, 2nd ed., Vol. 1, Clarendon Press, Oxford. pp. 25-39.

Howard, R.A. 1970. Some observations on the nodes of woody plants with special reference to the problem of the 'split-lateral' versus the 'common gap'. Bot. J. Linn. Soc. 63 : 195-214.

Howard,R.A. 1974. The stem-node-leaf continuum of the Dicotyledonae. J. Arnold Arbor. 55 : 125-181.

Howard,R.A. 1979a. The stem-node-leaf continuum of the Dicotyledonae. In : C.R.Metcalfe and L.Chalk (eds.), Anatomy of the Dicotyledons. 2nd ed. Vol. 1, Clarendon, Oxford. pp. 76-87.

Howard,R.A. 1979b. The petiole : In C.R.Metcalfe and Chalk (eds.), Anatomy of the Dicotyledons 2nd ed. Vol. 1, Clarendon, Oxford. pp. 88-96.

Iqbal,M. (ed.). 1990. The Vascular Cambium. Res. Studies Press Ltd., England.

Isebrands,J.G., R.E.Dickson and P.R.Larson. 1976. Translocation and incorporation of  $^{14}\text{C}$  into the petiole from different regions within developing cottonwood leaves. Planta. 128 : 185-193.

Isebrands,J.G. and P.R.Larson. 1977a. Organization and ontogeny of the vascular system in the petiole of eastern cottonwood Amer. J. Bot. 64 : 65-77.

Isebrands,J.G. and Larson,P.R. 1977b. Vascular anatomy of the nodal region in eastern cottonwood. Amer. J. Bot. 64 : 1066-1077.

Isebrands,J.G. and P.R.Larson. 1980. Ontogeny of the major veins in the lamina of Populus deltoides Bartr. Amer. J. Bot. 67 : 23-33.

Jarvis,P., R.Thaine, J.W.Leonard. 1973. Structures in sieve elements cut with a cryostat following different rates of freezing. J. Exp. Bot. 24 : 905-919.

Johansen,D.A. 1940. Plant Microtechnique. McGraw-Hill, New York.

Kato,N. 1967. On the variation of nodal types in woody plants. J. Jap. Bot. 41 : 101-106.

Khan,M.I.H. et.al. 1988. Comparative study on the structure of vascular cambium in some Citrus spp. growing in Mediterranean climate. Ind. J. Appl. and Pure Biol. 3(2) : 87-91.

Khare,P.K. and R.Shankar. 1989. On the petiolar structure of some Asplenium sp. Can. J. Bot. 67 : 95-103.

Kozlowski,T.T.(ed.) 1971. Growth and Development of Trees. Vol. 1 & 2. Academic Press, New York.

Kozlowski,T.T. (ed.). 1973. Shedding of Plant Parts. Academic Press, New York.

Kramer,P.J. and T.T.Kozlowski. 1979. Physiology of Woody Plants. Academic Press, New York.

Kuroda,K. and K.Shimaji. 1985. Wound effects on cyto-differentiation in hard wood xylem. IAWA. Bull., N.S., 6 : 107-118.

Larson,P.R. 1975. Development and organization of the primary vascular system in Populus deltoides according to phyllotaxy. Amer. J. Bot. 62 : 1084-1099.

Larson, P.R. 1976. Procambium vs cambium and protoxylem vs metaxylem in Populus deltoides seedlings. Amer. J. Bot. 63 : 1332-1348.

Larson,P.R. 1980a. Control of vascularization by developing leaves. In : C.H.A.Little (ed.), Control of Shoot Growth in Trees : Proc. IUFRO Workshop, Fredericton, N.B., Canada. pp. 157-172.

Larson,P.R. 1980b. Interrelations between phyllotaxis, leaf development and the primary-secondary vascular transition in Populus deltoides. Ann. Bot. 46 : 757-769.

Larson,P.R. 1982. The concept of cambium. In : P.Baas (ed.), New Perspectives in Wood Anatomy. Nijhoff/Junk, The Hague. pp. 85-122.

Larson,P.R. 1983. Primary vascularization and the siting of primordia. In : J.E.Dale and F.L.Milthorpe (eds.), The Growth and Functioning of Leaves. Cambridge Uni. Press, Cambridge, London. pp. 25-51.

Larson,P.R. 1984a. The role of subsidiary trace bundles in stem and leaf development of the dicotyledonae. In : R.A.White and W.C.Dickison (eds.), Contemporary Problems in Plant Anatomy. Acad. Press. Florida. pp. 109-143.

Larson,P.R. 1984b. Vascularization of developing leaves of Gleditsia triacanthos I. The node rachis and rachillae. Amer.J. Bot. 71: 1201-1210.

Larson,P.R. 1985. Rachis vascularization and leaflet venation in developing leaves of Fraxinus pennsylvanica. Can. J. Bot. 63: 2383-2392.

Larson,P.R. and J.G.Isebrands. 1974. Anatomy of the primary-secondary transition zone in stem of Populus deltoides. Wood Sci. and Tech. 8: 11-26.

Larson,P.R. and T.D.Pizzolato. 1977. Axillary bud development in Populus deltoides. I. Origin and early development. Amer. J. Bot. 64: 835-848.

Larson,P.R. and R.E.Dickison. 1986.  $^{14}\text{C}$  translocation pathways in honey locust and green ash : woody plants with complex leaf forms. Physiol. Plant. 66: 21-30.

Longmann,K.A. and J.J.Jenik. 1974. Tropical Forest and its Environment. Longmann, Green, New York.

Lowerts,G., E.A.Wheeler and R.C.Kellison. 1986. Characteristics of wound - associated wood of yellow-poplar (Liriodendron tulipifera L.) Wood Fiber Sci. 18: 537-552.

Majumdar,G.P. 1942. The organization of the shoot in Heracleum in the light of development. Ann. Bot. 6: 49-81.

Marsden,M. and I.W.Bailey. 1985. A fourth type of nodal anatomy in dicotyledons illustrated by Clerodendron trichotomum Thunb. J.Arnon Arbor.36: 1-51.

Mazia,D.,, P.A.Brewer and M.Alfert. 1953. The cytochemical staining and measurement of protein with mercuric bromophenol blue. Biol. Bull. 104: 57-67.

McCauley,M.M. and R.F.Evert. 1988. Morphology and vasculature of the leaf of potato (Solanum tuberosum). Amer. J. Bot. 75: 377-390.

McGahan ,M.W. 1955. Vascular differentiation in the vegetative sheet of Xanthium chinense. Amer.J.Bot. 42: 132-140.

Mehta,A.S. and D.C.Spanner. 1962. The fine structure of the sieve tubes of the petiole of Nymphoides peltatum. Ann. Bot. 26: 291-299.

Mehta,A.S. 1964. A study of the primary phloem of the petiole of Nymphoides peltatum. J.Ind.Bot.Soc. 53: 257-261.

Metcalfe,C.R. and L.Chalk. 1950. Anatomy of the dicotyledons. Clarendon Press, Oxford.

Mitra,G.C. and G.P.Majumdar. 1952. The leaf base and the internode - their true morphology. The Paleobotanist. 1: 351-367.

Mohan Ram,H.Y. 1993. Trees: their uses and biology. Curr. Sci. 64: 151-161.

Mueller,R.J. 1991. Identification of procambium in the primary root of Trifolium pratense (Fabaceae).Amer.J.Bot. 78: 53-62.

Mullenders,W. 1947. L'origine du phloeme interxylemein chez Stylium et Thunbergia. Cellule.51: 5-48.

Napp-Zinn,K. 1966. Anatomie des Blattes. I. Blattanatomie der Gymnosperm. In Linsbauer,K. (ed.): Handbuch der Pflanzenanatomie, 2nd ed.,B(1). Berlin: Borntraeger.

\*Neubauer,H.F. 1972. Über den Bau der Blatt stiele von Pelargonien. Osterr. Not. Zeit. 120: 391-412. (From Larson,1984a)

Neubauer,H.F. 1979a. On nodal anatomy and petiolar vascularization of some Valerianaceae and Dipsacaceae. Phytomorphology. 28: 431-436,

Neubauer,H.F. 1979b. Knotenbau, Blattgrund-und Achsel knospenvaskularisation bei Begonien. Flora. 168: 329-343.

O'Brien,T.P. and M.E.McCully. 1981. The Study of Plant Structure: Principles and Selected Methods. Termarcarpic Pty.Ltd.Melbourne. Australia.

Paliwal,G.S. and N.V.R.S.K.Prasad. 1970. Seasonal activity of cambium in some tropical trees. I. Dalbergia sisoo. Phytomorphology 20: 333-339.

Paliwal,G.S. and N.V.R.S.K.Prasad. 1971. Seasonal variation in size of cambial initials in Dalbergia sisoo Curr.Sci.,40: 114-115.

Paliwal,G.S., N.V.R.S.K.Prasad, V.S.Sajwan and S.K.Agarwal. 1975a. Seasonal activity of cambium in some tropical trees. II. Polyalthia longifolia. Phytomorphology. 25: 478-484.

Paliwal,G.S., V.S.Sajwan and N.Paliwal. 1975b. Studies on the sequential development of the leaves of some tropical trees. III. Crataeva adansonii DC. Subsp. Odora Jacobs. Geobios.2: 99-102.

Paliwal,G.S., V.S.Sajwan and S.K.Agarwal. 1976. Seasonal activity of cambium in some tropical trees. III. Salvadora persica L. Acta Soc.Bot.Pol. 45: 303-312.

Parthasarathy,M.V. 1975. Sieve-element structure. In: M.H.Zimmermann and J.A.Milburn (eds.), Encyclopedia of Plant Physiology. Vol.I. Transport in Plants. 1. Phloem Transport. Springer, Berlin-Heidelberg.pp.

Perry,T.O. 1971. Dormancy of Trees in Winter. Science. 171; 29-36.

Petrova,M.V. 1983. Anatomical structure of leaves in some Lupinus L. Species. Tri. Pri. Bot. Gen. Sci.74: 100-108.

Phillips,I.D.J. 1976. The Cambium. In: M.M.Yeoman (ed.), Cell Division in Higher Plants. Academic Press, New York, pp. 347-390.

Philipson,W.R. and E.E.Balfour. 1963. Vascular pattern in dicotyledons. Bot. Rev. 29: 382-404.

Philipson,W.R. and J.M.Ward. 1965. The ontogeny of the vascular cambium in the stem of seed plants. Biol. Rev. 40: 534-579.

Philipson,W.R., J.M.Ward and B.G.Butterfield. 1971. The Vascular Cambium: Its development and activity. Chapman and Hall, London.

Pimeonov,M.G. 1970. The anatomical structure of petioles in Angelica L. sps. and its feasibility in the taxonomy of the genus. Bjull. Mosk. Obsc. ispyt. Prir. Otd. Biol., 75: 66-76.

Rao,K.S. and Y.S.Dave. 1981. Seasonal variations in the cambial anatomy of Tectona grandis (Verbenaceae) Nord. J. Bot. 1: 535-542.

Rao,K.S. and Y.S.Dave. 1983. Ultrastructure of active and dormant cambial cells in Teak (Tectona grandis L.f) New Phytol. 93: 447-456.

Rao,K.S. and Y.S.Dave. 1985. Developmental changes in the fusiform cambial cells of some tropical trees. Flora. 177: 187-194.

Rier,J.P. and A.L.Shigo. 1972. Some changes in red maple, Acer rubrum, tissues within 34 days after wounding in July. Can. J. Bot. 50: 1783-1784.

Roland,J.C. 1978. General preparation and staining of thin sections. In: J.L.Hall (ed.), Electron Microscopy and Cytochemistry of Plant Cells. Elsevier/North-Holland: Amsterdam.

Russell,S.H and R.F. Evert. 1985. Leaf vasculature in Zea mays L. Planta. 164: 448-458.

Russian,W.A. and R.F. Evert. 1984. Studies on the leaf of Populus deltoides (Salicaceae): Morphology and anatomy. Amer. J. Bot. 71(10): 1398-1415.

Russian,W.A. and R.F. Evert. 1985. Studies on the leaf of Populus deltoides (Salicaceae): Quantitative aspects and solute concentrations of the sieve tube members. Amer. J. Bot. 72: 487-500.

Sabnis,D.D. Personal communication.

Samantarai,B. and T.Kabi. 1974. Role of hormones in the initiation of cambium and formation of secondary xylem in the petioles of some herbaceous dicot leaves. J.Indian Bot. Soc. 53: 58-64.

Sauter,J.J. 1972. Respiratory and phosphatase activities in contact cell of wood rays and their possible role in sugar secretion. Z. Pflanzenphysiol. 67: 135-145.

Sauter,J.J., Dorr,I., and Kollman,R. 1976. The ultrastructure of strasburger cells (= albuminous cells) in the secondary phloem of Pinus nigra var. austriaca (Hoess) Badoux. Protoplasma. 88: 31-49.

Schmid,R. and C.B.Beck. 1971. Are there appendage gaps in vascular systems of flowers? Amer. J. Bot. 58: 460 (Abs.)

Schmitz,K. 1970. Untersuchungen Zur funktionellen Anatomie des Leitgewebe system in Blatt von Pelargonium zonale. Planta. 92: 208-221.

Schofield,E.K. 1968. Petiole anatomy of Guttiferae and related families. Mem. New York. Bot. Garden. 18: 1-55.

Scott,F.M., M.R.Schroeder, and F.M.Turrell. 1948. Development, Cell shape, suberization of internal surface, and abscission in the leaf of the valercia orange, Citrus sinensis. Bot. Gaz. 109: 381-411.

Schulz,A. 1990. Wound sieve elements. In: H.D.Behnke and D.Sjolund (eds.), Sieve elements : Comparative structure, Induction and Development. Springer Verlag, Germany. pp.199-215.

Sehgal,L. and G.S.Paliwal. 1974. Studies on the leaf anatomy of Euphorbia. III. The node. Bot.J.Linn.Soc. 69: 37-43.

Semichishina, S.D., R.A. Avsadzhanova and V.G. Nikolaerokili  
1985. Quantitative anatomical parameters of the leaf  
blade and petiole in some apple sp. in relation to their  
ecological features.

Shah, G.L. 1978. Flora of Gujarat State. Vol. 1 and 2.  
Sardar Vallabh Vidyanagar Press. Vallabh  
Vidyanagar, Gujarat.

Shah, J.J. and M.R. James. 1969. Observations on companion  
cells and specialized phloem parenchyma cells of Nelumbo  
nucifera Gaertn. Ann. Bot. 33: 185-189.

Shah, J.J. and P. Daniel. 1970. Protophloem sieve elements  
in the adventitious root of Pennisetum typhoides S & H.  
La Cellule. 68: 259-266.

Shstromberg, A.Ya. 1959. Cambial activity in leaves of  
several woody dicotyledonous plants. Dokl. Akad. Nauk.  
S.S.R. Bot. Sci. Sect. 124: 699-707.

Singh, B. 1943. The origin and distribution of inter and  
intraxylary phloem in Leptadenia. Proc. Indian Acad. Sci.  
Sec. B. 18: 14-19.

Singh, B. 1944. A contribution to the anatomy of Salvadora  
persica L. with special reference to the origin of the  
included phloem. J. Ind. Bot. Soc. 23: 71-78.

Sinnot, E.W. 1914. Investigations on the phylogeny of the  
angiosperms. I. The anatomy of the node as an aid in the  
classification of angiosperms. Amer. J. Bot. 1: 303-322.

Smith, M.M. and M.E. McCully. 1978. A critical evaluation  
of the specificity of aniline blue induced fluorescence.  
Protoplasma. 95: 229-254.

Soh,W.Y. 1972. Early ontogeny of vascular cambium I.  
Ginkgo biloba. Bot. Mag. 85: 111-124.

Soh,W.Y. 1974a. Early ontogeny of vascular cambium II.  
Aucuba japonica and Weigela coracensis. Bot. Mag. 87:  
17-32.

Soh,W.Y. 1974b. Early ontogeny of vascular cambium III.  
Robinia pseudo-acacia and Syringa oblata. Bot. Mag. 87:  
99-112.

Soh,W.T., S.S.Hong and D.Y.Cho. 1988. The ontogeny of the  
vascular cambium in Ginkgo biloba roots. Bot. Mag. 101:  
39-53.

Soh,W.Y. 1990. Origin and Development of Cambial Cells.  
In: M.Iqbal (ed.), The Vascular Cambium. Res. Studies  
Press. Ltd., England.

Sokolova,S.V. 1968. Fine structure of the phloem cells of  
Beta vulgaris petioles. Fiziol. Rast. 15: 757-763.

Sokolova,E.A. 1989. Significance of traits of petiole  
anatomical structure for the systematics of the genera  
Cerasus and Padus (Rosaceae) Sbo. Nau. Tru. Pri. Bot.  
Gen.Sel. 12: 109-112.

Sporne,K.R. 1958. Some aspects of floral vascular  
systems. Proc. Linn. Soc. London. 69: 75-84.

Steeves,T.A. and I.M.Sussex. 1972. Patterns in Plant  
Development. Prentice Hall,Englewood Cliffs, New Jersey.

Steingraeber,D.A. and J.B.Fisher 1986. Indeterminate  
growth of leaves in Guava (Meliaceae): a twig analogue.  
Amer. J.Bot. 73: 852-862.

Sugiyama,M. 1972. A vascular system of 'node to leaf' in Magnolia virginiana J. Jap. Bot. 47: 313-320.

Sugiayama,M. 1976. II. Node-leaf vascular system of Euphomatia laurina R. Br. J. Jap. Bot. 51: 169-174.

Thaine,R., M.E. De Maria, H.I.M. Sarisalo. 1975. Evidence of transcellular strands in transverse cryo tat sections of Cucurbita pepo sieve tubes. J. Exp. Bot. 26: 91-101.

Thorsch, J. and K.Esau. 1988. Ultrastructural aspects of primary phloem. Sieve elements in Poinsettia (Euphorbia pulcherrima, Euphorbiaceae). IAWA Bull. 9(4): 363-373.

Thrower,S.L. 1962. Translocation of labelled assimilates in the soybean II. Pattern of translocation in intact and defoliated plants. Aust. J. Biol. Sci. 15: 629-649.

Tippett,J. and A.L.Shigo. 1981. Barriers to decay in conifer roots. Eur. J. For. Pathol. 11: 51-59.

Tomlinson,P.B. and M.H.Zimmermann (eds.). 1978. Tropical Trees as Living Systems. Cambridge University Press. London.

Van der Schoot,C. 1989. Determinants of Xylem to Phloem Transfer in Tomato. N.K.B. offset br. The Netherlands.

Venugopal,N. and K.V.Krishnamurthy. 1989. Organization of vascular cambium during different seasons in some tropical timber trees. Nord. J. Bot. 8: 631-638.

Vogelmann,T.C., P.R.Larson and R.E.Dickison. 1982. Translocation pathways in the petioles and stem between source and sink leaves of Populus deltoides. Planta. 156: 345-358.

Walsh,M.A. 1974. Late formed metaphloem sieve elements in Zea mays. *Planta.* 121: 17-25.

Walsh,M.A. 1980. Preservation of the tonoplast in metaphloem sieve elements of embryogenic roots of Zea mays L. *Ann. Bot.* 46: 557-565.

Warmbrodt,R.D., W.J.Van der Woude. 1990. Leaf of Spinacia oleracea (Spinach): ultrastructure and plasmodesmatal distribution and frequency, in relation to sieve tube loading. *Amer. J. Bot.* 77(10): 1361-1377.

Watari,S.H. 1934. Anatomical studies on some leguminous leaves with special reference to the vascular system in petioles and rachises. *J. Fac. Sci. Imper. Univ. Tokyo. Sect.II (Bot.)* 4: 225-365.

Watari,S.H. 1936. Anatomical studies on the vascular system in the petioles of some species of Acer with notes on the external morphological features. *J.Fac. Sci. Imper. Univ. Tokyo. Sect.III (Bot.)* 5: 1-73.

Watari,S.H. 1939. Anatomical studies on the leaves of some saxifragaceous plants, with special reference to the vascular system. *J.Fac.Sci.Imper.Univ. Tokyo.Sect.III (Bot.)* 5: 195-316.

Weidlich,W.H. 1976a. The organization of the vascular system in the stems of Nymphaeaceae. I. Nymphaea. Subgenera Castalia and Hydrocallis. *Amer. J. Bot.* 63: 499-509.

Weidlich,W.H. 1976b. The organization of the vascular system in the stem of Nymphaeaceae.II. Nymphaeaea Subgenera Anecphya, Lotos, Brachyceras. *Amer.J.Bot.* 63: 1365-1379.

Wergin,W.P., B.A.Palevitz, E.H.Neucomb. 1975. Structure and development of P-protein in phloem parenchyma and companion cells of legumes. *Tissue Cell.* 7: 227-242.

Wetmore,R.H. 1943. Leaf-Stem relationships in the vascular plants. *Torreya.* 43: 16-28.

White,R.A. and W.C.Dickison<sup>(eds.)</sup> 1984. *Contemporary Problems in Plant Anatomy.* Academic Press, Florida.

Wilkinson,H.P. 1989. Leaf anatomy of the Menispermaceae tribe Tiliacoreae Miers. *Bot. J. Linn. Soc.* 99: 125-174.

Yadun,L.S. and R.Aloni. 1992. The role of wounding and partial girdling in differentiation of vascular rays. *Int. J. Plant. Sci.* 153: 348-357.

Zakorko,N.G. 1985. Anatomical features of the petiole in representatives of the family Ulmaceae. *Bot. Zh.* 70: 1621-1625.

Zimmermann,M.H. and C.L.Brown, 1971. *Trees, Structure and Function:* Springer. Berlin.

Zubkova,I.G. 1965. Anatomical structure of the petiole in Vitaceae, its taxonomic and evolutionary significance. *Bot. Zh.* 50: 1556-1557.

\* Original not seen.