

REFERENCES

- [1] A. Ouarda, “Fuzzy Segmentation of MR Brain Real Images Using Modalities Fusion,” *Int. J. Adv. Comput. Sci. Appl.*, vol. 7, no. 1, pp. 267–273, 2023, doi: 10.14569/ijacsa.2016.070137.
- [2] T. G. Devi, N. Patil, S. Rai, and C. S. Philipose, “Gaussian Blurring Technique for Detecting and Classifying Acute Lymphoblastic Leukemia Cancer Cells from Microscopic Biopsy Images,” *Life*, vol. 13, no. 2, 2023, doi: 10.3390/life13020348.
- [3] A. V. P. Sarvari and K. Sridevi, “An optimized EBRSA-Bi LSTM model for highly undersampled rapid CT image reconstruction,” *Biomed. Signal Process. Control*, vol. 83, no. December 2022, p. 104637, 2023, doi: 10.1016/j.bspc.2023.104637.
- [4] M. A. Talukder et al., “An efficient deep learning model to categorize brain tumor using reconstruction and fine-tuning,” *Expert Syst. Appl.*, vol. 230, no. August 2022, p. 120534, 2023, doi: 10.1016/j.eswa.2023.120534.
- [5] S. A. Lakshmi and K. Anandavelu, “Enhanced Cuckoo Search Optimization Technique for Skin Cancer Diagnosis Application,” *Intell. Autom. Soft Comput.*, vol. 35, no. 3, pp. 3403–3413, 2023, doi: 10.32604/iasc.2023.030970.
- [6] S. Hussain et al., “Modern Diagnostic Imaging Technique Applications and Risk Factors in the Medical Field: A Review,” *Biomed Res. Int.*, vol. 2022, 2022, doi: 10.1155/2022/5164970.
- [7] G. Xie et al., “Cross-Modality Neuroimage Synthesis: A Survey,” vol. 1, no. 1, 2022, [Online]. Available: <http://arxiv.org/abs/2202.06997>
- [8] J. Amin, M. Sharif, A. Haldorai, M. Yasmin, and R. S. Nayak, “Brain tumor detection and classification using machine learning: a comprehensive survey,” *Complex Intell. Syst.*, vol. 8, no. 4, pp. 3161–3183, 2022, doi: 10.1007/s40747-021-00563-y.
- [9] S. Minaee, Y. Boykov, F. Porikli, A. Plaza, N. Kehtarnavaz, and D. Terzopoulos, “Image Segmentation Using Deep Learning: A Survey,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 44, no. 7, pp. 3523–3542, 2022, doi: 10.1109/TPAMI.2021.3059968.
- [10] F. A. Hashim, E. H. Houssein, K. Hussain, M. S. Mabrouk, and W. Al-Atabany, “Honey Badger Algorithm: New metaheuristic algorithm for solving optimization problems,” *Math. Comput. Simul.*, vol. 192, pp. 84–110, 2022, doi: 10.1016/j.matcom.2021.08.013.

- [11] D. Rammurthy and P. K. Mahesh, "Whale Harris hawks optimization based deep learning classifier for brain tumor detection using MRI images," *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 34, no. 6, pp. 3259–3272, 2022, doi: 10.1016/j.jksuci.2020.08.006.
- [12] Deng, Q.; Shi, Z.; Ou, C., "Self-Adaptive Image Thresholding within Nonextensive Entropy and the Variance of the Gray-Level Distribution", *Entropy* 2022, vol. 24, no. 3, pp. 1-21. <https://doi.org/10.3390/e24030319>
- [13] P. S. Ganesh, T. S. Kumar, M. Kumar, and M. S. R. Kumar, "Brain Tumor Detection and Classification Using Image Processing Techniques," *Int. J. Adv. Res. Sci. Commun. Technol.*, vol. 2, no. 3, pp. 32–38, 2021, doi: 10.48175/ijarsct-v4-i3-005.
- [14] S. Dey, R. Bhattacharya, F. Schwenker, and R. Sarkar, "Median filter aided CNN based image Denoising: An ensemble Approach," *Algorithms*, vol. 14, no. 4, pp. 1–11, 2021, doi: 10.3390/a14040109.
- [15] A. Sharma and V. Chaurasia, "MRI denoising using advanced NLM filtering with non-subsampled shearlet transform," *Signal, Image Video Process.*, vol. 15, no. 6, pp. 1331–1339, 2021, doi: 10.1007/s11760-021-01864-y.
- [16] K. Huang and H. Zhu, "Image Noise Removal Method Based on Improved Nonlocal Mean Algorithm," *Complexity*, vol. 2021, 2021, doi: 10.1155/2021/5578788.
- [17] E. H. Houssein, M. M. Emam, and A. A. Ali, "Improved manta ray foraging optimization for multi-level thresholding using COVID-19 CT images," *Neural Comput. Appl.*, vol. 33, no. 24, pp. 16899–16919, 2021, doi: 10.1007/s00521-021-06273-3.
- [18] Y. Feng, W. Liu, X. Zhang, Z. Liu, Y. Liu, and G. Wang, "An interval iteration based multilevel thresholding algorithm for brain mr image segmentation," *Entropy*, vol. 23, no. 11, pp. 1–28, 2021, doi: 10.3390/e23111429.
- [19] A. Renugambal and K. Selva Bhuvaneswari, "Kapur's Entropy based Hybridised WCMFO Algorithm for Brain MR Image Segmentation," *IETE J. Res.*, 2021, doi: 10.1080/03772063.2021.1906765.
- [20] E. H. Houssein, B. E. din Helmy, D. Oliva, A. A. Elngar, and H. Shaban, "A novel Black Widow Optimization algorithm for multilevel thresholding image segmentation," *Expert Syst. Appl.*, vol. 167, p. 114159, 2021, doi: 10.1016/j.eswa.2020.114159.

- [21] J. Rahaman and M. Sing, "An efficient multilevel thresholding based satellite image segmentation approach using a new adaptive cuckoo search algorithm," *Expert Syst. Appl.*, vol. 174, no. January, p. 114633, 2021, doi: 10.1016/j.eswa.2021.114633.
- [22] L. C. C. Yogendra Kumar, By, S. Date, P. Date, C. Verma, C. S. Algorithm, and O. Problems, "A survey on Cuckoo Search Algorithm for Optimization Problems A survey on Cuckoo Search Algorithm for Optimization Problems," no. August, pp. 0–16, 2021, doi: 10.36227/techrxiv.14199221.
- [23] S. K. Dinkar, K. Deep, S. Mirjalili, and S. Thapliyal, "Opposition-based Laplacian Equilibrium Optimizer with application in Image Segmentation using Multilevel Thresholding," *Expert Syst. Appl.*, vol. 174, no. February, p. 114766, 2021, doi: 10.1016/j.eswa.2021.114766.
- [24] L. Duan, S. Yang, and D. Zhang, "Multilevel thresholding using an improved cuckoo search algorithm for image segmentation," *J. Supercomput.*, vol. 77, no. 7, pp. 6734–6753, 2021, doi: 10.1007/s11227-020-03566-7.
- [25] R. Zheng, "An Improved Cuckoo Search Algorithm," *ICSAI 2021 - 7th Int. Conf. Syst. Informatics*, vol. 2021, 2021, doi: 10.1109/ICSAI53574.2021.9664073.
- [26] K. S. Manic, R. Biju, W. Patel, M. A. Khan, N. S. M. Raja, and S. Uma, "Extraction and Evaluation of Corpus Callosum from 2D Brain MRI Slice: A Study with Cuckoo Search Algorithm," *Comput. Math. Methods Med.*, vol. 2021, 2021, doi: 10.1155/2021/5524637.
- [27] S. Widiyanto, Y. Sukra, S. Madenda, D. T. Wardani, and E. P. Wibowo, "Texture feature extraction based on GLCM and DWT for beef tenderness classification," *Proc. 3rd Int. Conf. Informatics Comput. ICIC 2018*, no. February 2021, pp. 1–4, 2018, doi: 10.1109/IAC.2018.8780569
- [28] P. Sharma and A. P. Shukla, *A Review on Brain Tumor Segmentation and Classification for MRI Images*, no. Mi. Multimedia Tools and Applications, 2021. doi: 10.1109/ICACITE51222.2021.9404662.
- [29] S. Mahmud Bobby and S. Sharmin, "Medical Image Denoising Techniques against Hazardous Noises: An IQA Metrics Based Comparative Analysis," *Int. J. Image, Graph. Signal Process.*, vol. 13, no. 2, pp. 25–43, 2021, doi: 10.5815/ijigsp.2021.02.03.

- [30] D. Nasien, S. S. Yuhani, and H. Haron, "Statistical learning theory and support vector machines," *2nd Int. Conf. Comput. Res. Dev. ICCRD 2010*, no. October 2021, pp. 760–764, 2010, doi: 10.1109/ICCRD.2010.183.
- [31] A. Shankar, J. Bomanji, and H. Hyare, "Hybrid pet–MRI imaging in paediatric and tya brain tumours: Clinical applications and challenges," *J. Pers. Med.*, vol. 10, no. 4, pp. 1–19, 2020, doi: 10.3390/jpm10040218.
- [32] V. Sawlani et al., "Multiparametric MRI: practical approach and pictorial review of a useful tool in the evaluation of brain tumours and tumour-like lesions," *Insights Imaging*, vol. 11, no. 1, pp. 1–19, 2020
- [33] P. K. Chahal, S. Pandey, and S. Goel, "A survey on brain tumor detection techniques for MR images," *Multimed. Tools Appl.*, vol. 79, no. 29–30, pp. 21771–21814, 2020, doi: 10.1007/s11042-020-08898-3.
- [34] Y. Zeng et al., "Magnetic Resonance Image Denoising Algorithm Based on Cartoon, Texture, and Residual Parts," *Comput. Math. Methods Med.*, vol. 2020, 2020, doi: 10.1155/2020/1405647.
- [35] W. S. Prakoso, I. Soesanti, and S. Wibirama, "Enhancement Methods of Brain MRI Images: A Review," *ICITEE 2020 - Proc. 12th Int. Conf. Inf. Technol. Electr. Eng.*, pp. 333–337, 2020, doi: 10.1109/ICITEE49829.2020.9271785.
- [36] D M Mahalakshmi and S Sumathi, "Performance Analysis of Svm and Deep Learning With Cnn for Brain Tumor Detection and Classification," *ICTACT J. Image Video Process.*, vol. 10, no. 03, pp. 2145–2152, 2020, doi: 10.21917/ijivp.2020.0307.
- [37] C. J. J. Sheela and G. Suganthi, "An efficient denoising of impulse noise from MRI using adaptive switching modified decision based unsymmetric trimmed median filter," *Biomed. Signal Process. Control*, vol. 55, p. 101657, 2020, doi: 10.1016/j.bspc.2019.101657.
- [38] P. Sagar, A. Upadhyaya, S. K. Mishra, R. N. Pandey, S. S. Sahu, and G. Panda, "A circular adaptive median filter for salt and pepper noise suppression from MRI images," *J. Sci. Ind. Res. (India)*, vol. 79, no. 10, pp. 941–944, 2020, doi: 10.56042/jsir.v79i10.43588.
- [39] A. Noor, Y. Zhao, R. Khan, L. Wu, and F. Y. O. Abdalla, "Median filters combined with denoising convolutional neural network for Gaussian and impulse noises," *Multimed. Tools Appl.*, vol. 79, no. 25–26, pp. 18553–18568, 2020, doi: 10.1007/s11042-020-08657-4.

- [40] N. Kumar, A. K. Dahiya, and K. Kumar, "Modified median filter for image denoising," *Int. J. Adv. Sci. Technol.*, vol. 29, no. 4 Special Issue, pp. 1495–1502, 2020.
- [41] T. Kalaiselvi, S. K. Selvi, and B. Abirami, "Two Scale Adaptive Median Filter for Denoising MRI Images," ... *Commun. Tech.* ..., no. September, 2020, [Online].
- [42] G. Theaud, J. C. Houde, A. Boré, F. Rheault, F. Morency, and M. Descoteaux, "TractoFlow: A robust, efficient and reproducible diffusion MRI pipeline leveraging Nextflow & Singularity," *Neuroimage*, vol. 218, 2020, doi: 10.1016/j.neuroimage.2020.116889.
- [43] R. Kalpana and P. Chandrasekar, "An optimized technique for brain tumor classification and detection with radiation dosage calculation in MR image," *Microprocess. Microsyst.*, vol. 72, p. 102903, 2020, doi: 10.1016/j.micpro.2019.102903.
- [44] A. Faramarzi, M. Heidarinejad, B. Stephens, and S. Mirjalili, "Equilibrium optimizer: A novel optimization algorithm," *Knowledge-Based Syst.*, vol. 191, 2020, doi: 10.1016/j.knosys.2019.105190.
- [45] D. S. N. Kumar and S. Hinojosa, *Studies in Computational Intelligence 890 Applications of Hybrid Metaheuristic Algorithms for Image Processing 2020* [Online] Available: <http://www.springer.com/series/7092>
- [46] R. Srikanth, "Spontaneous Coronary Artery Dissection: Failure of the Conservative Strategy Due to Predominance of the False Lumen," *JACC Cardiovasc. Interv.*, vol. 10, no. 15, pp. e139–e140, 2020, doi: 10.1016/j.jcin.2017.04.032.
- [47] A. Das, S. Agrawal, L. Samantaray, R. Panda, and A. Abraham, "State-of-the art optimal multilevel thresholding methods for brain MR image analysis," *Rev. d'Intelligence Artif.*, vol. 34, no. 3, pp. 243–256, 2020, doi: 10.18280/ria.340302.
- [48] L. Khrissi, N. E. L. Akkad, H. Satori, and K. Satori, "Simple and Efficient Clustering Approach Based on Cuckoo Search Algorithm," *4th Int. Conf. Intell. Comput. Data Sci. ICDS 2020*, pp. 17–22, 2020, doi: 10.1109/ICDS50568.2020.9268754.
- [49] V. Sawlani et al., "Multiparametric MRI: practical approach and pictorial review of a useful tool in the evaluation of brain tumours and tumour-like lesions," *Insights Imaging*, vol. 11, no. 1, pp. 1–19, 2020, doi: 10.1186/s13244-020-00888-1.

- [50] C. L. Chowdhary and D. P. Acharjya, "Segmentation and Feature Extraction in Medical Imaging: A Systematic Review," *Procedia Comput. Sci.*, vol. 167, no. 2019, pp. 26–36, 2020, doi: 10.1016/j.procs.2020.03.179.
- [51] P. P. Gumaste and V. K. Bairagi, "A hybrid method for brain tumor detection using advanced textural feature extraction," *Biomed. Pharmacol. J.*, vol. 13, no. 1, pp. 145–157, 2020, doi: 10.13005/bpj/1871.
- [52] S. Vani Kumari and K. Usha Rani, "Analysis on Various Feature Extraction Methods for Medical Image Classification," no. July, pp. 19–31, 2020, doi: 10.1007/978-3-030-46943-6_3.
- [53] A. Çinar and M. Yildirim, "Detection of tumors on brain MRI images using the hybrid convolutional neural network architecture," *Med. Hypotheses*, vol. 139, no. March, p. 109684, 2020, doi: 10.1016/j.mehy.2020.109684.
- [54] P. M. Siva Raja and A. V. rani, "Brain tumor classification using a hybrid deep autoencoder with Bayesian fuzzy clustering-based segmentation approach," *Biocybern. Biomed. Eng.*, vol. 40, no. 1, pp. 440–453, 2020, doi: 10.1016/j.bbe.2020.01.006.
- [55] N. Shajihan, "Classification of stages of Diabetic Retinopathy using Deep Learning Classification of stages of Diabetic Retinopathy using Deep Learning View project Classification of stages of Diabetic Retinopathy using Deep Learning," no. December, 2020, doi: 10.13140/RG.2.2.10503.62883.
- [56] S. Anandh, R. Vasuki, and Y. P. Rachelin, "New efficient kNN classifier to detect abdominal aortic aneurysms using digital image processing," *Int. J. Adv. Res. Eng. Technol.*, vol. 11, no. 5, pp. 52–64, 2020, doi: 10.34218/IJARET.11.5.2020.007.
- [57] R. Hashemzahi, S. J. S. Mahdavi, M. Kheirabadi, and S. R. Kamel, "Detection of brain tumors from MRI images base on deep learning using hybrid model CNN and NADE," *Biocybern. Biomed. Eng.*, vol. 40, no. 3, pp. 1225–1232, 2020, doi: 10.1016/j.bbe.2020.06.001.
- [58] Vachan Vadmal, Grant Junno, Chaitra Badve, William Huang, Kristin A. Waite, and Jill S. Barnholtz-Sloan, et al. "MRI image analysis methods and applications: an algorithmic perspective using brain tumors as an exemplar", *Neuro-Oncology Advances*, vol 2, no. 1, April 2020, pp. 1–13, <https://doi:10.1093/noajnl/vdaa049>.

- [59] Çinar, Ahmet, and Muhammed Yildirim. "Detection of Tumors on Brain MRI Images Using the Hybrid Convolutional Neural Network Architecture." *Medical Hypotheses*, vol. 139, June 2020, p. 109684, 10.1016/j.mehy.2020.109684.
- [60] M. Shakunthala and K. Helenprabha, "Preprocessing Analysis of Brain," 2019 IEEE Int. Conf. Electr. Comput. Commun. Technol., pp. 1–5, 2019
- [61] M. Gao, B. Kang, X. Feng, W. Zhang, and W. Zhang, "Anisotropic diffusion based multiplicative speckle noise removal," *Sensors (Switzerland)*, vol. 19, no. 14, pp. 44–46, 2019, doi: 10.3390/s19143164.
- [62] R. R. Nair, E. David, and S. Rajagopal, "A robust anisotropic diffusion filter with low arithmetic complexity for images," *Eurasip J. Image Video Process.*, vol. 2019, no. 1, 2019, doi: 10.1186/s13640-019-0444-5.
- [63] O. Tarkhaneh and H. Shen, "An adaptive differential evolution algorithm to optimal multi-level thresholding for MRI brain image segmentation," *Expert Syst. Appl.*, vol. 138, 2019, doi: 10.1016/j.eswa.2019.07.037.
- [64] F. A. Bohani et al., "Multilevel thresholding of brain tumor MRI images: Patch-Levy Bees Algorithm versus Harmony Search Algorithm," *Int. J. Electr. Comput. Eng. Syst.*, vol. 10, no. 2, pp. 45–57, 2019, doi: 10.32985/ijeces.10.2.1.
- [65] W. Ayadi, W. Elhamzi, I. Charfi, and M. Atri, "A hybrid feature extraction approach for brain MRI classification based on Bag-of-words," *Biomed. Signal Process. Control*, vol. 48, pp. 144–152, 2019, doi: 10.1016/j.bspc.2018.10.010.
- [66] A. I. Poernama, I. Soesanti, and O. Wahyunggoro, "Feature Extraction and Feature Selection Methods in Classification of Brain MRI Images: A Review," 2019 Int. Biomed. Instrum. Technol. Conf. IBITeC 2019, pp. 58–63, 2019, doi: 10.1109/IBITeC46597.2019.9091724.
- [67] J. Amin, M. Sharif, M. Raza, T. Saba, and M. A. Anjum, "Brain tumor detection using statistical and machine learning method," *Comput. Methods Programs Biomed.*, vol. 177, pp. 69–79, 2019, doi: 10.1016/j.cmpb.2019.05.015.
- [68] A. K. M. Khairuzzaman and S. Chaudhury, "Masi entropy based multilevel thresholding for image segmentation," *Multimed. Tools Appl.*, vol. 78, no. 23, pp. 33573–33591, 2019, doi: 10.1007/s11042-019-08117-8.
- [69] V. Anoop, "Medical Image Enhancement by a Bilateral Filter Using Optimization Technique", *Journal of Medical Systems* (2019) 43: 240, <https://doi.org/10.1007/s10916-019-1370-x>

- [70] A. Ben Hiba mzoughi, Hamida, “2018 4th International Conference on Advanced Technologies for Signal and Image Processing, ATSIP 2018,” 2018 4th Int. Conf. Adv. Technol. Signal Image Process. ATSIP 2018, no. M1, 2018.
- [71] R. V. Suryavamsi, L. S. T. Reddy, S. Saladi, and Y. Karuna, “Comparative Analysis of Various Enhancement Methods for Astrocytoma MRI Images,” *Proc. 2018 IEEE Int. Conf. Commun. Signal Process. ICCSP 2018*, no. April, pp. 812–816, 2018, doi: 10.1109/ICCSP.2018.8524441.
- [72] K. Jadwa Assist, “Wiener Filter based Medical Image De-noising,” *Int. J. Sci. Eng. Appl.*, vol. 7, no. 09, pp. 318–323, 2018, [Online]. Available: www.ijsea.com318
- [73] Anchal, S. Budhiraja, B. Goyal, A. Dogra, and S. Agrawal, “An efficient image denoising scheme for higher noise levels using spatial domain filters,” *Biomed. Pharmacol. J.*, vol. 11, no. 2, pp. 625–634, 2018, doi: 10.13005/bpj/1415.
- [74] V. Rajinikanth, N. Dey, S. C. Satapathy, and A. S. Ashour, “An approach to examine Magnetic Resonance Angiography based on Tsallis entropy and deformable snake model,” *Futur. Gener. Comput. Syst.*, vol. 85, pp. 160–172, 2018, doi: 10.1016/j.future.2018.03.025.
- [75] R. Sumathi, M. Venkatesulu, and S. P. Arjunan, “Extracting tumor in MR brain and breast image with Kapur’s entropy based Cuckoo Search Optimization and morphological reconstruction filters,” *Biocybern. Biomed. Eng.*, vol. 38, no. 4, pp. 918–930, 2018, doi: 10.1016/j.bbe.2018.07.005.
- [76] M. Chawla and M. Duhan, “Levy Flights in Metaheuristics Optimization Algorithms—A Review,” *Appl. Artif. Intell.*, vol. 32, no. 9–10, pp. 802–821, 2018, doi: 10.1080/08839514.2018.1508807.
- [77] T. Çevik, A. Mustafa, and N. Çevik, “A Comprehensive Performance Analysis of GLCM-DWT-based Classification on Fingerprint Identification,” *Int. J. Comput. Appl.*, vol. 180, no. 32, pp. 42–47, 2018, doi: 10.5120/ijca2018916909.
- [78] M. Khalil, H. Ayad, and A. Adib, “Performance evaluation of feature extraction techniques in MR-Brain image classification system,” *Procedia Comput. Sci.*, vol. 127, pp. 218–225, 2018, doi: 10.1016/j.procs.2018.01.117.
- [79] I. S. Isa, S. N. Sulaiman, N. M. Tahir, M. Mustapha, and N. K. A. Karim, “A new technique for k-means cluster centers initialization of WMH segmentation,” *ACM Int. Conf. Proceeding Ser.*, vol. Part F131372, pp. 45–49, 2017, doi: 10.1145/3132300.3132327.

- [80] D. Jha, J. I. Kim, M. R. Choi, and G. R. Kwon, "Pathological Brain Detection Using Weiner Filtering, 2D-Discrete Wavelet Transform, Probabilistic PCA, and Random Subspace Ensemble Classifier," *Comput. Intell. Neurosci.*, vol. 2017, 2017, doi: 10.1155/2017/4205141.
- [81] E. Yilmaz, T. Kayikcioglu, and S. Kayipmaz, "Noise removal of CBCT images using an adaptive anisotropic diffusion filter," *2017 40th Int. Conf. Telecommun. Signal Process. TSP 2017*, vol. 2017-January, pp. 650–653, 2017, doi: 10.1109/TSP.2017.8076067.
- [82] G. Sandhya, G. Babu Kande, and T. S. Savithri, "Multilevel Thresholding Method Based on Electromagnetism for Accurate Brain MRI Segmentation to Detect White Matter, Gray Matter, and CSF," *Biomed Res. Int.*, vol. 2017, 2017, doi: 10.1155/2017/6783209.
- [83] M. H. Mozaffari and W. S. Lee, "Convergent heterogeneous particle swarm optimisation algorithm for multilevel image thresholding segmentation," *IET Image Process.*, vol. 11, no. 8, pp. 605–619, 2017, doi: 10.1049/iet-ipr.2016.0489.
- [84] S. Chakraborty et al., "Modified cuckoo search algorithm in microscopic image segmentation of hippocampus," *Microsc. Res. Tech.*, vol. 80, no. 10, pp. 1051–1072, 2017, doi: 10.1002/jemt.22900.
- [85] M. Fatimaezzahra, B. Loubna, S. Mohamed, and E. Abdelaziz, "A combined cuckoo search algorithm and genetic algorithm for parameter optimization in computer vision," *Int. J. Appl. Eng. Res.*, vol. 12, no. 22, pp. 12940–12954, 2017.
- [86] A. S. Joshi, O. Kulkarni, G. M. Kakandikar, and V. M. Nandedkar, "Cuckoo Search Optimization- A Review," *Mater. Today Proc.*, vol. 4, no. 8, pp. 7262–7269, 2017, doi: 10.1016/j.matpr.2017.07.055.
- [87] R. Gholami and N. Fakhari, *Support Vector Machine: Principles, Parameters, and Applications*, 1st ed. Elsevier Inc., 2017. doi: 10.1016/B978-0-12-811318-9.00027-2.
- [88] A. Ouarda, "MR Brain Real Images Segmentation Based Modalities Fusion and Estimation Et Maximization Approach," *Int. J. Adv. Comput. Sci. Appl.*, vol. 7, no. 1, pp. 267–273, 2016, doi: 10.14569/ijacsa.2016.070137.
- [89] J. Xu, Y. Jia, Z. Shi, and K. Pang, "An improved anisotropic diffusion filter with semi-adaptive threshold for edge preservation," *Signal Processing*, vol. 119, pp. 80–91, 2016, doi: 10.1016/j.sigpro.2015.07.017.

- [90] M. Dhieb and M. Frikha, "Image Segmentation Based on Particle," 2016.
- [91] S. Suresh and S. Lal, "An efficient cuckoo search algorithm based multilevel thresholding for segmentation of satellite images using different objective functions," *Expert Syst. Appl.*, vol. 58, pp. 184–209, 2016, doi: 10.1016/j.eswa.2016.03.032.
- [92] A. Ramírez-Reyes, A. R. Hernández-Montoya, G. Herrera-Corral, and I. Domínguez-Jiménez, "Determining the entropic index q of Tsallis Entropy in images through redundancy," *Entropy*, vol. 18, no. 8, 2016, doi: 10.3390/e18080299
- [93] Raut, Ms Ashwini, et al. "Texture Parameters Extraction of Satellite Image." *IJSTE-International Journal of Science Technology & Engineering*, vol. 2, no. 11, 2016.
- [94] J. Yang, J. Fan, D. Ai, S. Zhou, S. Tang, and Y. Wang, "Brain MR image denoising for Rician noise using pre-smooth non-local means filter," *Biomed. Eng. Online*, vol. 14, no. 1, pp. 1–20, 2015, doi: 10.1186/1475-925X-14-2.
- [95] P. Mohapatra, S. Chakravarty, and P. K. Dash, "An improved cuckoo search based extreme learning machine for medical data classification," *Swarm Evol. Comput.*, vol. 24, pp. 25–49, 2015, doi: 10.1016/j.swevo.2015.05.003.
- [96] E. Ben George, G. J. Rosline, and D. G. Rajesh, "Brain tumor segmentation using Cuckoo Search optimization for Magnetic Resonance Images," 2015 IEEE 8th GCC Conf. Exhib. GCCCE 2015, pp. 1–4, 2015, doi: 10.1109/IEEEGCC.2015.7060024.
- [97] A. Chaddad, "Automated feature extraction in brain tumor by magnetic resonance imaging using gaussian mixture models," *Int. J. Biomed. Imaging*, vol. 2015, 2015, doi: 10.1155/2015/868031.
- [98] S. Manikandan, K. Ramar, M. Willjuice Iruthayarajan, and K. G. Srinivasagan, "Multilevel thresholding for segmentation of medical brain images using real coded genetic algorithm," *Meas. J. Int. Meas. Confed.*, vol. 47, no. 1, pp. 558–568, 2014, doi: 10.1016/j.measurement.2013.09.031.
- [99] A. K. Bhandari, V. K. Singh, A. Kumar, and G. K. Singh, "Cuckoo search algorithm and wind driven optimization based study of satellite image segmentation for multilevel thresholding using Kapur's entropy," *Expert Syst. Appl.*, vol. 41, no. 7, pp. 3538–3560, 2014, doi: 10.1016/j.eswa.2013.10.059.
- [100] B. F. Vedran Omeragic, Vedran Omeragic, "Data Acquisition Modalities," *Radiology*, vol. 243, no. 3, pp. 656–667, 2013, doi: 10.1148/radiol.2433060243.
- [101] U. B. Mantale, "Image Fusion of Brain Images using Redundant Discrete Wavelet Transform," vol. 74, no. 4, pp. 1–3, 2013.

- [102] S. Balochian and E. Ebrahimi, "Parameter Optimization via Cuckoo Optimization Algorithm of Fuzzy Controller for Liquid Level Control," J. Eng. (United Kingdom), vol. 2013, 2013, doi: 10.1155/2013/982354.
- [103] S. Agrawal, R. Panda, S. Bhuyan, and B. K. Panigrahi, "Tsallis entropy based optimal multilevel thresholding using cuckoo search algorithm," Swarm Evol. Comput., vol. 11, pp. 16–30, 2013, doi: 10.1016/j.swevo.2013.02.001.
- [104] H. Rajini.N, "Automatic Classification of MR Brain Tumor Images using Decision Tree," IJCA Spec. Issue Int. Conf. Electron. Commun. Inf. Syst., no. Iceci 12, pp. 10–13, 2012, [Online]. Available: ISSN 1613-0073
- [105] C. Engineering and S. Engineering, "Brain Tumor MRI Image Classification With Feature Selection and Extraction using Linear Discriminant Analysis," vol. 2, no. 4, 2012.
- [106] D. Jude Hemanth and J. Anitha, "Image pre-processing and feature extraction techniques for magnetic resonance brain image analysis," Commun. Comput. Inf. Sci., vol. 350 CCIS, no. January, pp. 349–356, 2012, doi: 10.1007/978-3-642-35594-3_47.
- [107] Jude Hemanth, D., and J. Anitha. "Image Pre-Processing and Feature Extraction Techniques for Magnetic Resonance Brain Image Analysis." Communications in Computer and Information Science, 2012, pp. 349–356, 10.1007/978-3-642-35594-3_47.
- [108] M. . M.Radha, "Edge Detection Techniques for," Int. J. Comput. Sci. Inf. Technol., vol. 3, no. 6, pp. 259–267, 2011.
- [109] C. S. Anand and J. S. Sahambi, "Wavelet domain non-linear filtering for MRI denoising," Magn. Reson. Imaging, vol. 28, no. 6, pp. 842–861, 2010, doi: 10.1016/j.mri.2010.03.013.
- [110] X.-S. Yang, "Appendix A: Test Problems in Optimization," Eng. Optim., no. June, pp. 261–266, 2010, doi: 10.1002/9780470640425.app1.
- [111] A. Buades, B. Coll, J. Morel, and J. M. A, "A review of image denoising algorithms , with a new one To cite this version ;," A SIAM Interdiscip. Journal, Soc. Ind. Appl. Math., vol. 4, no. 2, pp. 490–530, 2010.
- [112] C. Ou, A. El Kaabouchi, J. Chen, A. Le MÉhautÉ, and A. Q. Wang, "Generalized measure of uncertainty and the maximizable entropy," Mod. Phys. Lett. B, vol. 24, no. 9, pp. 825–831, 2010, doi: 10.1142/S0217984910022883.

- [113] X. Yang, S. Deb, and A. C. B. Behaviour, "Cuckoo Search via L'evy Flights," *Ieee*, pp. 210–214, 2009.
- [114] J. V. Manjón, J. Carbonell-Caballero, J. J. Lull, G. García-Martí, L. Martí-Bonmatí, and M. Robles, "MRI denoising using Non-Local Means," *Med. Image Anal.*, vol. 12, no. 4, pp. 514–523, 2008, doi: 10.1016/j.media.2008.02.004.
- [115] M. Portes de Albuquerque, I. A. Esquef, A. R. Gesualdi Mello, and M. Portes de Albuquerque, "Image thresholding using Tsallis entropy," *Pattern Recognit. Lett.*, vol. 25, no. 9, pp. 1059–1065, 2004, doi: 10.1016/j.patrec.2004.03.003.
- [116] L. K. Soh and C. Tsatsoulis, "Texture analysis of sar sea ice imagery using gray level co-occurrence matrices," *IEEE Trans. Geosci. Remote Sens.*, vol. 37, no. 2 I, pp. 780–795, 1999, doi: 10.1109/36.752194.
- [117] P. Perona and J. Malik, "Scale Space Filters," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 12, no. 7, pp. 629–639, 1990, [Online]. Available:<http://authors.library.caltech.edu/6498/1/PERieetpami90.pdf>
- [118] P. K. Sahoo, S. Soltani, and A. K. C. Wong, "A survey of thresholding techniques," *Comput. Vision, Graph. Image Process.*, vol. 41, no. 2, pp. 233–260, 1988, doi: 10.1016/0734-189X(88)90022-9.
- [119] J. N. Kapur, P. K. Sahoo, and A. K. C. Wong, "A new method for gray-level picture thresholding using the entropy of the histogram.," *Comput. Vision, Graph. Image Process.*, vol. 29, no. 3, pp. 273–285, 1985, doi: 10.1016/0734-189X(85)90125-2.
- [120] T. Entropic, "thresholding, a new approach." 1980.
- [121] N. Otsu, "A threshold selection method from gray-level histograms.," *IEEE Trans. Syst. Man Cybern.*, vol. 9, no. 1, pp. 62–66, 1979.
- [122] R. M. Haralick, I. Dinstein, and K. Shanmugam, "Textural Features for Image Classification," *IEEE Trans. Syst. Man Cybern.*, vol. SMC-3, no. 6, pp. 610–621, 1973, doi: 10.1109/TSMC.1973.4309314.