

List of tables

<i>Table 1-1 Merits and demerits of WPT technologies.....</i>	<i>3</i>
<i>Table 2-1 Review of WPY technologies</i>	<i>14</i>
<i>Table 2-2 System parameters of certain stationary charging systems.</i>	<i>23</i>
<i>Table 2-3 Converter and Control techniques</i>	<i>25</i>
<i>Table 2-4 Summary of selected wireless charging electric bus project.....</i>	<i>28</i>
<i>Table 3-1 WPT specifications.</i>	<i>37</i>
<i>Table 3-2 Analytical values</i>	<i>39</i>
<i>Table 3-3 System working parameters.....</i>	<i>45</i>
<i>Table 4-1 Variation of coupling co-efficient with YDist and ZDist.....</i>	<i>55</i>
<i>Table 4-2 Variation of k with Z Dist at $I_r=0$ A & 10A.</i>	<i>59</i>
<i>Table 4-3 Variation of mutual inductance with YDist and ZDis</i>	<i>60</i>
<i>Table 4-4 Self & mutual inductance variation with $I_r=10$A.....</i>	<i>63</i>
<i>Table 4-5 Self & mutual inductance variation with $I = 0$ A.....</i>	<i>64</i>
<i>Table 4-6 Circular coil simulation parameters</i>	<i>70</i>
<i>Table 4-7 Coupling coefficient at various ZDist for circular coil.....</i>	<i>71</i>
<i>Table 4-8 Self and mutual inductance at various ZDist for circular coil.....</i>	<i>72</i>
<i>Table 4-9 Misalignment and k for square & circular pad.....</i>	<i>77</i>
<i>Table 4-10 Simulation parameters and results for square coils.....</i>	<i>78</i>
<i>Table 4-11 Variation of efficiency for square coils.</i>	<i>80</i>
<i>Table 4-12 WPT & target efficiency.</i>	<i>82</i>
<i>Table 5-1 Hardware prototype system parameters.</i>	<i>91</i>
<i>Table 6-1 Experiment results.....</i>	<i>99</i>