

7. REFERENCES

- Abdel-Aleem H, Ahmed A, Sabra AM, Zakhari M, Soliman M, Hamed H (1996) Serum α -L-fucosidase enzyme activity in ovarian and other female genital tract tumors Int J Gynecol Obstet 55: 273-279.
- Alhadeff JA (1989) Malignant cell glycoproteins and glycolipids. Crit Rev Oncol Hematol 9: 37-107.
- Alhadeff JA (1998) Structure and function of mammalian α -L-fucosidases. Trends Comp Biochem Physiol 4: 105-118.
- Ambros RA, Kurman RJ (1993) Association of Ulex europaeus agglutinin I binding with invasion in endometrial carcinoma. Int J Gynecol Pathol 12: 301-306.
- Anderson NL, Anderson NG (2002) The human plasma proteome: history, character, and diagnostic prospects. Mol Cell Proteomics 1: 845-67.
- Aranganathan S, Senthil K, Nalini N (2005) A case control study of glycoprotein status in ovarian carcinoma. Clin Biochem 38: 535-539.
- Ayogi Y, Isemura M, Yosizawa Z, Suzuki Y, Sekine C, Ono T, Ichida F (1985) Fucosylation of α -fetoprotein in patients with primary hepatocellular carcinoma. Biochim Biophys Acta 830: 217-223.
- Ayude D, de la Cadena MP, Zorzano VSM, Briera AF, Berrocal FJR (2003) Preoperative serum α -L-Fucosidase activity as a prognostic marker in colorectal cancer. Oncology 64: 36-45.
- Ayude D, Fernandez-Rodriguez J, Rodriguez-Berrocal FJ, Zorzano VSM, Carlos A, Gil E, de la Cadena MP (2000) Value of the serum α -L-Fucosidase activity in the diagnosis of colorectal cancer. Oncology 59: 310-316.
- Baldus SE, Monig SP, Hanisch FG, Zirbes TK, Flucke U, Oelert S, Zilkens G, Madejczik B, Thiele J, Schneider PM, Holscher AH, Dienes HP (2002) Comparative evaluation of the prognostic value of MUC1, MUC2, sialyl-Lewis(a) and sialyl-Lewis(x) antigens in colorectal adenocarcinoma. Histopathology 40: 440-449.
- Barth AI, Nathke IS, Nelson WJ (1997) Cadherins, catenins and APC protein: interplay between cytoskeletal complexes and signaling pathways. Curr Opin Cell Biol 9: 683-690.
- Bastida E, Almirall L, Jamieson GA, Ordinas A (1987) Cell surface sialylation of two human tumor cell lines and its correlation with their platelet-activating activity. Cancer Res 47: 1767-1770.

- Bates SE (1991) Clinical applications of serum tumour markers. *Ann Intern Med* 115: 623-638.
- Baumann H, Nudelman E, Watanabe K, Hakomori S (1979) Neutral fucolipids and fucogangliosides of rat hepatoma HTC and H35 cells, rat liver, and hepatocytes. *Cancer Res* 39: 2637-2643.
- Beech JA (1989) The membrane potential theory of carcinogenesis. *Med Hypotheses* 29: 101-104.
- Bennett G, Leblond CP (1970) Formation of cell coat material for the whole surface of columnar cells in the rat small intestine, as visualized by radioautography with L-fucose-3H. *J Cell Biol* 46: 409-416.
- Berbec H, Paszkowska A, Siwek B, Gradziel K, Cybulski M (1999) Total serum sialic acid concentration as a supporting marker of malignancy in ovarian neoplasia. *Eur J Gynaecol Oncol* 20: 389-392.
- Bergler W, Riedel F, Schwartz-Albiez R, Gross HJ, Hormann K (1997) A new histobiochemical method to analyze sialylation on cell-surface glycoproteins of head & neck squamous-cell carcinomas. *Eur Arch Otorhinolaryngol* 254: 437-441.
- Bernards R, Weinberg RA (2002) A progression puzzle. *Nature* 418: 823-824.
- Bienz M, Clevers H (2000) Linking colorectal cancer to *wnt* signaling. *Cell* 103: 311-320.
- Black PH (1980) Shedding of the cell surface of normal and cancer cells. *Adv Cancer Res* 32: 75-199.
- Bosch J, Brossmer R, Kemmner W, Schlag P (1998) Preparation and characterization of differently aggregated colorectal carcinoma cell subpopulations from surgical specimens. *Cancer Detect Prev* 22: 319-329.
- Bosmann HB, Hall TC (1974) Enzyme activity in invasive tumors of human breast and colon, *Proc Natl Acad Sci USA* 71: 1833-1837.
- Bosmann HB, Jackson JJ (1968) Glycoprotein structure: the carbohydrate of bovine corneal collagen. *Biochim Biophys Acta* 170: 6-14.
- Brabletz T, Jung A, Dag S, Hlubek F, Kirchner T (1999) beta-catenin regulates the expression of the matrix metalloproteinase-7 in human colorectal cancer. *Am J Pathol* 155: 1033-1038.
- Bresalier RS, Ho SB, Schoeppner HL, Kim YS, Sleisenger MH, Brodt P, Byrd JC (1996) Enhanced sialylation of mucin-associated carbohydrate structures in human colon cancer metastasis. *Gastroenterol* 110: 1354-1367.

Bresalier RS, Rockwell RW, Dahiya R, Duh QY, Kim YS (1990) Cell surface sialoprotein alterations in metastatic murine colon cancer cell lines selected in an animal model for colon cancer metastasis. *Cancer Res* 50: 1299-1307.

Britten CJ, van den Eijnden DH, McDowell W, Kelly VA, Witham SJ, Edbrooke MR, Bird MI, de Vries T, Smithers N (1998) Acceptor specificity of the human leukocyte $\alpha 3$ fucosyltransferase: role of FucT-VII in the generation of selectin ligands. *Glycobiology* 8: 321-327.

Brockhausen (1993) Clinical aspects of glycoprotein biosynthesis. *Crit Rev Clin Lab Sci* 30: 65-151.

Brunin F, Mosseri V, Jaulerry C, Point D, Cosset JM, Rodriguez J (1999) Cancer of the base of the tongue: past and future. *Head and neck* 21: 751-759.

Bruyneel EA, Debray H, De Mets M, Mareel MM, Montreuil J (1990) Altered glycosylation in Madin-Darby canine kidney (MDCK) cells after transformation by murine sarcoma virus. *Clin Exp Metastasis* 8: 241-253.

Califano J, van der Riet P, Westra W, Nawroz H, Clayman G, Piantadosi S, Corio R, Lee D, Greenberg B, Koch W, Sidransky D (1996) Genetic progression model for head and neck cancer: implications for field cancerization. *Cancer Res* 56: 2488-2492.

Campion B, Leger D, Wieruszeski JM, Monterul J, Spik G (1989) Presence of fucosylated triantennary, tetraantennary and pentaantennary glycans in transferrin synthesized by the human hepatocarcinoma cell line Hep G2. *Europ J Biochem* 184: 405-413.

Casumano RJ, Persky MS (1988) Squamous cell carcinoma of the oral cavity and oropharynx cancer in young adults. *Head and Neck Surg* 10: 229-234.

Chan AO, Chu KM, Lam SK, Wong BC, Kwok KF, Law S, Ko S, Hui WM, Yueng YH, Wong J (2003) Soluble E-cadherin is an independent pretherapeutic factor for long-term survival in gastric cancer. *J Clin Oncol* 21: 2288-2293.

Chan AO, Lam SK, Chu KM, Lam CM, Kwok E, Leung SY, Yuen ST, Law SY, Hui WM, Lai KC, Wong CY, Hu HC, Lai CL, Wong J (2001) Soluble E-cadherin is a valid prognostic marker in gastric carcinoma. *Gut* 48: 808-811.

Chatterjee SK, Kim U (1978) Fucosyltransferase activity in metastasizing and nonmetastasizing rat mammary carcinomas. *J Natl Cancer Inst* 61: 151-162.

Chen CL, Liu SS, Ip SM, Wong LC, Ng TY, Ngan HY (2003) E-cadherin expression is silenced by DNA methylation in cervical cancer cell lines and tumours. *Eur J Cancer* 39: 517-523.

- Colin-Hughes R (2001) Galectins as modulators of cell adhesion. *Biochimie* 83: 667–676.
- Collard JG, Schijven JF, Bikker A, La Riviere G, Bolscher JG, Roos E (1986) Cell surface sialic acid and the invasive and metastatic potential of T-cell hybridomas. *Cancer Res* 46: 3521-3527.
- Cooling L, Zhang DS, Koerner TAW (1997) Lewis X and sialyl Lewis X glycosphingolipids. *Trends Glycosci Glycotechnol* 9: 191-209.
- Cordero OJ, Merino A, Cadena MP, Bugia B, Nogueira M, Vinuela JE, Martinez-Zorzano VS, Carlos A, Rodriguez-Berrocal FJ (2001) Cell surface human α -L-fucosidase. *Eur J Biochem* 268: 3321-3331.
- Crocker PR, Varki A (2001) Siglecs, sialic acids and innate immunity. *Trends Immunol* 22: 337–342.
- Dall'Olio F (1996) Protein glycosylation in cancer biology: an overview. *Clin Mol Pathol* 49: M126-M135.
- Dall'Olio F, Malagolini N, Serafini-Cessi F (1992a) Enhanced CMP-NeuAc: Gal β 1,4GlcNAc-R α 2,6 sialyltransferase in human colon cancer xenografts in athymic nude mice and of xenograft-derived cell lines. *Int J Cancer* 50: 325-330.
- Dall'olio F, Trere D (1993) Expression of α 2,6 sialylated sugar chain in normal and neoplastic colon tissues. Detection by digoxigenin conjugated sambucus nigra agglutinin. *Eur J Histochem* 37: 257-265.
- Dall'Olio F (2000) The sialyl- α 2,6-lactosaminy-structure: biosynthesis and functional role. *Glycoconj J* 17: 669-676.
- Dall'Olio F, Chiricolo M (2001) Sialyltransferases in cancer. *Glycoconj J* 18: 841-850.
- Dall'Olio F, Chiricolo M, Ceccarelli C, Minni F, Marrano D, Santini D (2000) β -Galactoside α 2,6 sialyltransferase in human colon cancer: contribution of multiple transcripts to regulation of enzyme activity and reactivity with Sambucus nigra agglutinin. *Int J Cancer* 88: 58-65.
- Dall'Olio F, Chiricolo M, D'Errico A, Gruppioni E, Altimari A, Fiorentino M, and Grigioni WF (2004) Expression of β -galactoside α 2,6 sialyltransferase and of α 2,6-sialylated glycoconjugates in normal human liver, hepatocarcinoma, and cirrhosis. *Glycobiology* 14: 39-49
- Dall'Olio F, Chiricolo M, Lau JT (1999) Differential expression of the hepatic transcript of beta-galactoside alpha2,6-sialyltransferase in human colon cancer cell lines. *Int J Cancer* 81: 243-247.

- Dall'Olio F, Chiricolo M, Mariani E, Facchini A (2001) Biosynthesis of the cancer-related sialyl- α 2,6-lactosaminyl epitope in colon cancer cell lines expressing beta-galactoside α 2,6-sialyltransferase under a constitutive promoter. *Eur J Biochem* 268: 5876-5884.
- Dall'Olio F, Malagolini N, Di Stefano G, Minni F, Marrano D, Serafini-Cessi F (1989) Increased CMP-NeuAc:Galb1,4GlcNAc-R α 2,6 sialyltransferase activity in human colorectal cancer tissues. *Int J Cancer* 44: 434-439.
- Dall'Olio F, Malagolini N, Serafini Cessi F (1992) Enhanced CMP-NeuAc:Galbeta 1,4GlcNAc-R α 2,6 sialyltransferase activity of human colon cancer xeno-grafts in athymic nude mice and of xenograft-derived cell lines. *Int J Cancer* 50: 325-330.
- Datta AK, Paulson JC (1995) The sialyltransferase "sialylmotif" participates in binding the donor substrate CMP-NeuAc. *J Biol Chem* 270: 1497-1500.
- Davidson BJ (2001) Epidemiology and etiology; American cancer society, Atlas of clinical Oncology. Ref. Cancer of the Head and Neck. Ed. Jatin P. Shah, Snehal G. Patel. Pub. BD Decker Inc. Hamilton, London.
- Davis S, Severson RK (1987) increasing incidence of cancer of the tongue in the United States among young adults. *The Lancet* 2: 910-911.
- Day ML, Zhao X, Vallorosi CJ, Putzi M, Powell CT, Lin C, Day KC (1999) E-cadherin mediates aggregation-dependent survival of prostate and mammary epithelial cells through the retinoblastoma cell cycle control pathway. *J Biol Chem* 274: 9656-9664.
- Dell A, Morris HR (2001) Glycoproteins structure determination by mass spectrometry. *Science* 291: 2351-2356.
- Dennis J, Waller C, Timpl R, Schirmacher V (1982) Surface sialic acid reduces attachment of metastatic tumour cells to collagen type IV and fibronectin. *Nature* 300: 274-276.
- Dimitroff CJ, Pera P, Dall'Olio F, Matta KL, Chandrasekaran EV, Lau JTY, Bernacki RJ (1999) Cell surface N-acetylneuraminic acid α (2,3)galactoside dependent inter-cellular adhesion of human colon cancer cells. *Biochem Biophys Res Commun* 256: 631-636.
- Dische Z, Shettles LB (1948) A specific colour reaction of methyl-pentoses and a spectrophotometric micro method for determination. *J Biol Chem* 175: 595-603.
- Drickamer K, Taylor ME (1998) Evolving views of protein glycosylation. *Trends Biochem Sci* 23: 321-324.
- Easton EW, Bolscher JG, van den Eijnden DH (1991) Enzymatic amplification involving glycosyltransferases forms the basis for the increased size of

asparagine-linked glycans at the surface of NIH 3T3 cells expressing the N-ras proto-oncogene. *J Biol Chem* 266: 21674-21680.

Elzagheid A, Kuopio T, Ilmen M, Collan Y (2002) Prognostication of invasive ductal breast cancer by quantification of E-cadherin immunostaining: the methodology and clinical relevance. *Histopathol* 41: 127-133.

Ewans CW (1991) the metastatic cell. London: Chapman and Hall.

Eylar EH (1965) On the biological role of glycoproteins. *J Theoret Biol* 10:89-113.

Farber E (1984) The multistep nature of cancer development. *Cancer Res* 44: 4217-4223.

Fedarko NS, Jain A, Karadag A, Van Eman MR, Fisher LW (2001) Elevated serum bone sialoprotein and osteopontin in colon, breast, prostate, and lung cancer. *Clin Cancer Res* 7: 4060-4066.

Feijoo C, de la Cadena MP, Rodriguez-Berrocal FJ, Martinez-Zorzano VS (1997) Sialic acid levels in serum and tissue from colorectal cancer patients, *Cancer Lett* 112: 155-160.

Feizi T (2000) Carbohydrate-mediated recognition systems in innate immunity.. *Immunol Rev* 173: 79-88.

Ferlay J, Bray F, Pisanani P, Perkin DM (2003) editors. Globocan 2000: cancer incidence, mortality and prevalence worldwide, Version 1.0. IARC CancerBase No 5 LyonIARCPress [Limited version available from: URL: <http://www-dep.iarc.fr/globocan/globocan.htm>. Accessed 9 April 2003].

Fernandez-Rodriguez J, Ayude D, de la Cadena MP, Zorzano M, de Carlos A, Castro AC, de Castro G, Rodriguez-Berrocal FJ (2000) α -L-Fucosidase enzyme in the prediction of colorectal cancer patients at high risk of tumor recurrence. *Cancer Detect Prev* 24: 143-149.

Fernandez-Rodriguez J, de la Cadena MP, Martinez-Zorzano VS, Rodriguez-Berrocal FJ (1997) Fucose levels in sera and in tumors of colorectal adenocarcinoma patients. *Cancer Lett* 121: 147-153.

Fidler IJ (1978) Tumor heterogeneity and the biology of cancer invasion and metastasis. *Cancer Res* 38: 2651-2660.

Fidler IJ (2003) The pathogenesis of cancer metastasis: the 'seed and soil' hypothesis revisited. *Nature Rev Cancer* 3: 453-458.

Forstner GG, Wherrett JR (1973) Plasma membrane and mucosal glycosphingolipids in the rat intestine. *Biochim Biophys Acta* 306: 446-459.

- Frixen UH, Behrens J, Sachs M, Eberle G, Voss B, Warda A, Lochner D, Birchmeier W (1991) E-cadherin-mediated cell-cell adhesion prevents invasiveness of human carcinoma cells. *Cell Biol* 113: 173-185.
- Fukami A, Iijima K, Hayashi M, Komiyama K, Omura S (2002) Macrophage B suppressed metastasis through inhibition of adhesion of sLe(x)/E-selectin molecules. *Biochem Biophys Res Commun* 291: 1065-1070.
- Fukuda M, Bothner B, Ramasamooj P, Dell A, Tiller PR, Varki A, Klock JC (1985) Structures of sialylated fucosyl polylactos-aminoglycans isolated from chronic myelogenous leukemia cells. *J Biol Chem* 260: 12957-12967.
- Fukushima K, Hara-Kuge S, seko A, Ikehara Y, Yamashita K (1998) Elevation of α 2,6-sialyltransferase and α 1,2-fucosyltransferase activities in human choriocarcinoma. *Cancer Res* 58: 4301-4306.
- Fukushima K, Hirota M, Terasaki PI, Wakisaka A, Togashi H, Chia D, Suyama N, Fukushi Y, Nudelman E, Hakomori S (1984) Characterization of sialosylated Lewis X as a new tumor-associated antigen. *Cancer Res* 44: 5279-5285.
- Gahmberg CG (1971) Proteins and glycoproteins of hamster kidney fibroblast (BHK21) plasma membranes and endoplasmic reticulum. *Biochim Biophys Acta* 249: 81-95.
- Gallin WJ, Sorkin BC, Edelman GM, Cunningham BA (1987) Sequence analysis of a cDNA clone encoding the liver cell adhesion molecule, L-CAM. *Proc Natl Acad Sci USA* 84: 2808-2812.
- Gessener P, Riedl S, Quentmaier A, Kemmner W (1993) Enhanced activity of CMP-NeuAc:Gal β 1-4GlcNAc: α 2,6-sialyltransferase in metastasizing human colorectal tumor tissue and serum of tumor patients. *Cancer Lett* 75: 143-149.
- Ghosh M, Nayak BR (1991) Serum sialic acid, fucose, sialic acid/fucose ratio as tumor markers in oral cancer. *Ann Dent* Winter 50: 33-35.
- Girdina MG, Mararazzo M, Morante R, Lucariello A, Varriale A, Guardasole V, Marco GD (1998) Serum α -L-fucosidase activity and early detection of hepatocellular carcinoma. *Cancer* 83: 2468-2474.
- Giroldi LA, Schalken JA (1993) Decreased expression of the intercellular adhesion molecule E-cadherin in prostate cancer: biological significance and clinical implications. *Cancer Metastasis Rev* 12: 29-37.
- Glick MC (1978) Fucosylation- a role in cell function. In: Walborg EF, Jr. ed. *Glycoproteins and Glycolipids in disease processes*. Washington Dc American Chemical Society: 404-411.
- Gofuku J, Shiozaki H, Doki Y, Inoue M, Hirao M, Fukuchi N, Monden M (1998) Characterization of soluble E-cadherin as a disease marker in gastric cancer patients. *Br J Cancer* 78: 1095-1101.

- Gottschalk A, Bhargava AS (1971) Neuraminidase, In: P.D. Boyer (Ed.), 3, The Enzymes, 5, Academic Press, New York pp.321.
- Graff JR, Greenberg VE, Herman JG, Westra WH, Boghaert ER, Ain KB, Saji M, Zeiger MA, Zimmer SG, Baylin SB (1998) Distinct patterns of E-cadherin CpG island methylation in papillary, follicular, Hurthle's cell, and poorly differentiated human thyroid carcinoma. *Cancer Res* 58 2063-2066.
- Gretschel S, Haensch W, Schlag PM, Kemmner W (2003) Clinical relevance of sialyltransferases ST6Gal I and ST3Gal III in gastric cancer. *Oncol* 65: 139-145.
- Guilford P (1999) E-cadherin downregulation in cancer: fuel on the fire? *Mol Med Today* 5:172-177.
- Gumbiner BM (1996) Cell adhesion: The molecular basis of tissue architecture and morphogenesis. *Cell* 84: 345-357.
- Gupta PC (1999) Mouth cancer in India: a new epidemic? *J Ind Med Assoc* 97: 370.
- Gupta PC, Mehta FS, Pindborg JJ, Aghi MB, Bhonsle RB, Murti PR (1987) An educational intervention study for tobacco chewing and smoking habits among Indian villagers. In Hisamichi AM, Tominaga S, eds. *Smoking and health*. Amsterdam, Excerpta Medica, pp: 623-626.
- Gupta PC, Warnakulsauriya S (2002) Global epidemiology of areca nut usage. *Addict Biol* 7: 77-83.
- Hakomori S (1975) Fucolipids and blood group glycolipids in normal and tumor tissue. *Prog Biochem Pharmacol* 10: 167-196.
- Hakomori S (1996) Tumor malignancy defined by aberrant glycosylation and sphingo(glyco)lipid metabolism. *Cancer Res* 56:5309-5318.
- Hakomori S, Zhang Y (1997) Glycosphingolipid antigens and cancer therapy. *Chem Biol* 4: 97-104.
- Hakomori SI (1989) Aberrant glycosylation in tumors and tumor-associated carbohydrate antigens. *Adv Cancer Res* 52: 257-331.
- Hames BD (1990) An introduction to polyacrylamide gel electrophoresis. In *Gel Electrophoresis of proteins*, Hames BD (Ed.), Practical approach series, IRL Press, London, 1-86.
- Hamr A, Vlasakova V, Kolinska J (1993) α 2,6-sialyltransferase predominates in cultured jejunum of suckling rats: it is up-regulated by dexamethasone and secreted during cultivation *Biochim Biophys Acta* 1157: 285-289.

- Hanski C, Drechsler K, Hanisch FG, Sheehan J, Manske M, Ogorek D, Klussmann E, Hanski ML, Blank M, Xing PX et al. (1993) Altered glycosylation of the MUC-1 protein core contributes to the colon carcinoma-associated increase of mucin-bound sialyl-Lewis(x) expression. *Cancer Res* 53: 4082-4088.
- Hanski C, Hanski ML, Zimmer T, Ogorek D, Devine P, Riecken EO (1995) Characterization of the major sialyl Le-x positive mucins present in colon, colon carcinoma, and sera of patients with colorectal cancer. *Cancer Res* 55: 928-933.
- Harduin-Lepers A, Vallejo-Ruiz V, Krzewinski-Recchi M, Samyn-Petit B, Julien S, Delannoy, P. (2001) The human sialyltransferase family. *Biochimie* 83: 727-737.
- Hart IR, Fidler IJ (1981) The implications of tumor heterogeneity for studies on the biology of cancer metastasis. *Biochim Biophys Acta* 651: 37-50.
- Harvey BE, Toth CA, Wagner HE, Steele GD Jr Thomas P (1992) Sialyltransferase activity and hepatic tumor growth in a nude mouse model of colorectal cancer metastases. *Cancer Res* 52: 1775-1779.
- Herscovics A, Bugge B, Quaroni A, Kirsch K (1980) Characterization of glycopeptides labelled from D-[2-3H]mannose and L-[6-3H]fucose in intestinal epithelial cell membranes during differentiation. *Biochem J* 192: 145-153.
- Hirabayashi J, Kasai K (2000) Glycomics, coming of age! *Trends Glycosci Glyc* 12: 1-5.
- Hirohashi S (1998) Inactivation of the E-cadherin-mediated cell adhesion system in human cancers. *Am J Pathol* 153: 333-339.
- Holmberg LA, Sandmaier BM (2001) Theratope vaccine: STn-KLH. *Expert Opin Biol Ther* 2001 5: 881-91.
- Horstkorte R, Fan H, Reutter W (1996) Rapid isolation of endosomes from BHK cells: Identification of DPP IV (CD26) in endosomes. *Exp Cell Res* 226:398-401.
- Hospital based cancer registry (2001): The Gujarat Cancer & Research Institute.
- Hutchinson WL, Du MQ, Johnson PJ, Williams R (1991) Fucosyltransferases: differential plasma and tissue alterations in hepatocellular carcinoma and cirrhosis. *Hepatology* 13: 683-688.
- ICMR Bulletin (2001). National Cancer Registry of the Indian Council for Medical Research Annual report, January 2001, ICMR, New Delhi.

- International Human Genome Sequencing Consortium: Initial sequencing and analysis of the human genome. *Nature* 2001, 409: 860-921.
- Jass JR, Allison LJ, Edgar SG (1995) Distribution of sialosyl Tn and Tn antigens within normal and malignant colorectal epithelium. *J Pathol* 176: 143-149.
- Jussawala D, Deshpande V (1971) Evaluation of cancer risk in tobacco chewers and smokers: an epidemiologic assessment. *Cancer* 28: 244-252.
- Kakugawa Y, Wada T, Yamaguchi K, Yamanami H, Ouchi K, Sato I, Miyagi T (2002) Up-regulation of plasma membrane-associated ganglioside sialidase (Neu3) in human colon cancer and its involvement in apoptosis suppression. *Proc Natl Acad Sci USA* 99: 10718-10723.
- Kanai Y, Ushijima S, Hui AM, Ochiai A, Tsuda H, Sakamoto M, Hirohashi S (1997) The E-cadherin gene is silenced by CpG methylation in human hepatocellular carcinomas. *Int J Cancer* 71: 355-359.
- Kannagi R (1997) Carbohydrate-mediated cell adhesion involved in hematogenous metastasis of cancer. *Glycoconjugate J* 14: 577-84.
- Kannagi R (2004) Molecular mechanism for cancer-associated induction of sialyl Lewis-X and sialyl Lewis-A expression—The Warburg effect revisited. *Glycoconjugate J* 20: 353-364.
- Kato T, Wang Y, Yamaguchi K, Milner CM, Shineha R, Satomi S, Miyagi T (2001) Overexpression of lysosomal-type sialidase leads to suppression of metastasis associated with reversion of malignant phenotype in murine B16 melanoma cells. *Int J Cancer* 92: 797-804.
- Kemmner W, Hohaus K, Schlag PM (1997) Inhibition of Galb1,4GlcNAc2,6 sialyltransferase expression by antisense-oligodeoxynucleotides. *FEBS Lett* 409: 347-350.
- Kemmner W, Schlag P, Moller P, Brossmer R (1992) Homotypic aggregation and terminal glycosylation of cells from dissociated human colorectal tumor tissue. *Oncology* 49: 63-67.
- Kessel D, Allen J (1975) Elevated plasma sialyltransferase in the cancer patient. *Cancer Res* 35: 670-672.
- Khersonsky SM, Christine MH, Gracia MF, Chang YT (2003) Recent advances in Glycomics and glycogenetics. *Current Topics in Medicinal Chemistry* 3: 617-643.
- Kijima-Suda I, Miyamoto Y, Toyoshima S, Itoh M, Osawa T (1986) Inhibition of experimental pulmonary metastasis of mouse colon adenocarcinoma 26 sublines by a sialic acid:nucleoside conjugate having sialyltransferase inhibition activity. *Cancer Res* 46: 858-862.

- Kijima-Suda I, Miyazawa T, Itoh M, Toyoshima S, Osawa T (1988) Possible mechanism of inhibition of experimental pulmonary metastasis of mouse colon adenocarcinoma 26 sublines by a sialic acid: nucleoside conjugate. *Cancer Res* 48: 3728-3732.
- King TP, Begbie R, Slater D, McFadyen M, Thom A, Kelly D (1995) Sialylation of intestinal microvillar membranes in newborn, sucking and weaned pigs. *Glycobiology* 5: 525-534.
- Knibbs RN, Goldstein IJ, Ratcliffe RM, Shibuya N (1991) Characterization of the carbohydrate binding specificity of the leucoagglutinating lectin from *Maackia amurensis*. Comparison with other sialic acid-specific lectins. *J Biol Chem* 266: 83-88.
- Knudsen KA, Lin CY, Johnson KR, Wheelock MJ, Keshgegian AA, Soler AP (2000) Lack of correlation between serum levels of E- and P-cadherin fragments and the presence of breast cancer. *Hum Pathol* 31: 961-965.
- Koch AE, Halloran MM, Haskell CJ, Shah MR, Polverini PJ (1995) Angiogenesis mediated by soluble forms of E-selectin and vascular cell adhesion molecule-1. *Nature* 376: 517-519.
- Kreisel W, Hanski C, Tran-Thi TA, Katz N, Decker K, Reutter W, Gerok W (1988) Remodeling of a rat hepatocyte plasma membrane glycoprotein. De- and reglycosylation of dipeptidyl peptidase IV. *J Biol Chem* 263: 11736-11742.
- Kuriakose M, Sankaranarayanan M, Nair MK, Cherian T, Sugar AW, Scully C, Prime SS (1992) Comparison of oral squamous cell carcinoma in younger and older patients in India. *Oral Oncol European J Cancer* 28B: 113-120.
- Ladisch S, Becker H, Ulsh L (1992) Immunosuppression by human gangliosides: I. Relationship of carbohydrate structure to the inhibition of T cell responses. *Biochim Biophys Acta* 1125: 180-188.
- Laemmli UK (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-685.
- Lasky LA (1992) Selectins: Interpreters of cell-specific carbohydrate information during inflammation. *Science* 258: 964-969.
- Lin S, Kemmner W, Grigull S, Schlag PM (2002) Cell surface alpha 2,6 sialylation affects adhesion of breast carcinoma cells. *Exp Cell Res* 276:101-110.
- Lipponen P, Saarelainen E, Ji H, Aaltomaa S, Syrjanen K (1994) Expression of E-cadherin (E-CD) as related to other prognostic factors and survival in breast cancer. *J Pathol* 174: 101-109.
- Lis H, Sharon N (1986) Lectins as molecules and as tools. *Ann Rev Biochem* 55: 35-67.

- Listinsky JJ, Siegal GP, Listinsky CM (1998) α -L-fucose—a potentially critical molecule in pathologic processes including neoplasia, *Am J Clin Pathol* 110: 425-440.
- Llewellyn CD, Johnson NW, Warnakulasuriya KAAS (2001) Risk factors for squamous cell carcinoma of the oral cavity in young people – a comprehensive literature review. *Oral Oncol* 37: 401-418.
- Lo NW, Dennis JW, Lau JT (1999) Overexpression of the α 2,6-sialyltransferase, ST6Gal I, in a low metastatic variant of a murine lymphoblastoid cell line is associated with appearance of a unique ST6Gal I mRNA. *Biochem Biophys Res Commun* 264: 619-621.
- Lo NW, Lau JT (1996) Novel heterogeneity exists in the 5'-untranslated region of the beta-galactoside alpha 2,6-sialyltransferase mRNAs in the human B-lymphoblastoid cell line, louckes. *Biochem Biophys Res Commun* 228: 380-385.
- Lowry OH, Rosebrough NJ, Farr AL, Randali RJ (1951) Protein measurement with the Folin phenol reagent. *J Biol Chem* 193: 265-275.
- Macdougall SL, Schwarting GA, Parkinson D, Sullivan AK (1987) Increased fucosylation of glycolipids in a human leukaemia cell line (K562-Clone I) with decreased sensitivity to NK-mediated lysis. *Immunology* 62: 75-80.
- Mackay J, Eriksen M (2002). *The Tobacco Atlas* (World Health Organization, Geneva).
- Mann B, Klusmann E, Vandamme-Feldhaus V, Iwersen M, Hanski ML, Riecken EO, Buhr HJ, Schauer R, Kim YS, Hanski C (1997) Low O-acetylation of sialyl-Le(x) contributes to its overexpression in colon carcinoma metastases. *Int J Cancer* 72: 258-264.
- Mansouri A, Spurr N, Goodfellow PN, Kemler R (1998) Molecular cloning and chromosomal localization of the gene encoding the human cell adhesion molecule ovomorulin. *Differentiation* 38: 67-71.
- Mark J (1998) Forty years of monitoring head and neck cancer in Norway- no good news. *Anticancer Res* 18: 3705-3708.
- Martin CV, Martin EG, Briera AF (2003) Alterations of CMP-NeuAc:Asialofetuin sialyltransferases activities in human colorectal adenocarcinoma. *Oncol* 64:74-82.
- Martin-Satue M, Marrugat R, Cancelas JA, Blanco J (1998) Enhanced expression of α 1,3-FucT genes correlates with E-selectin-mediated adhesion and metastatic potential of human lung adenocarcinoma cells. *Cancer Res* 58: 1544-1550.

- Mechref Y, Novotny MV (2002) Structural investigations of glycoconjugates at high sensitivity. *Chem Rev* 102: 321-369.
- Melki JR, Vincent PC, Brown RD, Clark SJ (2000) Hypermethylation of E-cadherin in leukemia. *Blood* 95: 3208-3213.
- Miller AB, Hogstaten B, Staquet M, Winkler A. (1981). Reporting results of cancer treatment. *Cancer* 47: 207-214.
- Miyagi T, Sagawa J, Konno K, Handa S, Tsuiki S (1990) Biochemical and immunological studies on two distinct ganglioside-hydrolyzing sialidases from the particulate fraction of rat brain. *J Biochem (Tokyo)* 107: 787-793.
- Miyagi T, Tsuiki S (1984) Rat-liver lysosomal sialidase. Solubilization, substrate specificity and comparison with the cytosolic sialidase. *Eur J Biochem* 141:75-81.
- Miyagi T, Tsuiki S (1985) Purification and characterization of cytosolic sialidase from rat liver. *J Biol Chem* 260: 6710-6716.
- Miyagi T, Wada T, Yamaguchi K, Hata K (2004) Sialidase and malignancy: A minireview. *Glycoconjugate J* 20: 189-198.
- Montreuil J, Vliegthart JFG, Schachter H (1997) Glucoproteins II. New comprehensive biochemistry, v 29B, Amsterdam; New York: Elsevier. xxvi, 652.
- Morgenthaler J, Kemmner W, Brossmer R (1990) Sialic acid dependent cell adhesion to collagen IV correlates with in vivo tumorigenicity of the human colon carcinoma sublines HCT116, HCT116a and HCT116b. *Biochem Biophys Res Commun* 171: 860-866.
- Mostafapour MK, Goldstein IJ (1993) Cultured Eherlich ascitis tumour cell show increased N-linked alpha 2,6 sialyltransferase activity. *Arch Biochem Biophys* 303: 255-259.
- Muramatsu H, Muramatsu T (1983) A fucosyltransferase in teratocarcinoma stem cells. Decreased activity accompanying differentiation to parietal endoderm cells. *FEBS Lett* 163:181-184.
- Muramatsu T, Gachelin G, Nicolas JF, Condamine H, Jakob H, Jacob F (1978) Carbohydrate structure and cell differentiation: unique properties of fucosyl-glycopeptides isolated from embryonal carcinoma cells. *Proc Natl Acad Sci USA* 75: 2315-2319.
- Mutshuhita Y, Cleary KR, Ota DM, Hoff SD, Irimura T (1990) Sialyl Lewis-X antigen expressed on mucin-like glycoproteins in colorectal cancer metastases. *Lab Invest* 63: 780-791.

- Myers JN, Elkins T, Roberts D, Byers RM (2000) Squamous cell carcinoma of the tongue in young adults: increasing incidence and factors that predicts treatment outcomes. *Otolaryngol and Head and Neck Surg* 122: 44-51.
- Nagler RM (2002) Molecular aspect of oral cancer. *Anticancer Res* 22: 2977-2980.
- Nair, U., Bartsch, H. and Nair, J. (2004): Alert for an epidemic of oral cancer due to use of the betel quid substitutes gutkha and pan masala: a review of agents and causative mechanisms. *Mutagenesis* 19: 251-262.
- Nakamori S, Kameyama M, Imaoka S, Furukawa H, Ishikawa O, Sasaki Y, Kabuto T, Iwanaga T, Matsushita Y, Irimura T (1993) Increased expression of Sialyl Le^x antigen correlates with poor survival in patients with colorectal carcinoma: clinicopathological and immunohistochemical study. *Cancer Res* 53: 3632-3637.
- Nakata B, Chung KH, Maguruma K Yamashita Y, Inoue T, Matsuoka T, Onoda N, Kato Y, Sakurai M, Sowa M (1998) Changes in tumor marker levels as a predictor of chemotherapeutic effect in patients with gastric carcinoma. *Cancer* 83: 19-24.
- Nakayama S, Sasaki A, Mese H, Alcalde RE, Tsuji T, Matsumura T (2001) The E-cadherin gene is silenced by CpG methylation in human oral squamous cell carcinomas. *Int J Cancer* 93: 667-673.
- Nakayama T, Watanabe M, Katsumata T, Teramoto T, Kitajima M (1995) Expression of sialyl Lewis(a) as a new prognostic factor for patients with advanced colorectal carcinoma. *Cancer* 75: 2051-2056.
- Narayanan S (1994) Sialic acid as a tumor marker. *Ann Clin Lab Sci* 24:376-384.
- Narita T, Funahashi H, Satoh Y, Watanabe T, Sakamoto J, Takagi H (1993) Association of expression of blood group-related carbohydrate antigens with prognosis in breast cancer. *Cancer* 71: 3044-3053.
- National Cancer Registry Programme (1996) Burden and care of cancer patients, a consolidation report of six hospital cancer registries from 1984-1993 under the Indian Council of Medical Research, New Delhi, Bangalore. Co-ordination Unit of the NCRP.
- Nawrocki-Raby B, Gilles C, Polette M, Bruyneel E, Laronze JY, Bonnet N, Foidart JM, Mareel M, Birembaut P (2003) Upregulation of MMPs by soluble E-cadherin in human lung tumor cells. *Int J Cancer* 105: 790-795.
- Nicolson GL (1982) Cancer metastasis. Organ colonization and the cell-surface properties of malignant cells. *Biochim Biophys Acta* 695: 113-176.

- Noda K, Miyoshi E, Kitada T, Nakahara S, Gao CX, Honke K, Shiratori Y, Moriwaki H, Sasaki Y, et al. (2002) The enzymatic basis for the conversion of nonfucosylated to fucosylated alpha-fetoprotein by acyclic retinoid treatment in human hepatoma cells: activation of alpha1-6 fucosyltransferase. *Tumour Biol* 23: 202-211.
- Noren NK, Arthur WT, Burrridge K (2003) Cadherin engagement inhibits RhoA via p190RhoGAP. *J Biol Chem* 278: 13615–13618.
- Numahata K, Satoh M, Handa K, Saito S, Ohyama C, Ito A, Takahashi T, Hoshi S, Orikasa S, Hakomori S (2002) Sialosyl-Le^x expression defines invasive and metastatic properties of bladder carcinoma. *Cancer* 94: 673-685.
- Ogata S, Ho I, Chen A, Dubois D, Maklansky J, Singhal A, Hakomori S, Itzkowitz SH (1995) Tumor-associated sialylated antigens are constitutively expressed in normal human colonic mucosa. *Cancer Res* 55: 1869-1874.
- Ogawa J, Inoue H, Koide S (1996) Expression of α 1,3-fucosyltransferase IV and VII genes is related to poor prognosis in lung cancer. *Cancer Res* 56: 325-329.
- Ogawa J, Tsurumi T, Yamada S, Koide S, Shohtsu A (1994) Blood vessel invasion and expression of SLe^x and proliferating cell nuclear antigen in stage I non-small cell lung cancer. Relation to postoperative recurrence. *Cancer* 73:1177-1183.
- Ohayama C, Tsuboi S, Fukuda M (1999) Dual roles of sialyl Lewis X oligosaccharides in tumor metastasis and rejection by natural killer cells *The EMBO Journal* 18: 1516–1525.
- Oka H, Shiozaki H, Kobayashi K, Inoue M, Tahara H, Kobayashi T, Takatsuka Y, Matsuyoshi N, Hirano S, Takeichi M, et al. (1993) Expression of E-cadherin cell adhesion molecules in human breast cancer tissues and its relationship to metastasis. *Cancer Res* 53: 1696-1701.
- Oliver RJ, MacDonald DG, Felix DH (2000) Aspects of cell proliferation in oral epithelial dysplastic lesions. *J Oral Pathol Med* 29: 49-55.
- Orntoft TF, Bech E (1995) Circulating blood group related carbohydrate antigens as tumour markers. *Glycoconj J* 1995 12: 200-205.
- Osawa T, Tsuji T (1987) Fractionation and structural assessment of oligosaccharides and glycopeptides by use of immobilised lectins. *Annu Rev Biochem* 56: 21-42.
- Padmanabhan TK, Shankarnarayanan M, Nair MK (1990) Evaluation of local control, survival and pattern of failure with radiotherapy in cancer of tongue. *Oncology* 47: 121-123.

- Papadimitrakopoulou VA, Shin DM, Hong WK (1996) Molecular and cellular biomarkers for field cancerization and multiple process in head and neck tumourgenesis. *Cancer Met Rev* 15: 53-76.
- Parkin DM (2001) Global cancer statistics in the year 2000. *Lancet Oncol* 2: 533-543.
- Parkin DM, Bray F, Pisani P (2005) Global cancer statistics. *CA Cancer J Clin* 55: 74-105.
- Parkin DM, Pisani P, Ferlay J (1993) Estimates of the worldwide incidence of eighteen major cancers in 1985. *Int J Cancer* 54: 594-606.
- Passaniti A, Hart GW (1988) Cell surface sialylation and tumor metastasis. Metastatic potential of B16-melanoma variants correlates with relative numbers of specific penultimate oligosaccharide structures. *J Biol Chem* 263: 7591-7603.
- Paszakowska A, Berbec H, Semczuk A, Cybulski M (1998) Sialic acid concentration in serum and tissue of endometrial cancer patients. *Eur J Obstet Gynecol Reproduct Biol* 76: 211-215.
- Patel DD, Dave RI (1976) Carcinoma of the anterior tongue in adolescence. *Cancer* 37: 917-921.
- Patel PS, Adharvyu SG, Balar DB, Parikh BJ, Shah PM (1994) Clinical application of serum levels of sialic acid, fucose and seromucoid fractions as tumour markers in human leukemias. *Anticancer Res* 14: 747-752.
- Patel PS, Baxi BR, Adhvaryu SG, Balar DB (1990) Evaluation of serum sialic acid, heat stable alkaline phosphatase and fucose as markers of breast carcinoma. *Anticancer Res* 10: 1071-1074.
- Patel PS, Raval GN, Rawal RM, Patel GH, Balar DB, Shah PM, Patel DD (1995) Comparison between serum levels of carcinoembryonic antigen, sialic acid and phosphohexose isomerase in lung cancer.
- Paulson JC (1985) in the *Receptors* (P.M. Conn. Ed.) Vol 2, Academic press, Orlando, FL: pp 131-219.
- Paulson JC, Colley KJ (1989) Glycosyltransferases: Structure, localization and control of cell type-specific glycosylation. *J Biol Chem* 264: 17615-17618.
- Peifer M, Polakis P (2000) Wnt signaling in Oncogenesis and Embriogenesis – a look outside the nucleus. *Science* 287: 1606-1609.
- Petretti T, Kemmner W, Schulze B, Schlag PM (2000) Altered mRNA expression of glycosyltransferases in human colorectal carcinomas and liver metastases. *Gut* 46: 359–366.

- Pilatte Y, Bignon J, Lambre CR (1993) Sialic acids as important molecules in the regulation of the immune system: pathophysiological implications of sialidases in immunity. *Glycobiology* 3: 201-217.
- Pindborg JJ (1980) Oral cancer and precancer. Bristol: John Wright and Sons.
- Plucinsky MC, Riley WM, Prorok JJ, Alhadeff JA (1986) Total and lipid-associated serum sialic acid levels in cancer patients with different primary sites and differing degrees of metastatic involvement. *Cancer* 58: 2680-2685.
- Polakis P (2000) Wnt signaling and cancer. *Genes Dev* 14: 1837-1851.
- Potier M, Mameli L, Belisle L, Dollaire L, Melancon SB (1979) Fluorimetric assay of neuraminidase with a sodium (4-Methylumbelliferyl α -D-N-Acetyl neuramate substrate. *Anal Biochem* 94: 287-296.
- Pousset D, Piller V, Bureaud N, Monsigny M, Piller F (1997) Increased α 2,6 sialylation of N-glycans in a transgenic mouse model of hepatocellular carcinoma. *Cancer Res* 57: 4249-4256.
- Przybylo M, Hoja-Lukowicz D, Litynska A, Laidler P (2002) Different glycosylation of cadherins from human bladder non-malignant and cancer cell lines. *Cancer Cell Int* 18: 2-6.
- Rajpura KB, Patel PS, Chawda JG, Shah RM (2005) Clinical significance of total and lipid bound sialic acid levels in oral pre-cancerous conditions and oral cancer. *J Oral Pathol Med* 34: 263-267.
- Rao V, Krishnamoorthy L, Kumaraswamy SV, Ramaswamy G (1998) Circulating levels in serum of total sialic acid, lipid-associated sialic acid and fucose in precancerous lesion and of the oral cavity. *Cancer Detect Prev* 22: 237-240.
- Rashid MG, Sanda MG, Vallorosi CJ, Rios-Doria J, Rubin MA, Day ML (2001) Postranslational truncation and inactivation of human E-cadherin distinguishes prostate cancer from matched normal prostate. *Cancer Res* 61: 489-492.
- Raval GN, Patel DD, Parekh LJ, Patel JB, Shah MH, Patel PS (2003) Evaluation of serum sialic acid, sialyltransferase and sialoproteins in oral cavity cancer. *Oral Diseases* 9: 119-128.
- Recchi MA, Hebbar M, Hornez L, Harduin-Lepers A, Peyrat JP, Delannoy P (1998) Multiplex reverse transcription polymerase chain reaction assessment of sialyltransferase expression in human breast cancer. *Cancer Res*, 58: 4066-4070.
- Renkonen J, Paavonen T, Renkonen R (1997) Endothelial and epithelial expression of sialyl Lewis^x and sialyl Lewis^a in lesions of breast carcinoma. *Int J Cancer* 74: 296-300.

- Renkonen J, Paavonen T, Renkonen R (1997) Endothelial and epithelial expression of sialyl Lewis^x and sialyl Lewis^a in lesions of breast carcinoma. *Int J Cancer* 74: 296-300.
- Reuter G, Schauer R (1994) *Methods in Enzymology*. 230: 168-199.
- Reuter G, Struwe R, Feige J, Brede R, Bumm P, Schauer R (1992) Analysis of carbohydrate composition and sialidase activity in oral secretions of patients with tumors in the upper aerodigestive tract. *Eur Arch Otorhinolaryngol* 249: 5-11.
- Ringwald M, Baribault H, Schmidt C, Kemler R (1991) The structure of the gene coding for the mouse cell adhesion molecule uvomorulin. *Nucleic Acids Res* 19: 6533-6539.
- Ronquist G, Nou E (1983) Serum sialyltransferase and fucosyltransferase activities in patients with bronchial carcinoma. *Cancer* 52: 1679-1683.
- Roos E (1984) Cellular adhesion, invasion and metastasis. *Biochim Biophys Acta* 738: 263-84.
- Rothenberg RE, LaRaja RD, Hag IU, Saber AA, Nadkarni M (1996) Correlation between low neuraminidase blood levels and a predisposition toward family-related breast cancer. *The American Surgeon* 62: 949-951.
- Rothenberg RE, LaRaja RD, Muller OT, Hag IU, Pryce EH (1994) Sialic acid and neuraminidase levels in benign and malignant breast disease: A preliminary study. *Breast Dis* 3: 197-202.
- Russell L, Waring P, Beaver JP (1998) Increased cell surface exposure of fucose residues is a late event in apoptosis. *Biochem Biophys Res Commun* 250: 449-453.
- Saito Y, Takazawa H, Uzawa K, Tanzawa H, Sato K (1998) Reduced expression of E-cadherin in oral squamous cell carcinoma: relationship with DNA methylation of 5' CpG island. *Int J Oncol* 12: 293-298.
- Saitoh O, Wang WC, Lotan R, Fukuda M (1992) Differential glycosylation and cell surface expression of lysosomal membrane glycoproteins in sublines of a human colon cancer exhibiting distinct metastatic potentials. *J Biol Chem* 267: 5700-11.
- Sanghavi LD, Rao DN, Joshi S (1989) Epidemiology of head and neck cancers. *Semin Surg Oncol* 5: 305-309.
- Saranath, D. (1999): Integrated biology and molecular pathology of oral cancer. In: Contemporary issues in oral cancer. Oxford University Press, New Delhi.

- Sata T, Roth J, Zuber C, Stamm B, Heitz PU (1991) Expression of α 2,6-linked sialic acid residues in neoplastic but not in normal human colonic mucosa. A lectin-gold cytochemical study with *sambucus nigra* and Maackia amurensis lectins. Am J Pathol 139: 1435-1448.
- Sawada M, Moriya S, Saito S, Shineha R, Satomi S, Yamori T, Tsuruo T, Kannagi R, Miyagi T (2002) Reduced sialidase expression in highly metastatic variants of mouse colon adenocarcinoma 26 and retardation of their metastatic ability by sialidase overexpression. Int J Cancer 97: 180-185.
- Schachter H (2000) Diseases with deficiencies in asparagine-linked glycosylation. In Molecular and Cellular Glycobiology. Edited by Fukuda M, Hindsgaul O. Oxford: Oxford University Press: 1-61.
- Schauer R (2000) Achievements and challenges of sialic acid research. Glycoconj. J 17: 485-499.
- Schauer R, Kamerling JP (1997) Chemistry, biochemistry and biology of sialic acids. In: Glycoproteins II (Moutreuil J, Vliegthart JFG and Schachter H eds.) Elsevier, Amsterdam: 243-402.
- Schiffer SG, Foley S, Kaffashan A, Hronowski X, Zichittella AE, Yeo CY, Miatkowski K, Adkins HB, Damon B, Whitman M, Salomon D, Sanicola M, Williams KP (2001) Fucosylation of Cripto is required for its ability to facilitate nodal signaling. J Biol Chem 276: 37769-37778.
- Schneider F, Kemmner W, Haensch W, Franke G, Gretscher S, Karsten U, Schlag PM (2001) Overexpression of sialyltransferase CMP-sialic acid:Gal β 1,3GalNAc-R α 6-Sialyltransferase is related to poor patient survival in human colorectal carcinomas. Cancer Res 61: 4605-4611.
- Sell S (1990) Cancer-associated carbohydrates identified by monoclonal antibodies. Hum Pathol 21: 1003-1019.
- Sharon N (1998) Glycoproteins now and then: a personal account. Acta Anal 161: 7-17.
- Shashikanth MC, Rao BB (1994) Study of serum fucose and serum sialic acid levels in oral squamous cell carcinoma. Indian J Dent Res 5: 119-124.
- Shibuya N, Goldstein IU, Broekaert WF, Nsimba-Lubaki M, Peeters B, Peumans WJ (1987) The elderberry (*Sambucus nigra* L.) bark lectin recognizes the Neu5Ac(α 2-6)Gal/GalNAc sequence. J Biol Chem 262: 1596-1601.
- Shimodaira K, Nakayama J, Nakamura N, Hasebe O, Katsuyama T, Fukuda M (1997) Carcinoma-associated expression of core 2 β -1,6-N-acetylglucosaminyl-transferase gene in human colorectal cancer: role of O-glycans in tumor progression. Cancer Res 57: 5201-5206.

- Shimono R, Mori M, Akazawa K, Adachi Y, Sugimachi K (1994) Immunohistochemical expression of carbohydrate antigen 19-9 in colorectal carcinoma. *Am J Gastroenterol* 89: 101-105.
- Shin DM, Hittelman WN, Hong WK (1994) Biomarkers in upper aerodigestive tract tumorigenesis: a review. *Cancer Epidemiol Biomarkers Prev* 3: 697-709.
- Shiozaki H, Tahara H, Oka H, Miyata M, Kobayashi K, Tamura S, Ihara K, Doki Y, Hirano S, Takeichi M, et al. (1991) Expression of immunoreactive E-cadherin adhesion molecules in human cancers. *Am J Pathol* 139: 17-23.
- Shirahama T, Ikoma M, Muramatsu T, Kayajima T, Ohi Y, Tsushima T, Akebi N, Ohmori H, Hirao Y, Okajima E (1993) The binding site for fucose-binding proteins of *Lotus Tetragonolobus* is a prognostic marker for transitional cell carcinoma of the human urinary bladder. *Cancer* 72: 1329-1334.
- Siitonen SM, Kononen JT, Helin HJ, Rantala IS, Holli KA, Isola JJ (1996) Reduced E-cadherin expression is associated with invasiveness and unfavorable prognosis in breast cancer. *Am J Clin Pathol* 105: 394-402.
- Skoza L, Mohos S (1976) Stable thiobarbituric acid chromophore with dimethyl sulfoxide. Application to sialic acid assay in analytical De-O-acetylation. *Biochem J* 159: 457-462.
- Slaughter DL, Southwick HW, Smejkal W (1953) "Field Cancerization" in oral stratified squamous epithelium: clinical implications of multicentric origins. *Cancer* 6: 963-968.
- Smets LA, van Beek WP, van Rooij H (1976) Surface glycoproteins and concanavalin-A-mediated agglutinability of clonal variants and tumour cells derived from SV40-virus-transformed mouse 3T3 cells. *Int J Cancer* 18: 462-468.
- Smith RE, Talhouk JW, Brown EE, Edgar SE (1998) The significance of hypersialylation of dipeptidyl peptidase IV (CD26) in the inhibition of its activity by Tat and other cationic peptides. CD26: a subverted adhesion molecule for HIV peptide binding. *AIDS Res Hum Retroviruses* 14: 851-868.
- Son YH, Kapp DS (1985) Oral cavity and oropharyngeal cancer in a younger population. *Cancer* 55: 441-444.
- Sonmez H, Siier S, Gungor Z, Baloglu H, Kokoglu E (1999) Tissue and serum sialidase levels in breast cancer. *Cancer Lett* 136: 75-78.
- Sun P, Wang XQ, Lopatka K, Bangash S, Paller AS (2002) Ganglioside loss promotes survival primarily by activating integrin-linked kinase/Akt without phosphoinositide 3-OH kinase signaling. *J Invest Dermatol* 119: 107-117.

- Taatjes DJ, Roth J (1990) Selective loss of sialic acid from rat small intestinal epithelial cells during postnatal development: demonstration with lectin-gold techniques *Eur J Cell Biol* 53: 255-266.
- Takahashi H, Saibara T, Iwamura S, Tomita A, Maeda T, Onishi S, Yamamoto Y, Enzan H (1994) Serum α -fucosidase activity and tumor size in hepatocellular carcinoma. *Hepatology* 19: 1414-1417.
- Takahashi T, Ikeda Y, Miyoshi E, Yaginuma Y, Ishikawa M, Taniguchi N (2000) α 1,6fucosyltransferase is highly and specifically expressed in human ovarian serous adenocarcinomas. *Int J Cancer* 88: 914-919.
- Takeichi M (1988) The cadherins: cell-cell adhesion molecules controlling animal morphogenesis. *Development* 102: 639- 655.
- Takeichi M (1995) Morphogenetic roles of classic cadherins. *Curr Opin Cell Biol* 7: 619-627.
- Tamura G, Yin J, Wang S, Fleisher AS, Zou T, Abraham JM, Kong D, Smolinski KN, Wilson KT et al. (2000) E-Cadherin gene promoter hypermethylation in primary human gastric carcinomas. *J Natl Cancer Inst* 92: 569-573.
- Taniguchi A, Hasegawa Y, Higai K, Matsumoto K (2000) Transcriptional regulation of human beta-galactoside α 2, 6-sialyltransferase (hST6Gal I) gene during differentiation of the HL-60 cell line. *Glycobiology* 10: 623-628.
- Tatsumura T, Sato H, Mori A, Komori Y, Yamamoto K, Fukutani G, Kuno S (1977) clinical significance of fucose level in glycoprotein fraction of serum in patients with malignant tumours. *Cancer Res* 37: 1401-1403.
- Tauber R, Park CS, Reutter W (1983) Intramolecular heterogeneity of degradation in plasma membrane glycoproteins: evidence for a general characteristic. *Proc Natl Acad Sci USA* 80: 4026-4029.
- Tewarson SL, Mittal VP, Singh M, Gupta GP (1993) Serum sialic acid- An important marker. *Indian J Cancer* 30: 125-131.
- Thompson S, Cantwell BMJ, Cornell C, Turner GA (1991) Abnormally-fucosylated haptoglobin : A cancer marker for tumor burden but not gross liver metastasis. *British J Cancer* 64: 386-390.
- Thompson S, Turner GA (1987) Elevated levels of abnormally fucosylated heptoglobins in cancer sera. *British J Cancer* 56: 605-610.
- Togayachi A, Kudo T, Ikehara Y, Iwasaki H, Nishihara S, Andoh T, Higashiyama M, Kodama K, Nakamori S, Narimatsu H (1999) Upregulation of Lewis enzyme Fuc-TIII and plasma-type α 1,3Fuc-TVI expression determines the augmented expression of SLe^x antigen in non-small cell lung cancer. *Int J Cancer* 83: 70-79.

- Tsuji S, Datta AK, Paulson JC (1996) Systemic nomenclature for sialyltransferases. *Glycobiology* 6: v-vii.
- Turner GA (1992) N-glycosylation of serum proteins in disease and its investigation using lectins. *Clin Chim Acta* 208: 149-171.
- Turner GA (1994) N-glycosylation of serum proteins in disease: diagnostic potential. *Proc UK NEQAS Meeting* 1: 101-108.
- Turner GA, Skillen AW, Buamah P, Guthrie D, Welsh J, Harrison J, Kowalski A (1985) Relation between raised concentrations of fucose, sialic acid, and acute phase proteins in serum from patients with cancer: choosing suitable serum glycoprotein markers. *J Clin Pathol* 38: 588-592.
- UICC (1989) Head & Neck tumors. In: Spiessl B., et al., eds. *TNM Atlas, Illustrated guide to the TNM/pTNM classification of malignant tumors*, 3rd edition, Springer Verlag, Heidelberg, pp. 3-61.
- Vallorosi CJ, Day KC, Zhao X, Rashid MG, Rubin MA, Johnson KR, Wheelock MJ, Day ML (2000) Truncation of the β -catenin binding domain of E-cadherin precedes epithelial apoptosis during prostate and mammary involution. *J Biol Chem* 275: 3328-3334.
- van de Vijver MJ, He YD, van't Veer LJ, Dai H, Hart AA, Voskuil DW, Schreiber GJ, Peterse JL, Roberts C, et al. (2002) A gene-expression signature as a predictor of survival in breast cancer. *N Engl J Med* 347(25): 1999-2009.
- van den Eijnden DH, Joziase DH (1993) Enzymes associated with glycosylation. *Curr Opin Struct Biol* 3: 711-721.
- van 't Veer LJ, Dai H, van de Vijver MJ, He YD, Hart AA, Mao M, Peterse HL, van der Kooy K, Marton MJ, Witteveen AT, Schreiber GJ et al. (2002) Gene expression profiling predicts clinical outcome of breast cancer. *Nature* 415: 530-536.
- van-Dijk W, Turner GA, Mackiewicz A (1994) Changes in glycosylation of acute phase proteins in health and disease: occurrence, regulation and function. *Glycosylation Dis* 1: 5-14.
- Varley H, Gowenlock AH, Bell M (1984) Plasma proteins. In: *Practical clinical biochemistry* (vol 1), 5th Edn. London, The whitefriars press: 535-595.
- Venter JC, Adams MD, Myers EW, Li PW, Mural RJ, Sutton GG, Smith HO, Yandell M, Evans CA, Holt RA et al. (2001) The sequence of the human genome. *Science* 291: 1304-1351.
- Vierbuchen MJ, Fruechtnicht W, Brackrock S, Krause KT, Zienkiewicz TJ (1995) Quantitative lectin-histochemical and immunohistochemical studies on the occurrence of $\alpha(2,3)$ - and $\alpha(2,6)$ -linked sialic acid residues in colorectal carcinomas. Relation to clinicopathologic features. *Cancer* 76: 727-735.

- Vikram B (1984) changing pattern of failure in advanced head and neck cancer. *Arch Otolaryngol* 110: 564-565.
- Vlaminckx K, Vakaet L Jr, Mareel M, Fiers W, van Roy F (1991) Genetic manipulation of E-cadherin expression by epithelial tumor cells reveals an invasion suppressor role. *Cell* 66: 107-119.
- Wagner HE, Thomas P, Wolf BC, Rapoza A, Steele G (1990) Inhibition of sialic acid incorporation prevents hepatic metastases. *J Arch Surg* 125: 351-354.
- Wallack MK, Brown AS, Rosato EF, Rubin S, Johnson JL, Rosato FE (1978) Serum fucose as a monitor for recurrent malignancy. *Surg Oncol* 10: 39-44.
- Wang JW, Ambros RA, Weber PB, Rosano TG (1995) Fucosyltransferase and α -L-fucosidase activities and fucose levels in normal and malignant endometrial tissue. *Cancer Res* 55: 3654-3658.
- Wang PH, Li YF, Juang CM, Lee YR, Chao HT, Ng HT, Tsai YC, Yuan CC (2002) Expression of sialyltransferase family members in cervix squamous cell carcinoma correlates with lymph node metastasis. *Gynecol Oncol* 86: 45-52.
- Wang PH, Li YF, Juang CM, Lee YR, Chao HT, Tsai YC, Yuan CC (2001) Altered mRNA expression of sialyltransferase in squamous cell carcinomas of the cervix. *Gynecol Oncol* 83: 121-127.
- Wang WC, Cummings RD (1988) The immobilized leucoagglutinin from the seeds of *Maackia amurensis* binds with high affinity to complex-type Asn-linked oligosaccharides containing terminal sialic acid-linked α -2,3 to penultimate galactose residues. *J Biol Chem* 263: 4576-4585.
- Wang X, Zhang LH, Ye XS (2003) Recent Development in the Design of Sialyltransferase Inhibitors. *Med Res Rev* 23: 32-47.
- Wang X, Zhang LH, Ye XS (2003) Recent Development in the Design of Sialyltransferase Inhibitors. *Med Res Rev* 23: 32-47.
- Wang Y, Shao L, Shi S, Harris RJ, Spellman MW, Stanley P, Haltiwanger RS (2001) Modification of epidermal growth factor-like repeats with O-fucose. Molecular cloning and expression of a novel GDP-fucose protein O-fucosyltransferase. *J Biol Chem* 276: 40338-40345.
- Warren L, Buck CA, Tuszynski GP (1978) Glycopeptide changes and malignant transformations: A possible role for carbohydrate in malignant behaviour. *Biochim Biophys Acta* 516: 97-127.
- Warren L, Spearing CW (1960) Mammalian sialidase (neuraminidase). *Biochem Biophys Res Commun* 3: 489-492.

- Waters PJ, Lewry E, Pennock CA (1992) Measurement of sialic acid in serum and urine: clinical applications and limitations. *Ann Clin Biochem* 29: 625-637.
- Werkmeister JA, Pross HF, Roder JC (1983) Modulation of K562 cells with sodium butyrate. Association of impaired NK susceptibility with sialic acid and analysis of other parameters. *Int J Cancer* 32: 71-78.
- Whitehouse C, Burchell J, Gschmeissner S, Brockhausen I, Lloyd KO, Taylor-Papadimitriou J (1997) A transfected sialyltransferase that is elevated in breast cancer and localizes to the medial/trans-Golgi apparatus inhibits the development of core-2-based O-glycans. *J Cell Biol* 137: 1229-1241.
- Wiederschain GY, Rosenfeld EL, Brusilovsky AI, Kolibaba LG (1971) α -L-fucosidase and other glycosidases in human placenta fetus liver and amniotic fluid at various stages of gestation. *Clin Chim Acta* 35: 99-107.
- Winzler RJ (1955) Determination of serum glycoproteins. *In*: Glick D (ed). *Methods of biochemical analysis*. Vol.II (ed.2) New York, Intersciences Publishers, p. 279-311.
- World Health Organization (2000) *The World Health Report 2002: Reducing risk, promoting healthy life* (World Health Organization, Geneva).
- Yamada N, Chung YS, Sawada T, Okuno M, Sowa M (1995) Role of SPan-1 antigen in adhesion of human colon cancer cells to vascular endothelium. *Dig Dis Sci* 40: 1005-1012.
- Yamada N, Takatsura S, Arimoto Y, Sawada T, Dohi T, Sowa M (1997) Increased sialyl lewis A expression and fucosyltransferase activity with acquisition of a high metastatic capacity in a colon cancer cell line. *Br J Cancer* 76: 582-587.
- Yamamoto H, Saito T, Kaneko Y, Kersey D, Yong VW, Bremer EG, Mkrdichian E, Cerullo L, Leestma J, Moskal JR (1997) α 2,3-sialyltransferase mRNA and α 2,3-linked glycoprotein sialylation are increased in malignant gliomas. *Brain Res* 755: 175-179.
- Yamashita K, Fukushima K, Sakiyama T, Murata F, Kuroki M, Mutsuoka Y (1995) Expression of Sia α 2-6Gal β 1-4GlcNAc residues on sugar chains of glycoproteins including carcinoembryonic antigens in human colon adenocarcinoma: applications of *Trichosanthes japonica* agglutinin I for early diagnosis. *Cancer Res* 55: 1675-1679.
- Yap AS (1998) The morphogenic role of cadherin cell adhesion molecules in human cancer: a thematic review. *Cancer Invest* 16: 252-261.
- Yeh JS, Cummings RD (1996) Absorbance and light based Solid-Phase assays for CMPNeuAc: Gal β 1-4GlcNAc-R α 2,3-sialyltransferase. *Anal Biochem* 236: 126-133.

Yogeeswaran G, Gronberg A, Welsh RM, Kiessling R (1983) Interferon-induced increase in neuraminidase-releasable sialic acid and glycosphingolipid metabolism in mouse lymphoma and L1210 leukemic cell lines: correlation with susceptibility to natural killer cell-mediated lysis. *Int J Cancer* 31: 501-507.

Yogeeswaran G, Salk PL (1981) Metastatic potential is positively correlated with cell surface sialylation of cultured murine tumor cell lines. *Science* 212: 1514-16.

Zhu Y, Srivatana U, Ullah A, Gagneja H, Berenson CS, Lance P (2001) Suppression of a sialyltransferase by antisense DNA reduces invasiveness of human colon cancer cells in vitro. *Biochim Biophys Acta* 1536: 148-160.