

CHAPTER - 7

BIBLIOGRAPHY

1. Abdel-Halim, M.S., Sjoquist, B. & Anggard, E. (1978). Inhibition of prostaglandin synthesis in rat brain. *Acta Pharmac. Tox.*, 43, 266.
2. Abdullah, M.I. & Royle, L.G. (1972). Heavy metal content of some rivers and lakes in Wales. *Nature*, 238, 329.
3. Adams, R.G. & Crabtree, N. (1966). Anosmia in alkaline battery workers. *Br. J. Ind. Med.*, 18, 216.
4. Adams, R.G., Harrison, J.F. & Scott, P. (1969). The development of cadmium-induced proteinuria, impaired renal function and osteomalacia in alkaline battery workers. *Quart. J. Med.*, 38, 425.
5. Agrawal, Y.K., Raj, K.P.S., Panchal, D.I. & Balaraman, R. (1978). Heavy metal content in the water and sediment of Sursagar lake of Baroda (Gujarat). *Intern. J. Environ. Studies*, 12, 250.
6. Aguas, A.P. & Nickerson, P.A. (1983). Effects of verapamil on blood pressure and lesion in heart and kidney of rats made hypertensive by DOC. *Am. J. Pathol.*, 110, 48.
7. Ahlmark, A. (1961). Further investigations into kidney function and proteinuria in chronic cadmium poisoning. *Proc. 13th Internat. Congr. Occup. Health*, p. 201.

8. Altura, B.M. (1975). Sex and estrogen and responsiveness of terminal arterioles to neurohypophyseal hormones and catecholamines. *J. Pharmac. exp. Ther.*, 193, 403.
9. Andresen, M.C., Krauhs, J.M. & Brown, A.M. (1978). Relationship of aortic wall and baroreceptor properties during development in normotensive and spontaneously hypertensive rats. *Circulation Res.*, 43, 728.
10. Anonymous, Editorial (1968). Cadmium and the metabolism of albumin. *Lancet*, 133.
11. Anwar, R.A., Langham, R.F., Hoppert, C.A., Alfredson, B.V. & Byerrum, R.V. (1961). Chronic toxicity studies. III. Chronic toxicity of cadmium and chromium in dogs. *Arch. Environ. Health*, 3, 456.
12. Aoki, K. (1963). Experimental studies on the relationship between endocrine organs and hypertension in spontaneously hypertensive rats. I. Effects of hypophysectomy, adrenalectomy, thyroidectomy, nephrectomy and sympathectomy on blood pressure. *Jap. Heart J.*, 4, 443.
13. Aoki, K., Ikade, N., Yamashita, K., Tazumi, K., Sato, I. & Halto, K. (1974). Cardiovascular contraction in spontaneously hypertensive rats. Ca^{2+} interaction of

- myofibrils and subcellular membrane of heart and arterial smooth muscle. Jap. Circ. J., 38, 1115.
14. Aoki, K., Kawaguchi, Y., Sato, K., Kondo, S. & Yamamoto, M. (1982). Clinical and pharmacological properties of calcium antagonists in essential hypertension in human and spontaneously hypertensive rats. J. Cardiovas. Pharmac., 4, S298.
 15. Aoki, K., Yamashita, K. & Hotta, K. (1976). Calcium uptake by subcellular membranes for spontaneously hypertensive rats. Jap. J. Pharmac., 26, 624.
 16. Arena, J.M. (1963). Poisoning chemistry symptoms and treatment. p. 92, 27, Thomas Springfield, Ill.
 17. Asai, F., Nishimura, M., Satoh, E. & Urakawa, N. (1982). Mechanism of cadmium-induced contraction in ileal longitudinal muscle of guinea-pig. Br. J. Pharmac., 75, 561.
 18. Athanassiadis, Y.C. (1969). Air pollution aspects of cadmium and its compounds. U.S. Clearing-house Fed. Sci. Techn. Inform. PB 188, 086, 1-77.
 19. Axelsson, B. and Piscator, M. (1966). Renal damage after prolonged exposure to cadmium. Arch. Environ. Health 12, 360.

20. Ayiety Smith, E. & Varma, D.R. (1970). An assessment of the role of the sympathetic nervous system in experimental hypertension. *Br. J. Pharmac.*, 40, 175.
21. Barrett, H.M., Irwin, D.A. & Semmons, E. (1947). Studies on the toxicity of inhaled cadmium. I. The acute toxicity of cadmium oxide by inhalation. *J. Ind. Hyg. Toxicol.*, 29, 286.
22. Beevers, D.G., Campbell, B.C., Goldberg, A., Moore, M.R. & Hawthorne, V.M. (1976). Blood cadmium in hypertensives and normotensives. *Lancet*, 2, 1222.
23. Berkowitz, B.A., Spector, S. & Tarver, J.H. (1972). Resistance of noradrenaline in blood vessels to depletion by 6-hydroxydopamine or immunosympathectomy. *Br. J. Pharmac.*, 44, 10.
24. Berkowitz, B.A., Tarver, T.H. & Spector, S. (1971). Norepinephrine in blood vessels : concentration, binding, uptake and depletion. *J. Pharmac. exp. Ther.*, 171, 119.
25. Berlin, M., Hammarstrom, I. and Maunsbach, A.B. (1964). Microautoradiographic localization of water-soluble cadmium in mouse kidney. *Acta Radiol.* 2, 345.

26. Bhatt, J.D. (1984). Studies on oral contraceptive-induced hypertension. Ph.D. thesis. The M.S. University of Baroda, Baroda, India.
27. Blaustein, M.P. (1977). Sodium ion, calcium ion, blood pressure regulation and hypertension : a reassessment and a hypothesis. *Am. J. Physiol.*, 232, C 165.
28. Bohr, D.F. (1961). Reactivity of aorta and arterioles in renal hypertension. *Univ. Mich. Med. Bull.*, 21, 196.
29. Bohr, D.F. (1964). Contraction of vascular smooth muscle. *Can. Med. Assn. J.*, 90, 174.
30. Bonnell, J.A. (1955). Emphysema and proteinuria in men casting copper-cadmium alloys. *Br. J. Ind. Med.*, 12, 181.
31. Boscolo, P., Porcelli, G., Carmignani, M. & Finelli, V.N. (1981). Urinary kallikrein and hypertension in cadmium-exposed rats. *Toxicol. Letter*, 7, 189.
32. Bostrom, J. and Wester, P.O. (1969). Pre- and post-operative excretion of trace elements in primary hyperparathyroidism. *Acta Endocr.*, 60, 380.
33. Briggs, A.H. (1962). Calcium movement during potassium contracture in isolated rabbit aortic strips. *Am. J. Physiol.*, 203, 849.

34. Brody, M.S., Shaffer, R.A. & Dixon, R.L. (1963). A method for the study of peripheral vascular responses in the rat. *J. App. Physiol.*, 18, 645.
35. Browning, E. (1961). Toxicity of industrial metals, p. 83, Butterworths, London.
36. Burkitt, A., Lester, P. & Nickless, G. (1972). Distribution of heavy metals in the vicinity of an industrial complex. *Nature*, 238, 327.
37. Butler, E.A. and Flynn, F.V. (1958). The proteinurea of renal tubular disorders. *Lancet*, 2, 978.
38. Caprino, L., Dolci, N., Togna, G., Villa, P., Bucci, R. & Carunchio, V. (1982). Effect of cadmium on platelet thromboxane and vascular prostacycline production. *Toxicol. Appl. Pharmac.*, 65, 185.
39. Carruthers, M. & Smith, B. (1979). Evidence of cadmium toxicity in a population living in zinc-mining area: Pilot Survey of Shipham residents. *Lancet*, 1, 845.
40. Cearley, J.E. & Coleman, R.L. (1974). Cadmium toxicity and bioconcentration in large mouth bass and bluegill. *Bull. Environ. Contam. Toxicol.*, 11, 146.
41. Chandra, S.V. (1980). Toxic metal in environment. A status report of R & D work done in India, pp. 14.

42. Chang, J.B. & Shibata, S. (1980). Pressor response to 5-hydroxytryptamine, norepinephrine and potassium chloride in perfused hindquarter preparation from spontaneously hypertensive rats. *J. Pharmac. exp. Ther.*, 214, 488.
43. Cherry, W.H. (1981). Distribution of cadmium in human tissues In : J.O.Nriagu (ed.) *Cadmium in the Environment*, Part 2, p. 257, John Wiley and Sons, New York, N.Y.
44. Clark, D.W.J., Lavery, R. & Phelan, E.L. (1972). Long lasting peripheral and central effects of 6-hydroxy-dopamine in rats. *Br. J. Pharmac.*, 44, 233.
45. Clineschmidt, B.V., Geller, R.G., Govier, W.C. & Sjoerdsma, A.C. (1970). Reactivity to norepinephrine and nature of alpha-adrenergic receptors in vascular smooth muscle of genetically hypertensive rats. *Eur. J. Pharmac.*, 10, 45.
46. Collins, G.A., Sutter, M.C. & Teiser, J.C. (1972). Calcium and contraction in the rabbit artery or mesenteric portal vein. *Can. J. Physiol. Pharmac.*, 50, 289.
47. Constantopoulos, G., Kusumoto, M., Rojo-Ortega, J.M., Granger, P., Boucher, R. & Genest, J.C. (1975). Arterial water cations and norepinephrine in early and late renovascular hypertension. *Am. J. Physiol.*, 228, 1415.

48. Copper, G.P., Chandhasy, H., Hastings, L. & Petering, H.G. (1978). Prenatal cadmium exposure : Effects on essential metals and behaviour in rats. In : Developmental Toxicology of energy-related pollutants. ed. D.D. Mahlum, M.R. Sikov, P.L. Hockett & F.D. Andres, U.S. Dept. of Energy, Oak Ridge, p. 627.
49. Curry, A.S. & Knott, A.R. (1970). "Normal" levels of cadmium in human liver and kidney in England. Clin. Chim. Acta 30, 115.
50. Cvetkova, R.P. (1970). The influence of cadmium compounds on the generative function. Gig. Tr. Prof. Zabol., 12, 31.
51. Dally, S., Maury, P.H., Boedard, B., Bacle, S. & Gaultier, M. (1978). Blood cadmium level and hypertension in human. Clin. Toxicol., 13, 403.
52. Dammim, G.L., Goldman, M.L., Schroeder, H.A. & Pace, M.G. (1956). Arterial hypertension in dog. II. The effect of neurogenic hypertension with a study of periodic renal biopsies over a seven period. Lab. Invest., 5, 72.
53. De Champlain, J. (1972). Hypertension and sympathetic nervous system. In : Perspectives in neuropharmacology, ed. Synder, S.M., p. 215. New York : Oxford University Press.

54. De Champlain, J., Cousineau, D., Van Ameringen, M.R. & Aurela, M. (1977). The role of sympathetic system in experimental and human hypertension. *Postgrad. Med. J.*, 15 (Suppl. 3), 15.
55. De Champlain, J., Farley, L., Cousineau, D. & Van Ameringen, M.R. (1976). Circulating catecholamine level in human and experimental hypertension. *Circulation Res.*, 38, 109.
56. De Champlain, J., Mueller, R.A. & Axelrod, J. (1969). Turnover and synthesis of norepinephrine in experimental hypertension. *Circulation Res.*, 25, 285.
57. De Champlain, J. & Van Ameringen, M. (1972). Regulation of blood pressure by sympathetic nerve fibres and adrenal medulla in normotensive and hypertensive rats. *Circulation Res.*, 31, 617.
58. Decker, C.F., Byerrum, R.U. & Hoppert, C.A. (1957). A study of the distribution and retention of cadmium-115 in the albino rat. *Arch. Biochem. Biophys.*, 66, 140.
59. Decker, L.E., Byerrum, R.U., Decker, C.F., Hoppert, C.A. & Langham, R.F. (1958). Chronic toxicity studies. I. Cadmium administered in drinking water in rats. *Arch. Ind. Health*, 18, 228.

60. Del Greco, F., Grollman, A., Ledingham, J.M., Merrill, J.P. & Muirhead, E.E. (1968). Renoprival hypertension. In : Renal Hypertension, ed. Page, I.H. & McCubbin, J.W., p. 276, Chicago Year Book, Chicago.
61. Delham, T. & Friberg, L. (1954). The effect of cadmium on blood pressure respiration and the use of dimercaprol as antidote. *Acta Pharmac. . Toxicol.*, 10, 199.
62. De Quattro, V., Nagatsu, J., Maronde, R. & Alexander, N. (1969). Catecholamine synthesis in rabbit with neurogenic hypertension. *Circulation Res.*, 24, 545.
63. Doba, N. & Reis, D.J. (1973). Acute fulminating neurogenic hypertension produced by brain stem lesion in the rat. *Circulation Res.*, 32, 584.
64. Dorr, L.B. & Brody, M.J. (1966). Preliminary observation on the role of the sympathetic nervous system in the development and the maintenance of experimental renal hypertension. *Proc. Soc. exp. Biol. Med.*, 123, 155.
65. Doyle, J.J., Bernhoft, R.A. & Sanstead, H.H. (1975). The effects of a low level of dietary cadmium on blood pressure, ^{24}Na , ^{42}K and water retention in growing rats. *J. Lab. Clin. Med.*, 86, 57.

66. Durbin, R.P. & Jenkinson, D.H. (1961). Calcium dependence of tension development in depolarized smooth muscle. *J. Physiol. (London)*, 157, 90.
67. Duggan, R.E. & Lipscomb, G.Q. (1969). Dietary intake or pesticide chemicals in the United States. II. June, 1966 - April, 1968. *Pesticide Monit. J.*, 2, 153.
68. Durum, W.H., Hem, J.D. & Heidel, S.G. (1971). Reconnaissance of selected minor elements in surface waters of the United States, October 1970. *U.S. Geological Survey Circ.*, 643, 1.
69. Dustain, H.P., Tarazi, R.C., Frohlich, E.D. (1970). Functional correlates of plasma renin activity in hypertensive patients. *Circulation*, 41, 55.
70. Dusting, G.J., Moncada, S. & Vane, J.R. (1978). Vascular actions of arachidonic acid and its metabolites in the perfused mesenteric and femoral beds of dogs. *Eur. J. Pharmac.*, 49, 65.
71. Eakin, D.J., Whanger, P.D. & Weswing, P.H. (1980). Cadmium and nickel influence on blood pressure, plasma renin and tissue metal concentration. *Am. J. Physiol.*, 238, E53.
72. Edman, K.A.P. & Schild, H.O. (1961). Interaction of acetylcholine, calcium and depolarization in contraction of smooth muscle. *Nature (London)*, 190, 350.

73. Fadloun, Z. & Leach, G.D.H. (1980). In vivo and in vitro measurement of changes in sympathetic neurone control of vascular and non-vascular tissues in rats chronically treated with Cd. Proc. B.P.S., Br. J. Pharmac., 70, 167.P.
74. Fadloun, Z. & Leach, G.D.H. (1981a). The effects of cadmium ions on blood pressure dopamine- β -hydroxylase activity and on the responsiveness of the in vivo preparations to sympathetic nerve stimulation noradrenaline and tyramine. J. Pharm. Pharmac., 33, 660.
75. Fadloun, Z. & Leach, G.D.H. (1981b). The effect of chronic treatment with Cd^{2+} on the noradrenaline and dopamine- β -hydroxylase content of the tissues of the rat. Proc. B.P.S. Br. J. Pharmac., 74, 852 P.
76. Fairhall, L.T. (1957). Industrial Toxicology, 2nd ed., Williams & Wilkins, Baltimore, Md.
77. Fassett, D.W. (1972a). Cadmium in the environment and its biological effects. Paper presented at Annual Meeting. Am. Ind. Hyg. Assoc., San Francisco, Calif., May 17.
78. Fassett, D.W. (1972b). Cadmium as an environmental contaminant. In : Metallic Contaminants and Human Health. ed. D.H.K. Lee, Academic Press, New York.

79. Fatkhullaev, I. (1959). On hypotensive effects of cadmium chloride in dogs in experimental condition. Izu. Akad. Nauk. Uz. SSR, Ser. Med., 36, 390.
80. Ferm, V.H. & Carpenter, S.J. (1967). Teratogenic effect of cadmium and its inhibition by zinc. Nature, 216, 1123.
81. Finch, L., Haeusler, G., Kuhn, H. & Thoenen, H.L. (1973). Rapid recovery of vascular adrenergic nerves in rats after chemical sympathectomy with 6-hydroxy-dopamine. Br. J. Pharmac., 48, 59.
82. Finch, L. & Leach, G.D.H. (1970). The contribution of the sympathetic nervous system to the development and maintenance of experimental hypertension in rats. Br. J. Pharmac., 39, 317.
83. Fitzhugh, O.G. and Meiller, F.H. (1941). The chronic toxicity of cadmium. J. Pharmac. exp. Ther., 71, 15.
84. Fitzpatrick, F.A. & Wynaalda, M.A. (1976). In vivo suppression of prostaglandin biosynthesis by non-steroidal antiinflammatory agents. Prostaglandins, 12, 1037.
85. Fleisher, M., Sarofin, A.F., Fassett, D.W., Hammond, P., Shacklette, H.T., Nisbet, C.T. & Epstein, S. (1974). Environmental impact of cadmium : A review by the panel on hazardous trace substances. Environ. Health Perspect., 7, 257.

86. Flick, D.F., Kraybill, H.F. & Dimitroff, J.M. (1971). Toxic effects of cadmium : A Review. *Environ. Res.*, 4, 71.
87. Folkow, B. & Neil, E. (1971). *Circulation*, New York, Oxford University Press, p. 650.
88. Foulke, J.D., Kessler, E.V., Born, G.S., Shaw, S.M. & Vetter, R.J. (1974). Effect of cadmium on sodium and potassium excretion and on action of chlorothiazide in rats. *J. Pharm. Sci.*, 63(4), 563.
89. Friberg, L. (1949). Proteinuria and emphysema among workers exposed to cadmium and nickel dust in a battery plant. *Proc. Int. Congr. Ind. Med.*, 9th, 1948, p. 641.
90. Friberg, L. (1950). Health hazards in the manufacture of alkaline accumulators with special reference to chronic cadmium poisoning. *Acta Med. Scand.*, 138(Suppl. 240), 124.
91. Friberg, L., Piscator, M. & Nordberg, G. (1971). *Cadmium in the environment*. CRC Press, Cleveland, Ohio.
92. Friberg, L., Piscator, M., Nordberg, G.F. & Kjellstrom (1973). *Cadmium in the environment*. Vol. II. Stockholm. EPA Office of Research and Monitoring, Contract No. 68-02-0342, Washington, D.C.
93. Friberg, L., Piscator, M., Nordberg, G.F. & Kjellstrom, T. (1974). *Cadmium in the environment*. 2nd ed., CRC Press, Cleveland, Ohio.

94. Friberg, L., Piscator, G., Norberg & Kjellstron, T.
(1975). Cadmium in the environment. III EPA-650/2-75-049
U.S. Environmental Protection Agency, Washington, D.C.
95. Frickenhaus, B., Lippal, J., Gordon, T.H. & Einbrodt,
H.J. (1976). Blood pressure and pulse frequency during
oral intake of cadmium sulfide in animal experiment.
Hyg. Abt. I. Orig. Reihe B. 161, 371.
96. Furchgott, R.F. & Bhadrakom, S. (1953). Reactions of
strip of rabbit aorta to epinephrine, isoproterenol,
sodium nitrite and other drugs. J. Pharmac. exp. Ther.,
108, 129.
97. Gabbiani, G., Baic, D. & Deziel, C. (1967). Studies on
tolerance and ionic antagonism for cadmium and mercury.
Can. J. Physiol. Pharmacol., 45, 443.
98. Gebber, G.L. (1969). Neurogenic basis for the rise in
blood pressure evoked by nicotine in the cat. J. Pharmac.
exp. Ther., 166, 255.
99. Gervais, J. & Delpech, P. (1963). L'Intoxication cadmique.
Arch. Mal. Prof., 24, 803.
100. Ghafghazi, T. & Mennear, J.H. (1973). Effects of acute
and subacute cadmium administration on carbohydrate
metabolism in mice. Toxicol. Appl. Pharmacol., 26, 231.

101. Gillespie, J.S. (1971). The rat anococcygeus, a new densely innervated smooth muscle preparation. *Br. J. Pharmac.*, 43, 430.
102. Glauser, S.C., Bello, C.T. & Glauser, E.M. (1976). Blood cadmium level in normotensive and untreated hypertensive human. *Lancet*, 1, 717.
103. Goldblatt, M. (1937). Experimental hypertension induced by renal ischemia. *Harvey Lectures Series*, 33, 327.
104. Goldman, M.L., Schnoeder, H.A. & Dammin, G.J. (1952). Morphologic alteration in the kidney during prolonged experimental renal and neurogenic hypertension in the dog. *Am. J. Pathol.*, 28, 31.
105. Goodman, F.R. & Weiss, G.B. (1971). Effect of lanthanum on Ca^{45} movements and on contraction induced by nor-epinephrine and potassium in vascular smooth muscle. *J. Pharmac. exp. Ther.*, 177, 415.
106. Goodman, F.R., Weiss, G.B., Weinberg, M.N. & Pomarantz, S.D. (1972). Effects of added or substituted potassium ion on Ca^{45} movement in rabbit aortic smooth muscle. *Circulation Res.*, 31, 672.
107. Gordon, D.B. & Nogueira, A. (1962). Increased vascular reactivity in experimental hypertension. *Circulation Res.*, 10, 269.

108. Greenberg, S. & Bohr, D.F. (1975). Venous smooth muscle in hypertension. Enhanced contractility of portal veins from spontaneously hypertensive rats. *Circulation Res.*, 36,37 (Suppl.1), I. 208.
109. Greenberg, S., Heitz, D.C. & Long, J.P. (1973). Testosterone-induced depression of adrenergic activity in the perfused canine hindlimb. *Proc. Soc. exp. Biol. Med.*, 142, 883.
110. Greenberg, S., Kadowitz, P.J., Diecke, F.P.J. & Long, J.P. (1974). Effect of prostaglandins F₂ α on venous contractility and ⁴⁵Ca uptake. *Proc. Soc. exp. Biol. Med.*, 145, 80.
111. Grobecker, H., Saavedra, J. & Weiss, V. (1982). Bio-synthetic enzyme activities and catecholamine in adrenal glands of genetic and experimental hypertensive rats. *Clin. Sci.*, 63 (Suppl.), 113S.
112. Gunn, S.A., Gould, T.C. & Anderson, W.A.D. (1965). Comparative study of interstitial tumors in rat testis induced by Cd injection and vascular ligation. *J. Natl. Cancer Inst.*, 35, 329.
113. Gunn, S.A., Gould, T.C. & Anderson, W.A.D. (1966). Protective effect of thiol compounds against cadmium-induced vascular damage to testis. *Proc. Soc. exp. Biol. Med.*, 122, 1036.

114. Gunn, S.A., Gould, T.C. & Anderson, W.A. (1968).
D. Mechanisms of zinc, cysteine, and selenium protection against cadmium-induced vascular injury to mouse testis. *J. Reprod. Fert.*, 15, 65.
115. Haddow, A., Roe, F.J.C., Dukes, C.E. & Mitchley, B.C.V. (1964). Cadmium neoplasia : Sarcomata at the site of injection of cadmium sulfate in rats and mice. *Brit. J. Cancer*, 18, 667.
116. Haeusler, G. & Finch, L. (1972). Vascular reactivity to 5-hydroxytryptamine and hypertension in rats, Naunyn-Schmeid. *Arch. Pharmac.*, 272, 101.
117. Hall, C.E. & Nasseeth, D.C. (1979). Effect of cadmium on salt hypertension in rats. *J. Environ. Path. Toxicol.*, 2, 789.
118. Hall, C.E. & Nasseeth, D. (1980a). Factors affecting the acute pressor response to bolus cadmium injection. *Physiol. Behaviour.*, 24, 373.
119. Hall, C.E. & Nasseeth, D. (1980b). Hematologic and pathologic effects of pressor intraperitoneal injection of cadmium. *Fedn. Proc.*, 39, 395.
120. Hall, C.E. & Hungerford, S. (1982). Influence of dosage consciousness, and nifedipine on the acute pressor

- response to intraperitoneally administered cadmium.
J. Toxicol. Environ. Health, 9, 953.
121. Hammer, D.I., Colucci, A.V., Williams, M.E. & Pinkerton, C. (1972). Cadmium exposure and human health effects. Proc. Univ. Missouri 5th Ann. Conf. Trace Substances in Environmental Health, 1971, Univ. of Missouri, Columbia, Mo., p. 269.
122. Hart, D.T. & Borowitz, J.L. (1974). Adrenal catecholamine release by divalent mercury and cadmium. Archs. int. Pharmacodyn., 209, 94.
123. Hayashi, S. & Toda, N. (1977). Inhibition by Cd^{2+} , verapamil and papavarine of Ca^{2+} -induced contractions in isolated cerebral and peripheral arteries of the dog. Br. J. Pharmac., 60, 35.
124. Heath, J.C. & Daniel, M.R. (1964). The production of malignant tumours by cadmium in the rat. Br. J. Pharmac., 18, 124.
125. Heath, J.C., Daniel, M.R., Dingle, J.T. & Webb, M. (1962). Cadmium as a carcinogen. Nature, 193, 592.
126. Hem, J.D. (1972). Chemistry and occurrence of cadmium and zinc in surface and ground water. Water Resources Res., 8, 661.

127. Hinke, J.A.M. (1965a). Calcium requirements for nor-adrenaline and high potassium ion contraction in arterial smooth muscle. In: Muscle, ed. W.M.Paul, E.E. Daniel, C.M.Kay & Monckton, G. Pergamon Press, New York, pp. 265-285.
128. Hinke, J.A.M. (1965b). In vitro demonstration of vascular responsiveness in experimental hypertension. Circulation Res., 17, 359.
129. Hinke, J.A.M. (1966). Effect of Ca^{++} upon contractility of small uterus from DOCA hypertensive rats. Circulation Res., 18-19, 23.
130. Hobson, M.B., Rayanna, B., & Desai, D. (1983). Effect of cadmium chloride on the uptake of catecholamine by rat brain synaptosomes. Toxicologist, 3, 29.
131. Hudgins, P.M. & Weiss, G.B. (1968). Differential effects of calcium removal upon vascular smooth muscle contraction induced by norepinephrine, histamine and potassium. J. Pharmac. exp. Ther., 159, 91.
132. Hudgins, P.M. & Weiss, G.B. (1969). Characteristics of ^{45}Ca binding in vascular smooth muscle. Am. J. Physiol., 217, 1310.
133. Hygienic Guides Committee (1962). Cadmium. Am. Ind. Hyg. Assoc. J., 23, 518.

134. Imbus, H.R., Cholak, J., Miller, L.H. & Sterling, T. (1963). Boron, cadmium, chromium and nickel in blood and urine. *Arch. Environ. Health*, 6, 286.
135. Indraprasit, S., Alexander, G.V. & Gonick (1974). Tissue composition of major and trace elements in uremia and hypertension. *J. Chron. Dis.*, 27, 135.
136. Internatl. Commission on Radiological Protection, Task Group on Lung Dynamics (1966). Deposition and retention models for internal dosimetry of the human respiratory tract. *Health Physics*, 12, 173.
137. Iriuchijima, J. (1980). Effect of calcium antagonist, nifedipine on blood pressure of various hypertensive rats. *Hiroshima J. Med. Sci.*, 29, 15.
138. Ishii, H., Itok, K. & Nose, T. (1980). Different anti-hypertensive effects of nifedipine in conscious experimental and normotensive rats. *Eur. J. Pharmac.*, 64, 21.
139. Iwatsuki, K., Cardinale, G.J., Spector, S. & Udenfriend, S. (1977). Hypertension : Increased Collagen Biosynthesis in Arteries but not in Veins. *Science*, 198, 403.
140. Johnson, E.M.(Jr.) & O'Brien, F. (1976). Evaluation of permanent sympathectomy produced by administration of guanethidine to adult rats. *J. Pharmac. exp. Ther.*, 196, 53.

141. Jones, A.W. (1974). Altered ion transport in large and small arteries from spontaneously hypertensive rats and the influence of calcium. *Circulation Res.*, 34, 117.
142. Jones, A.W. & Hart, R.G. (1975). Altered ion transport in aortic and smooth muscle during deoxycorticosterone acetate hypertension in rats. *Circulation Res.*, 37, 333.
143. Kalsner, S., Ayiety-Smith, E. & Ling, G.M. (1971). Responses of noradrenaline and potassium and deposition of noradrenaline in aortic strip of deoxycorticosterone acetate-NaCl hypertensive rabbit. *Can. J. Physiol. Pharmacol.*, 49, 666.
144. Kanisawa, M. & Schroeder, H.A. (1969a). Renal arteriolar changes in hypertensive rats given cadmium in drinking water. *Expt. Mol. Pathol.*, 10, 81.
145. Kanisawa, M. & Schroeder, H.A. (1969b). Life term studies on the effect of trace elements on spontaneous tumors in mice and rats. *Cancer Res.*, 29, 892.
146. Kar, A.B., Das, R.P. & Mukerji, F.N.I. (1960). Prevention of cadmium-induced changes in the gonads of rats by zinc and selenium - a study in antagonism between metal in biological system. *Proc. Natl. Inst. Sci., India*, part B26, 40.

147. Karlicek, V., Topolcan, O., Bilkova, L., Kott, J. & Sova, J. (1971). Concentration of trace elements in kidneys of hypertonics established by neurone activation analysis. *Cas. Lek. Ces.*, 110, 32.
148. Kazantzis, G. (1956). Respiratory function in men casting cadmium alloys. I. Assessment of ventilatory function. *Br. J. Ind. Med.*, 13, 30.
149. Kazantzis, G., Flynn, F.V., Spowage, J.S. & Trott, D.G. (1963a). Renal tubular malfunction and pulmonary emphysema in cadmium pigment workers. *Quart. J. Med.*, 32, 165.
150. Kazantzis, G. (1963b). Introduction of sarcoma in the rat by cadmium sulphide pigment. *Nature*, 198, 1213.
151. Kazantzis, G. & Hanbury, W.J. (1966). The induction of sarcoma in the rat by cadmium sulphide. *Br. J. Cancer*, 20, 190.
152. Kennedy, A. (1966). Hypocalcaemia in experimental cadmium poisoning. *Br. J. Ind. Med.*, 23, 313.
153. Kipling, M.D. & Waterhouse, J.A.H. (1957). Cadmium and prostatic carcinoma. *Lancet* (1), 730.
154. Kleinfeld, M., Greene, H., Stein, E. & Magin, J. (1955). Effect of cadmium ion on electrical and mechanical activity of frog heart. *Amer. J. Physiol.*, 181, 35.

155. Kleinfeld, M. & Stein, E. (1968). Action of divalent cations on membrane potentials and contractility in rat atrium. *Am. J. Physiol.*, 215, 593.
156. Kleinfeld, M., Stein, E. & Aguillardo, D. (1966). Divalent cations on action potentials of dog heart. *Am. J. Physiol.*, 211, 1438.
157. Kondo, K., Manku, M.S., Horribin, D.F., Boncha, R. & Genest, T. (1977). Potentiation of pressor effects of noradrenaline and potassium ion in the rat mesenteric arteries by physiological concentration of angiotensin II. Effect of Prostaglandin E2 and cortisol. *Clin. Sci. Mol. Med.*, 53, 233.
158. Kondo, K., Suzuki, H., Okuno, T., Suda, M. & Saruta, T. (1980). Effect of nifedipine, diltiazem and verapamil on the vasoconstrictor response to norepinephrine and potassium ion in rat mesenteric artery. *Archs. int. Pharmacodyn.*, 245, 211.
159. Kopp, J.F. (1970). The occurrence of trace elements in water. *Proc. Univ. Missouri, 3rd Ann. Conf. Trace Substances in Environ. Health, 1969, Univ. of Missouri, Columbia, Mo.*, p. 59.
160. Kopp, J.F. & Kroner, R.C. (1968). A five year summary of trace metals in rivers and lakes of the United

States (October 1, 1962-September 30, 1967). Federal Water Pollution Control Admin., Cincinnati, Ohio.

161. Kopp, S.J., Fischer, V.W., Erlanger, M., Perry, E.F. & Perry, H.M.(Jr.)(1978). Electrophysiological, biochemical and morphological effects of chronic low level cadmium feeding on the rat heart. Proc. Soc. expt. Biol. Med., 159, 339.
162. Kopp, S.J., Glonek, T., Perry, H.M.(Jr.), Erlanger, M. & Perry, E.F. (1982). Cardiovascular actions of cadmium at environmental exposure level. Science, 217, 837.
163. Krebs, H.A. & Henseleit, K.(1932). Untersuchungen uber die Harnstoff bildung in Tierkopex Hoppe-Seylers Z. Physiol. Chem ., 210, 33.
164. Krishnamurthy, V.S.R. (1974). The role of calcium ion in mechanical contractile response of vascular smooth muscle of rat. Ph. D. thesis, M.S. University of Baroda, Baroda, India, pp. 125.
165. Kubota, J., Lazar, V.A. & Losee, F. (1968). Copper, zinc, cadmium and lead in human blood from 19 locations in the U.S. Arch. Environ. Health, 16, 788.
166. Laderballe, Pedersen, O. (1979). Role of extracellular calcium in isometric contraction of SHR aorta.

- Influence of age and antihypertensive treatment. *Archs. Int. Pharmacodyn.*, 239, 208.
167. Laderballe Pedersen, O., Mikkelsen E. & Andersson, K.E. (1978). Effects of extracellular calcium on potassium and noradrenaline induced contraction in the aorta of spontaneously hypertensive rats - increased sensitivity to nifedipine. *Acta Pharmacol. Toxicol.*, 43, 137.
168. Laffan, R.J., Goldberg, M.E., High, J.P., Schaeffer, T.R., Waugh, M.H. & Rubin, B. (1978). Antihypertensive activity in rats of SQ-14225 an orally active inhibition of angiotensin converting enzyme. *J. Pharmac. exp. Ther.*, 204, 281.
169. Lagerwerff, J.V. (1971). Uptake of cadmium, lead and zinc by radish from soil and air. *Soil Sci.* 111, 129.
170. Lagerwerff, J.V., Specht, A.W. (1971). Occurrence of environmental cadmium and zinc and their uptake by plants. *Proc. Univ. Missouri 4th Ann. Conf. on Trace Substances in Environmental Health 1970*. University of Columbia, Mo., p. 85.
171. *Lancet* (1976). Cadmium, lead and hypertension 2, 1230.

172. Larsson, S.E. & Piscator, M. (1971). Effect of cadmium on skeletal tissue in normal and calcium deficient rats. *Isr. J. Med. Sci.*, 7, 495.
173. Lee, I. & Dixon, R.L. (1973). Effects of cadmium on spermatogenesis studied by velocity sedimentation cell separation and serial mating. *J. Pharmac. exp. Ther.*, 187, 641.
174. Lehnert, G., Klavis, G., Schaller, K.H. & Haas, T. (1969). Cadmium determination in urine by atomic absorption/spectrometry as a screening test in industrial medicine. *Br. J. Ind. Med.*, 26, 156.
175. Lener, J. & Bibr, R. (1970). Cadmium content in some food stuffs in respect to its biological effects. *Int. Vitalstoffe Zivil.*, 15, 139.
176. Lener, J. & Bibr, B. (1971). Cadmium and hypertension, *Lancet*, 1, 970.
177. Lener, J. & Musil, J. (1971). Cadmium influence on the excretion of sodium by kidney. *Experientia*, 27, 902.
178. Lewis, G.P., Jusko, W.J. & Coughlin, L.L. (1972a). Cadmium accumulation in man : influence of smoking, occupation, alcoholic habit and disease. *J. Chron. Dis.*, 25, 717.

179. Lewis, G.P., Jusko, W.J., Coughlin, L.L. & Hartz, S. (1972b). Contribution of cigarette smoking to cadmium accumulation in man. *Lancet*, 1, 291.
180. Lieber, M. & Welsch, W.F. (1954). Contamination of ground water by cadmium. *Am. Water Works Assoc. J.*, 46, 541.
181. Loeser, E. & Lorke, D. (1977). Semichronic toxicity of cadmium. I. Studies on rats. *Toxicology*, 7, 215.
182. Lucis, O.J., Lucis, R. & Aterman, K. (1972). Tumorigenesis by cadmium. *Oncology*, 26, 53.
183. Lucis, O.J., Lynk, M.E. & Lucis, R. (1969). Turnover of Cd-109 in rats. *Arch. Environ. Health*, 18, 307.
184. Mackenzie, J.M. & Kay, D.L. (1973). Urinary excretion of cadmium, zinc and copper in normotensive and hypertensive human. *N.Z. Med. J.*, 78, 68.
185. MacLean, F.I., Lucis, O.J. & Shaikh, Z.A. (1972). The uptake in subcellular distribution of cadmium and zinc in microorganisms. *Fedn. Proc.*, 31(2), 699.
186. Malcolm, D. (1972). Potential carcinogenic effect of cadmium in animals and man. Effect of cadmium on the genito-urinary tracts of animals. *Ann. Occup. Hyg.*, 15, 33.

187. Maling, H.M., Fleisch, J.H., & Saul, W.F. (1971).
Species difference in aortic responses to vaso active
animals. The effects of 48/80, cocaine, reserpine and
6-hydroxydopamine. J. Pharmac. exp. Ther., 176, 627.
188. Mallow, S. (1959). Comparative reactivities of aortic
strips from hypertensive and normotensive rats to
epinephrine and levarterenol. Circulation Res., 7, 196.
189. Manku, M.S. & Horribin, D.F. (1976). Indomethacin
inhibit pressor response to all vasoconstrictor in rat
mesenteric vascular bed. Restoration of response by
prostaglandin E₂. Prostaglandin, 12, 369.
190. Margoshes, M. & Vallee, B.L. (1957). A cadmium protein
from equine kidney cortex. J. Amer. Chem. Soc., 79,
4813.
191. Mason, K.E., Brown, J.A., Young, J.O. & Nesbit, B.R.
(1964). Cadmium-induced injury of the rat testis. Anat.
Rec., 149, 135.
192. McGregor, D.D. & Smirk, F.H. (1970). Vascular responses
to 5-hydroxytryptamine in genetic and renal hypertensive
rats. Am. J. Physiol., 219, 687.
193. McLean, A.J., Dusovich, P., Barron, K.W. & Briggs,
A.H.C. (1978). Interaction of hydralazine with tension

- development and mechanism of calcium accumulation in K^+ stimulated rat aortic strips. *J. Pharmacol. exp. Ther.*, 207, 40.
194. Menden, E.E., Elea, V.J., Micheal, L.W. & Petering, H.G. (1972). Distribution of cadmium and nickel of tobacco during cigarette smoking. *Environ. Sci. Technol.*, 6, 830.
195. Merali, A., Kacew, S. & Singhal, R.L. (1975). Response of hepatic carbohydrate and cyclic AMP metabolism to cadmium treatment in rats. *Can. J. Physiol. Pharmacol.*, 53, 174.
196. Merali, A. & Singhal, R.L. (1975). Protective effect of selenium on certain hepatotoxic and pancreotoxic manifestations of subacute cadmium administration. *J. Pharmacol. exp. Ther.*, 195, 58.
197. Merali, Z. & Singhal, (1980). Diabetogenic effects of acute and chronic cadmium administration to neonatal rats. *Br. J. Pharmacol.*, 69, 151.
198. Moncada, S. & Vane, J.R. (1978). Prostaglandin (PGI_2), the vascular wall and vasodilatation. In : Mechanism of vasodilatation, ed. Vanhoutte, P.M. & Leusen, I., S. Karger, Basel, pp. 107-112.

199. Moore, L., Hurwitz, L., Davenport, G.R. & Landon, E.J. (1975). Energy dependent calcium uptake of microsomes from aorta of normal and hypertensive rats. *Biochem. Biophys. Acta*, 413, 432.
200. Morgan, J.M. (1952). Tissue cadmium concentration in man. *Arch. Int. Med.*, 51, 30.
201. Morisawa, T. (1968). On the noradrenaline reaction of the adrenal medulla in experimental hypertensive rats especially in spontaneously hypertensive rats. II. Effects of various experimental conditions on the noradrenaline storing cell islete of adrenal medulla in spontaneously hypertensive rats. *Jap. Circulation J.*, 32, 177.
202. Murthy, G.K., Rhea, V. & Peeler, J.T. (1971). Levels of antimony, cadmium, chromium, cobalt, manganese and zinc in institutional total diets. *Environ. Sci. Technol.*, 5, 436.
203. Nechay, B.R., Williams, B.J., Steinstand, O.D. & Hall, C.E. (1978). Increased vascular response to adrenergic stimulation in rats exposed to cadmium. *Toxicol. Environ. Health*, 4, 559.
204. Nicaud, P., Lafitte, A. & Gros, A. (1942). Les troubles de l'intoxication chronique par le cadmium. *Arch. Mel. Prof. Med. Trav. Secur. Soc.*, 4, 192.

205. Niwa, A., Miyazato, T., Murakami, N. & Suzuki, A. (1981). Effect of cadmium on the isolated vas deferens from guinea pig. *Jap. J. Smooth Muscle Res.*, 17, 53.
206. Niwa, A. & Suzuki, A. (1982). Effects of cadmium on the tension of isolated-rat aorta (A possible mechanism for cadmium-induced hypertension). *J. Toxicol. Sci.*, 7, 51.
207. Nolla-Panades, J. & Smirk, F.H. (1964). Effects of bilateral adrenalectomy on the blood pressure of rats with spontaneously inherited hypertension. *Aust. Ann. Med.*, 13, 320.
208. Nordberg, G. (1972). Cadmium metabolism and toxicity. *Environ. Physiol. Biochem.*, 2, 7.
209. Nordberg, G., Piscator, M. & Nordberg, M. (1971). On the distribution of cadmium in blood. *Acta Pharmacol. Toxicol.*, 30, 289.
210. Ohanian, E.V., Dahl, L.K. & Iwai, J. (1976). Genetic influence by cadmium in Dahl hypertensive resistant and hypertensive-sensitive rats. Trace substance in Environ. Health D.D. Hamphill ed., University of Missouri, Columbia, 10, 451.
211. Ohanian, E.V. & Iwai, J. (1979). Effect of cadmium ingestion in rats with opposite genetic prediposition to hypertension. *Environ. Health Perspect.*, 28, 261.

212. Ohanian, E.V., Iwai, J., George, L., & Turhill, R. (1978). Genetic influence of cadmium-induced hypertension. *Am. J. Physiol.*, 235(4), H.385.
213. Oliver, C. Jr., & Shoji, S. (1967). A possible role for tissue calcium in reserpine supersensitivity. *J. Pharmac. exp. Ther.*, 155, 42.
214. Ostergaard, K. (1977). Cadmium and hypertension. *Lancet*, 1, 677.
215. Ostil, B. (1963). *Statistics in research*. 2nd ed. Amsterdam : Iowa State University Press.
216. Ozaki, M. (1966). Metabolism of monoamines in spontaneously hypertensive rats. *Jap. J. Pharmac.*, 16, 257.
217. Patil, P.N., Fudge, K. & Jacobwitz, D. (1972). Storic aspects of adrenergic drugs. XVIII, Alpha-adrenergic receptors of mammalian aorta. *Eur. J. Pharmac.*, 19, 79.
218. Parizek, J. (1957). The destructive effect of cadmium ion on testicular tissue and its prevention by zinc. *J. Endocrinol.*, 15, 56.
219. Parizek, J. (1964). Vascular changes at sites of oestrogen biosynthesis produced by parenteral injection of cadmium salts : The destruction of placenta by cadmium salts. *J.Reprod. Fert.*, 7, 263.

220. Perhac, R.M. (1972). Distribution of Cd, Co, Cu, Fe, Mn, Ni, Pb and Zn in dissolved and particulate solids from two streams in Tennessee. *J. Hydrology*, 15, 177.
221. Perry, H.M., Jr. (1976). Review of Hypertension Induced in Animals by Chronic Ingestion of Cadmium. In *Trace Element in Human Health and Disease*. ed. Prasad A.S. Volume II p. 417. Academic Press Inc. N.Y.
222. Perry, H.M., Jr., & Erlanger, M.W. (1971a). Hypertension in rats induced by long term low level cadmium ingestion. *Circulation*, 44, Suppl. II, 130.
223. Perry, H.M., Jr. & Erlanger, M.W. (1971b). Hypertension and tissue metal levels after intraperitoneal cadmium, mercury and zinc. *Am. J. Physiol.*, 220, 808.
224. Perry, H.M., Jr. & Erlanger, M.W. (1973). Elevated circulating renin activity in rats following doses of cadmium known to induce hypertension. *J. Lab. Clin. Med.*, 82, 399.
225. Perry, H.M., Jr. & Erlanger, M.W. (1974a). Metal induced hypertension following chronic feeding of low doses of cadmium and mercury. *J. Lab. Clin. Med.*, 83, 541.
226. Perry, H.M., Jr. & Erlanger, M.W. (1974b). Reversal of cadmium-induced hypertension by selenium and hard water. *Trace Substance in Environ. Health*, 8, 451.

227. Perry, H.M., Jr. & Erlanger, M.W. (1975). Mechanism of cadmium-induced hypertension. Trace Substances in Environ. Health, 9, 339.
228. Perry, H.M., Jr. & Erlanger, M.W. (1977). Effect of second metal on cadmium-induced hypertension. Trace Substance in Environ. Health, 11, 280.
229. Perry, H.M., Jr. & Erlanger, M.W. (1978). Pressor effects of chronically feeding cadmium and lead together. Trace Substances in Environ. Health, 12, 268.
230. Perry, H.M., Jr. & Erlanger, M.W. (1980). Cadmium as both an antinatriuretic and a pressor agent. Trace Substances in Environ. Health, 14, 280.
231. Perry, H.M., Jr. & Erlanger, M.W. (1981). Sodium retention in rats with cadmium-induced hypertension. Sci. Total Environ., 22, 31.
232. Perry, H.M., Jr. & Erlanger, M.W. (1982). Effect of diet on increase in systolic pressure induced in rats by chronic cadmium feeding. J. Nutr., 112, 1983.
233. Perry, H.M., Jr., Erlanger, M. & Perry, E.F. (1977). Elevated systolic pressure following chronic low level cadmium feeding. Am. J. Physiol., 232(2), H114.

234. Perry, H.M., Jr., Erlanger, M. & Perry, E.F. (1979).
Increase in the systolic pressure of rats chronically
fed cadmium. *Environ. Health Perspect.*, 28, 251.
235. Perry, H.M., Jr., Erlanger, M.W. & Perry, E.F. (1980).
Inhibition of cadmium-induced hypertension in rats.
Sci. Total Environ., 14, 153.
236. Perry, H.M., Jr., Erlanger, M.W. & Perry, E.F. (1983).
Effect of a second metal on cadmium-induced hypertension.
Arch. Environ. Health. 38(No.2), 80.
237. Perry, H.M., Jr. & Kopp, S.J. (1983). Does cadmium
contribute to human hypertension. *Total Environment*,
26, 223.
238. Perry, H.M., Jr., Perry, E.F. & Erlanger, M.W. (1974).
Reversal of cadmium induced hypertension by Selenium or
Hard water. *Trace Substances in Environ. Health*, 8, 51.
239. Perry, H.M., Jr., Perry, E.F. & Purifoy, J.E. (1971).
Antinatriuretic effect of intramuscular cadmium in rats.
Proc. Soc. exp. Biol. Med., 136, 1240.
240. Perry, H.M., Jr., Erlanger, M., Yunice, A., Schoepfle,
E. & Perry, E.F. (1970). Hypertension and tissue metal
levels following intravenous cadmium, mercury and zinc.
Am. J. Physiol., 219, 755.

241. Perry, H.M., Jr., Schoepfle, E. & Bourgoignie, J. (1967).
In vitro production and inhibition of aortic vaso-
constriction by mercuric cadmium and other metal ion.
Proc. Soc. exp. Biol. Med., 124, 485.
242. Perry, H.M., Jr. & Schroeder, H.A. (1955). Concentration
of trace metal in urine of treated and untreated hyper-
tensive patients compared with normal subjects. J. Lab.
Clin. Med., 46, 936.
243. Perry, H.M., Jr. & Yunice, A. (1965). Acute pressor
response of intra-arterial cadmium and mercury ion in
anaesthetized rats. Proc. Soc. exp. Biol. Med., 120, 805.
244. Petering, H.G., Murthy, L., Sorenson, J.R.J., Levin, L.
& Stemmer, K.L. (1979). Effect of sex on oral cadmium
dose responses in rats : Blood pressure and pharmaco-
dynamics. Environ. Res., 20, 289.
245. Peterson, J.C. (1947). Studies on the toxicity of
inhaled cadmium.III. The pathology of cadmium smoke
poisoning in man and experimental animals. J. Ind.
Hyg. Toxicol., 29, 294.
246. Pfister, W.R.I., Pellegrino, L.J. & Yim, G.K.W. (1978).
Behavioral aspects of cadmium toxicity in rats. Fed.
Proc. Fed. Am. Soc. exp. Biol., 37, 395.

247. Phelan, E.L. (1966). Cardiovascular reactivity in rats with spontaneous inherited hypertension and constricted renal artery hypertension. *Am. Heart J.*, 71, 50.
248. Phelan, E.L. (1968). The New Zealand strain of rats with genetic hypertension. *N.Z. Med. J.*, 334, 344.
249. Piscator, M. (1962). Proteinuria in chronic cadmium poisoning. I. *Arch. Environ. Health*, 4, 607.
250. Piscator, M. (1966). Proteinuria in chronic cadmium poisoning. III. *Arch. Environ. Health*, 12, 335.
251. Piscator, M. & Larsson, S.E. (1972). Retention and toxicity of cadmium in calcium deficient rats. *Proc. Int. Congr. Occup. Health*, 17th, 1972.
252. Porter, M.C., Miya, T.S. & Bousquet, W.F. (1974). Cadmium inability to induce hypertension in rats. *Toxicol. Appl. Pharmacol.*, 27, 692.
253. Porter, M.C., Miya, T.S. & Bousquet, W.F. (1975). Cadmium and vascular reactivity in the rat. *Toxicol. Appl. Pharmacol.*, 34, 134.
254. Potter, J.M., Sparrow, M.P. & Simmonds, W.J. (1970). Increased uptake and efflux of calcium with acetylcholine stimulation in smooth muscle of cord stomach. *Aust. J. exp. Biol. Med. Sci.*, 48, 429.

255. Potts, C.L. (1965). Cadmium proteinuria - the health of battery workers exposed to cadmium oxide dust. Ann. Occup. Hyg., 8, 55.
256. Powell, G.W., Miller, W.J., Morton, J.D. & Clifton, C.M. (1964). Influence of dietary cadmium level and supplemental zinc on cadmium toxicity with bovine. J. Nutr., 84, 205.
257. Princi, F. (1947). A study of industrial exposure cadmium. J. Ind. Hyg. Toxicol., 29, 315.
258. Princi, F. & Geever, E.F. (1950). Prolonged inhalation of cadmium. Arch. Ind. Hyg. Occup. Med., 1, 651.
259. Prodan, L. (1932). Cadmium poisoning. II. Experimental cadmium poisoning. J. Ind. Hyg., 14, 175.
260. Puri, V.N. & Sur, R.N. (1983). Cadmium-induced hypertension. Abstract of XV Annual Conference of Indian Pharmacological Society. Indian J. Pharmac., 15, D-12.
261. Rahola, T., Aaran, R.K. & Miettinen, J.K. (1972). Retention and elimination of ^{115}Cd in man. Paper presented at 2nd European Congress on Radiation Protection. Budapest, May, paper no. 78.
262. Rastogi, R.B., Merali, Z. & Singhal R.L. (1977). Cadmium/
alters
behaviour and biosynthetic capacity for catecholamine

- and serotonin in neonatal rat brain. J. Neurochem., 28, 789.
263. Rastogi, R.B. & Singhal, R.L. (1975). Effect of chronic cadmium /treatment on rat adrenal catecholamine. Endocr. Res. Commun., 2, 87.
264. Redleaf, P.A. & Tobian, L. (1958). The question of vascular hyperresponsiveness in hypertension. Circulation Res., 6, 185.
265. Revis, N. (1977). A possible mechanism for cadmium-induced hypertension in rats. Life. Sci., 22, 479.
266. Revis, N. & Zinsmeister, A.R. (1981). The relationship of blood cadmium level to hypertension and plasma norepinephrine level - a Romanian Study. Proc. Soc. exp. Biol. Med., 167, 254.
267. Ribas-Ozonas, B., Estomba, M.C.O. & Santos-Ruiz, A. (1974). Activation of serotonin and 5-hydroxyindoleacetic acid in brain structures after application of cadmium. In trace elements metabolism in animals. Vol. 2, University Park Press, Baltimore, M.D. p. 476.
268. Rohrer, S.R., Shaw, S.M. & Lamar, C.H. (1978). Cadmium-induced endothelial cell alterations in fetal brain from prenatal exposure. Acta Neuropathol., 44, 147.

269. Rorive, G.L.F.J. & Vancauwenberge, H. (1973). Ionic composition of arterial wall in experimental hypertension. *Clin. Sci. Mol. Med.*, 45, 305S.
270. Rozear, R., DeGroff, R. & Somjen, G. (1971). Effects of microiontophoretic administration of divalent metal ions on neurons of the central nervous system of cats. *J. Pharmac. exp. Ther.*, 176, 109.
271. Rubin, B., Antonaccio, M.J., Goldberg, M.E., Harris, D.N., Itkin, K.G., Horovitz, Z.P., Panesevich, R.F. & Laffan, R.J. (1978). Chronic antihypertensive effects of captopril (SQ-14225) an orally effective angiotensin converting enzyme inhibitors in conscious and two kidney renal hypertensive rats. *Eur. J. Pharmac.*, 51, 377.
272. Schrieden, H. & Small, R.C. (1971). Spasmolytic effects of cadmium and zinc upon guinea-pig isolated ileal preparation. *Br. J. Pharmac.*, 36, 488.
273. Schroeder, H.A. (1942). Arterial hypertension in rats. I. Methods. *J. exp. Med.*, 75, 513.
274. Schroeder, H.A. (1960). Possible relationship between trace metals and chronic disease. In "Metal-Binding in Medicine" (M.J.Seven ed.) p. 59, Lippincott, Philadelphia.
275. Schroeder, H.A. (1964). Cadmium and hypertension in rats. *Am. J. Physiol.*, 207, 62.

276. Schroeder, H.A. (1965). Cadmium as a factor in hypertension. J. Chronic Dis., 18, 647.
277. Schroeder, H.A. (1970). A sensible look at air pollution.- Arch. Environ. Health, 21, 798.
278. Schroeder, H.A., Baker, J.T., Hensen, N.M., Size, J.G. & Wise, R.A. (1970). Vascular reactivity of rats altered by cadmium and a zinc chelate. Arch. Environ. Health, 21, 609.
279. Schroeder, H.A. & Balassa, J.J. (1961). Abnormal trace metal in man : Cadmium. J. Chronic Dis., 14, 239.
280. Schroeder, H.A. & Balassa, J.J. (1965). Influence of chromium, cadmium and lead on rat aortic lipids and circulating cholesterol. Am. J. Physiol., 209, 433.
281. Schroeder, H.A., Balassa, J.J. & Vinton, E.H.Jr. (1964). Chromium, lead, cadmium, nickel and titanium in mice : effect on mortality, tumors and tissue levels. J. Nutr., 83, 239.
282. Schroeder, H.A., Balassa, J.J. & Vinton, E.H.Jr. (1965). Chromium, cadmium, and lead in rats : effects on life span. J. Nutr., 86, 51.
283. Schroeder, H.A. & Buckman, J.B. (1967). Cadmium hypertension. Its reversal in rats by a zinc chelate. Arch. Environ. Health, 14, 693.

284. Schroeder, H.A., Kroll, S.S., Little, J.W., Livingston, P.O. & Meyers, M.A.G. (1966). Hypertension in rats from injection of cadmium. Arch. Environ. Health, 13, 788.
285. Schroeder, H.A., Nason, A.P. & Mitchener, M. (1968a). Action of a chelate of zinc on trace metals in hypertensive rats. Am. J. Physiol., 214, 796.
286. Schroeder, H.A., Nason, A.P., Prior, R.E., Read, J.B. & Haessler, W.T. (1968b). Influence of cadmium on renal ischemic hypertension. Am. J. Physiol., 214, 469.
287. Schroeder, H.A., Nason, A.P., Tipton, J.H. and Balassa, J.J. (1967). Essential trace elements in man : Zinc relation to environmental cadmium. J. Chronic Dis., 20, 179.
288. Schroeder, H.A. & Newman, C. (1942). Arterial hypertension in rats. II. Effects on kidney. J. exp. Med., 75, 527.
289. Schroeder, H.A. & Perry, H.M.Jr. (1955). Antihypertensive effects of metal binding agents. J. Lab. Clin. Med., 46, 416.
290. Schroeder, H.A. & Vinton, W.H. (1962). Hypertension-induced in rats by small dose of cadmium. Am. J. Physiol., 202, 515.
291. Schroeder, H.A., Vinton, W.H. Jr. & Balassa, J.J. (1963). Effect of cadmium, chromium and lead on the growth and survival of rats. J. Nutr., 80, 48.

292. Scot, J.B. & Haddy, F.J. (1963). Local effects of Cd^{++} and Hg^{++} on dog forelimb vascular beds. *Fedn. Proc.*, 22, 179.
293. Shaikh, Z.A. & Lucis, O.J. (1970). Induction of cadmium-binding protein. *Fedn. Proc.*, 29, 298.
294. Shubik, P. & Hartwell, J.L. (1951, 1957, 1959). Public Health Service Publ., 149, J.A.Peters, ed.
295. Shukla, G.S. & Chandra, S.V. (1981). Effect of interaction of Mn^{2+} with Zn^{2+} , Hg^{2+} and Cd^{2+} on some neurochemicals in rats. *Toxicol. Letters*, 10, 163.
296. Shuka, G.S. & Singhal, S.L. (1984). The present status of biological effects of toxic metals in the environment lead, cadmium and manganese. *Can. J. Physiol. Pharmacol.*, 62, 1015.
297. Sidgwick, N.V. (1950). The chemical elements and their compounds. Oxford Univ. Press.
298. Singh, N. (1976). Cadmium content of various fertilizers used in Punjab. Ph.D. thesis, Punjab Agricultural University, Ludhiana.
299. Singhal, R.L., Merali, Z., Kacew, S. & Sutherland, D.J.B. (1974). Persistence of cadmium-induced metabolic changes in liver and kidneys. *Science (Washington, D.C.)*, 183, 1094.

300. Skog, E. & Wahlberg, J.E. (1964). A comparative investigation of the percutaneous absorption of metal compounds in the guinea-pig by means of the radioactive isotopes : ^{51}Cr , ^{58}Co , ^{65}Zn , ^{110}Ag , ^{115}Cd , ^{203}Hg . J. Invest. Dermatol., 43, 187.
301. Smirk, F.H. (1970). The neurogenecally maintained component in hypertension. In : Hypertension, XXVII : Hypertensive Mechanism. ed. Reader, R. Circulation Res., 26, 27 (Suppl. 2), 55.
302. Smith, J.C., Wells, A.R. & Kench, J.E. (1961). Observations on the urinary protein of men exposed to cadmium dust and fume. Br. J. Ind. Med., 18, 70.
303. Smith, J.M., Garber, B. & Pihl, R.O. (1983). Altered behavioural response to apomorphine in cadmium exposed rats. Neurobehav. Toxicol. Teratol., 5, 161.
304. Smith, J.M., Pihl, R.O. & Garber, B. (1982). Postnatal cadmium exposure and long term behavioral changes in the rats. Neurobehav. Toxicol. Teratol., 4, 283.
305. Smith, J.P., Smith, J.C. & McCall, A.J. (1960). Chronic poisoning from cadmium fume. J. Pathol. Bacteriol., 80, 287.
306. Somlyo, A.P. & Somlyo, A.V. (1968). Vascular smooth muscle. I. Normal structure, pathology, biochemistry and biophysics. Pharmac. Rev., 20, 197.

307. Somlyo, A.P. & Somlyo, A.V. (1970). Vascular smooth muscle. II. Pharmacology of normal and hypertensive vessels. *Pharmac. Rev.*, 22, 249.
308. Somlyo, A.P. & Somlyo, A.V. (1971a). Electrophysiological correlates of the inequality of maximal vascular smooth muscle contraction elicited by drugs. In : *Vascular neuroeffector system*". ed. J.A. Bevan, R.F.Furchgott, R.A., Maxwell & A.P. Somlyo, Karger, New York, pp. 216.
309. Somlyo, A.V. & Somlyo, A.P. (1971b). Strontium accumulation by sarcoplasmic reticulum and mitochondria in vascular smooth muscle. *Science*, 174, 955.
310. Stephens, G.A. (1920). Cadmium poisoning. *J. Ind. Hyg.*, 2, 129.
311. Stowe, H.D., Wilson, M. & Goyer, R.A. (1972). Clinical and morphologic effects of oral cadmium toxicity in rabbits. *Arch. Pathol.*, 94, 389.
312. Sun, C.L.J. & Hanig, J.P. (1983). Vascular reactivity to adrenergic agents and neuronal and vascular catecholamine levels in spontaneously hypertensive rats. *Pharmacology*, 27, 319.
313. Sutherland, D.J.B., Tsang, B.K., Merali, Z. & Singhal, R.L. (1974). Testicular and prostatic cyclic AMP

- metabolism following chronic cadmium treatment and subsequent withdrawal. *Environ. Physiol. Biochem.*, 4, 205.
314. Suzuki, A., Kajimoto, N., Yanagawa, T., Sugimoto, J. & Nagata, M. (1978). A possible mechanism of infertility by acute cadmium intoxication. *J. Toxicol., Sci.*, 3, 313.
315. Suzuki, A. & Kinoshita, A. (1976). Mechanism of the contracting action of K, acetylcholine, histamine, nor-adrenaline and barium in the excised vas deferens of guinea-pig particularly in relation to Ca. *Acta Medica Kinki Univ.*, 1, 43.
316. Suzuki, A., Yamamoto, N. & Yanagawa, T. (1977). Influence of cadmium on the action of various smooth muscle contractile agents. *Med. J. Kinki Univ.*, 2, 63.
317. Syversen, T.L.M., Stray, T.K., Syverson, G.B. & Ofstad, J. (1976). Cadmium and zinc in human liver and kidney. *Scand. J. Clin. Lab. Invest.*, 36, 251.
318. Szadkowski, D. (1969). Zur ökologischen Bedeutung des Schwermetallgehaltes von Zigaretten. *Arch. Hyg. Bakteriol.*, 153, 1.
319. Szezeklik, A., Gryglewski, R.J., Nizankowski, R., Musial, J. & Mruk, J. (1978). Circulatory and anti-platelet effects of intravenous prostaglandin in healthy man. *Pharmac. Res. Commun.*, 10, 545.

320. Tabor, E.C. & Warren, W.V. (1958). Distribution of certain metals in the atmosphere of some American cities. Arch. Ind. Health, 17, 145.
321. Teculescu, D.B. & Stanescu, D.C. (1970). Pulmonary function in workers with chronic exposure to cadmium oxide fumes. Intern. Arch. Occup. Health, 26, 335.
322. Templeton, D.M. & Cherian, G.M. (1983). Cadmium and hypertension. TIPS, 4, No. 12, 501.
323. Terhaar, G.J.V.N.S.E., Roudabush, R.L. & Fasselt, D.W. (1965). Protective effects of low doses of cadmium chloride against subsequent high oral doses in the rat. Toxicol. Appl. Pharmac., 7, 500.
324. Thind, G.S., Bierry, D.N. & Bovie, K.C. (1973). Production of arterial hypertension by cadmium in dog. J. Lab. Clin. Med., 81, 549.
325. Thind, G.S., Karreman, G., Stephan, K.F. & W.S. Blackmore (1970a). Vascular reactivity and mechanical properties of normal and cadmium-induced hypertensive rabbits. J. Lab. Clin. Med., 76, 560.
326. Thind, G.S., Stephan, K.F. & Blackmore, W.S. (1970b). Inhibition of vascular response by cadmium. Am. J. Physiol., 219, 577.

327. Thind, G.S., Stephan, K.F. & Blackmore, W.S. (1969).
Vascular responsiveness in cadmium-induced hypertension.
Fedn. Proc., 28, 329.
328. Tipton, I.H. & Cook, M.J. (1963). Trace elements in human
tissue. II. Adult subjects from United States. Health
Phys., 9, 103.
329. Tipton, I.H. & Stewart, P.L. (1970). Analytical methods
for the determination of trace elements - standard man
studies. Proc. Univ. Missouri, 3rd Ann. Conf. on Trace
Substances in Environ. Health, 1969, Univ. of Missouri,
Columbia, Mo., p. 305.
330. Tobian, L., & Chesley, G. (1966). Calcium content in the
arteriolar wall in normotensive and hypertensive rats.
Proc. Soc. exp. Biol. Med., 121, 340.
331. Toda, N. (1973a). Influence of cadmium ion on contractile
response of isolated aortas to stimulatory agents. Am. J.
Physiol., 225(2), 350.
332. Toda, N. (1973b). Inhibition by cadmium ions on the electri-
cal activity of sino arterial nodal pacemaker fibers and
their response to norepinephrine. J. Pharmac. exp. Ther.,
184, 357.

333. Toda, N. (1973c). Influence of cadmium ions on transmembrane potential and contractility of isolated rabbit left atria. *J. Pharmac. exp. Ther.*, 186, 60.
334. Toda, N. (1976). Neuromuscular blocking action of cadmium and manganese in isolated frog striated muscle. *Eur. J. Pharmac.*, 40, 67.
335. Triggle, C.R., Grants, W.F. & Triggle, D.J. (1975). Intestinal smooth muscle contraction and the effects of cadmium
and A23187. *J. Pharmac. exp. Ther.*, 194, 182.
336. Tsuchiya, K. (1969). Causation of ouch-ouch disease; an introductory review. I. Nature of the disease. II. Epidemiology and evaluation. *Keio J. Med.*, 18, 181.
337. Ulrych, M., Frohlich, E.D. & Dustan, H.P. (1968). Immediate hemodynamic effects of beta-adrenergic blockade with propranolol in normotensive and hypertensive man. *Circulation*, 411, 1968.
338. Usui, H. & Toda, N. (1976). Cadmium-induced inhibition of twitches in isolated rat diaphragm. *Jap. J. Pharmac.*, 26, 768.
339. Van Breeman, C., Farinas, R.R., Casteels, R., Gerba, P., Wuytock, F. & Deth, R. (1973). Factors controlling cytoplasmic Ca^{2+} concentration. *Philos. Trans. R. Soc. London*, B265, 57.

340. Van Breeman, C. & McNaughton, E. (1970). The separation of cell membrane calcium transport from extracellular calcium exchange in vascular smooth muscle. *Biochem. Biophys. Res. Commun.*, 39, 567.
341. Vargafting, B.B. & Lefort, J. (1977). Acute hypotension due to carrageenan arachidonic acid and slow reaching substance in the rabbit. The role of platelets and nature of pharmacological antagonism. *Eur. J. Pharmac.*, 43, 125.
342. Vender, A.J. (1962). Cadmium enhancement of renal tubular reabsorption. *Am. J. Physiol.*, 203, 1005.
343. Viveros, O.H., Arqueros, L. & Kirshner, N. (1968). Release of catecholamine and dopamine beta oxidase from adrenal medulla. *Life Sci.*, 7, 609.
344. Walker, H.L. & Moses, H.A. (1979). Cadmium : hypertension induction and lead mobilization. *J. Natl. Med. Assoc.*, 71, 1187.
345. Wallenstein, M.C. & Maurs, E.A. (1984). Effect of prostaglandin synthetase inhibitors on experimentally induced convulsion in rats. *Pharmacology*, 29, 85.
346. Watkin, B.E. (1979). Effect of controlled cadmium exposure on arterial pressure regulation in rats. *Fedn. Proc.*, 38, 1375.

347. Webster, W.S. & Volois, A.A. (1981). Toxic effects of cadmium on neonatal mouse C.N.S. NSW.Aus. J. Neuropathol. exp. Neurol., 40/3, 247.
348. Weinshilboum, R.M., Nguyen, B.T., Johnson, D.G., Kopin, J.J. & Axelrod, J. (1971). Proportional release of nor-epinephrine and dopamine beta hydroxylase from sympathetic nerves. Science, 174, 1349.
349. Williams, B.J., Laubach, D.J., Nechay, B.R. & Steinsland, O.S. (1978). The effects of cadmium on adrenergic neurotransmission in vitro. Life Sci., 23, 1929.
350. Wilson, R.H., DeEds, F. & Cox, A.J.Jr. (1941). Effects of continued cadmium feeding. J. Pharmac. exp. Ther., 71, 222.
351. Wilson, C., Ledingham, M. & Floyer, M.A. (1971). Experimental renal and renoprival hypertension. In : The kidney : Morphology, biochemistry, physiology. ed. Rouiller, C. & Muller, A.F. p. 115.
352. Wilson, D.M., Romero, J.C., Strong, C.G., & Torres, V. (1974). Cadmium hypertension in rabbit. Clin. Res., 22, 313.
353. Wohl, A.J., Hausler, L.M. & Roth, F.E. (1967). Studies on the mechanism of anti-hypertensive action of diazoxide; in vitro vascular pharmacodynamics. J. Pharmac. exp. Ther., 158, 531.

354. Wong, K.L., & Klaassen, C.D. (1981). Toxic effects of cadmium in the brain of new born rats. *Toxicologist*, 1, 225.
355. Yamagata, N. (1970). Cadmium pollution in perspective. *Bull. Inst. Pub. Health*, 19, 1.
356. Yoshikawa, H. (1969). Preventive effects of pretreatment with small doses of metals upon acute metal toxicity. IV. Cadmium. *Igaku to Seibutsugaku*, 78, 211.
357. Youkilis, G.J., Martz, R.C., Harris, P.O., Forney, R.B. & Nicholl, P.A. (1971). Influence of denervation on the dilatation of minute blood vessels following cadmium administration. *Archs. int. Pharmacodyn. Ther.*, 189, 145.

* * * * *