

B I B L I O G R A P H Y

B I B L I O G R A P H Y

Abbott, A. J. 1963. The growth and development of excised roots in relation to trace element deficiencies. Ph. D. Thesis, Univ. of Bristol, U.K.

Akemine, T., Kikuta, Y. and Tagawa, T. 1970. Respiratory changes during callus formation in potato tuber tissue cultured in vitro. J. Fac. Agric. Hokkaido Univ. 56: 323-336.

Andreae, W. A. 1952. Effect of scopoletin on indoleacetic acid metabolism. Nature 170: 58.

Andreae, W. A. and Collet, G. 1968. The effect of phenolic substances on the growth activity of indoleacetic acid applied to pea root and stem sections. In: F. Wightman and G. Setterfield, ed., "Biochemistry and Physiology of Plant Growth Substances". pp. 553-561. Runge Press, Ottawa, Canada.

Aoki, S. and Takebe, I. 1969. Infection of tobacco mesophyll protoplasts by tobacco mosaic virus ribonucleic acid. Virology 39: 439-448.

Applegreen, M. and Heide, O. 1972. Regeneration in Streptocarpus leaf discs and its regulation by temperature and growth substances. Physiol. Plant. 27: 417-423.

Arnison, P. G. and Boll, W.G. 1976a. The effect of 2,4-D and kinetin on the morphology, growth and cytochemistry of peroxidase of cotyledon cell suspension cultures of bush bean (Phaseolus vulgaris cv. contender). Can. J. Bot. 54: 1847-1856.

Arnison, P. G. and Boll, W.G. 1976b. The effect of 2,4-D and kinetin on peroxidase activity and isoenzyme pattern in cotyledon cell suspension cultures of bush bean (Phaseolus vulgaris cv. contender). Can. J. Bot. 54: 1857-1867.

- Bajaj, Y.P.S. 1971a. Effect of gamma-irradiated sugars on the growth and development of plant tissue cultures. *Z. Pflanzenphysiol.* 65: 418-426.
- Bajaj, Y.P.S. 1971b. Direct and indirect effects of gamma irradiation on plant tissue cultures. In: International Symposium on "Use of Isotopes and Radiation in Agriculture and Animal Husbandry Research". pp. 285-301. New Delhi, India.
- Bajaj, Y.P.S. 1972. Protoplast culture and regeneration of haploid tobacco plants. *Am. J. Bot.* 59: 647.
- Bajaj, Y.P.S. 1972. Effect of some growth regulators on bud formation by excised leaves of Torenia fournieri. *Z. Pflanzenphysiol.* 66 : 284-287.
- Bajaj, Y.P.S. 1974. Isolation and culture studies on pollen tetrad and pollen mother-cell protoplasts. *Plant Sci. Letters* 3: 93-99.
- Bajaj, Y.P.S. 1975. Protoplast culture and production of haploids. In: Form, Structure and Function in Plants. B.M.Johri Commem. vol. pp. 107-115. Meerut. Sarita Prakashan.
- Bajaj, Y.P.S. 1976. In vitro induction of haploid plants. In: P.K.Evans, ed., "Towards Plant Improvement by in vitro Methods". Academic Press, London. New York.
- Bajaj, Y.P.S. 1977. In vitro induction of haploids in Wheat (Triticum aestivum L.). *Crop. Improv.* 4: 54-64.
- Bajaj, Y.P.S., Bopp, M. and Bajaj, S. 1973. Patterns of peroxidases and differentiation in Sinapsis alba. *Phytomorph.* 23: 43-52.
- Bajaj, Y.P.S. and Cocking, E.C. 1973. The isolation, culture and fusion of pollen protoplasts. *In Vitro* 8: 420.

- Bajaj, Y.P.S., Davey, M. R. and Gront, B.W. 1975. Pollen tetrad protoplasts. A model system for the study of ontogeny of pollen. In: D.L.Mulcahy, ed., "Gamete Competition in Plants and Animals". pp. 7-18, Amsterdam, North Holland.
- Bajaj, Y.P.S., Gosch, G., Ottma, M., Weber, A. and Grobler, A. 1978. Production of polyplloid and Aneuploid plants from anthers and mesophyll protoplasts of Atropa belladonna and Nicotiana tabacum. Ind. J. Expt. Biol. 16: 947-953.
- Bajaj, Y.P.S. and Mader, M. 1974. Growth and morphogenesis in tissue cultures of Anagallis arvensis. Physiol. Plant. 32: 43-48.
- Bajaj, Y.P.S. and Nietsch, P. 1975. In vitro propagation of red cabbage (Brassica oleracea L. var. capitata). J. Expt. Biol. 26: 883-890.
- Bajaj, Y.P.S., Reinert, J. and Heberle, E. 1976. Factors enhancing in vitro production of haploid plants in anthers and isolated microspores. In: R.J.Gautheret, ed., "A la Memoire de Georges Morel". Masson and Cie, Paris.
- Bastin, M. and Unluer, O. 1972. Effect of actinomycin D on the formation of enzymes in Jerusalem artichoke tuber slices. Planta 102: 357-361.
- Basu, R.N. 1970. Indoleacetic acid oxidizing system in relation to synergism and antagonism between auxins and non-auxinic chemicals in rooting of cuttings. Ind. J. Plant Physiol. 13: 249-262.
- Behrend, J. and Mateles, R.I. 1975. Nitrogen metabolism in plant cell suspension cultures. I. Effect of amino acids on growth. Plant Physiol. 56: 584-589.

Behrend, J. and Mateles, R.I. 1976. Nitrogen metabolism in plant cell suspension cultures. II. Role of organic acids during growth on ammonia. *Plant Physiol.* 58: 510-512.

Bendana, F.E., Galston, A.W., Kaur-Sawhney, R. and Penny, P.J. 1965. Recovery of labelled ribonucleic acid following administration of labelled auxin to green pea stem sections. *Plant Physiol.* 40: 977-983.

Bergmann, L. 1964. Der einflub von kinetin auf die lingrinbildung und differenzierung in gewebekulturen von Nicotiana tabacum. *Planta* 62: 221-254.

Bhatt, P.H. 1977. Induced growth and morphogenesis in cultured cells and tissues of Ipomoea. Ph. D. Thesis, M.S.Univ., Baroda, India.

Bhatt, P.H., Fadia, V.P. and Mehta, A.R. 1973. Tissue culture studies on Cucurbits. IV. Effect of nitrogen sources on growth of Benincasa tissue cultured in vitro. *J. M.S.Univ. Baroda* 22-23: 17-21.

Bhojwani, S.S. and Cocking, E.C. 1972. Isolation of protoplasts from pollen tetrads. *Nature New Biol.* 239: 29-30.

Binding, H. 1974. Regeneration von haploiden und diploiden pflanzen aus protoplasten von Petunia hybrida L. *Z. Pflanzenphysiol.* 72: 327-356.

Bonga, J.M. and Fowler, D.P. 1970. Growth and differentiation of Pinus resinosa cultured in vitro. *Can. J. Bot.* 48: 2205-2207.

Bonner, J.A. 1965. Development. In: J.A.Bonner and J.E.Varner, ed., "The Plant Biochemistry". Academic Press, New York.

- Bonnett, T. and Torrey, J.G. 1965. Chemical control of organ formation in root segments of Convolvulus cultured in vitro. Plant Physiol. 40: 1228-1236.
- Bornman, C.H. 1974. Cytodifferentiation in tissue cultures. In: H.E. Street (ed.) "Tissue culture and Plant Science". pp. 43-70. Academic Press, London.
- Bonnett, H.T. and Eriksson, T. 1974. Transfer of algal chloroplast into protoplasts of higher plants. Planta 120: 71-79.
- Bourgin, J.P. and Nitsch, J.P. 1967. Obtention de Nicotiana haploïdes à partir d'etamines cultivées in vitro. Ann. Physiol. Vegetale. 9: 377-382.
- Bourke, J.B., Butts, J.S. and Fang, S.C. 1962. Effect of various herbicides on glucose metabolism in root tissue of garden peas. I. 2,4-D and its analogs. Plant Physiol. 37:233-237.
- Brain, P.W., Hemming, H.G. and Lowe, D. 1964. Comparative potency of nine Gibberellins. Ann. Bot. N.S. 28: 369-389.
- BuiDang Ha, D. 1974. Regeneration of complete plants of Asparagus from protoplast culture. Abst. #261, 3rd I.C.P.C.A.T.C., Leicester, U.K.
- BuiDang Ha, D., Norrel, B. and Masset, A. 1975. Regeneration of Asparagus officinalis L. through callus cultures derived from protoplasts. J. Expt. Bot. 26: 263-270.
- Burkholder, P.R. and Nickell, L.G. 1949. A typical growth of plants. I. Cultivation of virus tumors of Rumex on nutrient agar. Bot. Gaz. 110: 426-437.
- Butenko, R. G. 1968. In: M. Kh. Chailakhyan, ed., Israel Programme for Scientific Translations. Jerusalem.

Butenko, R. G. and Ivantsov, A. I. 1973. The isolation of protoplasts from different strains of carrot and tobacco tissue cultures. In: "Protoplastes et fusion de cellules somatiques vegetales". Colloq. Intern. Centre Natl. Rech. Sci. Paris. pp. 79-84.

Cachita-Cosma, D., Jacobs, M., Negrucci, I. and Gaspar, T. 1976. Comparative effects of procaine and 2,4-D on growth and peroxidases of Arabidopsis callus. Med. Fac. Landbouww. Rijks. Univ. Gent. 41: 1521-1526.

Carlson, P.S. 1970. Induction and isolation of auxotrophic mutants in somatic cell cultures of Nicotiana tabacum. Science 168: 487-489.

Chalupa, V. 1977. The use of regenerants from tissue culture of forest trees in breeding. In: F.J. Novak ed., "Use of Tissue Cultures in Plant Breeding". pp. 183-194. Czechoslovak Acad. Sci., Prague.

Chandra, G.R., Gregory, L.E. and Worley, J.F. 1971. Studies on the initiation of adventitious roots on mung bean hypocotyls. Plant Cell Physiol. 12: 317-324.

Chokshi, S. J. 1975. Studies on growth and alkaloid content in Datura metel L. callus and suspension cultures. Ph. D. Thesis, The M.S.Univ., Baroda, India.

Clapham, D. 1973. Haploid Hordeum plants from anthers in vitro. Z. Pflanzenzucht. 69: 142-155.

Cleland, R. 1969. The Gibberellins. In: M.B.Wilkins, ed., "Physiology of Plant Growth and Development". pp. 49-81. McGraw Hill, New York, London.

Cocking, E. C. 1960. A method for the isolation of protoplasts and vacuoles. Nature 187: 962-963.

- Cocking, E. C. 1966. An electron microscopic study of the initial stages of infection of isolated tomato fruit protoplasts by tobacco mosaic virus. *Planta* 68: 206-214.
- Coleman, W.K. and Greyson, R.I. 1976. Root regeneration from leaf cuttings of Lycopersicon esculantum Mill.: Application of the plastochrom index and responses to exogenous Gibberellic acid. *J. Expt. Bot.* 27: 1339-1351.
- Coleman, W.K. and Greyson, R.I. 1977a. Promotion of root initiation by gibberellic acid in leaf discs of Tomato (Lycopersicon esculantum) cultured in vitro. *New Phytol.* 78: 47-54.
- Coleman, W.K. and Greyson, R.I. 1977b. Analysis of root formation in leaf discs of Lycopersicon esculantum Mill. cultured in vitro. *Ann. Bot.* 41: 307-320.
- Conklin, M.E. and Smith, H.H. 1971. Peroxidase isozymes : A measure of molecular variation in ten herbaceous species of Datura. *Am. J. Bot.* 58: 688-696.
- Constabel, F., Kirkpatrick, J.W. and Gamborg, O.L. 1973. Callus formation from mesophyll protoplasts of Pisum sativum. *Can. J. Bot.* 51: 2105-2106.
- Constabel, F., Shyluk, J.P. and Gamborg, O.L. 1971. The effect of hormones on anthocyanin accumulation in cell cultures of Haplopappus gracilis. *Planta* 96: 306-316.
- Crocomo, O.J., Peters, J.E. and Sharp, W.R. 1976. Interactions of phytohormones on the control of growth and root morphogenesis in cultured Phaseolus vulgaris leaf explants. *Turrialba*. 26: 232-236.

- D'Amato, F. 1975. The problem of genetic stability in plant tissue and cell cultures. In: O. Frankel and J.G. Hawkers, eds., "Crop Genetic Resources of Today and Tomorrow". pp. 333-348. Cambridge Univ. Press.
- Davey, M.R., Cocking, E.C. and Bush, E. 1973. Isolation of legume root nodule protoplasts. *Nature* 244: 460-461.
- Davies, M.E. 1972. Effect of auxin on polyphenol accumulation and development of phenylalanine ammonia-lyase activity in dark grown suspension cultures of Paul's Scarlet Rose. *Planta* 104: 66-77.
- Davis, B.J. 1964. Disc Electrophoresis. II. Method and application to human serum proteins. *Ann. N.Y. Acad. Sci.* 121: 404-527.
- Debergh, P. and Nitsch, C. 1973. Premiers résultats sur la culture in vitro de grains de pollen isolés chez la Tomate. *Compt. Rend. D.* 276: 1281-1284.
- De Jong, D.W. 1967. An investigation of the role of plant peroxidase in cell wall development by the histochemical method. *Cytochem.* 15: 335-346.
- De Jong, D.W., Jansen, E.F. and Olson, A.C. 1967. Oxidoreductive and hydrolytic enzyme patterns in plant suspension culture cells. *Exp. Cell Res.* 47: 139-156.
- Digby, J. and Wareing, P.F. 1966. The effect of growth substances on cell division and expansion in liquid suspension cultures of Acer pseudoplatanus. *J. Expt. Bot.* 17: 718-725.
- Dougall, D.K. and Verma, D. C. 1978. Growth and embryo formation in wild-carrot suspension cultures with ammonium as sole nitrogen source. *In Vitro* 14: 180-182.

- Dunwell, J.M. and Sunderland, N. 1973. Anther culture of Solanum tuberosum L. *Euphytica* 22: 317-323.
- Eriksson, T. and Jonasson, K. 1969. Nuclear division in isolated protoplasts from cells of higher plants grown in vitro. *Planta* 89: 85-89.
- Evans, J.H. 1969. How legumes fix nitrogen. In: P.R. Day (ed.), "How Crops Grow, a Century later". pp. 115. Connecticut Agri. Expt. Station, New Haven, U.S.A.
- Fadia, V.P. and Mehta, A.R. 1973a. Tissue culture studies on Cucurbits : The effect of NAA, sucrose and kinetin on tracheal differentiation in Cucumis tissues cultured in vitro. *Phytomorph.* 23: 212-215.
- Fadia, V.P. and Mehta, A.R. 1973b. Tissue culture studies on Cucurbits. III. Growth and nutrition of Cucumis callus cultures. *Ind. J. Expt. Biol.* 11: 424-427.
- Feenstra, W.J. 1960. The genetic control of the formation of phenolic compounds in the seed coat of Phaseolus vulgaris L. In: J.B. Pridham, ed., "Phenolics in Plant Health and Disease". pp. 127-131. Pergamon Press, London.
- Fieldes, M.A. and Tyson, H. 1973. Total phenolic contents and peroxidase isoenzymes in Linum usitatissimum. *Phytochem.* 12: 2133-2143.
- Filner, P. 1965. Studies on exponential cultures of plant cells. Ph. D. Thesis, California Institute of Technology, California, U.S.A.
- Fletcher, R.A. 1969. Retardation of leaf senescence by benzyladenine in intact bean plants. *Planta* 89: 1-8.

- Fowden, L. 1959. Radioactive iodine incorporation in organic compounds of various angiosperms. *Physiol. Plant.* 12:657.
- Fowler, J.L. and Morgan, P.W. 1972. The relationship of the peroxidative indoleacetic acid oxidase system to in vivo ethylene synthesis in cotton. *Plant Physiol.* 49: 555-559.
- Fox, J.E. 1969. The cytokinins. In: M.B. Wilkins ed., "The Physiology of Plant Growth and Development". pp. 85-123. McGraw-Hill, New York.
- Furuya, M. and Galston, A.W. 1961. Effect of in vitro preincubation with cofactors on the activity of indoleacetic acid oxidase in peas. *Physiol. Plant.* 14: 750-766.
- Galston, A.W. and Davies, P.J. 1969. Hormonal regulation in higher plants. *Science* 163: 1288-1297.
- Galston, A.W., Lavee, S. and Siegel, B.Z. 1968. The induction and repression of peroxidase isoenzymes by auxin. In: F. Wightman and G. Setterfield (eds.), "Biochemistry and Physiology of Plant Growth substances". pp. 455-471. Runge Press, Ottawa, Canada.
- Gamborg, O.L. 1967. Aromatic metabolism in plants. V. The Biosynthesis of chlorogenic acid and lignin in potato cell cultures. *Can. J. Biochem.* 45: 1451-1457.
- Gamborg, O.L. 1970. The effects of amino acids and ammonium on the growth of plant cells in suspension culture. *Plant Physiol.* 45: 372-375.
- Gamborg, O.L., Constabel, F. and Miller, R.A. 1970. Embryogenesis and production of albino plants from cell cultures of Bromus inermis. *Planta* 95: 355-358.

- Gamborg, O.L. and Eveleigh, D.E. 1968. Culture methods and detection of glucanases in suspension cultures of wheat and barley. *Can. J. Biochem.* 46: 417-421.
- Gamborg, O.L., Kartha, K.K. and Shyluk, J.P. 1974. Morphogenesis in somatic cells and protoplasts. In: 3rd Int. Congr. Plant Tissue and Cell Culture. Univ. Leicester (Abstr.)pp.89.
- Gamborg, O.L., Miller, R.A. and Ojima, K. 1968. Plant cell cultures. I. Nutritient requirements of suspension cultures of soybean root cells. *Expt. Cell Res.* 50:151-158.
- Gamborg, O.L. and Shyluk, J.P. 1970. The culture of plant cells with ammonium salts as the sole nitrogen source. *Plant Physiol.* 45: 598-600.
- Gaspar, T., Thorpe, T.A. and Tran Thanh Van, M. 1977. Changes in isoperoxidases during differentiation of cultured tobacco epidermal layers. *Acta Hort.* 78: 61-73.
- Gautheret, R.J. 1935. Recherches sur la culture des tissus vegetaux : essais de culture de quelques tissus meristematisques. These, Universite de Paris.
- Gautheret, R.J. 1939. Sur la possibilite de realiser la culture indefinie des tissus de tubercules de carotte. C.R.Acad. Sci., Paris; 208: 118.
- Gautheret, R.J. 1945. Une voie nouvelle en biologie vegetale. La culture des tissus. Gallimard, Paris.
- Gautheret, R.J. 1955. The nutrition of plant tissue culture. *Ann. Rev. Pl. Physiol.* 6: 433.
- Gautheret, R.J. 1959. La culture des Tissus Vegetaux. In: Techniques et Realisations. Masson and Cie, Paris.

- Gautheret, R. J. 1965. Factors affecting differentiation of plant tissues grown in vitro. In: Cell Differentiation and Morphogenesis. pp. 54-95. North-Holland, Amsterdam.
- Geier, T. 1977. Morphogenesis and plant regeneration from cultured organ fragments of Cyclamen persicum. Acta Hortic. 78: 167-174.
- George, L. and Narayanaswamy, S. 1973. Haploid capsicum through experimental androgenesis. Protoplasma 78: 467-470.
- Gibson, D. M. and Liu, E. H. 1978. Substrate specificaties of peroxidase isozymes in the developing pea seedling. Ann. Bot. 42: 1075-1083.
- Givan, C. V. and Collins, H. A. 1967. Studies on the growth in culture of plant cells. II. Changes in respiration rate and Nitrogen content associated with the growth of Acer pseudoplatanus L. cells in suspension culture. J. Expt. Bot. 18: 321-331.
- Glasziou, K. T., Gayler, K. R. and Waldron, J. C. 1968. Effects of auxin and gibberellic acid on the regulation of enzyme synthesis in sugarcane stem tissue. In: F. Wightman and G. Setterfield, eds., "Biochemistry and Physiology of Plant Growth Substances". pp. 433-442. Runge Press, Ottawa, Canada.
- Glasziou, K. T., Waldron, J. C. and Bull, T. A. 1966. Control of invertase synthesis in sugar cane Loci of auxin and glucose effects. Plant Physiol. 41: 282-288.
- Gleha, Y.Y., Shvydkaya, L.G., Butenko, R. G. and Sytnik, K.M. 1974. Cultivation of isolated protoplasts. Soviet Plant Physiol. 21: 486-492.
- Goldacre, P.L. 1951. Hydrogen peroxide in the enzyme oxidation of hetroauxin. Aust. J. Sci. Res. B. 4: 293-302.

- Gordon, J. C. 1971. Changes in total nitrogen, soluble protein and peroxidases in the expanding leaf zone of eastern cotton wood. *Plant Physiol.* 47: 595-599.
- Gorter, C. J. 1962. Further experiments on auxin synergists. *Physiol. Plant.* 15: 88-95.
- Gosch, G., Bajaj, Y.P.S. and Reinert, J. 1975a. Isolation, culture and fusion studies on protoplasts from different species. *Protoplasma* 85: 327-336.
- Gosch, G., Bajaj, Y.P.S. and Reinert, J. 1975b. Isolation, culture and induction of embryogenesis in protoplasts from cell suspensions of Atropa belladonna. *Protoplasma* 86:405-410.
- Gregory, D. W. and Cocking, E. C. 1965. The large-scale isolation of protoplasts from immature tomato fruits. *J. Cell. Biol.* 24: 143-146.
- Gresshoff, P. M. and Day, C. H. 1972. Haploid Arabidopsis thaliana callus and plants from anther culture. *Aust. Jr. Biol. Sci.* 25: 259-264.
- Guha, S. and Maheshwari, S. C. 1964. In vitro production of embryos from anthers of Datura. *Nature* 204: 497.
- Guha, S. and Maheshwari, S. C. 1966. Cell division and differentiation of embryos in the pollen grains of Datura in vitro. *Nature* 212: 97-98.
- Guha, S. and Maheshwari, S. C. 1967. Development of embryoids from pollen grains of Datura in vitro. *Phytomorph.* 17:454-461.
- Gunekel, J.E., Sharp, W.R., Williams, B.W., West, W.C. and Drinkwater, W.O. 1972. Root and shoot initiation in sweet potato explants as related to polarity and nutrient media variations. *Bot. Gaz.* 133: 254-262.

- Gupta, G.R., Guha, S. and Maheshwari, S. C. 1966. Differentiation of buds from leaves of Nicotiana tabacum L. in sterile culture. *Phytomorph.* 16: 175-182.
- Haddon, L. E. and Northcote, D.H. 1975. Quantitative measurement of the course of bean callus differentiation. *J. Cell Sci.* 17: 11-26.
- Hahlbrock, K., Ebel, J., Ortmann, R., Sutter, A., Wellmann, E. and Grisebach, H. 1971. Regulation of enzyme activities related to the biosynthesis of flavone glycosides in cell suspension cultures of parsley (Petroselinum hortense). *Biochem. Biophys. Acta* 244: 7-15.
- Hahlbrock, K. and Wellmann, E. 1973. Light-dependent induction of enzymes related to phenylpropanoid metabolism in cell suspension cultures from parsley. *Biochem. Biophys. Acta.* 304: 702-706.
- Hall, M.D. and Cocking, E.C. 1974. The response of isolated *Avena* coleoptile protoplasts to indole 3-acetic acid. *Protoplasma* 19: 225-234.
- Halperin, W. 1967. Population density effects on embryogenesis in carrot cell cultures. *Expt. Cell Res.* 48: 170-173.
- Halperin, W. 1969. Morphogenesis in cell cultures. *Ann. Rev. Plant Physiol.* 20: 395-418.
- Halperin, W. and Wetherell, D. F. 1964. Adventive embryony in the tissue cultures of the wild carrot, Daucus carota. *Am. J. Bot.*; 51: 274-283.
- Hanson, K.R., Zucker, M. and Sondheimer, E. 1967. The regulation of phenolic biosynthesis and metabolic roles of phenolic compounds in plants. In: B.J. Finkle and V.C. Runeckles, eds., "Phenolic compounds Metabolic Regulation". pp. 68-93. Appleton, New York.

Harada, H. 1973.

In: Proc. 4th Eucorpia Conf. on Asparaqus breeding.
C.N.R.A., Versailles, France. pp. 163-170.

Harborne, J. 1965. Flavonoid pigments. In: J. Bonner and J.E.Varner, eds., "Plant Biochemistry". pp. 618-640. Academic Press, New York.

Harkin, J. M. and Obst, J.R. 1973. Peroxidase catalysed polymerization of cinnamyl alcohols to form lignin.
Science 180: 296-

Harris, G. P. and Hart, E. M. H. 1964. Regeneration from leaf squares of Pepromia sandersis A. DC.: A relationship between rooting and budding. Ann. Bot. N.S. 28: 509-526.

Hasegawa, M., Higuchi, T. and Ishikawa, H. 1960. Formation of lignin in tissue cultures of Pinus strobus. Plant Cell Physiol. 1: 173-182.

Hayward, C. and Power, J.B. 1975. Plant production from leaf protoplasts of Petunia parodii. Plant Sci. Letters 4:407-410.

Heide, O. 1965. Interaction of temperature, auxine and kinins in regeneration ability of Begonia leaf cuttings. Physiol. Plant. 18: 891-920.

Heide, O.M. 1969. Non reversibility of gibberellin induced inhibition in Begonia leaves. Physiol. Plant. 22: 671-679.

Heller, R. 1953. Recherches sur la Nutrition Minerale des Tissus Vegetaux cultives in vitro. Ann.Sci. Nat. Bot. Biol. Veg. 14: 1-223.

Henderson, J.H.M. and Nitsch, J.P. 1962. Effect of certain phenolic acids on the elongation of Avena first internodes in the presence of auxins and tryptophan. Nature 195: 780-782.

- Hendre, R.R., Mascarenhas, A.F., Pathak, M. and Jagannathan, V. 1975. Tissue cultures of maize, wheat, rice and sorghum: Part II - Growth and Nutrition of callus cultures, Indi. J. Expt. Biol. 13: 108-111.
- Hildebrandt, A.C. 1963. Growth of single cell clones of diseased and normal tissue origins. In: J.C.O. Kelley, ed., "Plant Tissue Culture and Morphogenesis". Scholar Library, New York.
- Hildebrandt, A.C. and Riker, A.J. 1949. The influence of various carbon compounds on the growth of marigold, parisdaisy, periwinkle, sunflower and tobacco tissue in vitro. Am. J. Bot. 36: 74-85.
- Hildebrandt, A.C. and Riker, A.J. 1953. Influence of concentrations of sugars and polysaccharides on callus tissue growth in vitro. Am. J. Bot. 40: 66-76.
- Humphreys, T.E. and Dugger, W.M. 1957. The effect of 2,4-dichlorophenoxyacetic acid on the pathway of glucose catabolism in higher plants. Plant Physiol. 32: 136-140.
- Hunt, W.F. and Loomis, R.S. 1976. Carbohydrate limited growth kinetics of tobacco (Nicotiana rustica L.) callus. Plant Physiol. 57: 802-805.
- Innerarity, L.T., Smith, E.C. and Wender, S.H. 1972. Indoleacetic acid inhibition of a phenylalanine ammonia-lyase preparation from suspension cultures of WR-132 tobacco. Phytochem. 11: 83-88.
- Jacob, F. and Monod, J. 1961. Genetic regulatory mechanisms in the synthesis of proteins. J. Mol. Biol. 3: 318.
- Jacobs, M. 1974a. Isozymes and a strategy for their utilization in plant genetics. I. Isozymes : Genetic and epigenetic control. In: L. Ledoux, ed., "Genetic Manipulation with Plant Material". pp. 365-378. Plenum Press, New York. London.

- Jacobs, M. 1974b. Isozymes and a strategy for their utilization in plant genetics. II. Isozymes : A tool in Plant Genetics. In: L. Ledoux, ed., "Genetic Manipulations in Plant Material". pp. 379-389. Plenum Press. New York, London.
- Jeffs, R. A. and Northcote, D.H. 1967. The influence of indol-zylacetic acid and sugar in the pattern of induced differentiation in plant tissue cultures. J. Cell Sci. 2: 77-88.
- Johri, B. M. 1971. Differentiation in plant tissue cultures. Presidential Address: 58th Session of the Indian Science Congress, Bangalore, India.
- Kameya, T. and Uchimiya, H. 1972. Embryoids derived from isolated protoplasts of carrot. Planta 103: 356-360.
- Kanazawa, Y., Shichi, H. and Uritani, I. 1965. Biosynthesis of peroxidase in sliced and black rot-infected sweet potato roots. Agric. Biol. Chem. 29: 840-847.
- Kato, H. and Takenchi, M. 1963. Morphogenesis in vitro starting from single cells of carrot root. Plant and Cell Physiol. 4: 243-245.
- Kende, H. and Gardner, G. 1976. Hormone binding in plants. Ann. Rev. Plant Physiol. 27: 267-290.
- Koblitz, H. 1962. Die chemie der zellwand in vitro kultivierter pflanzlicher gewebe. II. Kinetin-induzierte ligninbildung eine nene eigenschaft des kinetins. Faserforsch. Textilteile 13: 231-234.
- Kochba, J. and Spiegel-Roy, P. 1973. Effect of culture media on embryoid formation from ovular callus of shamonti orange (Citrus sinensis). Z. Pflanzenzucht. 69: 156-162.

- Kochba, J., Spiegel-Roy, P., Saad, S. and Neumann, H. 1978. Tissue culture studies with Citrus: 1) the effect of several sugars on embryogenesis and 2) application of citrus tissue cultures for selection of mutants. In: A.W. Alfermann and E. Reinhard, eds., "Production of Natural Compounds by Cell Culture Method". pp. 223-232.
- Kogl, F. and Elma, J. 1960. Klinkungesbeziehungen Zwischen Indole-3-essig-saure und Gibberellin saure. Naturewissenschaften 47: 90.
- Kohlenbach, H.W. 1965. Uber organisierte Bildungen ans Macheaya cordata Kallus. Planta 64: 37-40.
- Kohlenbach, H.W. and Bohnke, E. 1975. Isolation and culture of mesophyll protoplasts of Hyoscyamus niger L. var. annuus Sims. Experientia 31: 1281-1283.
- Komamine, A., Morohashi, Y. and Shimokoriyama, M. 1969. Changes in respiratory metabolism in tissue cultures of carrot root. Plant Cell Physiol. 10: 411-423.
- Komamine, A. and Shimizu, T. 1975. Changes in some enzyme activities and respiration in the early stages of callus formation in a carrot-root tissue culture. Physiol. Plant. 33: 47-52.
- Konar, R. N. 1963. A haploid tissue from the pollen of Ephedra foliata Boiss. Phytomorph. 13: 170-174.
- Kotte, W. 1922a. Wurzelmeristem in Gewebekulture. Ber. dtsch. bot. Ges.; 40: 269.
- Kotte, W. 1922b. Kulturversuche mit isolierten wurzelspitzen. Beitr. allg. Bot.; 2: 413.

- Kovoov, A. and Klambt, D. 1968. Cytokinins in transfer Ribonucleic acids. In: F. Wightman and G. Setterfield, eds., "Biochemistry and Physiology of Plant Growth Substances". pp. 57-60. Runge Press, Ottawa, Canada.
- * *
- Kuchko, A. A. and Butenko, R.G. 1977. The culture of protoplasts isolated from Solanum tuberosum L. and Solanum chacoense Bitt. In: F.J. Novak, ed., "Use of Tissue Cultures in Plant Breeding". pp. 441-461. Czech. Acad. Sci. Prague, Czechoslovakia.
- LaMotte, C.E. 1960. The effects of tyrosine and other amino acids on the formation of buds in tobacco callus. Ph. D. Thesis, Univ. of Wisconsin, Madison, Wisconsin, U.S.A.
- Lavee, S. and Galston, A. W. 1968a. Structural, Physiological and Biochemical gradients in tobacco pith tissue. Plant Physiol. 43: 1760-1768.
- Lee, T.T. 1971a. Increase of indoleacetic acid oxidase isoenzymes by gibberellic acid in tobacco callus cultures. Can. J. Bot. 49: 687-693.
- Lee, T.T. 1971b. Cytokinin-controlled indoleacetic acid oxidase isoenzymes in tobacco callus cultures. Plant Physiol. 47: 181-185.
- Lee, T.T. 1971c. Promotion of indoleacetic acid oxidase isoenzymes in tobacco callus cultures by indoleacetic acid. Plant Physiol. 48: 56-59.
- Lee, T.T. 1972. Interaction of cytokinin, auxin and gibberellin on peroxidase isoenzymes in tobacco tissues cultured in vitro. Can. J. Bot. 50: 2471-2477.
- Lee, T.T. 1974. Cytokinin control in subcellular localization of indoleacetic acid oxidase and peroxidase. Phytochem. 13: 2245-2453.
- ** Kshirsagar, M. K. 1974. In vitro studies in ferns. Ph. D. Thesis The M. S. Univ. of Baroda, Baroda, India.

Lee, T.T. and Skoog, F. 1965a. Effects of substituted phenols on bud formation and growth of tobacco tissue cultures. *Physiol. Plant.* 18: 386-402.

Lee, T. T. and Skoog, F. 1965b. Effects of hydroxybenzoic acids on indoleacetic acid inactivation by tobacco callus extracts. *Physiol. Plant.* 18: 577-585.

Legrand, M. 1974. Influence des conditions d'eclairage sur la neoformation des bourgeois par les tissus de fenilles d'Endive cultives *in vitro* et sur l'activite peroxydasique de ces tissus. *C.R. Acad. Sci.* 278: 2425-2428.

Legrand, B. and Vasseur, J. 1972. Evolution de l'acide ribonucleique, des proteines et de l'activite peroxydasique au cours de la culture *in vitro* de fragments de fenilles d'endive (*Cichorium intybus* L., var. witloof). *C.R. Acad. Sci.* 275: 357-360..

Leshem, Y. and Galston, A.W. 1971. Repression of isoperoxidase formation in excised tobacco pith by exogenous, auxin controlled RNA. *Phytochem.* 10: 2869-2878.

Letham, D.S. 1968. A new cytokinin bioassay and the naturally occurring cytokinin complex. In: F. Wightman and G. Setterfield, eds., "Biochemistry and Physiology of Plant Growth Substances". pp. 19-32. Runge Press, Ottawa, Canada.

Letham, D.S. and Williams, M.W. 1969. Regulation of cell division in plant tissue. VIII. The cytokinins of apple fruit. *Physiol. Plant.* 22: 925-936.

Lichstein, H.C., Gunsalus, I.C. and Umbreit, W.W. 1945. Function of the vitamin B₆ group, pyridoxal phosphate (codecarboxylase) in transamination. *J. Biol. Chem.* 161: 311.

Lowry, O.H., N.J. Rosebrough, A.L. Farr and R.J. Randall. 1951.
Protein measurement with the Folin phenol reagent.
J. Biol. Chem. 193: 265-275.

Lyttleton, J.W. 1960. Stabilisation of manganese ions of
ribosomes from embryonic plant tissue. *Nature (Lond.)*
187: 1026.

Mader, M. 1975. Änderung der peroxidase isoenzym muster in
kallus-kulturen in abhangigkeit von der differenzierung.
Planta Med. (Suppl.) 153-162.

Makinen, Y. 1968. Isoenzyme polymorphism in flowering plants. VI.
Variation of isoenzyme patterns in onion seedlings. *Physiol.
Plant.* 21: 858-865.

Maretzki, A., Thom, M. and Nickell, L.G. 1974. Utilization and
metabolism of carbohydrates in cell and callus cultures.
In: H.E. Street, ed., "Tissue culture and Plant Science".
pp. 329-361. Academic Press, London.

Maroti, M. and Levi, E. 1977. Hormonal regulation of the
organization from meristem cultures. In: F.J. Novak, ed.,
"Use of Tissue Culture in Plant Breeding". pp. 273-290.
Czechoslovak Acad. Sci. Prague, Czechoslovakia.

Martin, S.M. and Rose, D. 1976. Growth of plant cells (*Ipomoea*)
suspension cultures at controlled pH levels. *Can. J. Bot.*
54: 1264-1270.

McCready, C.C. 1963. Movement of growth regulators in plants. I.
Polar transport of radioactivity from indoleacetic acid (^{14}C)
and 2,4-dichlorophenoxyacetic acid (^{14}C) in petioles of
Phaseolus vulgaris. *New Phytol.* 62: 19-34.

- Mehra, P. N. 1972. Some aspects of differentiation in cryptogams. Res. Bull. Punjab Univ. Chandigarh. 23: 221-242.
- Mehta, A. R. 1966. Chemical regulation of vascular differentiation in plant tissue cultures. In: "The Proceedings of the Autumn school in Botany". Mahabaleshwar.
- Mehta, A. R. 1975. Experimental study of induced differentiation in Linum root callus. In: H.Y.Mohan Ram, J.J.Shah and C.K.Shah, eds., "Form, Structure and Function in Plants". pp. 133-136. B.M.Johri Commo. Vol. Sarita Prakashan, Meerut, India.
- Melin, C., Moulet, A.M., Dupin, J.F. and Hartmann, C. 1977. Phenylalanine ammonia-lyase et composés phénoliques au cours de la maturation de la Cerise. Phytochem. 16: 75-78.
- Melinmoulet, A.M. and Hartmann, C. 1978. PAL activity in relation to growth and phenolic synthesis of 2 fruits - cherry and pear. Physiol. Vegetal.; 16: 563-574.
- Miller, C.O. 1961. Kinetin and related compounds in plant growth. Ann. Rev. Plant Physiol. 12: 395-408.
- Miller, C.O. 1962. Interaction of 6-methylaminopurine and adenine in division of soybean cells. Nature 194: 787-788.
- Minocha, S.C. and Halperin, W. 1974. Hormones and metabolites which control tracheid differentiation, with or without concomitant effects on growth, in cultured tuber tissue of Helianthus tuberosus L. Planta 116: 319-331.
- Minocha, S.C. and Halperin, W. 1976. Enzymatic changes and lignification in relation to tracheid differentiation in cultured tuber tissue of Jerusalem artichoke (Helianthus tuberosus). Can. J. Bot. 54: 79-89.

Mitra, J. and Steward, F. C. 1961. Growth induction in cultures of Haploppappus gracilis. II. The behaviour of the nucleus. Am. J. Bot. 48: 358-368.

Mitra, G.C. and Chaturvedi, H.C. 1972. Embryoids and complete plants from unpollinated ovaries and from ovules of in vitro grown emasculated flower buds of Citrus sp. Bull. Torrey Bot. Club 99: 184-189.

Moore, T.S., Jr. 1973. An extracellular macromolecular complex from surface of soybean suspension culture. Plant Physiol. 51: 529-539.

Morel, G. 1948. Recherches sur la culture associee de parasites obligatoires et de tissus vegetaux. Ann. Epiphyt. 14: 1.

Morel, G. and Damatriades. 1955. Action de regulateurs de croissance sur l'activite oxydesique de tissus de topinambour. Annee Biol. 31: 227.

Morgan, P.W., Joham, H.E. and Amin, J.V. 1966. Effect of manganese toxicity on the IAA Oxidase system of cotton. Plant Physiol. 41: 714-724.

Morgan, P.W., Taylor, D.M. and Joham, H.E. 1976. Manipulation of IAA Oxidase and auxin deficiency symptoms in intact cotton plants with manganese nutrition. Physiol. Plant. 37:149-156.

Moyed, H.S. and Tuli, V. 1968. The oxindole pathway of 3-indoleacetic acid metabolism and the action of auxins. In: F. Wightman and G. Setterfield, eds., "Biochemistry and Physiology of Plant Growth Substances". pp. 289-300. Runge Press, Ottawa, Canada.

- Muir, W.H., Hildebrandt, A.C. and Riker, A.J. 1954. Plant tissue cultures produced from single isolated cells. *Science* 119: 877.
- Murakami, M., Takahashi, N. and Harada, K. 1972. Induction of haploid plant by anther culture in maize. I. On the callus formation and root differentiation. Kyoto Prefect Univ. Fac. Agr. Sci. Rept. 24: 1-8.
- Murashige, T. 1964. Analysis of the inhibition of organ formation in tobacco tissue culture by gibberellin. *Physiol. Plant.* 17: 636-643.
- Murashige, T. 1965. Effects of stem elongation retardants and gibberellins on callus growth and organ formation in tobacco tissue culture. *Physiol. Plant.* 18: 665-673.
-
- Murashige, T. 1977. Clonal Crops through tissue culture. In: W. Barz, E. Reinhard and M.H. Zenk, eds., "Plant Tissue Culture and its Bio-technological Applications". pp. 392-403. Springer-Verlag, Berlin, Heidelberg, New York.
- Murashige, T. and Nakano, R. 1965. Chromosome complement as a determinant of the morphogenetic potential of tobacco cells. *Am. J. Bot.* 54: 963-970.
- Murashige, T. and Skoog, F. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol. Plant.* 15: 473-497.
- Murray, B.E., Handyside, R.J. and Keller, W.A. 1977. In vitro regeneration of shoots on stem explants of haploid and diploid flax (Linum usitatissimum). *Can. J. Genet. Cytol.* 19: 177-186.

- Nagata, T. and Takebe, I. 1971. Plating of isolated tobacco mesophyll protoplasts on agar medium. *Planta* 99: 12-20.
- Nakajima, T. 1963. In: "Cell differentiation and somatic mutation". pp. 25-33. Gama Field Symp., Tokyo.
- Nakata, K. and Tanaka, M. 1968. Differentiation of embryoids from developing germ cells in anther culture of tobacco. *Jap. J. Genet.* 43: 65-71.
- Nash, D. T. and Boll, W. G. 1975. Carbohydrate nutrition of Paul's Scarlet Rose cell suspensions. *Can. J. Bot.* 53: 179-185.
- Nash, D. T. and Davies, M. E. 1975. Isoenzyme changes during the growth cycle of Paul's Scarlet Rose cell suspensions. *Phytochem.* 14: 2113-2118.
- Nason, A. and McElroy, W. D. 1963. Modes of action of essential mineral elements. In: F. C. Steward, ed., "Plant Physiology: A Treatise", Vol. III. pp. 451-536. Academic Press, New York.
- Negrutiu, I., Jacobs, M. and Cachita, D. 1978. Some factors controlling *in vitro* morphogenesis of Arabidopsis thaliana. *Z. Pflanzenphysiol.* 86: 113-124.
- Neish, A. C. 1964. Major pathways of biosynthesis of phenols. In: J.B. Harborne, ed., "Biochemistry of Phenolic Compounds". pp. 295-359. Academic Press, London.
- Nickell, L. G. 1952. Vitamin B₁ requirement of Rumex virus tumour tissue. *Bull. Torrey Bot. Club* 79: 427-430.
- Nickell, L. G., Tulecke, W. 1959. Responses of plant tissue cultures to gibberellin. *Bot. Gaz.* 120: 245-250.
- Niizeki, H. and Oono, K. 1971. Rice plants obtained by anther culture. In: Les cultures de Tissus de Plantes. Colloq. Int. CNRS (Paris) 193: 251-257.

- Nitsch, C. 1974a. La culture de pollen isolé sur milieu synthétique. Compt. Rend. D 278: 1031-1034.
- Nitsch, C. 1974b. Pollen culture - A new technique for mass production of haploid and homozygous plants. In: K.J. Kasha, ed., "Haploids in Higher Plants - Advances and Potentials". pp. 123-135. Guelph : Univ. Guelph.
- Nitsch, C. 1975. Single cell culture of an haploid cell : The microspore. In: L. Ledoux, ed., "Genetic Manipulation with Plant Material". pp. 297-310. Plenum Press, London.
- Nitsch, C. 1977. Culture of isolated microspores. In: J. Reinert and Y.P.S. Bajaj, eds., "Applied and Fundamental Aspects of Plant Cell, Tissue and Organ Culture". pp. 268-278. Springer Verlag. Berlin, Heidelberg, New York.
- Nitsch, C. and Nitsch, J. P. 1967. Induction of flowering in vitro in segments of Plumbago indica L. I. The production of vegetative buds. Planta 72: 355-370.
- Nitsch, C. and Norreel, B. 1972. Factors favouring the formation of androgenetic embryos in anther culture. In: A. Srb, ed., "Genes, Enzymes and Populations". pp. 128-144. Plenum Press, New York, London.
- Nitsch, J. P. 1968. Studies on the mode of action of auxins, cytokinins and gibberellins at the subcellular level. In: F. Wightman and G. Setterfield, eds., "Biochemistry and Physiology of Plant Growth Substances". pp. 563-580. Runge Press, Ottawa, Canada.
- Nitsch, J. P. 1969. Experimental androgenesis in Nicotiana. Phytomorph. 19: 389-404.

- Nitsch, J. P. and Nitsch, C. 1957. Auxin dependent growth of excised Helianthus tuberosus tissues. II. Organic nitrogenous substances. Am. J. Bot. 44: 555-564.
- Nitsch, J. P. and Nitsch, C. 1969. Haploid plants from pollen grains. Science 163: 85-87.
- Nitsch, J. P., Nitsch, C. and Pereau-Leroy, P. 1965. Obtention de mutants à partir de Nicotiana haploïdes issus de grains de pollen. Compt. Rend. 269: 1650-1652.
- Nobecourt, P. 1938a. Sur les proliferations spontanées de fragments de tubercules de carotte et leur culture sur milieux synthétique. Bull. Soc. Bot. Fr.; 85: 1.
- Nobecourt, P. 1938b. Sur la proliferation in vitro du parenchyme amyloïfère du tubercule de Solanum tuberosum L. Bull. Soc. Bot. Fr. 85: 490.
- Nobecourt, P. 1939. Sur les radicelles naissant des cultures de tissus de tubercule de carotte. Compt. Rend. Soc. Biol. 130: 1271-1272.
- Norton, S. P. and Boll, W. G. 1954. Callus and shoot formation from tomato roots in vitro. Science 119: 220-221.
- Obst, J. R. and Harkin, J. M. 1973. Lignification in trees: Indication of exclusive peroxidase participation. Science 180: 296-298.
- Ochoa, S. 1955. Matic dehydrogenase from pig heart. In: S. P. Colowick and N. O. Kaplan, eds., "Methods in Enzymology". pp. 735-739. Academic Press, New York.
- Ockerse, R., Siegel, B. Z. and Galston, A. W. 1966. Hormone-induced repression of a peroxidase isozyme in plant tissue. Science 151: 452-453.

Odhnoff, C. 1957. Borow deficiency and growth. *Physiol. Plant.* 10: 984.

Ohyama, K., Gamborg, O. L. and Miller, R. A. 1972. Uptake of exogenous DNA by plant protoplasts. *Can. J. Bot.* 50: 2077-2080.

Oono, K. 1975. Production of haploid plants of Rice (Oryza sativa) by anther culture and their use for breeding. *Bull. Nat. Inst. Agri. Sci.* 26: 139-222.

Padmanabhan, V., Paddock, E. F. and Sharp, W. R. 1974. Plantlet formation from Lycopersicon esculentum leaf callus. *Can. J. Bot.* 52: 1429-1432.

Palmer, J. M. 1968. The effect of some plant growth substances on the induction of enzymatic activities in thin slices of plant tubers. In: F. Wightman and G. Setterfield, eds., "Biochemistry and Physiology of Plant Growth Substances". pp. 401-415. Runge Press, Ottawa, Canada.

Parish, R. W. 1969. *Aust. J. Biol. Sci.* 22: 261.

Paulet, P. 1965. Etude de la neoformation in vitro de bourgeois vegetatifs et floreux. *Rev. Gen. Bot.* 72: 697-792.

Picard, E. 1973. Influence de modifications dans les correlations internes sur le devenir du gametophyte male de Triticum aestivum L. in situ et en culture in vitro. *Compt. Rend.* 277: 777-780.

Piesco, N. P. and Alvarez, M. R. 1972. Nuclear cytochemical changes in onion roots stimulated by kinetin. *Expt. Cell Res.* 73: 129-139.

- Pilet, P.E., Lavanchy, P. and Sevhoukian, S. 1970. Interactions between peroxidase, polyphenol oxidases and auxin-oxidases. *Physiol. Plant.* 23: 800-804.
- Pojnar, E., Willison, J. H. M. and Cocking, E. C. 1967. Cell wall regeneration by isolated tomato fruit protoplasts. *Protoplasma* 64: 460-475.
- Potrykus, I. 1973. Transplantation of chloroplasts into protoplasts of Petunia. *Z. Pflanzenphysiol.* 70: 364-366.
- Potrykus, I. and Durand, J. 1972. Callus formation from single protoplasts of Petunia. *Nature New Biol.* 237: 286-287.
- Potrykus, I. and Hoffmann, F. 1973. Transplantation of nuclei into protoplasts of higher plants. *Z. Pflanzenphysiol.* 68: 287-289.
- Power, J. B. and Cocking, E. C. 1970. Isolation of leaf protoplasts : macro-molecule uptake and growth response. *J. Expt. Bot.* 21: 64-70.
- Prabhudesai, V. R. and Narayanaswamy, S. 1973. Differentiation of cytokinin induced shoot buds and embryoids on excised petioles of Nicotiana tabacum. *Phytomorph.* 23: 133-137.
- Prabhudesai, V. R. and Narayanaswamy, S. 1974. Organogenesis in tissue cultures of certain Asclepiads. *Z. Pflanzenphysiol.* 71: 181-185.
- Prabhudesai, V. R. and Narayanaswamy, S. 1975. A tissue culture from tapioca. *Pl. Sci. Letters* 4: 237-241.
- Price, C. A. 1970. Molecular approaches to plant physiology. McGraw-Hill Book Company, New York.
- Quoirin, M., Boxus, Ph. and Gaspar, Th. 1974. Root initiation and isoperoxidases of stem tip cuttings from mature Prunus plants. *Physiol. Veg.* 12: 165-174.

- Raju, M.V.S. and Mann, H.E. 1970. Regenerative studies on the detached leaves of *Echeveria elegans*. Anatomy and regeneration of leaves in sterile culture. *Can. J. Bot.* 48: 1887-1891.
- Raker, E., De la Haba, G. and Leder, I. G. 1953. Thiamine pyrophosphate, a co-enzyme of transketolase. *J. Am. Chem. Soc.* 75: 1010, 1953.
- Rangaswamy, N. S. 1961. Experimental studies on female reproductive structures of *Citrus microcarpa* Bunge. *Phytomorph.* 11: 109-127.
- Rao, A. N. and Morel, G. 1974. Differentiation and organogenesis of leaf tissues in *Saintpaulia*. In: Proc. 3rd Intern. Cong. Plant Tissue and Cell Culture. Abst. 34. Leicester. U.K.
- Rao, P. S., Bapat, V.A. and Harada, H. 1976. Gamma irradiation and hormonal factors controlling morphogenesis in organ cultures of *Antirrhinum majus* L. cv. Red Majestic Chief. *Z. Pflanzenphysiol.* 80: 144-152.
- Rao, P.S., Handro, W. and Harada, H. 1973. Hormonal control of differentiation of shoots, roots and embryos in leaf and stem cultures of *Petunia inflata* and *Petunia hybrida*. *Physiol. Plant.* 28: 458-463.
- Rao, P.S., and Harada, H. 1974. In: "Plant Growth Substances", pp. 1113. Hirokawa Publishing Co., Tokyo, Japan.
- Rao, P. S. and Narayanaswamy, S. 1968. Induced morphogenesis in tissue cultures of *Solanum xanthocarpum*. *Planta.* 81: 372-375.
- Rao, P. S. and Narayanaswamy, S. 1972. Morphogenetic investigations in callus cultures of *Tylophora indica*. *Physiol. Plant.* 27: 271-276.

- Rao, P.S., Narayanaswamy, S. and Benjamin, B.D. 1970.
Differentiation ex-ovulo of embryos and plantlets in
stem tissue cultures of Tylophora indica. *Physiol. Plant.*
23: 140-144.
- Raquin, C. 1973. Etude de l'androgenese in vitro chez
Petunia hybrida et Asparaqus officinalis. *Soc. Botan.*
Fr., Mem. Coll. Morphol. 269-274.
- Rashid, A. and Street, H. E. 1973. The development of haploid
embryoids from anther cultures of Atropa belladonna L.
Planta 113: 263-270.
- Ravishankar, G. A. and Mehta, A. R. 1979. Control of ecdysterone
biogenesis in tissue cultures of Trianthema portulacastrum.
J. Natur. Prod. (Lloydia) 42(2):
- Ray, P. M. 1958. Destruction of auxin. *Ann. Rev. Plant Physiol.*
9: 81-118.
- Reinert, J. 1959. Über die kontrolle der morphogenese und die
induktion von adventioembryonen an gewebekulturen aus
karotten. *Planta* 53: 395.
- Reinert, J. 1968. Morphogenese in Gewebe und Zellkulturen.
Naturewissenschaften 55: 170-175.
- Reinert, J. and Bajaj, Y.P.S. 1977. Anther culture : Haploid
production and its significance. In: J. Reinert and
Y.P.S. Bajaj, eds., "Applied and fundamental aspects of
Plant Cell, Tissue and Organ Culture". pp.
Springer Verlag, Berlin, Heilderberg, New York.
- Reinert, J., Bajaj, Y.P.S. and Heberle, E. 1975. Induction of
haploid tobacco plants from isolated pollen. *Protoplasma*
84: 191-196.

Reinert, J. and Tazawa, M. 1969. *Planta* 87: 239.

Reisfeld, R.A., Lewis, U.J. and Williams, D. E. 1962. Disc electrophoresis of basic proteins and peptides on polyacrylamide gels. *Nature* 195: 281-283.

Ritzert, R. W. and Turin, B.A. 1970. Formation of peroxidases in response to indole-3-acetic acid in cultured tobacco cells. *Phytochem.* 9: 1701-1705.

Robbins, W. J. 1922a. Cultivation of excised root tips and stem tips under sterile conditions. *Bot. Gaz.* 73: 376.

Robbins, W. J. 1922b. Effect of autolyzed yeast and peptone on growth of excised corn root tips in the dark. *Bot. Gaz.* 74: 59.

Robbins, W.J. and Maneval, W.E. 1923. Further experiments on growth of excised root tips under sterile conditions. *Bot. Gaz.* 76: 274.

Robbins, W.J. and Maneval, W.E. 1924. Effect of light on growth of excised root tips under sterile conditions. *Bot. Gaz.* 78: 424.

Rose, D. and Martin, S. M. 1975. Effect of ammonium on growth of plant cells (*Ipomoea* sp.) in suspension cultures. *Can. J. Bot.* 53: 1942-1949.

Ross, M.K. and Thorpe, T. A. 1973. Physiological gradients and shoot initiation in tobacco callus cultures. *Plant Cell Physiol.* 14: 473-480.

Ross, M.K., Thorpe, T.A. and Costerton, J. W. 1973. Ultra-structural aspects of shoot initiation in tobacco callus cultures. *Am. J. Bot.* 60: 788-795.

- Ruck, H.C. and Bolas, B.D. 1954. The effect of manganese on the assimilation and respiratory rate of isolated rooted leaves. Ann. Bot. 18: 267-298.
- Rucker, W. and Radda, B.J., 1971. Isoelectric patterns of peroxidase isoenzymes from tobacco tissue cultures. Planta 99: 192-198.
- Runeckles, V. C. and Conn, E. E. (eds.) 1974. Metabolism and regulation of secondary plant products. In:"Recent Advances in Phytochemistry". Vol. 8. Academic Press.
- Sangwan-Norreel, B.S. 1977. J. Expt. Bot. 28: 843-852.
- Sangwan, R. S. and Harada, H. 1975. Chemical regulation of callus growth, organogenesis, plant regeneration and somatic embryogenesis in Antirrhium majus tissue and cell cultures. J. Exp. Bot. 26: 868.
- Sastri, K.K.S. and Muir, R.M. 1963. Gibberellin : Effect on diffusible auxin in fruit development. Science 140: 494-495.
- Sastri, K.K.S. and Muir, R.M. 1965. Effects of gibberellic acid on utilization of auxin precursors by apical segments of the Avena coleoptile. Plant Physiol. 40: 294-298.
- Sastri, R.L.N. 1963. Morphogenesis in plant tissue cultures. In: "Symposium on Plant Tissue Culture". pp. 105-107, Delhi, India.
- Scandalios, J.G. 1964. Tissue specific isoenzymes variation in maize. J. Hered. 55: 281-284.
- Scandalios, J.G. 1974. Isoenzymes in development and differentiation. Ann. Rev. Pla. Physiol. 25: 225-258.

- Scandalios, J.G. and Sorenson, J.C. 1977. Isozymes in plant tissue culture. In: J. Reinert and Y.P.S. Bajaj, eds., "Plant Cell, Tissue and Organ Culture". pp. 719-730. Springer-Verlag, Berlin, Heidelberg, New York.
- Schraudolf, H. and Reinert, J. 1959. Interactions of plant growth regulators in regeneration processes. Nature 184: 465-466.
- Sehgal, C.B. 1975. Hormonal control of differentiation in leaf cultures of Ipomoea batatas Poir. Beitr. Biol. Pflanzen. 51: 47-52.
- Shah, R. R. 1976. Studies on enzymes related to phenolic acids in plant tissue culture. Ph. D. Thesis. The M. S. Univ. Baroda, India.
- Shah, R. R., Subbaiah, K.V. and Mehta, A. R. 1976. Hormonal effect on polyphenol accumulation in Cassia tissues cultured in vitro. Can. J. Bot. 54: 1240-1245.
- Shah, R.R., Subbaiah, K.V. and Mehta, A.R. 1978. Carbohydrate influence on polyphenol accumulation in Cassia and Datura tissues cultured in vitro. Biol. Plant. 20: 5-13.
- Shamida, T. and Tabata, M. 1967. Chromosome numbers in cultured pith tissue of tobacco. Jap. J. Genet. 42: 195-201.
- Shannon, L. M. 1968. Plant Isoenzymes. Ann. Rev. Plant Physiol. 19: 187-210.
- Sharp, W.R., Raskin, R.S. and Sommer, H.E. 1972. The use of nurse-culture in the development of haploid clones of tomato. Planta 104: 357-361.
- Sharma, D. R. and Chowdhury, J.B. 1977. Effects of different media on cultured anthers of Datura innoxia Mill. and comparative morphogenetic potentiality of haploid and diploid tissues. Ind. J. Expt. Biol. 15: 616-618.

- Sheen, S. J. 1973. Changes in amount of polyphenols and activity of related enzymes during growth of tobacco flower and capsule. *Plant Physiol.* 51: 839-844.
- Sheridan, W.M.F. 1974. Plant regeneration and chromosome stability in tissue culture. In: L. Ledoux (ed.) "Genetic Manipulation with Plant Material". pp. 263-296. Plenum Press. Holland.
- Shigematsu, K. and Matsubara, H. 1972. The isolation and propagation of the mutant plant from sectorial chimera induced by irradiation in Begonia rex. *J. Jap. Soc. Hort. Sci.* 41: 196-200.
- Siegel, S. M. 1956. Chemistry and physiology of lignin formation. *Quart. Rev. Biol.* 31: 1-18.
- Siegel, B.Z. and Galston, A.W. 1967. Isoperoxidases of Pisum sativum. *Plant Physiol.* 42: 221-226.
- Simola, L. K. 1973. Changes in several enzymes during root differentiation in cultured cells of Atropa belladonna. *Z. Pflanzenphysiol.* 68: 373-378.
- Simola, L.K. and Sapanen, T. 1970. Changes in the activity of certain enzymes of Acer pseudoplatanus L. Cells at four stages of growth in suspension cultures. *Physiol. Plant.* 23: 1212-1222.
- Skoog, F. 1954. Chemical regulation of growth in plants. In: E.J. Boell, ed." Dynamics of Growth Processes". Chapt. VII. Princeton Univ. Press. Princeton, U.S.A.
- Skoog, F., Hamzi, H.Q., Szweykowska, A.M., Leonard, M.J., Carraway, K.L., Fujii, T., Helgeson, J. P. and Loeppky, R.N. 1967. Cytokinins : Structure/Activity relationships. *Phytochem.* 6: 1169-1192.

- Skoog, F. and Leonard, N.J. 1968. Sources and Structure : Activity relationship of cytokinins. In: F. Wightman and G. Setterfield, eds., "Biochemistry and Physiology of Plant Growth Substances". pp. 1-18. Runge Press, Ottawa, Canada.
- Skoog, F. and Miller, C. O. 1957. Chemical regulation of growth and organ formation in plant tissues cultured in vitro. Symp. Soc. Expt. Biol. 11: 118-131.
- Smith, D.R. and Thorpe, T.A. 1975. Root initiation in cuttings of Pinus radiata seedlings. II. Growth regulator interactions. J. Exp. Bot. 26: 193-202.
- Srivastava, O.P. and Van Huystee, R.B. 1977a. An interrelationship among peroxidase, IAA Oxidase, and polyphenol oxidase from peanut cells. Can. J. Bot. 55: 2630-2635.
- Srivastava, O.P. and Van Huystee, R.B. 1977b. Spectral and molecular properties of peanut peroxidase isoenzymes. Phytochem. 16: 1657-1659.
- Srivastava, O.P. and Van Huystee, R.B. 1977c. Interactions among phenolics and peroxidase isoenzymes. Bot. Gaz. 138: 457-464.
- Staba, E.J. 1962. Production of cardiac glycosides by plant tissue cultures. I. Nutritional requirements in tissue cultures of Digitalis lanata and Digitalis purpurea. J. Pharm. Sci. 51: 249-254.
- Steinhart, C. E. 1961. Nutrient requirements for in vitro growth of spruce tissue. Am. J. Bot. 48: 465-470.
- Steinhart, C.E., Standifer, L.G. and Skoog, F. 1961. Nutrient requirement for in vitro growth of spruce tissue. Am. J. Bot. 48: 465-472.

Steward, F.C., Mapes, M.O. and Ammirato, P.V. 1969. Growth and morphogenesis in tissue and free cell cultures. In: F.C. Steward, ed., "Plant Physiology: A Treatise". Vol. 5B, pp. 329-376. Academic Press, New York.

Steward, F.C., Mapes, M.O. and Mears, K. 1958. Growth and organized development of cultured cells. II. Organization in cultures grown from freely suspended cells. Am. J. Bot. 45: 705-708.

Steward, F.C. and Shantz, E.M. 1955. The chemical induction of growth in plant tissue cultures. In: R.L. Wain and F. Wightman, eds., "The Chemistry and Mode of Action of Plant Growth Substances". pp. 165-186. Butterworth, London.

Street, H. E. 1966. The nutrition and metabolism of plant tissue and organ cultures. In: E.N. Wilmer, ed., "Cells and Tissues in Culture". Vol. 3. pp. 533-629. Academic Press, London, New York.

Street, H.E. 1969. Growth in organized and unorganized systems. Knowledge gained by culture of organs and tissue explants. In: F.C. Steward, ed., "Plant Physiology : A Treatise". Vol. 5B, pp. 113-224. Academic Press, New York.

Street, H.E., Collin, H.A., Short, K. and Simpkins, I. 1968. Hormonal control of cell division and expansion in suspension cultures of Acer pseudoplatanus L. the action of kinetin. In: F. Wightman and G. Setterfield, eds., "Biochemistry and Physiology of Plant Growth Substances". pp. 489-504. Runge Press, Ottawa, Canada.

Stuber, C.W. and Levings, C.S. 1969. Auxin induction and répression of peroxidase isoenzyme in oat (Avena sativa L.). Crop Sci. 9: 415-416.

- Stutz, R. E. 1957. The indole-3-acetic acid oxidase of Lupinus albus L. Plant Physiol. 32: 31-39.
- Subbaiah, K. V. 1974. Physiological and biochemical studies on plant tissues grown in sterile cultures. Ph. D. Thesis, The M. S. Univ. Baroda, India.
- Subbaiah, K.V., Mehta, A.R. and Shah, R.R. 1974. Studies on polyphenol content in tissue cultures of Datura and Cassia grown on defined medium. In: The 3rd Intern. Cong. Plant Tissue and Cell Culture, Univ. Leicester, U.K. Abst. No. 181.
- Sunderland, N. and Roberts, M. 1977. Nature, 270: 236-238.
- Swain, T. and Hills, N.E., 1959. The phenolic constituents of Prusus domestica. I. The quantitative analysis of phenolic constituents. J. Sci. Food Agri. 10: 83-87.
- Takebe, I., Labib, G. and Melchers, G. 1971. Regeneration of whole plants from isolated mesophyll protoplasts of tobacco. Naturewissenschaften 58: 318-320.
- Takebe, I. and Otsuki, Y. 1973. Fine structure of isolated mesophyll protoplasts of tobacco. Planta 113: 21-27.
- Takebe, I. and Otsuki, Y. 1974. Multiple infection of tobacco mesophyll protoplasts by plant viruses. In: The 3rd Intern. Cong. Plant Tissue and Cell Culture, Leicester: Univ. Leicester, U.K. Abst. 36.
- Takebe, I., Otsuki, Y. and Aoki, S. 1968. Isolation of tobacco mesophyll cells in intact and active state. Plant Cell Physiol. 9: 115-124.
- Taylor, D.M., Morgan, P.W., Joham, H.E. and Amin, J.V. 1968. Influence of substrate and tissue manganese on the IAA-Oxidase system in cotton. Plant Physiol. 43: 243-247.

- Teng, Y.W. and Bonner, J. 1947. The enzymatic inactivation of indoleacetic acid. I. Some characteristics of the enzyme contained in pea seedlings. *Arch. Biochem.* 13:11-25.
- Thimann, K.V., Tomaszewski, M. and Porter, W.L. 1962. Growth promoting activity of caffeic acid. *Nature* 193: 1203.
- Thomas, E.N., Longman, B.C. and Powell, R.G. 1964. Metabolic fate of some chlorinated phenoxyacetic acids in the stem tissue of Avena sativa. *Nature* 204: 286.
- Thomson, R.H. 1964. Structure and reactivity of phenolic compounds. In: J.B. Harborne (ed., "Biochemistry of phenolic compounds". pp. 1-32. Academic Press, New York.
- Thorpe, T.A. 1977. Carbohydrate metabolism and shoot formation in tobacco callus. *Med. Fac. Landbouww. Rijksuniv. Gent.* 42: 1681-1689.
- Thorpe, T.A. 1978. Physiological and biochemical aspects of organogenesis in vitro. In: T.A. Thorpe ed., "Frontiers of Plant Tissue Culture". pp. 49-58. Proceedings of 4th Intern. Cong. Plant Tissue Culture, Calgary, Canada. Intern. Assoc. Plant Tissue Culture.
- Thorpe, T.A. and Gaspar, T. 1978. Changes in isoperoxidases during shoot formation in tobacco callus. *In Vitro* 14 : 522-526.
- Thorpe, T.A. and Laishley, E.J. 1973. Glucose Oxidation during shoot initiation in tobacco callus cultures. *J. Exp. Bot.* 24: 1082-1089.
- Thorpe, T.A. and Laishley, E.J. 1974. Carbohydrate oxidation during Nicotiana tabacum callus growth. *Phytochem.* 13: 1323-1328.

- Thorpe, T. A. and Meier, D. D. 1972. Starch metabolism, respiration and shoot formation in tobacco callus cultures. *Physiol. Plant.* 27: 365-369.
- Thorpe, T.A. and Meier, D. D. 1973. Effects of gibberellic acid and abscisic acid on shoot formation in tobacco callus cultures. *Physiol. Plant.* 29: 121-124.
- Thorpe, T. A. and Meier, D. D. 1974. Starch metabolism in shoot-forming tobacco callus. *J. Exp. Bot.* 25: 288-294.
- Thorpe, T.A. and Murashige, T. 1968. Starch accumulation in shoot-forming tobacco callus cultures. *Science* 160: 421-422.
- Thorpe, T.A. and Murashige, T. 1970. Some histochemical changes underlying shoot initiation in tobacco callus cultures. *Can. J. Bot.* 48: 277-285.
- Tomaszewski, M. and Thimann, K.V. 1966. Interactions of phenolic acids, metallic ions and chelating agents on auxin induced growth. *Plant Physiol.* 41: 1443-1454.
- Torrey, J. G. 1966. The initiation of organized development. In: M. Abercrombie and J. Brachet, eds., "Advances in Morphogenesis". Vol. 5. pp. 39-91. Academic Press, New York.
- Tran Thanh Van, K. 1977. Regulation of morphogenesis. In: W. Barz, E. Reinhard and M.H.Zenk, eds., "Plant Tissue Culture and its Bio-technological Applications". pp. 367-385. Springer-Verlag, Berlin, Heidelberg, New York.
- Tran Than Van, M., Chilyah, H. and Chilyah, A. 1974. Regulation of organogenesis in thin layer of epidermal and sub-epidermal cells. In: H.E. Street, ed., "Tissue Culture and Plant Science". pp. 101-139, Academic Press, London.

- Tulecke, W. 1953. A tissue derived from the pollen of Ginkgo biloba. Science 117: 599-600.
- Tulecke, W. 1957. The pollen of Ginkgo biloba: in vitro culture and tissue formation. Am. J. Bot. 44: 602-608.
- Tulecke, W. 1959. The pollen cultures of C.D.La Rue: a tissue from the pollen of Taxus. Bull. Torrey Botan. Club 86: 283-289.
- Tulecke, W. 1964. Advantages of plant tissue cultures for working at cellular level. Phytomorph. 14: 148-154.
- Tulecke, W. and Sehgal, N. 1963. Cell proliferation from pollen of Torreya nucifera. Contrib. Boyce Thompson Inst. 22: 153-163.
- Uritani, I. and Stabmann, M.A. 1961. Changes in nitrogen metabolism in sweet potato with black rot. Plant Physiol. 36: 770-782.
- Vajranabhaiah, S. N. 1969. The changes in nucleic acids in relation to auxins, kinetin and sugar during growth in cultures of Cucumis melo L. and Datura metel L. Ph. D. Thesis. The M. S. Univ., Baroda, India.
- Vajranabhaiah, S.N. and Mehta, A. R. 1976. Studies on nucleic acid metabolism in suspension cultures of Cucumis melo L. Ann. Bot. 40: 339-346.
- Vajranabhaiah, S.N. and Mehta, A.R. 1977. Effects of kinetin on growth and nucleic acid metabolism in suspension cultures of Cucumis melo L. Ann. Bot. 41: 483-491.
- Van Hoof, P. and Gaspar, Th. 1973. Controle auxinique des isoperoxydases de racines excisees de maïs en culture stérile. C.R. Acad. Sci. Paris 277: 933-936.

Van Hoof, P. and Gaspar, Th. 1976. Peroxidase and isoperoxidase changes in relation to root initiation from Asparagus cultured in vitro. Sci. Hort. 4: 27-31.

Van Huystee, R. B. 1976. Immunological studies of proteins released by a pea nut suspension culture. Bot. Gaz. 137: 325-329.

Van Overbeek, J. 1966. Plant hormones and regulators. Science 152: 721-731.

Van Raalte, M.H. 1954. On the synergism of indole and indole-acetic acid in root production. Annals Bogoriensis 1: 167-183.

Varner, J.E., Ram Chandra, G. and Chrispeels, M.J. 1965. Gibberellic acid controlled synthesis of -amylase in barley endosperm. J. Cell Comp. Physiol. (Suppl.). 66: 55-68.

Vasil, I. K. and Hildebrandt, A. C. 1966. Growth and chlorophyll production in plant callus tissues grown in vitro. Planta 68: 69-82.

Verma, D.C. and Dougall, D.K. 1977. Influence of carbohydrates on quantitative aspects of growth and embryo formation in wild carrot suspension cultures. Plant Physiol. 59: 81-85.

Walton, D. C. and Sondheimer, E. 1968. Effects of abscisic II on phenylalanine ammonia-lyase activity in excised bean axis. Plant Physiol. 43: 467-469.

Verma, D.P.S. and Van Huystee, R.B. 1970a. Cellular differentiation and peroxidase isoenzymes in cell culture of pea nut cotyledons. Can. J. Bot. 48: 429-431.

Verma, D.P.S. and Van Huystee, R.B. 1970b. Relation between peroxidase, catalase and protein synthesis during cellular development in cell cultures of pea nut. Can. J. Biochem. 48: 444-449.

Wang, C.-C., Sun, C.-S. and Chu, C.-C. 1974. On the conditions for the induction of rice pollen plantlets and certain factors affecting the frequency of induction. *Acta Bot. Sinica* 16: 43-53.

Wardell, W.L. and Skoog, F. 1969. Flower formation in excised stem segments. I. Methodology and effects of plant hormones. *Plant Physiol.* 44: 1402-1406.

Wareing, P.F. 1971. Some aspects of differentiation in plants. In: D. Davies and M. Balls (eds., "Control Mechanisms of Growth and Differentiation". pp. 323-344. Symp. Soc. Exp. Biol. XXV. Cambridge, U.K.

Wareing, P.F. and Phillips, I.D.J. 1970. The control of growth and differentiation in plants. pp. 14-21. Pergamon Press. Oxford, New York.

Wedding, R.T., Hausch, C. and Fukuto, T. 1967. Inhibition of MDH by phenols and the influence of ring substituents on their inhibitory effectiveness. *Arch. Biochem. Biophys.* 121: 9-21.

Wenzel, G., Hoffmann, F. and Thomas, E. 1977. Increased induction and chromosome doubling of androgenetic haploid rye. *Theor. Appl. Genet.* 51: 81-86.

Wetmore, R.H. and Rier, J.P. 1963. Experimental induction of vascular tissues in callus of angiosperms. *Am. J. Bot.* 50: 418-430.

White, P. R. 1934. Potentially unlimited growth of excised tomato root tips in a liquid medium. *Plant Physiol.* 9:585.

White, P.R. 1938. Accessory salts in the nutrition of excised tomato roots. *Plant Physiol.* 13: 391.

* Wardlaw, C.W. 1968. *Morphogenesis in Plants*. Methuen and Co. Ltd., London, U.K.

White, P.R. 1939. Potentially unlimited growth of excised plant callus in an artificial nutrient. Am. J. Bot. 26: 59.

White, P. R. 1954. "The cultivation of Animal and Plant Cells". Ronald Press, New York.

White, P.R. 1967. The promises and challenges of tissue culture for biology and mankind. In: "Seminar on Plant Cell, Tissue and Organ Culture". Delhi Univ., Delhi, India.

Whittington, W.J. 1959. The role of boron in plant growth. II. The effect on the growth of radicle. J. Expt. Bot. 10:93.

Wiggans, S.C. 1954. Growth and organ formation in callus tissues derived from Daucus carota. Am. J. Bot. 41: 321-326.

Wolter, K.E. and Gordon, J.C. 1975. Peroxidases as indicators of growth and differentiation in Aspen callus cultures. Physiol. Plant. 33: 219-223.

Wright, K. and Northcote, D.H. 1972. Induced root differentiation in Sycamore callus. J. Cell Sci. 11: 319-337.

Wright, S. T. C. 1961. A sequential growth response to gibberellic acid, kinetin, and indolyl-3-acetic acid in the wheat coleoptile (Triticum vulgare L.). Nature 190: 699-700.

Yamada, T., Shoji, T. and Sinoto, Y. 1963. Formation of calli and free cells in the tissue culture of Tradescantia reflexa. Bot. Mag. (Tokyo) 76: 332-339.

Yamaguchi, T. and Nakajima, T. 1974. Hormonal regulation of organ formation in cultured tissue derived from root tuber of sweet potato. In: "Plant Growth Substances". Proceedings of the 8th International Conference on "Plant Growth Substances" held at Tokyo, Japan, 1973. Hirokawa Publishing Co., Tokyo, Japan.

- Yoeman, M.M., Dyer, A. F. and Robertson, A. I. 1965.
Growth and differentiation of plant tissue cultures.
I. Changes accompanying the growth of explants from
Helianthus tuberosus tubers. Ann. Bot. 29: 265-276.
- Yu, L.M. and Hampton, R.E. 1964. Biochemical changes in
tobacco infected with Collectotrichum destructivum. I.
Flourescent compounds, phenols, and some associated
enzymes. Phytochem. 3: 269-272.
- Zenk, M. H. and Muller, G. 1963. In vivo destruction of
exogenously applied indolyl-3-acetic acid as influenced
by naturally occurring phenolic acids. Nature 200:
761-763.
- Zenkteler, M. 1971. In vitro production of haploid plants
from pollen grains of Atropa belladonna L. Experientia
27: 1087.
- Zenkteler, M. 1977. Induction of haploid plants from anthers
cultured in vitro. In: F.J.Novak, ed., "Use of Tissue
Culture in Plant Breeding". pp. 337-354. Czech. Acad.
Sci. Inst. Expt. Bot. Prague.
- Zenkteler, M.A. and Guzowska, I. 1970. Cytological studies on
the regenerating mature female gametophyte of Taxus
baccata L. and mature endosperm of Tilia platyphyllos
Scop. in vitro culture. Acta Soc. Bot. Poloniae 39:161-173.
- Zucker, M. 1968. Sequential induction of PAL and a lyase-
inactivating system in potato tuber discs. Plant Physiol.
43: 365-374.