

List of Tables

| | | |
|-----------|---|-----|
| Table 1.1 | Information obtained by spectroscopy relating to structure and dynamics of polymeric systems | 19 |
| Table 2.1 | Physical properties of PVC | 33 |
| Table 2.2 | Physical properties of PMMA | 35 |
| Table 2.3 | Physical properties of PAM | 37 |
| Table 2.4 | Physical properties of PVA | 38 |
| Table 2.5 | Physical properties of PEO | 39 |
| Table 2.6 | Physical properties of TiO ₂ | 40 |
| Table 2.7 | Thickness of various polymers and its blends | 43 |
| Table 3.1 | Assignment of different vibrational modes of PVC, PMMA and various Blends | 82 |
| Table 3.2 | Variation of absorption edge and direct/indirect band gap with different blend percentage | 85 |
| Table 3.3 | TG and DrTG data of Pure PVC, PMMA and their blended samples | 92 |
| Table 4.1 | Assignments of the FT-IR characterization bands of the pure PAM, pure PVA and PAM/PVA blend | 105 |
| Table 4.2 | Variation of optical (Direct/Indirect) energy gap (E_g) and absorption edge (ΔE) with different samples | 107 |
| Table 4.3 | Assignments of the Raman characterization bands of the pure PAM and pure PVA | 109 |
| Table 4.4 | Assignments of the Raman characterization bands of the PAM/PVA blends | 110 |
| Table 4.5 | TG and DrTG data of Pure PAM, PVA and their blended samples | 113 |
| Table 5.1 | Assignments of the FT-IR characterization of bands of the pure PAM, pure PEO and PAM/PEO blends | 125 |

| | | |
|-----------|---|-----|
| Table 5.2 | Absorption edge, optical band gap (both direct and indirect) and activation energy values of pure PAM, pure PEO and PAM/PEO polymer blend films | 129 |
| Table 5.3 | Assignments of Raman bands of pure PAM, Pure PEO and PAM/PEO blends | 132 |
| Table 5.4 | TG and DrTG data of Pure PAM, PEO and their blended samples | 136 |
| Table 5.5 | Effect of the Blend Ratio on the Temperatures Corresponding to Different Percentage Weight Losses in PAM/PEO Blends | 136 |
| Table 5.6 | T_m ($^{\circ}\text{C}$), ΔH (J/g), χC (%), of PAM/PEO Blends | 138 |
| Table 6.1 | Assignment of different vibrational modes of PMMA and its various composites | 152 |
| Table 6.2 | Various of absorption edge and direct/indirect band gap with different blend percentage | 156 |
| Table 6.3 | Glass Transition temperature (T_g) $^{\circ}\text{C}$ of different PMMA/ TiO_2 Composites | 159 |
| Table 6.4 | TG and DrTG data of Pure PMMA and their composites | 162 |