

## **LIST OF TABLES**

<b>TABLE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
<b>3.1</b>	<b>Formula of <i>Mahamrutyunjaya Rasa</i>.</b>	<b>29</b>
<b>3.2</b>	<b>List of Manufacturers of <i>Mahamrutyunjaya Rasa</i>.</b>	<b>29</b>
<b>3.3</b>	<b>Synonyms of <i>Aconitum ferox</i>.</b>	<b>31</b>
<b>3.4</b>	<b>Indian Aconites Of Commerce According To New Classifications.</b>	<b>33</b>
<b>3.5</b>	<b>Synonyms of <i>Solanum indicum</i>.</b>	<b>42</b>
<b>3.6</b>	<b>Synonyms of <i>Piper longum</i>.</b>	<b>56</b>
<b>3.7</b>	<b>Synonyms of <i>Piper nigrum</i>.</b>	<b>58</b>
<b>3.8</b>	<b>Synonyms of Sulphur.</b>	<b>66</b>
<b>3.9</b>	<b>Synonyms of Sodium metaborate.</b>	<b>70</b>
<b>4.1</b>	<b>Detection conditions of plant constituents using TLC.</b>	<b>75-76</b>
<b>4.2</b>	<b>Formula of <i>Mahamrutyunjaya Rasa</i>.</b>	<b>77</b>
<b>5.1</b>	<b>Ash values of plant materials.</b>	<b>132</b>
<b>5.2</b>	<b>Extractive values of plant materials.</b>	<b>132</b>
<b>5.3</b>	<b>% Loss on drying of plant materials.</b>	<b>133</b>
<b>5.4</b>	<b>Analysis for Pesticide residues in plant materials.</b>	<b>133</b>
<b>5.5</b>	<b>Heavy metal analysis of plant materials.</b>	<b>134</b>
<b>5.6</b>	<b>Results of the tests performed for the microbial contamination in the plant materials.</b>	<b>135</b>
<b>5.7</b>	<b>Qualitative chemical tests of Petroleum ether extract of plant materials.</b>	<b>136</b>
<b>5.8</b>	<b>Qualitative chemical tests of Methanol extract of plant materials.</b>	<b>136</b>
<b>5.9</b>	<b>Qualitative chemical tests of Aqueous extract of plant materials.</b>	<b>137</b>
<b>5.10</b>	<b>TLC studies of Petroleum ether extract of plant materials.</b>	<b>137</b>
<b>5.11</b>	<b>TLC studies of Methanol extract of plant materials.</b>	<b>138</b>
<b>5.12</b>	<b>TLC studies of Aqueous extract of plant materials.</b>	<b>138</b>
<b>5.13</b>	<b>Optimized conditions for preparative TLC of <i>Aconitum</i> roots.</b>	<b>139</b>

5.14	Optimized conditions for preparative TLC of Piper species.	140
5.15	Results of the Finger printing analysis of different samples of Aconitum alkaloids.	141
5.16	Peaks present in the IR spectra of alkaloid fractions	145
5.17	The Functional groups depicted by the Peaks in IR Spectra.	145-146
5.18	XRD data of samples and standard Sulphur.	149
5.19	Peak values of Samples of Sulphur using DSC.	152
5.20	XRD data of samples and standard Cinnabar.	156
5.21	XRD data of samples of sodium metaborate.	159
5.22	DSC Peaks of Sodium metaborate.	161
5.23	Results of Official tests.	163
5.24	Ash values of the three formulations.	164
5.25	Extractive values of formulations.	164
5.26	% Loss on drying of formulations.	165
5.27	Analysis for Pesticide residues in formulations.	165
5.28	Heavy metal analysis of formulations.	166
5.29	Results of the tests performed for the microbial contamination in the formulations.	166
5.30	Qualitative chemical tests of Methanol extract of formulations.	167
5.31	TLC studies of Methanol extract of formulations.	167
5.32	Peak area and Peak Height of Aconitine.	172
5.33	Linear regression data for the calibration curves (n=3)	172
5.34	Repeatability of the developed method.	173
5.35	Intra-day and inter-day precision of HPLC method.	173
5.36	Robustness of the method	174
5.37	System Suitability Parameters	175
5.38	Recovery Test	175
5.39	Contents of the three alkaloids in three proprietary Ayurvedic medicines	176
5.40	Linearity data of HPTLC analysis of aconitine.	177

5.41	Regression analysis for calibration plots.	178
5.42	Intra-day and inter-day precision of HPTLC method.	178
5.43	Robustness of the method	179
5.44	Recovery studies.	179
5.45	Results of analysis	180
5.46	Effect of solvent on fluorescence intensity.	182
5.47	Optical Characteristics and Analytical Data	183
5.48	Data of Calibration Curve for Aconitine`	183
5.49	Intra-day and inter-day precision of spectrofluorimetric method.	184
5.50	Data of sample analysis and recovery studies	184
5.51	Results of Analysis	185
5.52	Linear regression data for the calibration curves	191
5.53	Intra-day and Inter-day precision of the developed method.	192
5.54	Peak purity data for the method	193
5.55	Robustness of the method	193
5.56	Results of system suitability parameters obtained from LC method.	194
5.57	Recovery study of ACN and PIN added to the pre-analyzed samples using the proposed methods.	195
5.58	Assay results of herbal dosage forms using the proposed LC method.	195
5.59	Peak area and Peak height of Solanine	198
5.60	Linear regression data for the calibration curves	199
5.61	Repeatability of the developed method	200
5.62	Intra-day and inter-day precision of HPLC method	200
5.63	Robustness of the method	201
5.64	System Suitability Parameters	202
5.65	Recovery Test	202
5.66	Contents of the Solanine in three proprietary Ayurvedic medicines	203
5.67	Linearity data of solanine analysis by HPTLC.	204
5.68	Regression analysis for calibration plots.	205

5.69	Intra-day and inter-day precision of HPTLC method.	205
5.70	Robustness of the method	206
5.71	Recovery studies.	206
5.72	Results of analysis	207
5.73	Linearity data of Piperine analysis by HPTLC	210
5.74	Regression analysis for calibration plots.	210
5.75	Intra-day and inter-day precision of HPTLC method.	211
5.76	Robustness of the method.	211
5.77	Recovery studies.	212
5.78	Results of analysis	212
5.79	Linear regression data for the calibration curves	219
5.80	Intra-day and Inter-day Precision study results.	220
5.81	Peak Purity data of Piperine analysis.	221
5.82	Robustness of the method	221-222
5.83	Results of system suitability test for piperine analysis.	222
5.84	Recovery test	222
5.85	Results of analysis	223
5.86	Effect of mobile phase pH, composition, and flow rate on various chromatographic parameters.	225
5.87	Linear regression data for the calibration curves	227
5.88	Repeatability of the developed method	228
5.89	Intra-day and Inter-day precision of the developed method	229
5.90	Robustness of the method	230
5.91	System Suitability Parameters	231
5.92	Recovery Test	231
5.93	Contents of the three alkaloids in three proprietary Ayurvedic medicines	232
5.94	Effect of mobile phase pH, composition, and flow rate on various chromatographic parameters.	235
5.95	Peak area of Solanine and Aconitine.	237
5.96	Linear regression data for the calibration curves.	238
5.97	Intra-day and inter-day precision of HPLC method .	239

<b>5.98</b>	<b>Robustness of the method</b>	<b>240</b>
<b>5.99</b>	<b>System suitability parameters</b>	<b>241</b>
<b>5.100</b>	<b>Recovery studies</b>	<b>241</b>
<b>5.101</b>	<b>Results of the analysis</b>	<b>242</b>
<b>5.102</b>	<b>Effect of mobile phase pH, composition, and flow rate on various chromatographic parameters.</b>	<b>244</b>
<b>5.103</b>	<b>Peak area of Solanine and Piperine</b>	<b>246</b>
<b>5.104</b>	<b>Linear regression data for the calibration curves.</b>	<b>246</b>
<b>5.105</b>	<b>Intra-day and inter-day precision of HPLC method</b>	<b>247</b>
<b>5.106</b>	<b>Robustness of the method</b>	<b>248</b>
<b>5.107</b>	<b>System suitability parameters</b>	<b>249</b>
<b>5.108</b>	<b>Recovery studies.</b>	<b>249</b>
<b>5.109</b>	<b>Results of analysis.</b>	<b>250</b>
<b>5.110</b>	<b>Linearity data of Sulphur.</b>	<b>255</b>
<b>5.111</b>	<b>Optical characteristics and statistical data of the regression equations for determination of sulphur using hydrazine hydrate.</b>	<b>256</b>
<b>5.112</b>	<b>Intra-day and inter-day precision studies.</b>	<b>257</b>
<b>5.113</b>	<b>Recovery studies of Sulphur</b>	<b>258</b>
<b>5.114</b>	<b>Analysis of pharmaceutical preparation</b>	<b>258</b>
<b>5.115</b>	<b>Data of Calibration Curve for Boron</b>	<b>263</b>
<b>5.116</b>	<b>Optical Characteristics and Analytical Data</b>	<b>263</b>
<b>5.117</b>	<b>Intra-day and inter-day precision of spectrofluorimetric method.</b>	<b>264</b>
<b>5.118</b>	<b>Data of sample analysis and recovery studies</b>	<b>264</b>
<b>5.119</b>	<b>Results of Analysis</b>	<b>265</b>
<b>5.120</b>	<b>Voltammetric parameters for determination of boron.</b>	<b>269</b>
<b>5.121</b>	<b>Linearity data of boron alizarin red S complex.</b>	<b>270</b>
<b>5.122</b>	<b>Intra-day and inter-day precision of spectrofluorimetric method.</b>	<b>271</b>
<b>5.123</b>	<b>Data of sample analysis and recovery studies</b>	<b>272</b>
<b>5.124</b>	<b>Results of Analysis</b>	<b>272</b>
<b>5.125</b>	<b>Operating conditions of ICP-AES.</b>	<b>273</b>

<b>5.126</b>	<b>Data for calibration curve of Boron.</b>	<b>274</b>
<b>5.127</b>	<b>Results of Analysis</b>	<b>275</b>
<b>5.128</b>	<b>Operating conditions of ICP-AES.</b>	<b>276</b>
<b>5.129</b>	<b>Data for Calibration curve of Mercury.</b>	<b>276</b>
<b>5.130</b>	<b>Results of Analysis</b>	<b>277</b>
<b>5.131</b>	<b>Effect of FORM1 on percentage viability of H9c2 cells at different time interval</b>	<b>281</b>
<b>5.132</b>	<b>Effect of FORM2 on percentage viability of H9c2 cells at different time interval</b>	<b>282</b>
<b>5.133</b>	<b>Effect of FORM3 on percentage viability of H9c2 cells at different time interval</b>	<b>283</b>
<b>5.134</b>	<b>Effect of Formulations on serum cardiac marker enzymes</b>	<b>285</b>
<b>5.135</b>	<b>Heart weight to body weight ratio</b>	<b>288</b>
<b>6.1</b>	<b>Results of the Standardization of the three formulations.</b>	<b>302</b>