

Table Index

CHAPTER 4-EXPERIMENTAL

Part I : Quaternary Liquid-Liquid Phase Equilibrium Data

Mutual Solubility Data

Table Number	Title	Page
Table - A	Physical Properties of Chemicals used at 30 °C	69
Table - 1	Mutual Solubility Data for the Quaternary Systems: Benzene (B)- Hexane (H)-Dmf(D) + Water(W) at 20°C	77
Table - 2	Mutual Solubility Data for the Quaternary Systems: Benzene (B)- Hexane (H)-Dmf(D) + Water(W) at 30°C	78
Table. - 3	Mutual Solubility Data for the Quaternary Systems: Benzene (B)- Hexane (H)-Dmf(D) + Water(W) at 40°C	79
Table. - 4	Mutual Solubility Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmf(D) + Water(W) at 20°C	80
Table. - 5	Mutual Solubility Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmf(D) + Water(W) at 30°C	81
Table. - 6	Mutual Solubility Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmf(D) + Water(W) at 40°C	82
Table. - 7	Mutual Solubility Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmf(D) + Water(W) at 20°C	83
Table. - 8	Mutual Solubility Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmf(D) + Water(W):- at 30°C	84
Table. - 9	Mutual Solubility Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmf(D) + Water(W) at 40°C	85
Table. - 10	Mutual Solubility Data for the Quaternary Systems: Benzene(B)-Hept (H')-Dmf(D) + Water(W) at 20°C	86
Table. - 11	Mutual Solubility Data for the Quaternary Systems: Benzene(B)-Hept (H')-Dmf(D) + Water(W) at 30°C	87
Table - 12	Mutual Solubility Data for the Quaternary Systems: Benzene(B)-Hept (H')-Dmf(D) + Water(W) at 40°C	88
Table - 13	Mutual Solubility Data for the Quaternary Systems: Benzene(B)-Oct (O)-Dmf(D) + Water(W) at 20°C	89
Table - 14	Mutual Solubility Data for the Quaternary Systems:	90

	Benzene(B)-Oct (O)-Dmf(D) + Water(W) at 30°C	
Table - 15	Mutual Solubility Data for the Quaternary Systems: /	91
	Benzene(B)-Oct (O)-Dmf(D) + Water(W) at 40°C	
Table - 16	Mutual Solubility Data for the Quaternary Systems:	92
	Benzene (B)- Hexane (H)-Dmso(D) + Water(W) at 20°C	
Table - 17	Mutual Solubility Data for the Quaternary Systems:	93
	Benzene (B)- Hexane (H)-Dmso(D) + Water(W) at 30°C	
Table - 18	Mutual Solubility Data for the Quaternary Systems:	94
	Benzene (B)- Hexane (H)-Dmso(D) + Water(W) at 40°C	
Table - 19	Mutual Solubility Data for the Quaternary Systems:	95
	Toluene (T) Hexane (H)-Dmso(D) + Water(W) at 20°C	
Table - 20	Mutual Solubility Data for the Quaternary Systems:	96
	Toluene (T) Hexane (H)-Dmso(D) + Water(W) at 30°C	
Table - 21	Mutual Solubility Data for the Quaternary Systems:	97
	Toluene (T) Hexane (H)-Dmso(D) + Water(W) at 40°C	
Table - 22	Mutual Solubility Data for the Quaternary Systems:	98
	Xylene(X)- Hexane (H)-Dmso(D) + Water(W) at 20°C	
Table - 23	Mutual Solubility Data for the Quaternary Systems:	99
	Xylene(X)- Hexane (H)-Dmso(D) + Water(W) at 30°C	
Table - 24	Mutual Solubility Data for the Quaternary Systems:	100
	Xylene(X)- Hexane (H)-Dmso(D) + Water(W) at 40°C	
Table - 25	Mutual Solubility Data for the Quaternary Systems:	101
	Benzene(B)-Hept(H')-Dmso(D') + Water(W) at 20°C	
Table - 26	Mutual Solubility Data for the Quaternary Systems:	102
	Benzene(B)-Hept(H')-Dmso(D') + Water(W) at 30°C	
Table - 27	Mutual Solubility Data for the Quaternary Systems:	103
	Benzene(B)-Hept(H')-Dmso(D') + Water(W) at 40°C	
Table - 28	Mutual Solubility Data for the Quaternary Systems:	104
	Benzene(B)-Oct(O)-Dmso(D') + Water(W) at 20°C	
Table - 29	Mutual Solubility Data for the Quaternary Systems:	105
	Benzene(B)-Oct(O)-Dmso(D') + Water(W) at 30°C	
Table - 30	Mutual Solubility Data for the Quaternary Systems:	106
	Benzene(B)-Oct(O)-Dmso(D') + Water(W) at 40°C	

Tie Line Data

Table. -31	Tie Line Data for the Quaternary Systems: Beneze(B)- Hexane (H)-Dmf(D) + Water(W) at 20°C	107
Table. -32	Tie Line Data for the Quaternary Systems: Benzene(B)- Hexane (H)-Dmf(D) + Water(W) at 30°C	108
Table. -33	Tie Line Data for the Quaternary Systems: Benzene(B)- Hexane (H)-Dmf(D) + Water(W) at 40°C	109
Table. -34	Tie Line Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmf(D) + Water(W) at 20°C	110
Table. -35	Tie Line Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmf(D) + Water(W) at 30 °C	111
Table. -36	Tie Line Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmf(D) + Water(W) at 40 °C	112
Table- 37	Tie Line Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmf(D) + Water(W) at 20°C	113
Table. -38	Tie Line Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmf(D) + Water(W) at 30°C	114
Table. -39	Tie Line Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmf(D) + Water(W) at 40°C	115
Table. -40	Tie Line Data for the Quaternary Systems: Benzene(B)-Hept(H')-Dmf(D) + Water(W) at 20°C	116
Table. -41	Tie Line Data for the Quaternary Systems: Benzene(B)-Hept(H')-Dmf(D) + Water(W) at 30°C	117
Table. -42	Tie Line Data for the Quaternary Systems: Benzene(B)-Hept(H')-Dmf(D) + Water(W) at 40°C	118
Table.-43	Tie Line Data for the Quaternary Systems: Benzene(B)-Oct(O)-Dmf(D) + Water(W) at 20°C	119
Table. -44	Tie Line Data for the Quaternary Systems: Benzene(B)-Oct(O)-Dmf(D) + Water(W) at 30°C	120
Table. -45	Tie Line Data for the Quaternary Systems: Benzene(B)-Oct(O)-Dmf(D) + Water(W) at 40°C	121
Table. -46	Tie Line Data for the Quaternary Systems: Benzene(B)- Hexane (H)-Dmso(D') + Water(W) at 20°C	122

Table. -47	Tie Line Data for the Quaternary Systems: Benzene(B)- Hexane (H)-Dmso(D') + Water(W) at 30°C	123
Table. -48	Tie Line Data for the Quaternary Systems: Benzene(B)- Hexane (H)-Dmso(D') + Water(W) at 40°C	124
Table. -49	Tie Line Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmso(D') + Water(W) at 20°C	125
Table. -50	Tie Line Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmso(D') + Water(W) at 30°C	126
Table. -51	Tie Line Data for the Quaternary Systems: Toluene (T) Hexane (H)-Dmso(D') + Water(W) at 40°C	127
Table. -52	Tie Line Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmso(D') + Water(W) at 20°C	128
Table. -53	Tie Line Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmso(D') + Water(W) at 30°C	129
Table. -54	Tie Line Data for the Quaternary Systems: Xylene(X)- Hexane (H)-Dmso(D') + Water(W) at 40°C	130
Table. -55	Tie Line Data for the Quaternary Systems: Benzene(B)- Hept (H')-Dmso(D') + Water(W) at 20°C	131
Table. -56	Tie Line Data for the Quaternary Systems: Benzene(B)- Hept (H')-Dmso(D') + Water(W) at 30°C	132
Table. -57	Tie Line Data for the Quaternary Systems: Benzene(B)- Hept (H')-Dmso(D') + Water(W) at 40°C	133
Table. -58	Tie Line Data for the Quaternary Systems: Benzene(B)- Oct (O)-Dmso(D') + Water(W) at 20°C	134
Table. -59	Tie Line Data for the Quaternary Systems: Benzene(B)- Oct (O)-Dmso(D') + Water(W) at 30°C	135
Table. -60	Tie Line Data for the Quaternary Systems: Benzene(B)- Oct (O)-Dmso(D') + Water(W) at 40°C	136
Part II :	Liquid-Liquid extraction of Aromatics in a Packed Column	
Table-B	Packed Column Characteristics & Operating Parameters	139
Table-I	Observations Recorded for Packed Column Operation under Different Flow Rates Conditions for Liquid - Liquid extraction of Aromatics. System: B-H-80%Dmf -20%W	148

Table-II	Observations Recorded for Packed Column Operation under Different Sets of Conditions for Compositions of Extract Phase and Raffinate Phase for Systems: B-H-80%Dmf -20%W	149
Table-III	Selected Data for Packed Column Operation for %A _E and % P _E and NTU Values under Different sets of Conditions for Systems: B-H-80%Dmf -20%W	150
Table-IV	Mass Transfer Data for Liquid - Liquid extraction of Aromatics for Packed Column for Systems: : B-H-80%Dmf -20%W	151
Table-V	Observations Recorded for Packed Column Operation under Different Flow Rates (V _c , V _d) Conditions for Liquid - Liquid extraction of Aromatics. System: B-H-80%Dmso -20%W	152
Table-VI	Observations Recorded for Packed Column Operation under Different sets of Conditions for Composition of Extract Phase and Raffinate Phase. System:: B-H-80%Dmso -20%W	153
Table-VII	Selected Data for Packed Column Operation for %A _E and % P _E and NTU Values under Different sets of Conditions for Systems: : B-H-80%Dmso -20%W	154
Table-VIII	Mass Transfer Data for Liquid - Liquid extraction of Aromatics for Packed Column for Systems: B-H-80%Dmso -20%W	155
Table-IX	Observations Recorded for Packed Column Operation in Multistage Manner under Different Flow Rate Conditions for L-L extraction of Aromatics. System: B-H-80%Dmf -20%W at 30 °C	156
Table-X	Processing Data Table for Selected Observation for Packed Column Operation in Stagewise Manner for %A _E and %P _E under Different sets of Conditions System: B-H-80%Dmf -20%W at 30 °C	157
Table-XI	Values of %A _E and %P _E in Multistage L-L extraction in Packed Column System: B-H-80%Dmf -20%W at 30 °C	158
Table-XII	Observations Recorded for Packed Column Operation in Multistage Manner under Different Flow Rate Conditions for L-L extraction of Aromatics. System: B-H-80%Dmso -20%W at 40 °C	159
Table-XIII	Processing Data Table for Selected Observations for Packed Column Operation in Stagewise Manner on %A _E and %P _E under Different sets of Conditions System: B-H-80%Dmso -20%W at 40 °C	160
Table-XIV	Values of %A _E and %P _E in Multistage L-L extraction in Packed Column Systems: B-H-80%Dmso -20%W at 40 °C	161

Table-XV	Observations Recorded for Packed Column Operation under Different Flow Rate Conditions for L-L extraction of Aromatics in a Column of 15 Cm. Diameter. Systems: B-H-80%Dmf -20%W at 30 °C	162
Table-XVI	Values of %AE and %PE under Different Flow Rate Conditions for L-L extraction of Aromatics in a Column of 15 Cm. Diameter. System: B-H-80%Dmf -20%W at 30 °C	163
Table-XVII	Observations Recorded for Packed Column Operation under Different Flow Rate Conditions for L-L extraction of Aromatics in a Column of 15 Cm. Diameter for Systems: B-H-80%Dmso -20%W at 40 °C	164
Table-XVIII	Values of %AE and %PE under Different Flow Rate Conditions for L-L extraction of Aromatics in a Column of 15 Cm. Diameter. Systems: B-H-80%Dmso -20%W at 40 °C	165

Table Index

CHAPTER - 5: RESULTS & DISCUSSION for QUATERNARY LIQUID- LIQUID PHASE EQUILIBRIUM DATA

Table Number	Title	Page
Table -1	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System: Beneze(B)- Hexane (H)-Dmf(D) + Water (W) at 20°C	210
Table -2	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Benzene(B)- Hexane (H)-Dmf(D) + Water (W) at 30°C	211
Table -3	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Benzene(B)- Hexane (H)-Dmf(D) + Water (W) at 40°C	212
Table -4	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Toluene (T) Hexane (H)-Dmf(D) + Water (W) at 20°C	213
Table -5	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Toluene (T) Hexane (H)-Dmf(D) + Water (W) at 30 °C	214
Table -6	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Toluene (T) Hexane (H)-Dmf(D) + Water (W) at 40 °C	215
Table-7	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Xylene(X)- Hexane (H)-Dmf(D) + Water (W) at 20°C	216
Table -8	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Xylene(X)- Hexane (H)-Dmf(D) + Water (W) at 30°C	217
Table -9	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Xylene(X)- Hexane (H)-Dmf(D) + Water (W) at 40°C	218
Table -10	Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	219

Benzene(B)-Hept(H')-Dmf(D) + Water (W) at 20°C	
Table –11 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	220
Benzene(B)-Hept(H')-Dmf(D) + Water (W) at 30°C	
Table –12 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	221
Benzene(B)-Hept(H')-Dmf(D) + Water (W) at 40°C	
Table.-13 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	222
Benzene(B)-Oct(O)-Dmf(D) + Water (W) at 20°C	
Table –14 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	223
Benzene(B)-Oct(O)-Dmf(D) + Water (W) at 30°C	
Table –15 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	224
Benzene(B)-Oct(O)-Dmf(D) + Water (W) at 40°C	
Table –16 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	225
Benzene(B)- Hexane (H)-Dmso(D') + Water (W) at 20°C	
Table –17 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	226
Benzene(B)- Hexane (H)-Dmso(D') + Water (W) at 30°C	
Table –18 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	227
Benzene(B)- Hexane (H)-Dmso(D') + Water (W) at 40°C	
Table –19 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	228
Toluene (T) Hexane (H)-Dmso(D') + Water (W) at 20°C	
Table –20 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	229
Toluene (T) Hexane (H)-Dmso(D') + Water (W) at 30°C	
Table –21 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System :	230
Toluene (T) Hexane (H)-Dmso(D') + Water (W) at 40°C	

Table –22 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Xylene(X)- Hexane (H)-Dmso(D') + Water (W) at 20°C	231
Table –23 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Xylene(X)- Hexane (H)-Dmso(D') + Water (W) at 30°C	232
Table –24 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Xylene(X)- Hexane (H)-Dmso(D') + Water (W) at 40°C	233
Table –25 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Benzene(B)- Hept (H')-Dmso(D') + Water (W) at 20°C	234
Table –26 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Benzene(B)- Hept (H')-Dmso(D') + Water (W) at 30°C	235
Table –27 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Benzene(B)- Hept (H')-Dmso(D') + Water (W) at 40°C	236
Table –28 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Benzene(B)- Oct (O)-Dmso(D') + Water (W) at 20°C	237
Table –29 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Benzene(B)- Oct (O)-Dmso(D') + Water (W) at 30°C	238
Table.–30 Data Processing Table of Parameters for Distribution ,Selectivity Diagram and Hand's Plots for the Quaternary System : Benzene(B)- Oct (O)-Dmso(D') + Water (W) at 40°C	239

Distribution Coefficients

Table.- 31 Values of Distribution Coefficients for Systems: B/T/X-H/Hep/Oct-Dmf-W at Different sets of conditions	396
Table. –32 Values of Distribution Coefficients for Systems: B/T/X-H/Hep/Oct-Dmso-W at Different sets of Conditions	397

Hand's Plots

Hand's Plots

Table.-33	Parameters H1 and H2 for Hand's Plots for Systems: B-H-Dmf-W	415
Table 34	Parameters H1 and H2 for Hand's Plots for Systems: T-H-Dmf-W	415
Table .35	Parameters H1 and H2 for Hand's Plots for Systems: : X-H-Dmf-W	416
Table . 36	Parameters H1 and H2 for Hand's Plots . for Systems: B-Hep-Dmf-W	416
Table 37	Parameters H1 and H2 for Hand's Plots for Systems: B-Oct-Dmf-W	417
Table.38	Parameters H1 and H2 for Hand's Plots System: B-H-Dmso-W	418
Table. 39	Parameters H1 and H2 for Hand's Plots for Systems: : T-H-Dmso-W	418
Table.40	Parameters H1 and H2 for Hand's Plots for Systems: X-H-Dmso-W	419
Table. 41	Parameters H1 and H2 for Hand's Plots for Systems: B-Hept-Dmso-W	419
Table . 42	Parameters H1 and H2 for Hand's Plots for Systems: B-Oct-Dmso-W	420

'k' and 'n' Values

Table-43	Values of 'k' and 'n' for Systems: Alphatic + Aromatics + Dmf under different sets of conditions using solvent Dmf	431
Table -44	Values of 'k' and 'n' for Systems: Alphatic+Aromatics+Dmso under different sets of conditions using solvent Dmso	433
Table-45	Values of 'n,' 'k' for different systems: under different sets of conditions using solvent Dmf	434
Table 46	Values of 'k' for different systems: Temperature effect under different sets of conditions using Solvent Dmf	436
Table-47	Values of 'k' for different systems: Anti Solvent effect under different sets of conditions using Solvent Dmf	437

Table 48	Values of 'k' for Different systems: Effect of molecular weight of Aromatic. at Constant Temperature	440
Table 49	Values of 'k' for Different systems: Effect of molecular weight of aliphatic at Constant Temperature.	440
Table-50	Values of 'n,' 'k' for Different systems: under Different sets of Condition using solvent Dmso	442
Table 51	Values of 'k' for different systems: Temp effect under different sets of condition using solvent Dmso	444
Table-52	Values of 'k' for different systems: Anti solvent effect under different sets of condition using solvent Dmso	446
Table 53	Effect of molecular weight of aromatics on the values of k at constant temperature.	449
Table 54	Effect of molecular weight of aliphatics on the values of k at constant temperature.	449

Generalised Correlation by Mathematical Modeling

Table-55	Basic Data required for Development of Generalized Correlation for solvent Dmf	456
Table-56	Data Processing Table for Generalized Correlation for solvent Dmf	458
Table-57(A)	Data Processing Table for Generalized Correlation for Solvent Dmf for Parameter - (X) for Aromatics	489
Table 57 (B)	Data Processing Table for Generalized Correlation for Solvent Dmf for Parameter - (X) for aliphatics Heptane.	490
Table 57 (C)	Data Processing Table for Generalized Correlation for Solvent Dmf for Parameter - (X) for aliphatics Octane.	491
Table 58	Basic Data required for Development of Generalized Correlation for solvent Dmso	472
Table 59	Data Processing Table for Generalized Correlation for solvent Dmso	474
Table 60(A)	Data Processing Table for Generalized Correlation for solvent Dmso parameter (X) for Aromatics	504
Table 60(B)	Data Processing Table for Generalized Correlation for solvent Dmso parameter (X) for Aliphatics (Heptane).	505
Table 60(C)	Data Processing Table for Generalized Correlation for solvent Dmso parameter (X) for Aliphatics (Octane).	506

NRTL equation

Table-61	Values of Constants for NRTL equation for Systems: B - H - Dmf- W	528
Table-62	Values of Constants for NRTL equation for Systems: T - H - Dmf -W	529
Table-63	Values of Constants for NRTL equation for Systems: X - H - Dmf-W	530
Table-64	Values of Constants for NRTL equation for Systems: B - Hep- Dmf-W	531
Table -65	Values of Constants for NRTL equation for Systems: B-Oct-Dmf - W	532
Table-66	Values of Constants for NRTL equation for Systems: B - H - Dmso-W	533
Table-67	Values of Constants for NRTL equation for Systems: T - H - Dmso - W	534
Table-68	Values of Constants for NRTL equation for Systems: X-H- Dmso-W	535
Table-69	Values of Constants for NRTL equation for Systems:B-Hep-Dmso-W	536
Table-70	Values of Constants for NRTL equation for Systems:B-Oct-Dmso-W	537
Table-71	Values of Constants for NRTL equation for Systems:B/T/X - H - Dmf-W	539
Table-72	Values of Constants forNRTL equation for Systems:B-H/Hep/Oct-Dmf-W	540
Table-73	Values of Constants for NRTL equation for Systems:B/T/X-H-Dmso-W	541
Table-74	Values of Constants forNRTL equation for Systems:B-H/Hep/Oct-Dmso-W	542
Table-75	Error Analysis : Absolute mean deviation for Tie line data- Experimental and Predicted by NRTL model	546

Table Index

CHAPTER - 5: RESULTS & DISCUSSION

for

QUATERNARY LIQUID- LIQUID PHASE EQUILIBRIUM DATA

Table Number	Title	Page
Table -1.1	Additional Information about Mutual Solubility Data for Systems- B/T/X-H/H'/O- Dmf+W	172
Table -1.2	Values of Plait points for different systems consisting of B/T/X-H/H'/O-100%Dmf-0%W under different sets of conditions	275
Table -1.3	Values of Plait points for different systems consisting of B/T/X-H-100%Dmf-0%W under different sets of conditions: Effect of molecular weight of aromatics	276
Table -1.4	Values of Plait points for different systems consisting of B-H/H'/O-100%Dmf-0%W under different sets of conditions Effect of molecular weight of aliphatics	278
Table -2.1	Additional Information about Mutual Solubility Data for Systems- B/T/X-H/H'/O- Dmso+W	192
Table -2.2	Values of Plait points for different systems consisting of B/T/X-H/H'/O-100%Dmso -0%W under different sets of conditions.	281
Table -2.3	Values of Plait points for different systems consisting of B/T/X-H-100%Dmso -0%W under different sets of conditions : Effect of molecular weight of aromatics	282
Table -2.4	Values of Plait points for different systems consisting of B-H/H'/O-100%Dmso -0%W under different sets of conditions: Effect of molecular weight of aliphatics	285
Table-I	Parameters Required for Four Correlations under consideration for Systems: B-H-Dmf + W at 30°C	408
Table -II	Parameters Required for Four Correlations under consideration for Systems: B-H-Dmso + W at 40°C	409

Table Index

Chapter-6: Results and Discussion for Liquid-Liquid Extraction of Aromatics in Packed Column

Table Number	Title	Page
Table-1(a)	Data Table for Hold up for system B-H-80%Dmf-20%W at 30°C	567
Table-1(b)	Data Table for Hold up for system B-H-80% Dmf-20 % W at 30 °C with Vd as parameter	568
Table-2(a)	Data Table for Hold up for system B-H-80% Dmso-20 % W at 40 °C	572
Table-2 (b)	Data Table for Hold up for system B-H-80% Dmso-20 % W at 40 °C with Vd as parameter	573
Table- 3	Data Table for Hold up correlation for system B-H-80%Dmf-20%W at 30 °C	577
Table-4	Data for Hold up correlation for system B-H-80%Dmso-20%W at 40 °C	578
Table-5	Comparison of Hold up of dispersed phase for solvents Dmf and Dmso	581
Table-6	Limiting values of %AE for L-L extraction of Aromatics System: B-H-80%Dmf-20%W	584
Table-7	Limiting values of %AE for L-L extraction of Aromatics System: B-H-80%Dmso-20%W	584
Table 8	Data Table for values of % aromatic extracted under different sets of conditions for System: B-H-80%Dmf+20%W at 30 °C	586
Table 9	Effect of Continuous phase flow rate (Vc) on percentage Aromatics Extracted (%AE) with Vd as a parameter for system B-H-80%Dmf+20%W at 30°C	587
Table-10	Effect of dispersed phase flow rate on Percentage Aromatics Extracted(%AE) with Vc as a parameter for system B-H-80%Dmso-20%W at 40 °C	591
Table-11	Effect of continuous phase flow rate on Percentage Aromatics in Extracted (%AE) with Vd as parameter for system B-H-80%Dmso-20%W at 40 °C	592
Table-12	Comparison of Values of %AE for L-L extraction of aromatics for Solvents- Dmf and Dmso	595
Table-13	Effect of contact time(ϕ) on the values of % aromatic extracted	600

	(%AE) for System : B-H-Dmf- W at 30 °C .	
Table-14	Effect of contact time(ϕ)on the values of % aromatic extracted (%AE) for System : B-H-Dmso- W at 40 °C	602
Table-15	Data processing table for determination of area under the curve for NTUod for system B-H- 80% Dmf- 20% w at 30 °C	606
Table-16	Data processing table for determination of area under the curve for NTUoc for system B-H- 80% Dmf- 20% w at 30 °C	616
Table-17(a)	Effect of Vd on HTUod and NTU od with Vc as parameter for system: B-H-80%Dmf -20%W	619
Table.17(b)	Effect of Vc on HTUoc and NTU oc with Vd as parameter for System: B-H-80%Dmf -20%W	619
Table 18(a)	Data Table for Over all Mass Transfer Coefficients Dispersed side(Kod.a) along with Koc.a in a packed column, System : B-H-80%Dmf -20%W at 30°C	626
Table.18(b)	Data Table for Over all Mass Transfer Coefficients -Continuous side- (Koc.a)along with Kod.a in a packed column, System : B-H-80%Dmf -20%W at 30°C	626
Table.19	Data processing table for determination of area under the curve for NTUod for system B-H- 80% Dmso- 20% w at 40 °C	629
Table.20	Data processing table for determination of area under the curve for NTUoc for system B-H- 80% Dmso- 20% w at 40 °C	638
Table-21(a)	Effect of Vd on HTUod and NTUod with Vc as parameter for System: B-H-80%Dmso -20%W at 40 °C	642
Table-21(b)	Effect of Vc on HTUoc and NTUoc with Vd as parameter for System: B-H-80%Dmso -20%W at 40 °C	642
Table22,(a)	Effect of Vd on Kod with Vc as parameter for: B-H-80%Dmso+20%W at 40°C	648
Table22 (b)	Effect of Vc on Koc with Vd as parameter for: B-H-80%Dmso+20%W at 40°C	648
Table-23	Observations recorded for Packed column operation in multistage manner under different flow rate conditions for L-L extraction of aromatics System: B-H-80%Dmf -20%W at 30 °C	652

Table-24	Processing data Table for selected observations for Packed column operation in stage wise manner for %AE and %PE under different sets of conditions System: B-H-80%Dmf -20%W at 30 °C	653
Table-25	Values of %AE and %PE in multistage L-L extraction in Packed column System: B-H-80%Dmf -20%W at 30 °C	654
Table-26	Observations recorded for Packed column operations in multistage manner under different flow rate conditions for L-L extraction of aromatics. System: B-H-80%Dmso -20%W at 40 °C	655
Table-27	Processing data Table for selected observations for Packed column operation in stage wise manner on %AE and %PE under different sets of conditions System: B-H-80%Dmso -20%W at 40 °C	656
Table-28	Values of %AE and %PE in multistage L-L extraction in Packed column System: B-H-80%Dmso -20%W at 40 °C	657
Table-29	Comparision of %AE and %PE values for solvents-Dmf and Dmso during Multistage operation	668
Table-30	Observations recorded for Packed Column operations under different flow rate conditions for L-L extraction of aromatics in a column of 15 cm. diameter .System: B-H-80%Dmf -20%W at 30 ° C	672
Table-31	Valuess of %AE and %PE under different flow rate conditions for L-L extraction of aromatics in a Column of 15 cm. diameter System: B-H-80%Dmf -20%W at 30 ° C	673
Table-32	Comparison of %AE and %PE under different sets of conditions Systems: B-H-80%Dmf -20%W at 30 ° C	676
Table-33	Observations recorded for Packed column operations under different flow rate conditions for L-L extraction of aromatics in a column of 15 cm. diameter. System: B-H-80%Dmso -20%W at 40 °C	677
Table-34	Values of %AE and %PE under different flow rate conditions for L-L extraction of aromatics in a column of 15 cm. diameter. System: B-H-80%Dmso -20%W at 40 °C	679
Table-35	Comparison of %AE and %PE under different sets of conditions System: B-H-80%Dmso -20%W at 40 °C	681
Table-36	Comparison of %AE and %PE values for solvents Dmf and Dmso during multistage operation for Liquid- Liquid Extraction of aromatics.	683

Table Index

Chapter-7: Multi Component Liquid- Liquid Extraction of Aromatics“Thermodynamic Approach” & Suggestions for Further Work

Table Number	Title	Page
Table -LV-1	Limiting Values of % Aromatics Extracted (%AE) and% Purity of Extract (%PE) for different Systems: - B/T/X-H/H'/O-Dmf-Water: Case-I with [S/F]=1	694
Table -LV-2	Limiting Values of % Aromatics Extracted (%AE) and% Purity of Extract (%PE) for different Systems - B/T/X-H/H'/O-Dmf-Water Case-II with [S/F]=2	698
Table -LV-3	Limiting Values of % Aromatics Extracted (%AE) and% Purity of Extract (%PE) for different Systems - B/T/X-H/H'/O-Dmf-Water Case-III with [S/F]=3	702
Table -LV-4	Limiting Values of % Aromatics Extracted (%AE) and% Purity of Extract (%PE) for different Systems - B/T/X-H/H'/O-Dmso-Water Case-IV with [S/F]=1	706
Table -LV-5	Limiting Values of % Aromatics Extracted (%AE) and % Purity of Extract (%PE) for different Systems - B/T/X-H/H'/O- Dmso -Water Case-V with [S/F]=2	710
Table -LV-6	Limiting Values of % Aromatics Extracted (%AE) and% Purity of Extract (%PE) for different Systems - B/T/X-H/H'/O- Dmso -Water Case-VI with [S/F]=3	714
Table -LV-7	Case-VII Limiting Values of % Aromatics Extracted (%AE) and% Purity of Extract (%PE) for Mixed Feed consisting of Aromatics- B+T+X& Aliphatic -H using Mixed Solvent-(Dmf+Water) at 30 °C	718
Table -LV-8	Case-VIII Limiting Values of % Aromatics Extracted (%AE) and% Purity of Extract (%PE) for Mixed Feed consisting of Aromatics- B+T+X& Aliphatic -H using Mixed Solvent-(Dmso+Water) at 30 °C	720
Table -LV-9	Case-IX Effect of Ratio of S/F on the %AE and %PE for Mixed Feed consisting of Aromatics- B+T+X&Aliphatics -H+H'+O using Mixed Solvent-(Dmf+Water) at 30 °C	722

Table -LV-10	Case-X Effect of Ratio of S/F on the %AE and %PE for Mixed Feed consisting of Aromatics- B+T+X&Aliphatics -H+H'+O using Mixed Solvent-(Dmso+Water) at 30 °C	724
Table -LV-11	Case XI Single Stage Operation & Limiting Values of % Aromatics Extracted (%AE) and % Purity of Extract (%PE) for Mixed Feed consisting of Aromatics- B+T+X&Aliphatics -H+H'+O using Mixed Solvent-(Dmf+Water) at 30 °C	726
Table -LV-12	Case XII Single Stage Operation & Limiting Values of % Aromatics Extracted (%AE) and % Purity of Extract (%PE) for Mixed Feed consisting of Aromatics- B+T+X & Aliphatics -H+H'+O using Mixed Solvent-(Dmso+Water) at 30 °C	728
Table -LV-13	Case XIII Multi Stage Operation involving Stage-II & Limiting Values of %AE and %PE for Mixed Feed consisting of Aromatics- B+T+X & Aliphatics-H+H'+O using Mixed Solvents-(Dmf+Water)& (Dmso+Water) at 30 °C	730
Table -LV-14	Case XIV Multi Stage Operation involving Stage-III & Limiting Values of %AE and %PE for Mixed Feed consisting of Aromatics- B+T+X & Aliphatics -H+H'+O using Mixed Solvents- (Dmf+Water) & (Dmso+Water) at 30 °C	733
Table -LV-15	Case XV Multi Stage Operation involving Stage-IV & Limiting Values of %AE and %PE for Mixed Feed consisting of Aromatics- B+T+X & Aliphatics -H+H'+O using Mixed Solvents- (Dmf+Water)/(Dmso+Water)	736