



CONTENTS

Certificate	i
Acknowledgement	ii-iii
Contents	iv-xi
Table index	xii-xix
Figure index	xxx-xlix
Synopsis	l-lxii

Number	Tittle	Page
Chapter-1: Introduction		1-3
Chapter-2: Literature Survey		4-32
2.0.0	Abstract of Literature on“Liquid-Liquid Extraction of Aromatics”	4
2.1.0	Aromatic Feed Stocks	4
2.2.0	Aromatics Recovery Processes	5
2.3.0	Solvents for Liquid- Liquid Extraction	7
2.3.1	Conventional Solvents	7
2.3.2	Newer Solvents	8
2.3.3	Ideal Solvents	11
2.4.0	Mixed Solvents and Relevant Phase Equilibrium Studies.	12
2.5.0	Mathematical Modelin g of Phase Equilibrium Data	17
2.6.0	Liquid-Liquid Extraction Equipments and Applications of Packed Bed Extractors	23
2.7.0	Mass Transfer Aspects in Packed Column	25
2.7.1	Hold-Up of Dispersed Phase under No Mass Transfer Conditions.	26
2.7.2	Hold-Up of Dispersed Phase under Solute Transfer Conditions	27
2.7.3	Correlations for Maximum Through put	28
2.8.0	Generalised Correlations for Mass Transfer Coefficients	29
2.8.1	Effective interfacial Area in Packed Columns	30
2.9.0	Summary	31
Chapter-3: Theoretical Considerations		33-66
3.0.0	Various Aspects Considered under Heading “Theoretical Considerations”	33

3.1.0	Theoretical Considerations for Phase Equilibrium Data	34
3.1.1	Ternary Phase Liquid Equilibrium	34
3.1.2	Various Methods for Ternary Tie Line Equilibrium Data Correlation	36
3.1.3	Quaternary Tie Line Data Correlation Based on Ternary Data Correlation	38
3.1.4	UNIFAC (Unifac Functional Group Activity Coefficient) Model	41
3.1.5	NRTL Activity Coefficient Equations.	42
3.1.6	The Nonrandom Two-Liquid Equation (NRTL)	43
3.1.7	Universal Quasi Chemical Theory (UNIQUAC)	47
3.2.0	Theoretical Considerations for Liquid- Liquid extraction in Paced Column	49
3.2.1	Holdup of the Dispersed Phase	49
3.2.2	Holdup of the Dispersed Phase at Flooding.	52
3.2.3	Holdup of the Dispersed Phase under Solute Transfer Conditions	53
3.2.4	Correlations for Maximum Through put	53
3.2.5	Mass Transfer Studies in Packed Column	57
3.2.6	Estimation of Interfacial Area in Packed Columns	61
3.2.7	Determination of (N.T.U.) _{od} and (N.T.U.) _{oc} .	64
3.2.8	Determination of HTU _{oc} and HTU _{od} & HTU _c and HTU _d	65
3.2.9	Determination of k _{oc,a} and k _{od,a} and Individual Mass Transfer Coefficients (k _{od} , k _{oc})	66

Chapter – 4 :Experimental 67-165

4.0.0	Abstract	67
4.1.0	Quaternary Liquid-Liquid Phase Equilibrium Data	68
4.1.1	Materials/ Chemicals	68
4.1.2	Experimental Procedure	68
4.1.3	Systems	71
4.1.4.	Mutual Solubility Data	71
4.1.5	Tie Line Data for Liquid-Liquid Extraction of Aromatics.	74
4.2.0	Liquid-Liquid Extraction of Aromatics in a Packed Column	137
4.2.1	Packed Column Details	137
4.2.2	Experimental Set Up	138
4.2.3.	Operating Proceedure	143
4.2.4.	Operating Variables	143
4.2.5	Data Tables for Liquid-Liquid Extraction of Aromatics in a Packed Column	144

Chapter-5:Results and Discussions for Quaternary Liquid-Liquid 166-561

Phase Equilibrium Data:

5.0.0	Abstract	166
5.1.0	Quaternary Liquid-Liquid Mutual Solubility Data:	166
5.1.1	Discussion for Mutual Solubility Data for systems involving mixed solvents: (Dmf+W) & (Dmso+W).	167
5.1.2	Curves for Mutual Solubility Data for systems involving B-H- Dmf+W and relevant conclusions:	168
5.1.3	Curves for Mutual Solubility Data for systems involving T -H- Dmf+W and relevant conclusions:	173
5.1.4	Curves for Mutual Solubility Data for systems involving X -H- Dmf+W and relevant conclusions:	174
5.1.5	Curves for Mutual Solubility Data for systems B-Hep-Dmf+W and for systems B-Oct-Dmf+W and relevant conclusions:	181
5.1.6	Curves for Mutual Solubility Data for systems involving B-H- Dmso+W and relevant conclusions:	188
5.1.7	Curves for Mutual Solubility Data for systems involving T -H- Dmso+W and relevant conclusions:-	194
5.1.8	Curves for Mutual Solubility Data for systems involving X -H- Dmso+W and relevant conclusions:-	198
5.1.9	Curves for Mutual Solubility Data for systems B-Hep-Dmso+W and for systems B-Oct-Dmso+W and relevant conclusions:-	202
5.2.0	Quaternary Liquid-Liquid Tie Line Data:	209
5.2.1	Quaternary Liquid-Liquid Tie Line Data for B/T/X-H/H'/O-Dmf-W	240
5.2.2	Quaternary Liquid-Liquid Tie Line Data for B/T/X-H/H'/O-Dmso-W	256
5.2.3	Data for Plait Points for Systems Consisting of B/T/X-H/H'/O-Dmf-W	273
5.2.4	Data for Plait Points for Systems Consisting of B/T/X-H/H'/O-Dmso-W	279
5.3.0	Extraction Capacity and Selectivity of Solvent for Liquid - Liquid Extraction of Aromatics	287
5.3.1	Data Tables and Figures for Distribution and Selectivity Diagrams	287
5.3.2	Effect of Anti Solvent Concentration on Extraction Capacity and Selectivity of Solvent Dmf	291

5.3.3	Effect of Anti Solvent Concentration on Extraction Capacity and Selectivity of Solvent Dmso	307
5.3.4	Effect of Temperature on Extraction Capacity and Selectivity of Solvent Dmf	325
5.3.5	Effect of Temperature on Extraction Capacity and Selectivity of Solvent Dmso	341
5.3.6	Effect of Molecular Weight of Aromatics on Extraction Capacity and Selectivity of Solvent Dmf	357
5.3.7	Effect of Molecular Weight of Aromatics on Extraction Capacity and Selectivity of Solvent Dmso	367
5.3.8	Effect of Molecular Weight of Aliphatics on Extraction Capacity and Selectivity of Solvent Dmf.	376
5.3.9	Effect of Molecular Weight of Aliphatics on Extraction Capacity and Selectivity of Solvent Dmso	384
5.4.0	Distribution Coefficients for Solvents-Dmf and Dmso	395
5.4.1	Effect of Different Parameters on the Values of Distribution Coefficient for Solvents Dmf &Dmso	395
5.5.0	Correlating Quaternary Liquid-Liquid Phase Equilibrium Data	406
5.5.1	Liquid-Liquid Equilibrium Data and Four Tie Line Data Correlations	406
5.5.2	Checking Consistency of Tie Line Data	407
5.5.3	Hand's Correlation Modified for Quaternary Liquid-Liquid Phase Equilibrium Data	412
5.5.4	Basis for Mathematical Modeling	413
5.5.5	Correlating Equilibrium Properties in Terms of Straight Line Plots	414
5.6.0	Values of 'k' and 'n' Based on Hand's Plots	431
5.6.1	Discussion for Values of 'k' and 'n' for Systems Consisting of B/T/X-H/Hep/Oct-Dmf-W	431
5.6.2	Discussion for Values of 'k' and 'n' for Systems Consisting of B/T/X-H/Hep/Oct-Dms0-W	441
5.7.0	Development of Generalized Correlations.	448
	Unique Feature of This Investigation:Oza-Puranik (O-P)	452
	Generalized Correlation	
5.7.1	New Model Proposed for Estimating "k"	453

5.7.2	Obtaining Values of “o” & “p” in Oza –Puranik (O-P) Correlation for Mixed Solvent –(Dmf+W)	455
5.7.3	Obtaining Values of “o” & “p” in Oza –Puranik (O-P) Correlation for Mixed Solvent –(Dmso+W)	471
5.7.4	Obtaining Values of “q” & “r” in Oza –Puranik (O-P) Correlation for Mixed Solvent –(Dmf+W)	488
5.7.5	Obtaining Values of “q” & “r” in Oza –Puranik (O-P) Correlation for Mixed Solvent –(Dmso+W)	503
5.7.6	Oza–Puranik (O-P) Correlation for Quaternary Liquid-Liquid Phase Equilibrium Data	524
5.7.7	Predicting Values of X _{BE} , X _{DE} , & X _{BR} , X _{HR}	525
5.8.0	Correlating Quaternary Liquid-Liquid Phase Equilibrium Data By NRTL Equation	526
5.8.1	NRTL Constant Values	527
5.8.2	NRTL Constant Values and Error Analysis	538
5-8-3	Critical Analysis of NRTL Constants for Different Systems- B/T/X-H -Dmf-W	543
5.8.4	Critical Analysis of NRTL Constants for Different Systems- B-H/Hep/Oct-Dmf-W	546
5-8-5	Critical Analysis of NRTL Constants for Different Systems- B/T/X-H-Dmso-W	550
5.8.6	Critical Analysis of NRTL Constants for Different Systems- B-H/Hep/Oct-Dmso-W	553
5.8.7	Error Analysis for Different Systems for both Solvents.	556
5.9.0	Summary of quaternary liquid-liquid phase equilibrium data..	559

Chapter-6:Results and Discussionfor Liquid-Liquid Extraction of 562-690

Aromatics in a Packed Column

6.0.0	Abstract	562
6.1.0	Preliminary Considerations.	562
6.1.1	Ranges of Different Variables	563
6.1.2	Summery of Data Tables Utilized for Discussion	565
6.2.0	Hold Up of Dispersed Phase	566
6.2.1	Dispersed Phase Hold Up for System B+H+80% Dmf+20%W	566

6.2.2	Dispersed Phase Hold Up for System B+H+80% Dmso+20%W	571
6.2.3	Comparison of Hold Up of Dispersed Phase for Solvents Dmf and Dmso	580
6.3.0	Percentage Aromatic Extracted and Percentage Purity of Extract	583
6.3.1	Percentage Aromatic Extracted and Percentage Purity Extract for System- B-H-Dmf-W	583
6.3.2	Percentage Aromatic Extracted and Percentage Purity Extract for System- B-H-Dmso-W	589
6.3.3	Comparison of Values of % Aromatic Extracted (% AE) for Solvents Dmf and Dmso	594
6.3.4	Effect of Contact Time on Values of % Aromatic Extracted	597
6.4.0	Mass Transfer Aspects during Liquid-Liquid Extraction	604
6.4.1	Mass Transfer Data Tables for System B-H-80%Dmf +20%W at 30 °C	605
6.4.2	Results and Discussion. for Mass Transfer Aspects System B-H-80%Dmf +20%W at 30 °C	618
6.4.3	Mass Transfer Data Tables for System B-H-80%Dmso +20%W at 40 °C	628
6.4.4	Results and Discussion for Mass Transfer Aspects for System B-H-80%Dmso +20%W at 40 °C	639
6.5.0	Operation of Packed Column in a Stage Wise Manner	651
6.5.1	Data Tables for Multi Stage Operation in a Packed Column	651
6.5.2	Percentage Aromatic Extracted and Percentage Purity of Extract for System B-H-80%Dmf-20%W	658
6.5.3	Percentage Aromatic Extracted and Percentage Purity of Extract for System B-H-80%Dmso-20%W	660
6.5.4	Over View on Mass Transfer Aspects during Liquid-Liquid Extraction of Aromatics Carried Out in Multi Stage Manner.	662
6.5.5	Performance of Solvents –Dmf and Dmso during Multi Stage Operation.	667
6.6.0	Operation of Packed Column in a Bigger diameter Column	670
6.6.1	Derived tables for liquid- liquid extraction of aromatics	671
6.6.2	Discussion For Liquid- Liquid Extraction of Aromatics using Mixed Solvents Dmf + W.	671
6.6.3	Discussion For Liquid- Liquid Extraction of Aromatics using Mixed Solvents Dmso + W.	678

6.7.0	Over view of Performance of Mixed Solvents and Recommended Operating Conditions.	682
6.8.0	Summary of Liquid-Liquid Extraction in Packed Column	685
6.8.1	Details for mixed solvent – 80%Dmf+20%W	686
6.8.2	Details for mixed solvent – 80%Dmso+20%W	686
6.8.3	Most important generalized conclusions applicable to both mixed solvents-(Dmf+W) & (Dmso+W)	687
Chapter-7: Multicomponent Liquid- Liquid Extraction of Aromatics “Thermodynamic Approach” & Suggestions for Further Work		691-747
7.0.0	Preliminary Considerations	691
7.1.0	Five Categories for Multi Component Liquid-Liquid Extraction and Relevant Results	692
7.2.0	High Lights of Results Obtained for Multi- Component Liquid-Liquid Extraction of Aromatics	740
7.2.1	Conclusions for Category-(I)	740
7.2.2	Conclusions for Category – II	743
7.2.3	Conclusions for Category – III	744
7.2.4	Conclusions for Category – IV	744
7.2.5	Conclusions for Category – V	745
7.3.0	Suggestions for Further Work with Special Reference to Multi Component Liquid- Liquid Extraction of Aromatics	747
Chapter-8: Summary and Conclusions		748-783
8.0.0	Out line of “research Work Carried Out”	748
8.1.0	Quaternary Liquid-Liquid Phase Equilibrium Data- Experimental Part-I	749
8.2.0	Liquid-Liquid Extraction of Aromatics in a Packed Column- Experimental Part-II	750
8.3.0	Conclusions for Part-I: Quaternary Liquid-Liquid Phase Equilibrium Data-	751
8.3.1	Mutual Solubility Data i.e. Binodal Curves.	751
8.3.2	Tie Line Data and Plait Points	752
8.3.3	Extraction Capacity and Selectivity of Solvents- ‘Dmf’ & ‘Dmso	754
8.3.4	Distribution Coefficient (m) Values for Solvents Dmf and Dmso:	755
8.3.5	Tie Line Data and Modified Hand’s Plots.	756

8.3.6	Hand's constants - 'k' and 'n'	757
8.3.7	Oza - Puranik (O-P) Correlation for Quaternary Liquid - Liquid Phase equilibrium data	758
8.3.8	Predicting Values of X_{BE} , X_{SE} & X_{BR} , X_{HR}	759
8.3.9	Computer programming & NRTL Equation	760
8.4.0	Conclusions for Part-II Liquid-Liquid Extraction of Aromatics in Packed Column	763
8.4.1	Preliminary Consideration.	763
8.4.2	Hold Up of Dispersed Phase	763
8.4.3	Values of % AE and % PE	764
8.4.4	Mass Transfer Aspects for Mixed Solvent-(Dmf+W).	766
8.4.5	Mass Transfer Aspects for Mixed Solvent-(Dmso+W).	767
8.4.6	Comparison of Performance of Mixed Solvents Single stage Operation	770
8.4.7	Multi Stage Operation for Liquid-Liquid Extraction of Aromatics	770
8.4.8	Overview of Performance of Mixed Solvents	773
8.5.0	Multi Component Liquid- Liquid Extraction of Aromatics- "Thermodynamic Approach"	775
8.5.1	Conclusions for Multi Component- Multi Stage Liquid-Liquid Extraction	776
8.5.2	Suggestions for Further Work	777
8.6.0	High Lights of Conclusions for Part-I Quaternary Liquid-Liquid Phase Equilibrium Data-	778
8.7.0	High Lights of Conclusions for Part-II Liquid-Liquid Extraction of Aromatics in Packed Column	781
Notations:		784-786
References:		787-799
In NutShell:		800
Appendix I(A):	R.I. Vs. Composition Charts	1-60
Appendix I(B):	Mutual Solubility Data Figures for the Quaternary System	61-90
Appendix II:	Data Processing Tables for Distribution & Selectivity Diagrams	91-154
Appendix III:	Data Processing Tables in terms of Weight Percent and Mole Fraction	155-183
Appendix IV:	Data Processing Tables for Computer Programming. Relevant Details of NRTL Method	184-337