

Table of Contents

Chapter 1: Introduction	1
1.1 Importance of Organic Materials	1
1.2 Introduction of Nano Materials (from 2D to 0D)	2
1.3 Biomedical Application of Carbon Nanomaterials	3
1.4 Research Objectives	8
1.5 Structure of the Present Thesis	8
References	10
Chapter 2: Methodology	14
2.1. Theory of Electronic Structure	14
2.1.1. Quantum Mechanics, Schrödinger Equation	14
2.1.2. Born-Oppenheimer Approximation	15
2.1.3. Hartree-Fock Method	16
2.1.4. Density Functional Theory	17
2.1.5. Kohn-Sham Equations	17
2.2. Exchange-Correlation Functionals	18
2.2.1. Local Density Approximation (LDA)	18
2.2.2. Generalized Gradient Approximation (GGA)	19
2.2.3. Meta-GGA	19
2.2.4. Hybrid Functionals	19
2.3. Basis Sets	20
2.4. Time Dependent Density Functional Theory (TD-DFT)	21
2.5. Properties from DFT for the Present Thesis	22
2.5.1. Vibrational Spectra Calculation	22

2.5.2. Frontier Molecular Orbitals (FMO)	23
2.5.3. Mulliken Charge Transfer Analysis	24
2.5.4. Natural Bond Orbital (NBO) Analysis	24
2.5.5. Molecular Electrostatic Potential (MESP)	25
2.5.6. Global Reactivity Parameters	26
2.5.7. Local Reactivity Parameters (Fukui Functions)	27
2.5.8. Solvent Effects	27
2.5.9. Dipole Moments	29
2.6 Molecular Dynamics Simulation (MDs)	29
2.6.1 The Model System	30
2.6.2 Classical Force Fields	31
2.6.3 Newton's Equation of Motion	37
2.6.4 Statistical Thermodynamics	39
2.6.5 Molecular Dynamics Algorithm	40
References	41
CHAPTER 3: Biosensing Activity of C₂₄ Fullerene towards DNA Nucleobases	45
3.1 Introduction	45
3.2 Computational details	46
3.3 Results and discussion	47
3.3.1 Optimized geometry of the adsorbent C ₂₄ fullerene and nucleobases	47
3.3.2 Interaction properties of Adenine(A), Cytosine(C), Guanine(G), Thymine(T), Uracil (U) adsorbed onto C ₂₄ fullerene	49
3.3.3 The natural bond orbital (NBO) charge analysis	50
3.3.4 Density of States (DOS)	55
3.3.5 Sensing Response	57

3.3.6 Recovery time	59
3.3.7 Solvent effect	60
3.3.8 Dipole moment	62
3.4 Conclusion	63
References	63
CHAPTER 4: Exploring C₂₄ Fullerene as an illicit Drug sensor	67
4.1 Introduction	67
4.2. Computational Details:	69
4.2.1 Details of the DFT calculation	69
4.2.2 Details of the MD Simulation	69
4.3 Results and Discussion	70
4.3.1 DFT calculation results	70
4.3.1.1 Geometry Optimization of the adsorbent C ₂₄ fullerene and Drug molecules	70
4.3.1.2 Interaction characteristics of Amphetamine (AMP), Ketamine (KET) and Mercaptopurine (MER) drug molecules onto C ₂₄ fullerene	72
4.3.1.3 The natural bond orbital (NBO) charge analysis	74
4.3.1.4 Density of states (DOS)	75
4.3.1.5 Sensing response	79
4.3.1.6 Recovery time	80
4.3.1.7 Solvent effect	80
4.3.1.8 Comparison of sensing property of C ₂₄ fullerene with other pristine nano-material	82
4.3.2 Molecular dynamics simulation	83
4.4 Conclusions	85
References	86

CHAPTER 5: Size dependent Activity of Carbon-based Fullerenes with L-leucine	90
5.1 Introduction	90
5.2 Computational Details	92
5.2.1 Details of DFT calculation	92
5.2.2 Details of Molecular Dynamics Simulation	92
5.3 Results and Discussion	93
5.3.1 DFT calculation results	93
5.3.1.1 Geometry Optimization of the adsorbent C ₂₄ , C ₃₆ , C ₅₀ , C ₇₀ fullerene and L-leucine (LEU)	93
5.3.1.2 Adsorption properties of L-leucine (LEU) molecule over C ₂₄ , C ₃₆ , C ₅₀ and C ₇₀	96
5.3.1.3 The natural bond orbital (NBO) charge analysis	100
5.3.1.4 Density of States (DOS)	101
5.3.1.5 RDG analysis	105
5.3.1.6 Sensing response	105
5.3.1.7 Recovery time	107
5.3.1.8 Global indices	108
5.3.1.9 Solvent effect	109
5.3.2 Molecular dynamics simulation results	110
5.4 Conclusion	113
References	114
CHAPTER 6: Summary and Future Prospects	118
Future Scope	121
Curriculum Vitae and List of Publications	