

LIST OF PLATES

Plate No.	Plate Title	Page No.
1.1	Sugarcane plant morphology	2
1.2	Structure of Sugarcane stalk	2
1.3	Major Sugarcane producing states	3
1.4	Dry waste bagasse	5
1.5	Structure of stalk consisting of Internodes & nodes	5
1.6	Waste bagasse after juice extraction	5
1.7	Billets of Sugarcane stalks	6
2.1	Agro-industrial wastes and their types	16
2.2	Akund floss fibre: Plant and fibre	17
2.3	Technical Textile Segments	19
2.4	Applications of Meditech, Agrotech and Mobitech	19
2.5	Applications of Packtech, Geotech and Sportech	19
2.6	Applications of Buildtech, Oekotech and Clothtech	20
2.7	Applications of Indutech, Hometech and Protech	20
2.8	Various applications of agro-based biocomposite, (a) Automotive component, (b) Food packaging, (c) Building component and (d) Medical applications.	20
2.9	Cleaning oiled rocks with (a) high-pressure hoses and (b) Heavy oil vacuumed from a sandy beach	24
2.10	Oil spill hazards on marine life	24
2.11	Cornhusk Fibre, Plant and Product (Sweater developed from 50/50 blend of corn husk fibres and cotton)	26

3.1	Polarized light microscope	41
3.2	Slide for fibre cross-section	41
3.3	Sample preparation unit for SEM testing in BTRA laboratory	42
3.4	Tensile strength tester	44
3.5	Soxhlet apparatus	47
3.6	Extraction experiment with lab stirrer	47
3.7	Water bath with shaker in laboratory	53
3.8	Researcher performing an experiment in the laboratory	53
3.9	Digital weighing balance and oven in laboratory	53
3.10	Padding mangle in laboratory	54
3.11	Researcher performing an experiment with Padding mangle in laboratory	54
3.12	SEM Setup	55
3.13	FTIR Setup (a) Sample preparation (b) Hydraulic pellet press (c) KBr Pellet (d) Sample holder (e) Setup for spectra graph	56
3.14	Needle-punching machine (laboratory at IIT Delhi)	57
4.1	Waste Sugarcane bagasse (Cleaning)	61
4.2	Extracted fibres	61
4.3	Fibre extraction process (a) Outer rind without nodes (b) Boiling (c) Sun-drying (d) Chemical treatment (e) Washing and neutralization of fibre (f) Extracted fibre	61
4.4	Morphology of extracted fibre (a) Longitudinal view 45X (b) Cross-sectional view 45X (c) Cross-sectional view 100X	69
4.5	Cross-sectional view of fibre by SEM at different magnifications (a) 50X (b) 100X (c) 200X (d) 500X (e) 1000X (f) 2000X	70

4.6	Images of untreated and treated Sugarcane bagasse fibre obtained by SEM at 100 X (a) UB (b) AC (c) CY d) EZ	126
4.7	Images of untreated and treated Sugarcane bagasse fibre obtained by SEM at 550 X (a) UB (b) AC (c) CY(d) EZ	127
4.8	Laying of hand-opened carded fibres and web formation	132
4.9	Non-woven (Hand lay - up)	132
4.10	Non-woven (Needle- Punched)	132
4.11 (a)	Oil sorption testing of Non-woven in Mo (a) Water with oil layer (b) Sorption process (c) Sorption by sorbent (d) Recovery of oil	138
4.11 (b)	Oil sorption testing in an oil-layer system of Non-woven in Mo (a) Reusability of sorbent (b) Water after sorption process (c) Recovered oil (d) Sorbent after testing	139
4.12	Oil sorption testing in an oil-layer system of Nonwoven in Mo	140
4.13	Oil sorption testing in an oil-layer system of Non-woven in LvCo	140
4.14	Oil sorption testing in an oil-layer system of Nonwoven in HvCo	140
4.15	SEM Images of fibres with Mo sorption (100X): (a) UB (b) AC (c) CY(d) EZ	141
4.16	SEM Images of fibres with LvCo sorption (100X): (a) UB (b) AC (c) CY(d) EZ	142
4.17	SEM Images of fibres with HvCo sorption (100X): (a) UB (b) AC (c) CY(d) EZ	143