

LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
4.1.	Effect of DHC-1 on lipid peroxidation (MDA Content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the stomach of pylorus ligated rats.	185
4.2	Effect of Activit on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the stomach of pylorus ligated rats.	186
4.3.	Effect of Pepticare on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the stomach of pylorus ligated rats.	187
4.4	Effect of Normacid on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the stomach of pylorus ligated rats.	188
4.5.	Effect of DHC-1 on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the stomach of pylorus ligated rats.	191
4.6.	Effect of Activit on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the stomach of pylorus ligated rats.	192
4.7.	Effect of Pepticare on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the stomach of pylorus ligated rats.	193
4.8	Effect of Normacid on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the stomach of pylorus ligated rats.	194
4.9.	Effect of DHC-1 on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the stomach of ethanol-treated rats.	211

4.10.	Effect of Activit on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the stomach of ethanol-treated rats.	212
4.11.	Effect of Pepticare on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the stomach of ethanol-treated rats.	213
4.12.	Effect of Normacid on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the stomach of ethanol-treated rats.	214
4.13	Effect of DHC-1 on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the stomach of ethanol-treated rats.	217
4 14.	Effect of Activit on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the stomach of ethanol-treated rats.	218
4 15	Effect of Pepticare on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the stomach of ethanol-treated rats.	219
4.16.	Effect of Normacid on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the stomach of ethanol-treated rats.	220
4.17.	Effect of DHC-1 on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the heart of rats in isoproterenol-induced myocardial infarction.	235
4.18.	Effect of Activit on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the heart of rats in isoproterenol-induced myocardial infarction.	236
4.19.	Effect of Pepticare on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the heart of rats in isoproterenol-induced myocardial infarction.	237

4.20.	Effect of Normacid on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the heart of rats in isoproterenol-induced myocardial infarction.	238
4.21.	Effect of DHC-1 on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the heart of rats in isoproterenol-induced myocardial infarction.	241
4.22.	Effect of Activit on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the heart of rats in isoproterenol-induced myocardial infarction.	242
4.23.	Effect of Pepticare on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the heart of rats in isoproterenol-induced myocardial infarction.	243
4.24.	Effect of Normacid on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the heart of rats in isoproterenol-induced myocardial infarction.	244
4.25.	Effect of DHC-1 on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the kidney of rats in cisplatin-induced nephrotoxicity (acute model).	267
4.26.	Effect of Activit on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the kidney of rats in cisplatin-induced nephrotoxicity (acute model).	268
4.27.	Effect of Pepticare on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the kidney of rats in cisplatin-induced nephrotoxicity (acute model).	269
4.28.	Effect of Normacid on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the kidney of rats in cisplatin-induced nephrotoxicity (acute model).	270
4.29.	Effect of DHC-1 on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the kidney of rats in cisplatin-induced nephrotoxicity (acute model).	273

4.30.	Effect of Activit on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the kidney of rats in cisplatin-induced nephrotoxicity (acute model).	274
4.31.	Effect of Pepticare on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the kidney of rats in cisplatin-induced nephrotoxicity (acute model).	275
4.32.	Effect of Normacid on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the kidney of rats in cisplatin-induced nephrotoxicity (acute model).	276
4.33	Effect of DHC-1, Activit, Pepticare and Normacid on body weight of rats in cisplatin-induced nephrotoxicity (acute model).	278
4.34.	Effect of DHC-1 on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the kidney of rats in cisplatin-induced nephrotoxicity (chronic model).	293
4.35.	Effect of Activit on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the kidney of rats in cisplatin-induced nephrotoxicity (chronic model).	294
4.36	Effect of Pepticare on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione the in kidney of rats in cisplatin-induced nephrotoxicity (chronic model).	295
4.37.	Effect of Normacid on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the kidney of rats in cisplatin-induced nephrotoxicity (chronic model).	296
4.38.	Effect of DHC-1 on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the kidney of rats in cisplatin-induced nephrotoxicity (chronic model).	300
4.39.	Effect of Activit on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in the kidney of rats in cisplatin-induced nephrotoxicity (chronic model).	301

4.4.	Effect of Pepticare on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the kidney of rats in cisplatin-induced nephrotoxicity (chronic model).	302
4.41.	Effect of Normacid on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the kidney of rats in cisplatin-induced nephrotoxicity (chronic model).	303
4.42.	Effect of DHC-1, Activit, Pepticare and Normacid on body weight of rats in cisplatin-induced nephrotoxicity (chronic model).	305
4.43.	Effect of DHC-1 on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the liver of rats in CCl_4 -induced hepatotoxicity.	328
4.44.	Effect of Activit on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the liver of rats in CCl_4 -induced hepatotoxicity.	329
4.45.	Effect of Pepticare on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the liver of rats in CCl_4 -induced hepatotoxicity.	330
4.46.	Effect of Normacid on the levels of lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in the liver of rats in CCl_4 -induced hepatotoxicity.	331
4.47.	Effect of DHC-1 on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the liver of rats in CCl_4 -induced hepatotoxicity.	335
4.48.	Effect of Activit on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the liver of rats in CCl_4 -induced hepatotoxicity.	336
4.49.	Effect of Pepticare on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the liver of rats in CCl_4 -induced hepatotoxicity.	337
4.50.	Effect of Normacid on membrane bound enzymes, namely $\text{Na}^+\text{K}^+\text{ATPase}$, $\text{Ca}^{2+}\text{ATPase}$ and $\text{Mg}^{2+}\text{ATPase}$ in the liver of rats in CCl_4 -induced hepatotoxicity.	338

4.51.	Effect of Drug X on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in heart of rabbits fed standard laboratory diet and hypercholesterolemic diet for 120 days.	361
4.52.	Effect of Drug X on lipid peroxidation (MDA content), endogenous antioxidant enzymes (superoxide dismutase and catalase) and reduced glutathione in liver of rabbits fed standard laboratory diet and hypercholesterolemic diet for 120 days.	362
4.53.	Effect of Drug X on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in heart of rabbits fed standard laboratory diet and hypercholesterolemic diet for 120 days.	365
4.54.	Effect of Drug X on membrane bound enzymes, namely Na ⁺ K ⁺ ATPase, Ca ²⁺ ATPase and Mg ²⁺ ATPase in liver of rabbits fed standard laboratory diet and hypercholesterolemic diet for 120 days.	366
4.55.	Effect of Drug X on change in body weight in rabbits fed standard laboratory diet and hypercholesterolemic diet daily for 120 days.	368
