LIST OF FIGURES

FIG. NO.	TITLE	PAGE N
1.1	The univalent reduction of oxygen	4
1.2	Relation among initiation, propagation and	47
	termination reactions in CCl ₄ -induced lipid	
	peroxidation.	
4.1.	Scavenger effect of methanolic extract of DHC-1	155
	(0.1, 0.2, 0.4, 0.6, 0.8 and 1.0 mg/ml) on the	
	stable DPPH radical.	
4.2.	Scavenger effect of methanolic extract of Activit	155
	(0.1, 0.2, 0.4, 0.6, 0.8 and 1.0 mg/ml) on the	
4.0	stable DPPH radical.	1 7
4.3.	Scavenger effect of methanolic extract of Pepticare	157
	(0.1, 0.2, 0.4, 0.6, 0.8 and 1.0 mg/ml) on the	
4.4.	stable DPPH radical. Scavenger effect of methanolic extract of Normacid	157
4.4.	(0.5, 1.0, 2.0, 3.0 and 4.0 mg/ml) on the stable	157
	DPPH radical.	
4.5.	Scavenger effect of methanolic extract of DHC-1	160
1.0.	(0.1, 0.2, 0.4, 0.6, 0.8 and 1.0 mg/ml) on	100
	superoxide production generated in riboflavin-	
	light-NBT system.	
4.6.	Scavenger effect of methanolic extract of Activit	160
	(0.1, 0.2, 0.4, 0.6, 0.8 and 1.0 mg/ml) on	200
	superoxide production generated in riboflavin-	
	light-NBT system.	
4.7.	Scavenger effect of methanolic extract of Pepticare	162
	(0.25, 0.50, 0.75, 1.0, 1.25 and 1.50 mg/ml) on	
	superoxide production generated in riboflavin-	
	light-NBT system.	
4.8	Scavenger effect of methanolic extract of Normacid	162
	(0.5, 1.0, 2.0, 3.0, 4.0 and 5.0 mg/ml) on	
	superoxide production generated in riboflavin-	
	light-NBT system.	
4.9.	Effect of DHC-1 on the ulcer index and total	168
	acidity of gastric fluid of pylorus-ligated rats.	
4.10.	Effect of DHC-1 on the volume and pH of gastric	168
	fluid of pylorus-ligated rats.	
4.11.	Effect of Activit on the ulcer index and total acidity	170
4 10	of gastric fluid of pylorus-ligated rats.	170
4.12.	Effect of Activit on the volume and pH of gastric	170
1 12	fluid of pylorus-ligated rats.	170
4.13	Effect of Pepticare on the ulcer index and total acidity of gastric fluid of pylorus-ligated rats.	172
4.14	Effect of Pepticare on the volume and pH of gastric	172
7.17	fluid of pylorus-ligated rats.	114
4.15	Effect of Normacid on the ulcer index and total	174
	acidity of gastric fluid of pylorus-ligated rats.	1 17
·	way of proute man of provide ingalou rate.	
		-
	XI	

4.16	Effect of Normacid on the volume and pH of	174
4.17	gastric fluid of pylorus-ligated rats. Photographs showing effect of DHC-1 on the	176
	stomach of pylorus-ligated rats.	
4.18	Photographs showing effect of Activit on the stomach of pylorus-ligated rats.	178
4.19	Photographs showing effect of Pepticare on the	180
4.20	stomach of pylorus-ligated rats. Photographs showing effect of Normacid on the	182
4.21	stomach of pylorus-ligated rats. Effect of DHC-1 on the ulcer index of ethanol-	197
4.22	treated rats. Effect of Activit on the ulcer index of ethanol-	197
4.23	treated rats. Effect of Pepticare on the ulcer index of ethanol-	199
4.24	treated rats. Effect of Normacid on the ulcer index of ethanol-	199
4.25	treated rats. Photographs showing effect of DHC-1 on the	201
4.26	stomach of ethanol-treated rats. Photographs showing effect of Activit on the	203
4 27	stomach of ethanol-treated rats. Photographs showing effect of Pepticare on the	205
	stomach of ethanol-treated rats.	
4.28	Photographs showing effect of Normacid on the stomach of ethanol-treated rats.	207
4.29	Effect of DHC-1 on the serum levels of creatine kinase (CK) and Lactate dehydrogenase (LDH) in isoproterenol-induced myocardial infarction in rats.	225
4.30	Effect of DHC-1 on the serum levels of uric acid and GOT in isoproterenol-induced myocardial infarction in rats.	225
4.31	Effect of Activit on the serum levels of creatine kinase (CK) and Lactate dehydrogenase (LDH) in isoproterenol-induced myocardial infarction in rats.	227
4.32	Effect of Activit on the serum levels of uric acid and GOT in isoproterenol-induced myocardial infarction in rats.	227
4 33	Effect of Pepticare on the serum levels of creatine kinase (CK) and Lactate dehydrogenase (LDH) in isoproterenol-induced myocardial infarction in rats.	229
4.34	Effect of Pepticare on the serum levels of uric acid and GOT in isoproterenol-induced myocardial infarction in rats.	229
4.35	Effect of Normacid on the serum levels of creatine kinase (CK) and Lactate dehydrogenase (LDH) in isoproterenol-induced myocardial infarction in rats.	231
	- **	-

4.36	Effect of Normacid on the serum levels of uric acid	231
	and GOT in isoproterenol-induced myocardial	
	infarction in rats.	~ • •
4.37	Photomicrographs showing effect of DHC-1 on the	247
	heart of isoproterenol-treated rats.	0.40
4.38	Photomicrographs showing effect of Activit on the	249
4.00	heart of isoproterenol-treated rats.	05.
4.39	Photomicrographs showing effect of Pepticare on	251
4 40	the heart of isoproterenol-treated rats.	050
4.40	Photomicrographs showing effect of Normacid on	253
4 4 1	the heart of isoproterenol-treated rats.	050
4.41	Effect of DHC-1 on the serum levels of creatinine	258
	and uric acid in cisplatin-induced nephrotoxicity	
4 40	(acute model) in rats.	050
4.42	Effect of DHC-1 on the serum levels of urea and	258
	BUN in cisplatin-induced nephrotoxicity (acute	
1 1 2	model) in rats.	060
4.43	Effect of Activit on the serum levels of creatinine	200
	and uric acid in cisplatin-induced nephrotoxicity	
4.44	(acute model) in rats.	060
4.44	Effect of Activit on the serum levels of urea and	260
	BUN in cisplatin-induced nephrotoxicity (acute	
4.45	model) in rats.	060
4.40	Effect of Pepticare on the serum levels of	262
	creatinine and uric acid in cisplatin-induced	
4 46	nephrotoxicity (acute model) in rats.	060
4 40	Effect of Pepticare on the serum levels of urea and	262
	BUN in cisplatin-induced nephrotoxicity (acute model) in rats.	
4.47	- Effect of Normacid on the serum levels of	061
7.7/	creatinine and uric acid in cisplatin-induced	204
	nephrotoxicity (acute model) in rats.	
4.48.	Effect of Normacid on the serum levels of urea and	264
1.70.	BUN in cisplatin-induced nephrotoxicity (acute	204
	model) in rats.	
4 49.	Effect of DHC-1 on the serum levels of creatinine	283
· · J ·	and uric acid in cisplatin-induced nephrotoxicity	200
	(chronic model) in rats.	
4.50.	Effect of DHC-1 on the serum levels of urea and	003
4.00.	BUN in cisplatin-induced nephrotoxicity (chronic	200
	model) in rats.	
4.51.	Effect of Activit on the serum levels of creatinine	005
1.01.	and uric acid in cisplatin-induced nephrotoxicity	200
	(chronic model) in rats.	
4.52.	Effect of Activit on the serum levels of urea and	285
τ.υΖ.		200
	BUN in cisplatin-induced nephrotoxicity (chronic model) in rats.	
4.53.	Effect of Pepticare on the serum levels of	007
	creatinine and uric acid in cisplatin-induced	201
	nephrotoxicity (chronic model) in rats.	
		-
		_

4.54.	Effect of Pepticare on the serum levels of urea and BUN in cisplatin-induced nephrotoxicity (chronic	28
4.55.	model) in rats. Effect of Normacid on the serum levels of creatinne and uric acid in cisplatin-induced	289
4.56.	nephrotoxicity (chronic model) in rats. Effect of Normacid on the serum levels of urea and BUN in cisplatin-induced nephrotoxicity (chronic	289
4.57.	model) in rats. Photomicrographs showing effect of DHC-1 on the kidney of cisplatin-treated rats (chronic model).	308
4.58.	Photomicrographs showing effect of Activit on the kidney of cisplatin-treated rats (chronic model).	310
4.59.	Photomicrographs showing effect of Pepticare on the kidney of cisplatin-treated rats (chronic model).	31
4.60.	Photomicrographs showing effect of Normacid on the kidney of cisplatin-treated rats (chronic model).	314
4.61.	Effect of DHC-1 on the serum levels of SGPT, SGOT and alkaline phosphatase in CCl ₄ -induced liver damage in rats	319
4.62.	Effect of DHC-1 on the serum levels of total bilirubin in CCl ₄ -induced liver damage in rats	319
4.63.	Effect of Activit on the serum levels of SGPT, SGOT and alkaline phosphatase in CCl ₄ -induced liver damage in rats.	32
4.64.	Effect of Activit on the serum levels of total bilirubin in CCl ₄ -induced liver damage in rats	32
4.65.	Effect of Pepticare on the serum levels of SGPT, SGOT and alkaline phosphatase in CCl ₄ -induced liver damage in rats.	32:
4.66.	Effect of Pepticare on the serum levels of total bilirubin in CCl ₄ -induced liver damage in rats.	32:
4.67.	Effect of Normacid on the serum levels of SGPT, SGOT and alkaline phosphatase in CCl ₄ -induced liver damage in rats.	32
4.68.	Effect of Normacid on the serum levels of total bilirubin in CCl ₄ -induced liver damage in rats.	32
4.69.	Photomicrographs showing effect of DHC-1 on the liver of CCl4-treated rats.	34
4.70.	Photomicrographs showing effect of Activit on the liver of CCl ₄ -treated rats.	34:
4.71.	Photomicrographs showing effect of Pepticare on the liver of CCl ₄ -treated rats.	
4.72.	Photomicrographs showing effect of Normacid on the liver of CCl ₄ -treated rats.	
4.73.	Effect of Drug X on serum total cholesterol (Chol.), triglyceride (TGL) and phospholipids (PL) in rabbits fed with standard laboratory diet (SLD) or hypercholesterolemic diet (HCD).	352

4.74.	Effect of Drug X on serum total lipid (TL) in 352
	rabbits fed with standard laboratory diet (SLD) or
4.75.	hypercholesterolemic diet (HCD). Effect of Drug X on serum HDL, VLDL and LDL in 354
	rabbits fed with standard laboratory diet (SLD) or hypercholesterolemic diet (HCD)
4.76	Effect of Drug X on total cholesterol (Chol.), 358 triglyceride (TGL), phospholipids (PL) and total lipid (TL) in heart of rabbits fed with standard laboratory diet (SLD) or hypercholesterolemic diet
	(HCD).
1.77	Effect of Drug X on total cholesterol (Chol), 358 triglyceride (TGL), phospholipids (PL) and total lipid (TL) in liver of rabbits fed with standard laboratory diet (SLD) or hypercholesterolemic diet (HCD).

••••