

B I B L I O G R A P H Y

Adamse, A.D., (1968):

Formation and final composition of the  
bacterial flora of a dairy waste activated  
sludge. Water Research 2, 665-671.

Algal Assay Procedure Bottle Test (1971):

National Eutrophication Program. Environmental  
Protection Agency, August, 82, pages.

Allen, M.B., (1955):

General features of algal growth in sewage  
oxidation ponds. Publication No.13, California  
State Water Pollution Control Board, Sacramento.

American Standard Methods for water and waste water, (1971):

Published by the American Public Health  
Association.

A.O.A.C., (1945):

Elementary analysis of N and P in plants.  
p. 27 and p. 12.

Association of Official Agricultural Chemist: 6th Ed. (1945):

Official and Tentative Methods of Analysis.  
Published by the Association of Official  
Agricultural Chemists, Washington, D.C.

Beck, L.A., Oswald, W.J. and Goldman, J.C., (1969):

Nitrate removal from agricultural tile drainage by photosynthetic systems. Presented to ASCE, Second National Symposium on Sanitary Engineering Research Development and Design. July 15, 1969. Cornell University, Ithaca, New York.

Breed, R.S., E.G.D. Murrey and Smith, N.R., (1957):

Bergey's Manual of Determinative Bacteriology. The Williams and Wilkins Co., Baltimore. 7th Ed. 1894 pages.

British Bacteriological Examination of Water Supplies, (1957):

Report of Public Health and Medical Subjects No.71, HMSO, London, 51 pages.

Burlew, J.S., (1953):

Algal culture from laboratory to pilot plant. Carneige Institution of Washington Publication, 600.

Butterfield, C.T., (1935):

Studies on Sewage Purification. A zoogloea forming bacterium isolated from activated sludge. U.S.P.H. Reports, 50, 671-684.

Cook, B.B., (1962):

The nutritive value of waste grown algae. Am. J. Publ. Hlth., 52, 243-251.

Davis, E.A. et al., (1953):

Laboratory experiments on Chlorella culture at the Carneige Institution of Washington, Publication No.600. Dept. of Plant Pathology, Chapter-9, 105-153 in J.S.Burlew's Algae Culture from Laboratory to Pilot Plant.

Davis, G.H.G. and Park, R.W.A., (1962):

A taxonomy study of certain bacteria currently classified as vibrio species. Jour. Gen. Microbiol. 27, 107-109.

Deley, J., (1960):

Comparative carbohydrate metabolism and localization of enzymes in Pseudomonas and related microorganisms. Appl.Bact., 23, 400-10.

Dias, F.F. and J.V. Bhatt, (1964):

Microbial ecology of activated sludge. I. Dominant bacteria. Appl.Microbiology.12, 412-417.

Dowes, E.A. and Ribbons, D.W., (1962):

The endogenous metabolism of microorganisms. Ann. Rev. Microbiol.,16, 241-264.

Eckenfelder, W.S. and Weston, R.F.,(1956):

Kinetics of biological oxidation. In Biological Treatment of Sewage and Industrial Wastes. 1, 18-34, Reinhold, N.Y.

Eckenfelder, W.W.(Jr.) and Porges, N., (1957):

Activity of microorganisms in waste disposal. IV.Bio-calculation. Appl. Microbiol. 45, 182-187.

Eckenfelder, W.S. and O'Connor, D.J., (1961):

Biological Waste Treatment. Permagon Press. Ann. Rev. Microbiol.16, 241-264.

Fink, H. and Harold, E., (1957-a,b):

On the protein quality of a uni-cellular alga  
and its preventive action on liver-necrosis.  
Part I and II. Z. Physiol. Chem. Hoppe  
Seyler's 305 and 307: 182-200 and 202-218.

Fogg, G.E. and Wolfe, M., (1954):

The metabolism of blue-green algae(Myxo-  
phyceae). Symp. Soc. Gen. Microbiol.,4, 99-120.

Fogg, G.E. and Watt, W.D.,(1965):

The kinetics of release of extracellular products  
of photosynthesis by phytoplankton. Proceedings  
of the IBP Symposium on Primary Productivity in  
Aquatic Environments held at Pallanza, Italy,  
April, 1965. page,167-174, Edited by C.R.Goldman.

Ganapati, S.V., Prasadrao, IPS, Godbole, S.H., Kothan-  
daraman, V. and Thomas Koshy, T., (1965):

The Ecology of solar sewage drying beds in the  
Pirana Sewage Farm at Ahmedabad,India. Hydro-  
biologia, 26, 242-270.

Gellman, I. and Heukelekian, H.,(1953):

Studies of Biochemical Oxidation.... Direct  
Methods.III. Sew. Ind. Wastes,25, 1196-1205.

Gloyna, E.F., (1965):

Waste Stabilization concepts and experiences.  
Paper presented for the Waste Disposal Unit,  
Division of Environmental Health,WHO,1.65,  
Rev. 66.

Gloyna, E.F. (1971):

Low cost waste treatment, WHO. Monograph  
Series No. 60.

Golueke, C.G., Gotaas, H.B. and Oswald, W.J., (1958):

Recovery of algae from waste stabilization ponds.  
Section II. Univ. of California, San. Enggr.,  
Res. Lab. Issue 8, I.E. R. Series 44, Jan.

Golueke, C.G., Oswald, W.J. and McGauhey, P.H., (1959):

The biological control of enclosed environment.  
Sewage and Ind. Wastes, 10, 1125-1132.

Golueke, C.G., (1960):

The Ecology of a Biotic Community consisting  
of algae and bacteria. Ecology, 41, 65-73.

Golueke, C.G., Oswald, W.J., and Gee, H.K., (1964):

Harvesting and processing sewage-grown plank-  
tonic algae. Serl. Report No. 648. San. Enggr.  
Res. Lab. Univ., of California, 56, pages.

Goodman, B.L. and Weiss, F.G., (1968):

Development of a full scale activated algae  
unit. Paper presented at Phosphorus Removal  
Workshop, 2nd Session, Chicago, June, 27.

Gotaas, H.B. and Oswald, W.J., (1955):

Utilization of solar energy for water reclama-  
tion. In Trans. Conf. on the use of solar energy.  
The Scientific Basis. Tucson. Arizona, Vol. 4,  
Chapter, 9, 94-114.

Gotaas, H.B. and Golueke, C.G. (1957):

Recovery of algae from waste stabilization ponds; Section-I. University of California. San. Enggr. Res. Lab. Issue.7, I.E.R.Series 44, Jan. 1957.

Harrigan, W.F. and McCance, M.E. (1966):

"Laboratory Methods in Microbiology". Academic Press, London, p.67.

Harry, W., Seeley (Jr.) and Paul, J. Vandemark, (1970):

Microbes in Action. A Laboratory Manual of Microbiology.

Harvey, H.W., (1940):

Nitrogen and phosphorus required for the growth of phytoplaknton. Jour.Mar.Biol. Ass.U.K. 24, 115-123.

Hawk, P.B., Oser, B.L. and Summerson, M.H. (1954):

Practical physiological chemistry. 13th Ed. McGraw Hill Book Co., Inc., N.Y.

Heukelekian, H. (1941):

Mechanical flocculation and bio-flocculation of sewage. Sewage Works Jour. 13, 506-523.

Hicks, R. (1958):

Interim report on methods of harvesting and possible utilization of algae. Report to the Auckland Metropolitan Drainage Board, New Zealand, March, 1958.

Hoover, S.R., Jasewicz, Z.L., Porges, N. (1952):

Biochemical oxidation of dairy wastes. IV.  
Endogenous respiration and stability of  
aerated dairy waste sludge. Sew. Ind. Wastes,  
24, 1144-1149.

Humenik, E.J. and Hanna (Jr.) (1969):

Respiratory relationships of a symbiotic algal-  
bacterial culture for waste water nutrient  
removal. Biotechnology and Bioengineering 12,  
541-560-

Hungate, R.E. (1962):

Ecology of bacteria p. 95-119. In I.G. Gunsalus  
and R.Y. Stainer, (Ed.). The Bacteria, Vol. 4,  
Academic Press, New York.

Ingram, M. and Shewan, J.M., (1960):

Introductory reflection on the Pseudomonas-  
Achromobacter group. Jour. of Appl. Bact. 23,  
373-380.

Jasewicz, Z.L. and Porges, N. (1956):

Biochemical oxidation of dairy wastes. VI.  
Isolation and study of sludge microorganisms.  
Sew. Ind. Wastes, 28, 1130-1136.

Jenkins, S.H., (1931):

The oxidation of sucrose and ammonium by  
sectional percolating filters. Biochem. J. 25,  
147-182.

Jones and Travis, (1926):

On the elimination of suspended solids and  
Colloidal matter from sewage. Proc. Inst. Civil  
Enggr., 164, 68-72.

Juday, C., Birge, E.A. and Meloche, M.V.,(1935):

The carbondioxide and hydrogen ion content of the lake waters of north-eastern Wisconsin. Trans. Wis.Acad. Sci. Arts and Litt.,29, 1-82.

Kountz, R.R. and Forney, C.(Jr.)(1959):

Metabolic energy balances in a total oxidation activated sludge system. Sewage and Wastes. 31(7), 819-826.

Lackey, J.B. and Smith, D.B.,(1956):

Factors influencing developing of biological flocs. In "Biological Treatment of Sewage and Industrial Wastes". Vol.1,p. 108-115,Ed. J. McCabe and W.W.Eckenfelder(jr.),Reinhold.

Lowry, et al., (1951):

"Protein measurement with the Folin-phenol reagent".J. Biol. Chem. 193 pp.265-275.

Ludwig, H.F.,Oswald,W.J., Gotaas, H.B. and V. Lynch, (1951):

Algal symbiosis in oxidation ponds. I. growth characteristics of Euglena gracilis cultured in sewage. Sewage Ind. Wastes 23, 1337-1355.

Manual of Microbiological Methods. (1957):

Published by the Society of American Bacteriologists.

Maucha, R., (1929):

Zur Frage der aktuelle Reaktion als Millieu Factor der Gewasser. Verh. Internat. Ver. Limnol, 4, 435-450.



McCarty, P.L. (1969):

"Chemistry of Nitrogen and Phosphorus in water"  
Journal of American Water Works Association.  
62, No.2, 1969, 128-136.

McGarry, M.G., (1967):

The production of food from domestic sewage.  
Pub. Health Enggr. (Kerala), 12, 9-15.

McGarry, M.G., (1971):

Unicellular protein production using domestic  
Waste water. Paper presented at the tenth  
Session of the National Conference on Agricultural  
Sciences, Thailand, February, 1971.

McGarry, M.G. and Tangkasame, C., (1971):

Water reclamation and algae harvesting. JWPCF.  
43, 824-835.

McGauhey, P.H., (1960):

Reclamation of water from industrial wastes.  
Proc. 2nd Symp. on the Treatment of waste. Ed.  
P.C.G. Issac. 429-442.

McKinney, R.E., (1952):

A fundamental approach to the activated sludge  
process II. A proposed theory of flocculation.  
Sew. Ind. Wastes. 24, 281-288.

McKinney, R.E., (1956):

Biological flocculation. In "Biological Treatment  
of Sewage and Industrial Wastes. 1, 88-100.  
Reinhold, New York.

McKinney, R.E., (1962):

Mathematics of complete mixing activated sludge.  
J: ASCESE. 3.88, S.A. 3, May, 87-113.

McKinney, R.E. and Pfeffer, J.T., (1965):

Effect of Biological waste Treatment on water  
quality. Am. J. Publ. Hlth. 55, 772-782.

McKinney, R.E. and Waheb, V.N., (1968):

"Activated algae" Paper presented at phosphorus  
Removal Workshop. 2nd Session, Chicago, June, 27.

McWhorter, T.R. and Heukelekian, H., (1964):

Growth and endogenous phases, in the oxidation  
of glucose. In advances in water Pollution  
Research. Proc. Internat. Conf. held in London.  
Sept. 2, 419-435.

Mills, E.V., (1932):

Studies on the nature and amount of the colloids  
present in sewage. Part-II. The physical and  
chemical analysis of sewage. Jour. Soc. Chem.  
Ind. 51, 3497.

Myers, J., (1962):

Laboratory cultures. Page 609. In Physiology and  
Biochemistry of algae". Edtd. by Lewin, Academic  
Press, London. 929 pages.

Myers, J., (1964):

Use of algae for support of the human in space.  
In "Life Sciences and Space Research II" edited  
by M. Florkin and A. Dollfus, pp. 323-336. North  
Holland, publishing Co., Amsterdam.

Neresheimer, N. and Ruttner, F., (1929):

- Cited by Juday et al. (1935).

Oswald, W.J., Gotaas, H.B., Ludwig, H.E. and Lynch, V.,  
(1953-a):

Algae Symbiosis in oxidation Ponds Part II.  
Growth Characteristics of *Chlorella pyrenoidosa* cultured in sewage. Sew. Ind. Wastes, 25,  
26-37.

Oswald, W.J., Gotaas, H.B. Ludwig, H.R. and Lynch, G.,  
(1953-b):

Algal Symbiosis in oxidation Ponds Part III.  
Photosynthetic oxygenation. Sew. Ind. Wastes,  
25, 692-705.

Oswald, W.J. and Gotaas, H.B. (1957):

Photosynthesis in sewage treatment. Trans.  
ASCE. 122, 73-85.

Oswald, W.J., Gotaas, H.B., Golueke, C.G. and Kellen,  
K.R., (1957):

Algae in Waste Treatment. Sew. Ind. Wastes,  
29, 437-457.

Oswald, W.J., Hee, R.J., Gotaas, H.B., (1958):

Studies of photosynthetic oxygenation. Pilot  
plant experiments I, II, III. Progress Report  
No.8. San. Enggr. Res. Lab., I.E.R. Series 44,  
Issue 9, 192 pages, January.

Oswald, W.J., Golueke, C.G., and Gee, H.K., (1959-a):

Waste water reclamation through production  
of algae. Contribution No.22, Water Resources

Centre, Univ. of California, August, 1959.

Oswald, W.J., Golueke, C.G. and Gotaas, H.B., (1959-b):

Experiments on algal culture in a field scale oxidation pond. Univ. of California. San. Enggr., Res. Lab. Issue No.10, I.E.R. Series 44. May.

Oswald, W.J., (1960):

Fundamental factors in stabilization pond design. In Conf. on Biol. Waste Treat., Manhattan College, No.44.

Oswald, W.J. and Golueke, C.G. (1960):

Biological transformation of solar energy. In "Advances in Applied Microbiology". Academic Press, Inc. New York, 2: 223-261.

Oswald, W.J., Golueke, C.G. and Gee, H.K., (1961):

Increasing high-rate pond loading by phase isolation. Second Annual Progress Report, San. Enggr., Res. Lab., Univ., California, February.

Oswald, W.J., (1962):

The coming Industry of Controlled Photosynthesis. Am. J. Publ. Hlth. 52, 235-242.

Oswald, W.J., (1963):

Light conversion efficiency of algae growing in Sewage Trans. ASCE, 128, Part III. 47-48.

Oswald, W.J., (1964):

Rational design of waste ponds. In Proc. 1st Symp. Waste Treatment by Oxidation Ponds. CPHERI. Nagpur, India, October, 1963.

Oswald, W.J., Crosby, D.G. and Golueke, C.G., (1964):

Removal of pesticides and algal growth potential from San Joaquin Valley drainage water. (A feasibility study) California Department of Water Resources.

Oswald, W.J. and Golueke, C.G., (1968):

Harvesting and processing of waste-grown microalgae. In algae, man and the environment. Ed. Jackson, D.F. Proc. Symp. June, 18-30, 1967.

PAAP (1969) :

Provisional Algal Assay Procedure. Joint Industry. Government Task Force on Eutrophication, February, 62 pages.

Parker, C.D., (1962):

Microbial aspects of Lagoon Treatment. Jour. Wat. Poll. Contr. Feder. 33, 603-641.

Philip, B., Hawk, Bernard, L. Oser and William H. Summerson

"Practical physiological Chem.(13th Ed.), p.923.

Porges, N. (1960):

Newer aspects of Waste Treatment. In "Advances in Microbiology", 2, 1330.

Porges, N., Jasewicz, Z.L., and Hoover, S.R., (1953):

A Microbiological Process Report. Aerobic Treatment of Dairy Wastes, Appl. Microbiol, 1. 262-270.

Prakasam, T.B.S., (1966):

Enumeration, characterization and adaptation of aerobic heterotrophic bacterial populations of activated sludges. Ph.D. thesis, Corne, University, Ithaca, N.Y.

Ramakrishnan, C.V. and Ganapati, S.V., (1974):

Studies on sewage purification. Terminal Report. Am.PL-480 Res. Project. FG-In-449. Dept. of Bio-chemistry, M.S.University of Baroda, Baroda-2, India.

Rudolfs, W. and Gehm, H.W. (1939):

Colloids in sewage and sewage treatment. I. Occurrence and role. A critical review. Sew. Works. J. 11, 727-736.

Russel, J.J., (1944):

Cited from practical physiological chemistry by P.B.Hawk, B.L.Oser and M.H.Summers, 13th Edition, 1954. p. 565, McGraw-Hill Book Co., Inc. N.Y.

Sawyer, C.N., (1952):

Some newer aspects of phosphates in relation to lake fertilizers. *Sew. Ind. Wastes*, 24(6): 768-776.

Sawyer, C.N., (1956):

Bacterial nutrition and synthesis. In "Biol. Treat., of Sewage and Industr. Wastes. 1, 3-17, Reinhold, N.Y.

Schuler, J.F., Diller, V.N., and Kerslen, H.R., (1953):

Preferential assimilation of ammonium ion  
by Chlorella vulgaris. Plant Physiol. 22.  
290-303.

Schutow, B.A., (1926):

Die Assimilation der Wasserpflanzen und die  
aktuelle Reaktion der Mileu. Plant-Art Wis.  
Bot. 2, 132-151-- Cited by Juday et al. (1935):

Soong, P., (1961):

Mass culture of algae in Taiwan. Presented  
at the Tenth Pacific Science Congress, Hono-  
lulu, Hawaii.

Stumm, W., (1968):

Waste treatment and productivity", In Symp.  
on "Chemical aspects of Water treatment and  
distribution held on 11-13 April at V.J.T.I.,  
Bombay, India.

Symons, J.M. and McKinney, R.E. (1958):

The Biochemistry of nitrogen in the synthesis  
of activated sludge. Sewage Industrial  
wastes, 30, 874-890.

Tamiya, A., (1957):

Large scale production of algae for food, feed  
and agriculture. Am. Rev. Plant Physiol. 8,  
309-329.

Washington, D.R. and Symons, M., (1962):

Volatile sludge accumulation in activated sludge system. Jour. Wat. Poll. Contr., Feder. 34, 767-780.

Washington, D.R. and Hetting, L.J., (1965):

Volatile sludge accumulation in activated sludge plants. Jour. Wat. Poll. Feder., 37, 499-507.

Weston, R.F. and Eckenfelder, W.W., (1955):

Application of biological treatment to industrial wastes. I. Kinetics of Equilibria of oxidation treatment. Sew. Ind. Wastes, 27, (7): 802-810.

Zobell, C.E. and Anderson, D.O., (1936):

Observations on multiplication of bacteria in different volumes of stored sea water and the influence of oxygen tension and solid surfaces. Biol. Bull. 71, 324-332.