

LIST OF FIGURES

| Sr. no. | Description | Page No. |
|---------|---|----------|
| 2.1 | Loss of Cohesion in polymer due to the absorption of solvent. | 22 |
| 2.2 | Bio film formations from colonization of fungal filaments | 68 |
| 4.1 | Tensile impact v/s polymer with groundnut oil | 109 |
| 4.2 | Tensile impact v/s polymer with soybean oil | 109 |
| 4.3 | Tensile strength v/s polymer with groundnut oil | 110 |
| 4.4 | Tensile strength v/s polymer with soybean oil | 110 |
| 4.5 | Percent elongation v/s polymer with groundnut oil | 111 |
| 4.6 | Percent elongation v/s polymer with soybean oil | 111 |
| 4.7 | Viscosity v/s polymer with groundnut oil | 116 |
| 4.8 | Viscosity v/s polymer with soybean oil | 116 |
| 4.9 | Weight loss after 6 weeks for groundnut oil | 120 |
| 4.10 | Weight loss after 6 weeks with soybean oil | 120 |
| 4.11 | Weight loss after 8 weeks with groundnut oil | 123 |
| 4.12 | Weight loss after 8 weeks with soybean oil | 123 |
| 4.13 | Weight loss after 10 weeks with groundnut oil | 126 |
| 4.14 | Weight loss after 10 weeks with soybean oil | 126 |
| 4.15 | Weight loss after 12 weeks with groundnut oil | 129 |
| 4.16 | Weight loss after 12 weeks with soybean oil | 129 |
| 4.17 | Tensile strength loss for LDPE with groundnut oil | 139 |

| | | |
|------|--|-----|
| 4.18 | Tensile strength loss for LDPE with soybean oil | 139 |
| 4.19 | Tensile strength loss for HDPE with groundnut oil | 145 |
| 4.20 | Tensile strength loss for HDPE with soybean oil | 145 |
| 4.21 | Tensile strength loss for PS with groundnut oil | 148 |
| 4.22 | Tensile strength loss for PS with soybean oil | 148 |
| 4.23 | Tensile strength loss for PP with groundnut oil | 152 |
| 4.24 | Tensile strength loss for PP with soybean oil | 152 |
| 4.25 | Loss in Percent elongation for LDPE with groundnut oil | 167 |
| 4.26 | Loss in Percent elongation for LDPE with soybean oil | 167 |
| 4.27 | Loss in Percent elongation for HDPE with groundnut oil | 168 |
| 4.28 | Loss in Percent elongation for HDPE with soybean oil | 168 |
| 4.29 | Loss in Percent elongation for PS with groundnut oil | 169 |
| 4.30 | Loss in Percent elongation for PS with soybean oil | 169 |
| 4.31 | Loss in Percent elongation for PP with groundnut oil | 170 |
| 4.32 | Loss in Percent elongation for PP with soybean oil | 170 |
| 4.33 | Loss in viscosity for LDPE with groundnut oil | 180 |
| 4.34 | Loss in viscosity for LDPE with soybean oil | 180 |
| 4.35 | Loss in viscosity for HDPE groundnut oil | 181 |
| 4.36 | Loss in viscosity for HDPE with soybean oil | 181 |
| 4.37 | Loss in viscosity for PS with groundnut oil | 182 |

| | | |
|------|---|-----|
| 4.38 | Loss in viscosity for PS with soybean oil | 182 |
| 4.39 | Loss in viscosity for PP with groundnut oil | 183 |
| 4.40 | Loss in viscosity for PP with soybean oil | 183 |