

BIBLIOGRAPHY

- Adams, R. D.; Denny-Brown, D. and Pearson, C. M., 1954.
Diseases of Muscle. Paul B. Hoeber Inc., New York.
p. 107.
- Altmann, 1890. As cited by Grey, P. in Microtomist's Formulary
and Guide. Blackiston Co., Inc., New York, P1954. P.441.
- Baker, J. R., 1944-45. The structure and chemical composition
of the Golgi element. Quart. J. Micr. Sc., 85:1.
- Baker, J. R., 1946. Histochemical recognition of lipines.
Quart. J. Micr. Sc., 87:447.
- Baker, J. R., 1956. Improvements in the Sudan Black Technique.
Quart. J. Micr. Sc., 97: 621-623.
- Baldwin, E., 1957. Dynamic Aspects of Biochemistry. Cambridge
University Press. P. 190.
- Bell, E. T., 1911. Interstitial granules of striated muscle
and their relation to nutrition. Inter. Mschr. Anat.
Physiol., 28: 297-347.
- Bennett, H. S. and Porter, K. R., 1953. An electron microscope
study of sectioned breast muscle of the domestic fowl.
Am. J. Anat., 93: 61-105.
- ✓Berger, A. J., 1956. The expansor secundariorum muscle, with
special reference to passerine birds. Jour. Morph.,
99: 137-167.
- Brown, R. H. J., 1948. The flight of birds. II Flapping cycle
of pigeon. J. Exp. Biol., 25: 322-333.
- Brown, R. H. J., 1951. Flapping flight. Ibis, 93:333-359.

- Brown, R. H. J., 1953. The flight of birds. II wing function in relation to flight speed. J. Exp. Biol., 30: 90-103.
- Bullard, H. H., 1912. On the interstitial granules and fat droplets of striated muscle. Amer. J. Anat., 14: 1-46.
- Cain, A. J., 1950. The histochemistry of lipoids in animals. Biol. Rev., 25: 73.
- Chappell, J. B. and Perry, S. V., 1953. Skeletal muscle mitochondria. Biochem. J., 55: 586.
- Clark, 1947. As cited by Grey, P., in Microtomist's Formulary and Guide. Blackiston, Co. Inc., New York, 1954. P. 160.
- Cleland, K. W. and Slater, E. C., 1953. Sarcosomes of heart muscle. Quart. J. Micr. Sc., 94: 329.
- Cohnheim, Dr., 1865. Ueber den feineren Bau der quergestreiften Muskelfaser. Virchow's Archiv. f. path. Anat. u. Physiol., 34: 606-622.
- Dempsey, E. W., Wislocki, G. B. and Singer, M., 1946. Some observations on the chemical cytology of striated muscle. Anat. Rec., 96: 221-248.
- Denny-Brown, D., 1929. Histological features of striped muscle in relation to its functional activity. Proc. Roy. Soc., s.B., 104: 371-411.
- Denny-Brown, D., 1954. As cited by Adams, R. D., et al. in Diseases of Muscle. Paul B. Hoeber Inc., New York. P. 38 and 40.
- Fisher, H. I., 1946. Adaptations and comparative anatomy of new world vultures. Amer. Midland Nat., 35: 545-728.

- Fisher, H. I. and Goodman, D. C., 1955. Myology of the Whooping Crane, Grus americana. Univ. of Illinois Press.
- Gemmill, C. L., 1940. The effect of stimulation on the fat and carbohydrate contents of the gastrocnemius muscle of phlorizinized rat. Johns. Hopkins Hosp. Bull., 66: 71.
- George, J. C., 1947. The evolutionary significance of the variation in the chemical composition of the skeletal muscle in the vertebrate series of animals.
Jl. Univ. Bombay, 16: 3.
- George, J. C., 1952. Biochemical evolution of the skeletal muscles in vertebrates. J. M. S. Univ. Baroda, 1(2): 25-33.
- George, J. C. and Jyoti, D., 1955a. Histological features of the breast and leg muscle of bird and bat and their physiological and evolutionary significance.
J. Anim. Morph. Physiol., 2(1): 31-37.
- George, J. C., and Jyoti, D., 1955b. The lipid content and its reduction in the muscle and liver during long and sustained muscular activity. Ibid., 2(1): 38-45.
- George, J. C. and Jyoti, D. 1957. Studies on the structure and physiology of the flight muscles of birds.
2. The relative reduction of fat and glycogen in the pectoralis major muscle during sustained activity.
Ibid., 4: 119-123.
- George, J. C. and Jyoti, D., 1958. Studies on the structure and physiology of the flight muscles of bats.
2. The relative reduction of fat and glycogen in

- the pectoralis major muscle during sustained activity.
- J. Anim. Morph. Physiol., 5: 57-60.
- George, J. C.; Madhavan Nair S. and Scaria, K. S., 1958. Studies on the structure and physiology of the flight muscles of birds. 3. Alkaline phosphatase activity in the pigeon breast muscle. Curr. Sci., 27: 172-173.
- George, J. C. and Naik, R. M., 1957a. Studies on the structure and physiology of the flight muscles of bats. 1. Variation in the structure of the pectoralis major muscle of a few representative types and their significance in the respective modes of flight.
- J. Anim. Morph. Physiol., 4: 23-32.
- George, J. C. and Naik, R. M., 1957b. Studies on the structure and physiology of the flight muscles of bats. 1. The occurrence of two types of fibres in the pectoralis major muscle of the bat (Hipposideros speoris). Their relative distribution, nature of the fuel store and mitochondrial content. Ibid., 4: 96-101.
- George, J. C. and Naik, R. M., 1958a. The relative distribution and the chemical nature of the fuel store in the two types of fibres in the pectoralis major muscle of the pigeon. Nature, 181: 709-710.
- George, J. C. and Naik, R. M., 1958b. Relative distribution of mitochondria in the two types of fibres of the pectoralis major muscle of the pigeon. Nature, 181; 782-783.
- George, J. C. and Naik, R. M., 1958c. Studies on the structure and physiology of the flight muscles of birds. 4. The fibre architecture of the pectoralis major

- of the pigeon, (accepted by Biol. Bull. for publication).
- George, J. C. and Scaria, K. S., 1956 On the occurrence of lipase in the skeletal muscles of vertebrates and its possible significance in the sustained muscular activity. J. Anim. Morph. Physiol., 3: 91-103.
- George, J. C. and Scaria, K. S., 1957. Lipase activity in the vertebrate heart muscle and its relation to basal metabolism. Ibid., 4: 107-113.
- George, J. C. and Scaria, K. S., 1958a. Histochemical demonstration of lipase activity in the pectoralis major muscle of the pigeon. Nature, 181: 7783.
- George, J. C. and Scaria, K. S., 1958b. A histochemical study of dehydrogenase activity in the pectoralis major muscle of the pigeon and certain other vertebrate skeletal muscles. Quart. J. Micr. Sc. (In press).
- George, J. C. and Scaria, K. S., 1958c. Demonstration of succinic α -dehydrogenase in breast muscle of dove. (Under preparation for publication).
- George, J. C., Sushila, A. K. and Scaria, K. S., 1958d. A quantitative and histochemical study of lipase activity in the pectoralis major muscle of the bat. Naturwissenschaften, 45: 93.
- George, J. C., Vallyathan, N. V. and Scaria, K. S., 1958. Lipase activity in insect flight muscle. Experientia, 14; 250-55.
- Green, D. E., 1951. The cyclophorase system in 'Enzyme and Enzyme systems', edited by Edsall, J. T., Harvard Univ. Press. 15-46.

- Grey, P., 1954. The Microtomist's Formulary and Guide. The Blackston Co. Inc., New York.
- Guyer, M. F., 1950. Animal Micrology. Univ. of Chicago Press, Chicago.
- Henle, J., 1841. Allgemeine Anatomie. Lehre von den Mischungs und Formbestandtheilen des menschlichen Körpers. Leipzig, Leopold Voss.
- *Hill, A. V., 1950. The dimensions of animals and their muscular dynamics. Sci. Progr. Twent. Cent. 39: 209.
- Hill, A. V., 1956a. The design of muscles. Brit. Med. Bull., 12: 165-166.
- *Hill, A. V., 1956b. The thermodynamics of muscle. Brit. Med. Bull., 12: 174-176.
- Howell, A. B., 1946. Phylogeny of distal musculature of the pectoral appendage. J. Morph., 60: 287-315.
- *Howell, A. B., 1947. Morphogenesis of shoulder architecture: Aves. Auk, 54: 364-375.
- *Huber, G. H., 1916. On the form and arrangement in fasciculi of striated voluntary muscle fibres. Anat. Rec., 11: 1916.
- Jyoti, D., 1956. A Study on the Structure and Metabolism of the Bird and Bat Flight Muscles. Ph. D. Thesis, M. S. Univ. of Baroda, Baroda.
- Jollie, M., 1957. Avian anatomy and the Anatomist. Condor, 59: 394-397.
- Kemp, A.; Adrienne, J. M. and Kits van Heijnigen, 1954. A colorimetric micro-method for the determination of glycogen in tissues. Biochem. J., 56: 4.

- Kityakara, A. and Harmann, J. W., 1953. The cytological distribution in pigeon skeletal muscle of enzymes acting on phosphorylated nucleotides. J. Exp. Med., 97: 553-72.
- Knoll, P., 1891. Ueber protoplasmaarme und protoplasmareiche Musculatur. Denkschr. Kaiserl. Akad. Wissensch., Wien, Math.-naturw. Kl., 58: 633-700.
- Knoll, P. and Hauer, A., 1892. As cited by Adams, R. D., et al. in Diseases of Muscle. Paul B. Hoeber, Inc., New York, 1954.
- Kolliker, A., 1857. Einige Bemerkungen überer die Endigungen der Hautenerven und den Bau der Muskeln. Z. Wissensch. Zool., 8: 311-25
- Kolliker, A., 1866. Ueber die Cohnheim'schen Felder der Muskelquerschnitte. Ibid., 16: 374-382.
- Krog, A. and Lindhard, J., 1920. A relative value of fat and carbohydrate as sources of muscular energy. Biochem. J., 14: 290.
- Lawrie, R. A., 1952. Biochemical difference between red and white muscle. Nature, 170: 4316.
- Lison, L., 1936. As cited by Pearse, A. G. E. in Histochemistry-Theoretical and applied. J & A. Churchill Ltd., London. 1954. p. 177.
- Mallary, F. B., 1900. As cited by Grey, P. in Microtomist's Formulary and Guide, The Blackiston Company, Inc., New York, 1954. p. 292.
- Marey, E. J., 1893. Animal mechanism. K. P. T. Trübner & Co. Ltd., London.

- Montagna, W., 1956. Structure and Function of Skin. Acad. Press.
- Nachmias, V. T. and Padykula, H. A., 1958. A histochemical study of normal and denervated red and white muscles of the rat. J. Biophysic. and Biochem. Cytol., 4: 47-54.
- Nair, K. K., 1952. The chemical composition of the pectoral muscles of some Indian birds and its bearing on their flight. Jl. Univ. Bombay., 21: 90
- Nair, K. K., 1954a. The bearing of the weight of the pectoral muscles on the flight of some common Indian birds. Z. Anim. Morph. Physiol. 1(1): 71-76
- Nair, K. K., 1954b. A comparison of the muscles in the forearm of a flapping and soaring bird. Ibid., 1(1): 26-34
- *Needham, D. M., 1926. Red and white muscle. Physiol. Rev., 6 : 1-27
- Paul, M. H. and Sperling, E., 1952. Cyclophorase System XXIII. Correlation of cyclophorase activity and mitochondrial density in striated muscles. Proc. Soc. Expt. Biol. Med., 79: 352-354. (1952)
- Pearse, A. G., 1954. Histochemistry— Theoretical and Applied. J. and A. Churchill Ltd., London.
- Retzius, G., 1890. As cited by Perry, S. V. in, Relation between chemical and contractile fraction and structure of skeletal muscle cell. Phy. Rev., 36: 1.
- Richards, Glenn, A. 1955. Differences between leg and flight muscles of giant water bug Lethocerus americanus. Entomol. News, 66: 29.
- * Smith, J. M., . . . , 1953. Birds as aeroplanes. New. Biol. 14: 64-84.

Tiegs, O. W., 1955. The flight muscles of insects- their anatomy and histology, with some observations on the structure of striated muscles in general.

Phil. Trans. Roy., s. B., 238: 221-348

*Warner, L. H., 1931. Facts and theories of bird flight.
Quart. Rev. Biol., 5(1).

Weis-Fogh, T., 1952. Fat combustion and metabolic rate of flying locusts. Phil. Trans. Roy. Soc. London.,
s. B., 237: 1-36.

*these were not referred in their original.