

- Abeloos, M. 1932. La Regeneration et les Problemes de la Morphogenese. Paris. (cited by Needham).
- Abraham, S. and Chaikoff, I.L. 1959. Glycolytic pathway and lipogenesis in the mammary glands of lactating and non-lactating normal rats. J. Biol. Chem. 234: 2246-2253.
- Abraham, S., Hirsch, P.F. and Chaikoff, I.L. 1954. The quantitative significance of glycolysis and non-glycolysis in glucose utilization by rat mammary gland. J. Biol. Chem. 211: 31-38.
- Alder, E., Von Euler, H. and Gunther, G. 1939. (cited by Pearse, 1960)
- Barber, L.W. 1944. Correlations between wound healing and regeneration in forelimbs and tails of lizards. Anat. Record. 89: 441-453.
- Beaconsfield, P. and Carpi, A. 1964a. Localization of an infections lesion and glucose metabolism via pentose phosphate pathway. Nature, 201: 825-826.
- Beaconsfield, P. and Reading, H.W. 1964b. Pathways of glucose metabolism and nucleic acid synthesis. Nature, 202: 464-466.

- Beadle, L.C. and Booth, F.A. 1938. J. Exp. Biol. 15: 303. (cited by Needham, 1952.)
- Beevers, H. 1954. Plant. Physiol. 29: 265. (cited by Goodwin, T.W., 1960)
- Berlin, L.B. 1958. Histochemical study of glycogen in human skin after regeneration and autotransplant. Doklady. Akad. Nauk. S.S.S.R. 123: 179-181.
- Berlin, L.B. 1959. Histochemical study of glycogen and nucleoproteins during skin regeneration. Doklady. Akad. Nauk. S.S.S.R. 131: 188-190.
- Berril, N.J. 1961. Growth, development and pattern. San Francisco: W.H. Freeman and Co.
- Bokdawala, F.D. and George, J.C. 1967. A histochemical study of the red and white muscles of the carp, cirrhina mrigala. J. Anim. Morphol. Physiol. 14: 60-68.
- Brachet, J. 1950. Chemical embryology. Interscience publishers, Inc., New York.
- Bradfield, J.R.G. 1951. Glycogen of vertebrate epidermis. Nature, 167: 40-41.
- Buno, W. and Germino, N.I. 1958. Distribution of SDH in the organs of adult albino rat. Acta. Anat. 33: 161-174.

- Burstone, M.S. 1962. "Enzyme histochemistry and its application in the study of neoplasms." Academic Press, New York and London.
- Chakko, T.V. 1967. Thesis submitted to the M.S. University of Baroda, Baroda for the degree of Doctor of Philosophy in Zoology.
- Chefurka, W. 1957. Oxidative metabolism of carbohydrates in insects. II. Glucose-6-phosphate dehydrogenase and 6-phosphogluconate dehydrogenase in house fly (Musca domestica) Enzymologia Acta Biocatalytica. 18: 209-227.
- Chefurka, W. 1958. Oxidative metabolism of carbohydrates in insects. III. Hexose monophosphate oxidative cycle in the house fly (Musca domestica) Canad. J. Biochem. Physiol. 36: 83-102.
- Cherian, K.M. 1967. Thesis submitted to the M.S. University of Baroda, Baroda for the degree of Doctor of Philosophy in Zoology.
- Child, C.M. 1941. Patterns and problems of development. Chicago: University of Chicago Press.
- Chinoy, N.J. 1969a. Source of electron energy for animal metabolism. I. Role of Ascorbic acid in metabolism of avian muscle. Histochemie, 19: 125-128.

- Cooper, W.G. 1955. Succinic dehydrogenase activity in the pre-natal and post-natal rat heart. Anat. Rec. 1: 103.
- Cooper, W.G. and Konisberg, I.R. 1961. Succinic dehydrogenase activity of muscle cells grown in vitro. Exper. Cell. Res. 23: 579-581.
- Corran, H.S., Green, D.E. and Straub, F.B. 1939. (cited by Pearse, 1960.)
- Dalcq, A. 1938. Form and Casuality. Cambridge. (cited by Needham, 1952.)
- Dickens, F. 1951. Anaerobic glycolysis, respiration and the Pasteur effects. In: The Enzymes, J.B. Sumner and K. Myrback, Eds. Acad. Press, New York. Vol.II pp. 624-633.
- Diculeseo, I., Onicesco, D. and Mischiu, L. 1964. A histochemical analysis of dehydrogenase variety in different types of muscular tissues. J. Histochem. Cytochem. 12: 145-152.
- Dubowitz, V. and Pearse, A.G.E. 1960. A comparative histochemical study on oxidative enzyme and phosphorylase activity in the skeletal muscle. Histochemie, 2: 105-117.
- Dubowitz, V. and Pearse, A.G.E. 1960a. Reciprocal relationship of phosphorylase and oxidative enzymes in skeletal muscle. Nature, 185: 701-702.

- Duges, A. 1829. Ann. Sci. Natl. 16: 337. (cited by S.B. Simpson Jr.; "Regeneration of the lizard tail." Regeneration in Animals and Related problems: Ed. V. Kiorstis and H.A.L. Trampusch, 1965. North-Holland Publishing Co., Amsterdam.)
- ✓ Duve, C. de., Wattiaux, R. and Baudhuin, P. 1962. Distribution of enzymes between subcellular fractions in animal tissues. Advanc. Enzymol. 24: 291-358.
- Elizabeth, D. Hay, Holt, Rinehart and Winston. 1966. Biology studies - Regeneration.
- Formisano, R. and Montagna, W. 1954. SDH activity in the skin of Guinea pig. Anat. Rec. 120: 893-905.
- Fredrickson, D.S. and Gordon, R.S. 1958. Transport of fatty acids. Physiol. Rev. 38: 585-630.
- Geczik, R. and Wolsky, A. 1959. Dehydrogenase activity during regeneration in the tail of Triturus viridescens: A histological and enzymological study. Anat. Rec. 134: 568.
- George, J.C. and Scaria, K.S. 1958. A histochemical study of dehydrogenase activity in the pectoralis major of the pigeon and certain other vertebrate skeletal muscles. Quart. J. Micro. Sci. 99: 469-473.

George, J.C., Susheela, A.K. and Scaria, K.S. 1958a.

Studies on the structure and physiology of the flight muscles of bats. 3. Alkaline phosphatase and succinic dehydrogenase activity in the breast muscle - a histochemical study. J. Anim. Morphol. Physiol. 6: 55.

George, J.C. and Talesara, C.L. 1961. Histochemical observations on succinic dehydrogenase and cytochrome oxidase activity in the pigeon breast muscle. Quart. J. Micro. Sci. 102: 131-141.

Glock, G.E. and McLean, P. 1954. Levels of enzymes of the direct oxidative pathway of carbohydrate metabolism in mammalian tissues and tumours. Biochem. J. 56: 171-175.

Goddard, J.W. and Seligman, A.M. 1952. Intracellular topography of succinic dehydrogenase in the thyroid of the albino rat. Anat. Rec. 112: 543.

Goddard, J.W. and Seligman, A.M. 1953. Histochemical demonstration of succinic dehydrogenase in rat hepatoma. Cancer, 6: 385.

Goodwin, T.W. 1960. Recent advances in biochemistry.

J & A. Churchill Ltd. 104: Gloucester Place,
London, W.1.

- Goss, R.J. 1956. An experimental analysis of taste barbel regeneration in the cat fish. J. Exp. Zool. 131: 27-50.
- Goss, R.J. 1969. Principles of Regeneration. Academic Press, New York and London.
- Green, D.E., Dewan, J.G. and Leloir, L.F. 1937. (cited by Pearse, 1960.)
- Grobstein, C. 1947. "The role of androgen in declining regenerative capacity during morphogenesis of the Platyopocilus maculatus gonopodium." J. Exp. Zool. 106: 313-344.
- Haas, H.J. 1962. "Studies on the mechanisms of joint and bone formation in the skeleton rays of fish fins." Develop. Biol. 5: 1-34.
- Hamburger, V. 1965. "Regeneration" Encyclopedia Britannica, vol. 19. Chicago: W. Benton.
- Hess, O. 1959. Organotypische und phasenspezifische verteilung ungesttigeter Lipide un Schwanz der larve von Xenopus laevis. Experientia, 15: 161-162.
- Hess, R. and Pearse, A.G.E. 1961. Localization of dehydrogenase and glycogen metabolizing enzymes in the muscle tissue of the desert locust (Schistocera gregaria) Enzymol. biol. clin. 1: 15-33.

- Hevesy, G. 1948. Radioactive indicators. New York.
(cited by Needham, 1952.)
- Hooker, D. 1912. Arch. Mikr. Anat. 80: 217. (cited by
Simpson, S.B., 1965.)
- Hoskins, F.C.G. 1959. Intermediate metabolism of
electric tissue in relation to function. III.
Oxidation of substrates by tissues of
Electrophorus electricus as compared to other
vertebrates. Arch. Biochem. Biophys. 85: 141-148.
- Hughes, A. 1956. A demonstration of dehydrogenase
activity in the mitochondria of living cells.
Quart. J. Micro. Sci. 97: 160-170.
- Hughes, A. and New, D. 1959. Tail regeneration in
geckonid lizard, Sphaerodactylus. J. Embryol. Exp.
Morph. 7: 281-302.
- Humphrey, R.R. 1966. "A recessive factor (O, for ova
deficient) determining a complex of abnormalities
in the Mexican axolotl (Ambystoma mexicanum)."
Develop. Biol. 13: 57-76.
- James, W.O. 1957. Advances in Enzymology, 18: 281.
(cited by Goodwin, T.W., 1960).
- Johnson, E.A. and Singer, M. 1963. A histochemical study
of SDH and LDH in the regenerating forelimbs of
the adult newt, Triturus. Amer. Zool. 3: 511.

- Johnson, E.A. and Singer, M. 1964. A histochemical study of succinic and lactic dehydrogenases in the regenerating forelimb of the adult newt, Triturus. Proc. Soc. Exp. Biol. Med. 117: 27-31.
- Kamrin, R.P. and Singer, M. 1955. The influence of the spinal cord in regeneration of the tail of the lizard, Anolis carolinensis. J. Exp. Zool. 128: 611-628.
- Kasabyan, S.S. 1956. Glycogen content of tissues during healing of skin wounds in albino mice. Bull. Exp. Biol. Med. 41: 173-175.
- Kennedy, E.P. 1953. Synthesis of phosphatides in isolated mitochondria. J. Biol. Chem. 201: 399.
- Kennedy, E.P. 1954. (cited by Goodwin, T.W., 1960.)
- Kennedy, E.P. 1957a. Fed. Proc. 16: 847. (cited by Goodwin, T.W., 1960.)
- Kennedy, E.P. 1957b. Ann. Rev. Biochem. 26: 119. (cited by Goodwin, T.W., 1960.)
- Kennedy, E.P. 1961. Biosynthesis of complex lipids. Fed. Proc. 20: 934-940.
- Kern, M. and Racker, E. 1954. Arch. Biochem. Biophys. 48: 235. (cited by Goodwin, T.W., 1960.)
- Kikuchi, Ramirez, G.J. and Barron, E.S.G. 1959. Electron transport system in Ascaris lumbricoides. Biochem. Biophys. Acta. 36: 335-342.

- Kornberg, A. and Pricer, W.E. Jr. 1953. J. Biol. Chem. 204: 329-345. (cited by Goodwin, T.W., 1960.)
- Korschelt, E. 1927. Regeneration und Transplantation. Baud I. Regeneration. Berlin: Verlag von Gebrüder Borntraeger.
- Krebs, H.A., Newsholme, E.A., Speake, R., Gascoyne, T. and Lund, P. 1963. Some factors regulating the rate of gluconeogenesis in animal tissues. A special symposium lecture in Advances in enzyme regulation. ed. by. George Webber., 2: 71-81.
- Leblond, C.P. and Walker, B.E. 1956. Renewal of cell populations. Physiol. Rev. 36: 255-276.
- Levy, H.R. 1961. Fatty acid synthesis and glucose-6-phosphate dehydrogenase in rat mammary gland in Biosynthesis of Lipids. 7: Ed. Popjak, G. Proc. 5th Intern. Congr. Biochem., published in 1963, Pergamon Press, Oxford.
- Licht, P. 1967. Interaction of prolactin and gonadotropins on appetite, growth, and tail regeneration in the lizard, Anolis carolinensis. Gen. Comp. Endocrinol. 9: 49-63.
- Loeb, J. 1924. Regeneration from a Physico-chemical viewpoint. New York. (cited by Needham, A.E., 1952: Regeneration and wound healing.)

- Lofgren, L., Patterson, T. and Hjelman, G. 1960.
Histochemical examination of succinic
dehydrogenase of hibernating and non-hibernating
hedgehogs and hyperthermized and non-
hyperthermized frogs. Acta. Path. Micr. Sc. 49:
9-20.
- Long, C., Ed. 1961. Biochemists' Handbook. D. Van
Nostrand Co. Inc., Princeton, N.J.
- Maderson, P.F.A. and Licht, P. 1968. Factors
influencing rates of tail regeneration in lizard,
Anolis carolinensis. Experientia, 24: 1083.
- Magon, D.K. 1970. Thesis submitted to the M.S.
University of Baroda, Baroda for the degree of
Doctor of Philosophy in Zoology.
- Mapson, L.W. 1953. Function of ascorbic acid in plants.
In: "Vitamins and Hormones." Harris, R.S. and
Marrian, G.F. Eds. XI: 1-25. Academic Press,
New York.
- Massey, V. 1960. The identity of diaphorase and lipoyl
dehydrogenase. Biochem. Biophys. Acta. 37: 314-322.
- Meiklejohn, A.P. 1953. The physiology and biochemistry
of ascorbic acid. In: "Vitamins and Hormones."
Harris, R.S. and Marrian, G.F. Eds. XI. 61-96.
Academic Press, New York.

- Millot, J. 1931. Cicatrisation et Regeneration. Paris.
(cited by Needham, 1952)
- Moffat, L.A. and Bellairs, A.D'A. 1964. The
regenerative capacity of the tail in embryonic
and post-natal lizards (Lacerta vivipara Jacquin).
J. Embryol. Exp. Morphol. 12: 769-786.
- Montagna, W. and Formisano, R. 1955. Histology and
chemistry of Human skin. VII. The distribution
of SDH activity. Anat. Rec. 122: 65-77.
- Morgan, T.H. 1901. Regeneration. New York. Macmillan.
(cited by Needham, 1952.)
- Moog, F. 1943. Cytochrome oxidase in early chick
embryos. J. Cell. Comp. Physiol. 22: 223.
- Muscatello, U., Anderson-Cedergren, E. 1961. The
sarcotubular system of frog skeletal muscle. A
morphological and biochemical study. J. Biophys.
Biochem. Cytol. 10: 201-218.
- Mustakallio, K.K. 1962. Dehydrogenases of human
epidermis. Annales d' Histochemie. 6: 275-277.
- Nachlas, M.M., Crawford, D.T., Goldstein, T.P. and
Seligman, A.M. 1958. The histochemical
demonstration of cytochrome oxidase with a new
reagent for the Nadi Reaction. J. Histochem.
Cytochem. 6: 445.

- Nachlas, M.M., Tsou, K.C., De Souza, E., Cheng, C.S.
and Seligman, A.M. 1957. (cited by Burstone,
1962.)
- Needham, A.E. 1952. Regeneration and wound healing.
John Wiley and Sons, New York.
- Nene, R.V. and George, J.C. 1965. Histochemical
demonstration of glucose-6-phosphate dehydrogenase
in muscle. J. Anim. Morphol. Physiol. 12: 90-99.
- Niazi, I.A. 1964. "Effect of destruction of the notochord
in the stump on tail regeneration in the
ammocoetes." Canad. J. Zool. 42: 707-714.
- Nicholas, J. 1955. Regeneration. Vertebrates. In:
Analysis of development ed. by B.H. Willier,
P.A. Weiss, and V. Hamburger. Philadelphia:
W.B. Saunders Co., pp. 674-698.
- Niwelinski, J. 1960. An enzymologic study of the
regenerating forelimb of the newt Triturus
vulgaris, L. Folia biol., Krakow, 8: 1-9.
- Ogata, T. and Mori, M. 1964a. Histochemical study of
oxidative enzymes in vertebrate skeletal muscles.
J. Histochem. Cytochem. 12: 183-187.
- Ogata, T. and Mori, M. 1964b. Histochemical study of
oxidative enzymes in invertebrate muscles.
J. Histochem. Cytochem. 12: 188.

- Okuneff, N. 1933. Über einige physiko-chemische "Erseheinungen Während der Regeneration. V. Über den Milchsäuregehalt regenerierender Axolotl Extremitäten. Biochem. Z., 257: 242-244.
- Padykula, H.A. 1952. The localization of succinic dehydrogenase in tissue sections of the rat. Amer. J. Anat. 91: 107-145.
- Pearse, A.G.E. 1960. Histochemistry, Theoretical and Applied. 2nd. Ed. Little, Brown and Co., Boston.
- Pearse, A.G.E. 1961. Direct relationship of phosphorylase and mitochondrial α -glycerophosphate dehydrogenase activity in the skeletal muscle. Nature, 191: 504.
- Pearse, A.G.E. and Scarpelli, D.G. 1958. Cytochemical localization of succinic dehydrogenase from Periplaneta americana. Nature, 181: 702-703.
- Prizbram, H. 1909. Experimentelle Zoologie. 2. Regeneration. Leipzig U. Wien (cited by Needham, 1952.)
- Quattrini, D. 1954. Arch. Ital. di Anat. Embriol. 54: 226. (cited by Simpson, S.B., 1965.)
- Raven, C.P. 1959. An outline of developmental physiology. 2nd ed. Pergamon, London. 224 p.

- Ries, E. 1937. Arch. Entw. Mech. Org. 137: 327.
(cited by Needham, 1952.)
- Roodyn, D.B. 1956. The enzymatic properties of rat-liver nuclei. 1. Estimation of the extent to which contaminated material contributes to the activity observed in the nuclear fraction. Biochem. J. 64: 361-368.
- Roodyn, D.B. 1959. A survey of metabolic studies on isolated mammalian nuclei. Internat. Rev. Cytol. 7: 279-344.
- Rossi, F., Zatti, M. and Greenbaum, A.L. 1963. Evidence for the existence of the hexosemonophosphate pathway for glucose metabolism in the normal and denervated skeletal muscle. Biochem. J. 87: 43-48.
- Rossiter, R.J., McMurray, W.C. and Strickland, K.P. 1957. Fed. Proc. 16: 853. (cited by Goodwin, T.W.)
- Rossiter, R.J. and Strickland, K.P. 1960. The metabolism and function of phosphatides. In: "Lipid metabolism." K. Bloch (Ed.). John Wiley & Sons.
- Rutenburg, A.M., Wolman, M. and Seligman, A.M. 1953. Comparative distribution of succinic dehydrogenase in six mammals and modification in the histochemical technique. J. Histochem. Cytochem. 1: 66.

- Ryvkina, D.E. 1945. Respiratory quotient in regenerating tissues. C.R. Acad. Sci., URSS. 49: 457-459.
(In Russian with English summary)
- Schmidt, A.J. 1960. Preblastemic changes of intramuscular glycogen in forelimb regeneration of the adult newt, Triturus viridescens. J. Exp. Zool. 145: 43-48.
- Schmidt, A.J. 1962a. Distribution of polysaccharides in the regenerating forelimb of the adult newt, Diemictylus viridescens (Triturus v.). J. Exp. Zool. 149: 171-191.
- Schmidt, A.J. 1963b. Succinic, malic, α -glycerophosphate and lactic dehydrogenases in limb tissues of the adult newt, Diemictylus viridescens. J. Exp. Zool. 153: 69-80.
- Schmidt, A.J. and Weidman, T. 1964. Dehydrogenases and aldolase in the regenerating forelimb of the adult newt, Diemictylus viridescens. J. Exp. Zool. 155: 303-316.
- Schmidt, A.J. 1966. The molecular basis of regeneration: Enzymes. Illinois monographs in medical sciences, Vol.VI, No.4.
- Schmidt, A.J. 1966a. The sudanophilic lipid of normal and regenerating limb tissues of the adult newt,

Diemictylus viridescens. J. Morph. 118: 57-78.

- Schmidt, A.J. 1966b. Lipid of normal and regenerating limb tissues of the adult newt, Diemictylus viridescens: Acidic and non-acidic lipids, phospholipids and cholesterol. J. Morph. 118: 353-366.
- Schotté, O.E. 1939. The origin and morphogenetic potencies of regenerates. Growth, 1: 59-76.
- Schotté, O.E. and Harland, M. 1943. Amputation level and regeneration in limbs of late Rana clamitans tadpoles. J. Morphol. 73: 329-361.
- Shah, R.V. and Chakko, T.V. 1967b. Histochemical localization of glycogen and phosphorylase in the normal and regenerating tail of Hemidactylus flaviviridis. J. Anim. Morphol. Physiol. 14: 257-264.
- Shah, R.V. and Chakko, T.V. 1969. Histochemical localization of succinate dehydrogenase in the normal and regenerating tail of Hemidactylus flaviviridis. J. Anim. Morphol. Physiol. 16: 88-96.
- Shah, R.V., Hiradhar, P.K. and Magon, D.K. 1971. Ascorbic acid in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Embryol. exp. Morph. 26: 285-293.

- Shah, R.V. and Magon, D.K. 1969. Histochemical demonstration of α C-glycerophosphate dehydrogenase (α C-GPDH) in the normal and regenerating tail of the house lizard, Hemidactylus flaviviridis. J. Anim. Morphol. Physiol. 16: 97-105.
- Simpson, S.B. Jr. 1965. Regeneration of the lizard tail. In: Regeneration in animals and related problems. ed. by V. Kiorthis and H.A.L. Trampusch. Amsterdam, Netherlands: North-Holland Publishing Co., pp. 431-443.
- Singer, M. 1952. The influence of the nerve in regeneration of the amphibian extremity. Quart. Rev. Biol. 27: 169-200.
- Spallanzani, L. 1768. Prodromo di un opera ad imp. Sopra la Riproduz. Animal. Modena. (cited by Needham, 1952.)
- Sternberg, W.H., Farber, E. and Dunlop, C.E. 1956. Histochemical localization of specific oxidative enzymes. II. Localization of diphosphopyridine nucleotide diaphorase and the succinic dehydrogenase system in the kidney. J. Histochem. Cytochem. 4: 266.
- Stolk, A. 1961. Histochemical localization of β -glucuronidase in healing wound of the Igauna. Lancet, 1: 1411.

- Van Stone, J.M. 1955. The relationship between innervation and regenerative capacity in hind limbs of Rana sylvatica. J. Morphol. 97: 345-392.
- Von Euler, H. and Helstrom, H. 1938. Z. physiol. Chem. 252: 31. (cited by Pearse, 1960.)
- Vorontsova, M.A. and Liosner, L.D. 1960. Asexual propagation and regeneration. Pergamon, London. 489 p.
- Windle, W.F. 1955. Regeneration in the central nervous system. Springfield, III: Charles C. Thomas, Publisher.
- Wise, E.M. Jr. and Ball, E.G. 1964. Malic enzyme and lipogenesis. Proc. Natl. Acad. Sci. 52: 1255.
- Wolfe, H.J. and Cohen, R.B. 1963. Histochemical studies on the regenerating urodele limb. 1. Oxidative and glycogenic enzymes. Dev. Biol. 8: 48-66.
- Woodland, W.N.F. 1920. Some observations on caudal autotomy and regeneration in the gecko (Hemidactylus flaviviridis, Rupel) with notes on the tails of Sphenodon and Pygopus. Quart. J. Microscop. Sci. 65: 63-100.
- Zika, J. and Singer, M. 1965. The relation between nerve fibre number and limb regenerative capacity in the lizard, Anolis. Anat. Record. 152: 137-140.