

# List of Tables

2.1	Mechanical properties (Young's modulus (YM), tensile strength (TS) and percentage elongation at break (PE) ) for non-biobased non-biodegradable polymer (NB-NB), non-biobased biodegradable polymer (NB-BP), biobased nonbiodegradable polymer (BB-NB) and biobased biodegradable polymer (BB-BP), from previously published sources. . . . .	39
2.2	Raman modes corresponding to peaks observed in the Raman spectrum of HDPE, LLDPE, and PPC films. The peak center is determined from the Lorentzian fitting of the Raman peaks and the corresponding vibrational mode is determined from the fingerprints available in literature [4, 71, 72] . . . . .	50
3.1	Peak assignments and their peak center at room temperature (30 °C) for peaks appearing in unprocessed PVAc. The peak numbers as assigned in Figure 3.2(a). The best fit to the peaks is determined from non-linear least square fitting results. The peaks are assigned their respective vibrational modes with the help of existing literature [34, 36, 37]. . . . .	95
3.2	Calculation of activation energy from the Arrhenius fits (Equation 3.4) of the integrated peak intensities ( $I_{INT}^T$ ) of Raman peaks 2, 3 and 4 of PVAc film. . . . .	126
3.3	Fitting results of integrated peak intensities as a function of temperature ( $I_{INT}^{T=293K}$ ) fitted with VFT equation (Equation 3.5) during cooling cycle of thermal ramp 2. . . . .	126
4.1	Fractal dimension ( $d_F$ ) for the peaks in PVAc film instantly after quenching ( $t_w = 0$ ) and after 95 minutes of quenching ( $t_w = 95$ min). . . . .	149

5.1	Length scales (blob size $\xi$ ) and interaction strength ( $\phi_{Dep}$ , depletion interactions in presence of bentonite) for different concentrations of PEG aqueous solutions. . . . .	170
5.2	Diffusion coefficients as calculated from three different techniques: Equation 5.4 (D1), Equation 5.5 (D2) and Equation 5.6 (D3) . . . . .	172
5.3	Heterogeneities and immobile fractions present in PEG+B solutions for all concentrations of bentonite in 20P . . . . .	180
5.4	Aggregate size obtained from fitting hierarchical model (Equation 5.18) to scattering intensity obtained in SAXS and MSANS. SAXS 1 is the SAXS experiments for the range given in Figure 5.8(a) (range 1) and SAXS 2 is the SAXS experiments for the range given in Figure 5.8(b) (range 2). The average aggregate size obtained from phase contrast microscopy for different concentrations of polymer in 1 wt.% bentonite solutions. . . . .	187