LIST OF TABLES

| Table No | <u>o.</u> | Page |
|----------|--|----------------|
| 1 | Number of fruits taken for each trial for chemical analysis | 27 |
| 2 | Details of enzyme assays | 34 -3 8 |
| 3 | Effect of enzyme concentration, period of incubation, glucose concentration and pH on hexokinase activity in the fruit tissues of <u>Citrus</u> acida | 40 |
| 4 | Effect of enzyme concentration, period of incubation, glucose-6-phosphate concentration and pH on phosphohexose isomerase activity in the fruit tissues of <u>Citrus</u> acida | 41 |
| 5 | Effect of enzyme concentration, period of incubation, fructose-6-phosphate concentration and pH on phosphofructo-kinase activity in the fruit tissues of Citrus acida | 42 |
| 6 | Effect of enzyme concentration, period of incubation, fructose-1,6-diphosphate concentration and pH on fructose diphosphate aldolase activity in the fruit tissues of <u>Citrus</u> acida | 43 |
| 7 | Effect of enzyme concentration, period of incubation, glyceraldehyde-3-phosphate concentration and pH on glyceraldehyde-3-phosphate dehydrogenase activity in the fruit tissues of <u>Citrus acida</u> | 44 |
| 8 . | Effect of enzyme concentration, period of incubation, pyruvate concentration and pH on lactate dehydrogenase activity in the fruit tissues of <u>Citrus</u> acida | 45 |
| 9 | Effect of enzyme concentration, period of incubation, glucose-1-phosphate concentration and pH on phosphoglucomutase activity in the fruit tissues of Citrus acida | 46 |

| Table | No. | Page |
|-------|--|------|
| 10 | Effect of enzyme concentration, period of incubation and pH on ascorbic acid synthesis in the fruit tissues of Citrus acida | 47 |
| 11 | Effect of enzyme concentration, period of incubation, ascorbic acid concentration and pH on ascorbic acid oxidase activity in the fruit tissues of <u>Citrus</u> acida | 48 |
| 12 | Activities of enzymes of glycolytic cycle and ascorbic acid synthesizing enzyme and ascorbic acid oxidase in the fruit tissues of <u>Citrus</u> <u>acida</u> | 50 |
| 13 | pH optima for the glycolytic enzymes obtained from different sources | 51 |
| 14 | Chemical composition of the fruit tissues of <u>Citrus acida</u> | 53 |
| . 15 | Activity of hexokinase in different parts of the fruit tissues of <u>Citrus</u> acida at different stages of development | - 54 |
| 16 | Activity of phosphohexose isomerase in different parts of the fruit tissues of <u>Citrus acida</u> at different stages of development | 57 |
| 17 | Activity of phosphofructokinase in different parts of the fruit tissues of Citrus acida at different stages of development | 58 |
| 18 | Activity of fructose diphosphate aldolase in different parts of the fruit tissues of <u>Citrus</u> acida at different stages of development | 59 |
| 19 | Activity of glyceraldehyde-3-phosphate dehydrogenase in different parts of the fruit tissues of <u>Citrus acida</u> at different stages of <u>development</u> | 61 |

| Table No | . | Page |
|----------|--|------------|
| 20 | Activity of lactate dehydrogenase in different parts of the fruit tissues of Citrus acida at different stages of development | 62 |
| 21 | Glycolytic enzymes in the fruit tissues of <u>Citrus acida</u> | 63 |
| 22 | Activity of phosphoglucomutase in different parts of the fruit tissues of Citrus acida at different stages of development | 66 |
| 23 | Activity of ascorbic acid synthase in different parts of the fruit tissues of Citrus acida at different stages of development | 67 |
| 24 | Activity of ascorbic acid oxidase in different parts of the fruit tissues of Citrus acida at different stages of development | 68 |
| 25 | Per cent dry weight of different parts of the fruit tissues of <u>Citrus acida</u> at different stages of <u>development</u> | 72 |
| 26 | Total sugar content of different parts of the fruit tissues of <u>Citrus acida</u> at different stages of <u>development</u> | 7 3 |
| 27 | Free sugar content of different parts of the fruit tissues of <u>Citrus acida</u> at different stages of <u>development</u> | 74 |
| 28 | Glucose content of different parts of the fruit tissues of <u>Citrus acida</u> at different stages of development | 75 |
| 29 | Glucose-6-phosphate content of different parts of the fruit tissues of <u>Citrus</u> acida at different stages of <u>development</u> | 78 |
| 30 | Fructose-6-phosphate content of different parts of the fruit tissues of Citrus acida at different stages of development | 80 |

| | _ | - |
|------------|--|------|
| | iv | |
| Table No | <u>).</u> | Page |
| 31 | Fructose-1,6-diphosphate content of different parts of the fruit tissues of Citrus acida at different stages of development | 81 |
| 32 | Lactic acid content of different parts of the fruit tissues of <u>Citrus acida</u> at different stages of <u>development</u> | 82 |
| 3 3 | Citric acid content of different parts of the fruit tissues of <u>Citrus acida</u> at different stages of <u>development</u> | 85 |
| 34 | Glucose-1-phosphate content of different parts of the fruit tissues of Citrus acida at different stages of development | 87 |
| 35 | Free ascorbic acid content of different parts of the fruit tissues of <u>Citrus</u> acida at different stages of development | 88 |
| 36 | Dehydroascorbic acid content of different parts of the fruit tissues of <u>Citrus acida</u> at different stages of development | 89 |