

Table of Contents

Abstract.....I-III

List of AbbreviationsIV-V

Chapter 1 Introduction1-27

| | |
|----------------------------------------------------------------------------|----|
| 1.1 Asymmetric synthesis | 2 |
| 1.2 Asymmetric catalysis | 4 |
| 1.3 Privileged chiral ligands..... | 5 |
| 1.3.1 Proline..... | 6 |
| 1.3.2 BINOL | 7 |
| 1.3.3 Salen..... | 8 |
| 1.3.4 Thiourea | 8 |
| 1.4 Asymmetric homogeneous catalysis | 9 |
| 1.5 Asymmetric heterogeneous catalysis | 9 |
| 1.5.1 Methodologies for immobilizing homogeneous asymmetric catalysts..... | 10 |
| 1.5.2 Immobilization of chiral catalyst on organic polymers | 13 |
| 1.5.3 Chiral catalysts supported by a dendrimer..... | 14 |
| 1.5.4 Self-supported chiral catalysts | 15 |
| 1.5.5 Phase-transfer catalysis..... | 15 |
| 1.5.6 Immobilization of chiral catalyst on inorganic materials | 16 |
| 1.6 Porous silica materials | 17 |
| 1.7 References..... | 18 |

Chapter 2 Spick-and-span protocol for designing of silica-supported enantioselective organocatalyst for the asymmetric aldol reaction 28-45

| | |
|-------------------------------------------------------------------------|----|
| 2.1 Introduction | 29 |
| 2.2 Experiment Section..... | 30 |
| 2.2.1 Synthesis of CH ₃ NH- <i>f</i> -SiO ₂ | 30 |
| 2.2.2 Synthesis of <i>L</i> -Proline methyl ester | 31 |

| | |
|----------------------------------------------------------------------------------|----|
| 2.2.3 Synthesis of <i>L</i> -proline-(3°amine)- <i>f</i> -SiO ₂ | 31 |
| 2.2.4 General reaction condition..... | 32 |
| 2.3 Results and discussion | 32 |
| 2.3.1 ¹³ C CP MAS NMR spectra | 32 |
| 2.3.2 X-ray diffraction pattern | 33 |
| 2.3.3 Transmission electron microscopy | 34 |
| 2.3.4 BET analysis | 35 |
| 2.3.5 FTIR spectra..... | 36 |
| 2.3.6 Elemental analysis | 37 |
| 2.4 Catalytic activity | 37 |
| 2.4.1 Effect of temperature | 38 |
| 2.4.2 Recyclability test..... | 38 |
| 2.5 Catalytic mechanism..... | 40 |
| 2.6 Conclusions..... | 41 |
| 2.7 References..... | 41 |

| | |
|----------------------------------------------------------------------------------------------------------|--------------|
| Chapter 3 Asymmetric hydrogenation using a covalently immobilized Ru-BINOL-AP@MSNs catalyst | 46-69 |
| 3.1 Introduction..... | 47 |
| 3.2 Experimental section..... | 49 |
| 3.2.1 Synthesis of mesoporous silica nanoparticles (MSNs)..... | 49 |
| 3.2.2 Synthesis of (3-aminopropyl)trimethoxysilane grafted onto MSNs | 49 |
| 3.2.3 Preparation of MMNN..... | 49 |
| 3.2.4 Synthesis of MMNN grafted onto amine-functionalized MSNs | 50 |
| 3.2.5 Synthesis of chiral Ru-BINOL-AP@MSNs | 50 |
| 3.2.6 Catalytic Activity | 50 |
| 3.3 Results and discussion | 51 |
| 3.3.1 X-ray Diffraction Patterns | 51 |
| 3.3.2 Scanning electron microscopy | 52 |
| 3.3.3 Transmission electron microscopy | 53 |
| 3.3.4 X-ray Photo electronic spectroscopy | 54 |

| | |
|------------------------------------------------|----|
| 3.3.5 FTIR spectra..... | 55 |
| 3.3.6 ^{13}C CP MAS NMR spectra | 56 |
| 3.3.7 BET analysis | 57 |
| 3.3.8 Thermogravimetric study..... | 59 |
| 3.4 Catalytic activity | 60 |
| 3.4.1 Acetophenone derivatives..... | 61 |
| 3.4.2 Recyclability test..... | 61 |
| 3.5 Conclusions..... | 63 |
| 3.6 References..... | 64 |

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Chapter 4 DFT stimulation and experimental insights of chiral Cu(II)–salen scaffold within the pocket of MWW-zeolite and its catalytic study..... | 70-103 |
| 4.1 Introduction | 71 |
| 4.2 Experimental section..... | 74 |
| 4.2.1 Preparation of MWW zeolite | 74 |
| 4.2.2 Synthesis of chiral salen schiff base ligand | 74 |
| 4.2.3 Synthesis of metal exchange MWW zeolite | 75 |
| 4.2.4 Preparation of encapsulated chiral Cu(II)-salen complex..... | 75 |
| 4.2.5 Determination of the chiral salen ligand crystal structure | 75 |
| 4.2.6 Catalytic Activity | 80 |
| 4.3 Results and discussion | 80 |
| 4.3.1 X-ray Diffraction Patterns..... | 80 |
| 4.3.2 Scanning electron microscopy | 81 |
| 4.3.3 BET analysis | 82 |
| 4.3.4 FTIR spectra..... | 83 |
| 4.3.5 UV–vis spectra..... | 84 |
| 4.3.6 EDAX spectra | 85 |
| 4.3.7 X-ray photoelectron spectroscopy | 86 |
| 4.4 Theoretical studies & results..... | 87 |
| 4.5 Catalytic activity | 90 |
| 4.5.1 Benzaldehyde derivatives | 90 |

| | |
|----------------------------------------------------------------------|----|
| 4.5.2 Recyclability test..... | 91 |
| 4.5.3 A comparative study for the synthesis of DHPMs..... | 93 |
| 4.6 Plausible catalytic pathway for the chiral DHPMs synthesis | 93 |
| 4.7 Conclusions..... | 95 |
| 4.8 Crystallographic Data Information | 95 |
| 4.9 References..... | 95 |

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Chapter 5 Sustainable approach for the synthesis of chiral β-aminoketones using an encapsulated chiral Zn(II)-salen complex | 104-126 |
| 5.1 Introduction..... | 105 |
| 5.2 Experimental section..... | 107 |
| 5.2.1 Synthesis of MWW zeolite | 107 |
| 5.2.2 Preparation of chiral salen schiff base ligand | 107 |
| 5.2.3 Zn(II) exchanged MWW-zeolite..... | 107 |
| 5.2.4 Synthesis of Chiral Zn(II)-Salen@MWW | 107 |
| 5.2.5 Catalytic Activity | 108 |
| 5.3 Results and discussion | 108 |
| 5.3.1 X-ray Diffraction Patterns..... | 108 |
| 5.3.2 Scanning electron microscopy | 109 |
| 5.3.3 BET analysis | 110 |
| 5.3.4 FTIR spectra..... | 111 |
| 5.3.5 EDAX pattern | 112 |
| 5.3.6 X-ray photoelectron spectroscopy | 113 |
| 5.4 Catalytic activity | 114 |
| 5.4.1 Synthesis chiral β -aminoketone derivatives | 115 |
| 5.4.2 Recyclability test..... | 117 |
| 5.4.3 A comparative study for the synthesis of chiral β -aminoketone..... | 118 |
| 5.5 A plausible catalytic pathway for the chiral β -aminoketone synthesis..... | 118 |
| 5.6 Conclusions..... | 120 |
| 5.7 References..... | 120 |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Chapter 6 Enhanced Thermal Stability and Catalytic Performance of Montmorillonite-Silica-Graphene Oxide Composite Incorporating with Chiral Thiourea for the Strecker Reaction | 127-159 |
| 6.1 Introduction..... | 128 |
| 6.2 Experimental section..... | 130 |
| 6.2.1 Preparation of Graphene oxide (GO)..... | 130 |
| 6.2.2 Preparation of MMT-silica-GO | 130 |
| 6.2.3 General synthesis of chiral thiourea (CTU) | 130 |
| 6.2.4 Preparation of MMT-silica-GO-CTU | 131 |
| 6.2.5 General condition for the catalytic reaction..... | 131 |
| 6.2.6 Recycling of catalyst..... | 131 |
| 6.3 Results and discussion | 132 |
| 6.3.1 FTIR spectra..... | 132 |
| 6.3.2 Raman spectra..... | 133 |
| 6.3.3 BET analysis | 134 |
| 6.3.4 Scanning electron microscopy | 136 |
| 6.3.5 EDAX spectra | 137 |
| 6.3.6 X-ray Diffraction Patterns..... | 138 |
| 6.3.7 SAXS patterns..... | 139 |
| 6.3.8 X-ray photoelectron spectroscopy | 141 |
| 6.3.9 Thermogravimetric study | 143 |
| 6.4 Catalytic activity | 145 |
| 6.4.1 Using different types of aldehyde and amines derivatives | 146 |
| 6.4.2 Testing MMT-silica-GO-CTU recyclability with aldehyde and amine.... | 147 |
| 6.4.3 Using types of ketones and amines derivatives | 148 |
| 6.4.4 Testing MMT-silica-GO-CTU recyclability with ketone and amine | 149 |
| 6.5 A plausible catalytic path for asymmetric Strecker reaction | 152 |
| 6.6 Conclusions..... | 153 |
| 6.7 References..... | 153 |

| | |
|-----------------------------------------------------------------------------------|----------------|
| <i>Chapter 7 Conclusion & Future perspectives</i> | 160-162 |
| <i>List of publications & conferences/ Symposia/ Seminars/ Workshop</i> | 163-168 |
| <i>Achievement</i> | 169-170 |