List of Figures

1.1	Location of Lagrangian points in RTBP.	18
2.1	PSS of island and periodic orbit at the centre of the island for $q = 1$ and $C = 3.018$.	28
2.2	PSS for $q = 0.9$ and $C = 1$	29
2.3	PSS for $q = 0.9$ and $C = 1.7$	29
2.4	Orbit at $x = 0.80320$ for $q = 0.9$ and $C = 1.7.$	29
2.5	Orbit at $x = 0.12690$ for $q = 0.9$ and $C = 1.7$	30
2.6	PSS and orbit lying on the centre of the island at $x = 0.11680$ for $q = 0.9$ and $C = 1.8$.	30
2.7	PSS, magnified form of one of the islands near $x = 0.32$ and periodic orbit lying at $x = 0.32490$ for $q = 0.9$ and $C = 2.79$.	32
2.8	PSS, magnified form of one of the islands near $x = 0.33$ and periodic orbit lying at $x = 0.33286$ for $q = 0.9$ and $C = 2.8$.	33
2.9	Location of Sun centered periodic orbit Vs Jacobi constant C for $q = 0.9$.	34
2.10	Semi-major axis of Sun centered periodic orbit Vs Jacobi constant C for $q = 0.9$.	34
2.11	Eccentricity of Sun centered periodic orbit Vs Jacobi constant C for $q = 0.9$.	35
2.12	PSS, magnified form of one of the islands near $x = 0.35$ and periodic orbit lying at $x = 0.352983$ for $C = 2.985$ and $q = 0.9845$	36

2.13	PSS, magnified form of one of the islands near $x = 0.34$ and periodic orbit lying at $x = 0.34490$ for $C = 2.975$ and $q = 0.9845$.	37
2.14	PSS, magnified form of one of the islands near $x = 0.33$ and periodic orbit lying at $x = 0.33060$ for $C = 2.985$ and $q = 1.$	38
2.15	PSS, magnified form of one of the islands near $x = 0.32$ and periodic orbit lying at $x = 0.32335$ for $C = 2.975$ and $q = 1. \ldots \ldots$	39
2.16	Variation in location of Sun centered periodic orbit for $q = 0.9845$ and $q = 1. \dots $	40
2.17	Variation in semi-major axis of Sun centered periodic orbit for $q = 0.9845$ and $q = 1. \ldots \ldots$	40
2.18	Variation in eccentricity of Sun centered periodic orbit for $q = 0.9845$ and $q = 1. \dots $	41
2.19	PSS of island for $C = 2.80$ and $q = 0.9.$	41
2.20	PSS of island for $C = 2.80$ and $q = 0.9345$	42
2.21	PSS of island for $C = 2.80$ and $q = 0.9645$	42
2.22	PSS of island for $C = 2.80$ and $q = 1. \dots \dots \dots \dots \dots$	42
2.23	PSS of island for $C = 2.79$ and $q = 0.9$	43
2.24	PSS of island for $C = 2.79$ and $q = 0.9345$.	43
2.25	PSS of island for $C = 2.79$ and $q = 0.9645$.	44
2.26	PSS of island for $C = 2.79$ and $q = 1. \dots \dots \dots \dots \dots$	44
2.27	PSS of island for $C = 2.78$ and $q = 0.9$	44
2.28	PSS of island for $C = 2.78$ and $q = 0.9345$.	45
2.29	PSS of island for $C = 2.78$ and $q = 0.9645$	45
2.30	PSS of island for $C = 2.78$ and $q = 1. \dots \dots \dots \dots \dots$	46
2.31	Variation in location and diameter of Saturn centered periodic orbit for $q = 1$	46
2.32	Variation in location and diameter of Saturn centered periodic orbit for $q = 0.9845$	47

2.33	Variation in location and diameter of Saturn centered periodic orbit for $q = 0.9645$	47
2.34	Variation in location and diameter of Saturn centered periodic orbit for $q = 0.9345$	48
2.35	Variation in location and diameter of Saturn centered periodic orbit for $q = 0.9$.	48
2.36	Variation in location of periodic orbit for variation in q	49
2.37	Variation in semi–major axis of Saturn centered periodic orbit for $q = 1$.	49
2.38	Variation in semi-major axis of Saturn centered periodic orbit for $q = 0.9845$.	50
2.39	Variation in semi-major axis of Saturn centered periodic orbit for $q = 0.9645$.	50
2.40	Variation in semi-major axis of Saturn centered periodic orbit for $q = 0.9345$.	51
2.41	Variation in semi-major axis of Saturn centered periodic orbit for $q = 0.9.$	51
2.42	Variation in eccentricity of Saturn centered periodic orbit for $q = 1$.	52
2.43	Variation in eccentricity of Saturn centered periodic orbit for $q = 0.9845$.	53
2.44	Variation in eccentricity of Saturn centered periodic orbit for $q = 0.9645$.	53
2.45	Variation in eccentricity of Saturn centered periodic orbit for $q = 0.9345$.	54
2.46	Variation in eccentricity of Saturn centered periodic orbit for $q = 0.9$.	54
3.1	Excluded region for different solar radiation pressure q	61
3.2	PSS for $C = 3.018, q = 1.$	61
3.3	PSS for $C = 3.018$, $q = 1$, periodic orbit located at center of the island at $x = 0.987101$.	62
3.4	Location and diameter of \boldsymbol{f} family periodic orbits	67
3.5	Semi–major axis of f family periodic orbits	67
3.6	Eccentricity of f family periodic orbits	68

3.7	Stability of \boldsymbol{f} family periodic orbits for $q = 1$	69
3.8	Stability of \boldsymbol{f} family periodic orbits for $q = 0.9845$	69
3.9	Stability of \boldsymbol{f} family periodic orbits for $q = 0.9645$	70
3.10	Stability of \boldsymbol{f} family periodic orbits for $q = 0.9345$	70
3.11	PSS of island for $C = 2.991$ and $q = 1. \dots \dots \dots \dots \dots$	71
3.12	First separatrix for $C = 2.9928$ and $q = 1. \dots \dots \dots \dots \dots$	71
3.13	PSS of island for $C = 2.995$ and $q = 1. \dots \dots \dots \dots \dots$	72
3.14	Second separatrix for $C = 2.999$ and $q = 1. \dots \dots \dots \dots$	72
3.15	PSS of island for $C = 3.0$ and $q = 1. \dots \dots \dots \dots \dots$	72
3.16	PSS of island for $C = 2.855$ and $q = 0.9345$	73
3.17	First separatrix for $C = 2.86$ and $q = 0.9345$	73
3.18	PSS of island for $C = 2.865$ and $q = 0.9345$	73
3.19	Second separatrix for $C = 2.867$ and $q = 0.9345$	74
3.20	PSS of island for $C = 2.869$ and $q = 0.9345$	74
3.21	Location of separatrices for Sun–Saturn system as a function of $q.\ .$.	75
3.22	Value of C corresponding to the separatrices in Sun–Saturn system as a function of q	76
3.23	Difference between the values of C corresponding to the separatrices as a function of q	76
3.24	Distance between the location of two separatrices in Sun–Saturn system as a function of q	77
3.25	Location of periodic orbit at first separatrix, semi major axis and eccentricity of PO	79
3.26	Location of periodic orbit at second separatrix, semi major axis and eccentricity of PO	79
4.1	PSS for $A_2 = 0.0005$ and $C = 2.93$, for $x = [0.8, 1]$ for Sun–Mars system.	86

4.2	PSS for $A_2 = 0.0005$ and $C = 2.93$, for $x = [0.8, 1]$ for Sun–Earth system.	86
4.3	Periodic orbits around both primaries for Sun–Mars and Sun–Earth systems when $C = 2.93$ and $A_2 = 0.0005$.	87
4.4	Variation in location of single–loop periodic orbit around Sun–Mars system due to oblateness.	88
4.5	Variation in location of single–loop periodic orbit around Sun–Earth system due to oblateness.	89
4.6	Variation in location of five–loops periodic orbit around Sun–Mars system due to oblateness	89
4.7	Variation in location of five–loops periodic orbit around Sun–Earth system due to oblateness	90
4.8	Variation in location of periodic orbit of secondary body around Sun and Mars for $C = 2.93$ due to number of loops for different A_2	90
4.9	Variation in location of periodic orbit of secondary body around Sun– Earth system for $C = 2.93$ due to number of loops for different A_2 .	91
4.10	Stability analysis for three–loops orbit for Sun–Earth system when $A_2 = 0.0001$	91
4.11	Amplitude for three–loops orbit for Sun–Earth system when $A_2 = 0.0001.$	92
4.12	Enlarge view of PSS for $C = 2.94$ when $A_2 = 0.0001$	93
4.13	Enlarge view of PSS of first separatrix for three–loops orbit for $C = 2.95$ when $A_2 = 0.0001$.	93
4.14	Orbit at first separatrix corresponding to $C = 2.95$, $A_2 = 0.0001$ and $x = 0.894$.	94
4.15	Enlarge view of PSS for $C = 2.955$ when $A_2 = 0.0001$	94
4.16	Enlarge view of PSS of second separatrix for three–loops orbit for $C = 2.96, A_2 = 0.0001.$	95
4.17	Orbit at second separatrix corresponding to $C = 2.96$, $A_2 = 0.0001$, and $x = 0.915$.	95

5.1	PSS for $q = 0.9845$ and $C = 2.94$, for $x = [0.8, 1]$ for Sun–Mars system
5.2	PSS for $q = 0.9845$ and $C = 2.94$, for $x = [0.8, 1]$ for Sun–Earth system
5.3	Periodic orbits around both primaries for Sun–Mars system when $C = 2.94. \ldots \ldots$
5.4	Periodic orbits around both primaries for Sun–Earth system when $C = 2.94. \ldots \ldots$
5.5	Variation in location of single–loop periodic orbit around Sun–Mars system due to solar radiation pressure
5.6	Variation in location of single–loop periodic orbit around Sun–Earth system due to solar radiation pressure
5.7	Variation in location of five–loops periodic orbit around Sun–Mars system due to solar radiation pressure
5.8	Variation in location of five–loops periodic orbit around Sun–Earth system due to solar radiation pressure
5.9	Variation in location of periodic orbit of secondary body around Sun and Mars for $C = 2.93$ due to number of loops for different $q. \ldots 122$
5.10	Variation in location of periodic orbit of secondary body around Sun and Earth for $C = 2.93$ due to number of loops for different $q. \ldots 122$
5.11	Variation in semi-major axis of single-loop periodic orbit around Sun-Mars system due to solar radiation pressure
5.12	Variation in semi-major axis of single-loop periodic orbit around Sun-Earth system due to solar radiation pressure
5.13	Variation in semi-major axis of five-loops periodic orbit around Sun- Mars system due to solar radiation pressure
5.14	Variation in semi-major axis of five-loops periodic orbit around Sun- Earth system due to solar radiation pressure
5.15	Variation in semi-major axis of periodic orbit of secondary body around Sun and Mars for $C = 2.93$ due to number of loops for differ- ent q

5.16	Variation in semi-major axis of periodic orbit of secondary body around Sun and Earth for $C = 2.93$ due to number of loops for different q
5.17	Variation in eccentricity of single–loop periodic orbit around Sun– Mars system due to solar radiation pressure
5.18	Variation in eccentricity of single–loop periodic orbit around Sun– Earth system due to solar radiation pressure
5.19	Variation in eccentricity of five–loops periodic orbit around Sun–Mars system due to solar radiation pressure
5.20	Variation in eccentricity of five–loops periodic orbit around Sun– Earth system due to solar radiation pressure
5.21	Variation in eccentricity of periodic orbit of secondary body around Sun and Mars for $C=2.93$ due to number of loops for different q . 128
5.22	Variation in eccentricity of periodic orbit of secondary body around Sun and Earth for $C=2.93$ due to number of loops for different $q.~$. 129
5.23	Stability analysis for two–loops orbit for Sun–Earth system when $q = 0.9845$
5.24	Amplitude for two-loops orbit for Sun-Earth system when $q = 0.9845$
5.25	Enlarge view of PSS for $C = 2.92$ when $q = 0.9845$
5.26	Enlarge view of PSS of first separatrix for two–loops orbit for $C = 2.93$ when $q = 0.9845$
5.27	Orbit at first separatrix corresponding to $C = 2.93$, $q = 0.9845$ and $x = 0.938$
5.28	Enlarge view of PSS for $C = 2.94$ when $q = 0.9845$
5.29	Enlarge view of PSS of second separatrix for two–loops orbit for $C = 2.95, q = 0.9845.$
5.30	Orbit at second separatrix corresponding to $C = 2.95$, $q = 0.9845$, and $x = 0.98$
6.1	Exterior first order resonant single–loop orbit and PSS for $C = 2.93$ for Sun–Earth system

6.2	Exterior first order resonant two–loops orbit and PSS for $C = 2.93$ for Sun–Earth system
6.3	Interior first order resonant two–loops orbit and PSS for $C = 2.93$ for Sun–Earth system
6.4	Variation in three–loops interior first order resonant orbit when $q = 0.9845$ and $A_2 = 0.0001$ in the Sun–Earth system
6.5	Variation in PSS of three–loops orbit due to interior first order resonance when $q = 0.9845$, $A_2 = 0.0001$ in the Sun–Earth system 155
6.6	Variation in location of the first order interior and exterior resonant periodic orbit for $C = 2.93$ in perturbed case $(q = 0.9845, A_2 = 0.0001)$ and ideal case $(q = 1, A_2 = 0)$ for the Sun–Earth system 157
6.7	Variation in eccentricity of the first order interior and exterior res- onant periodic orbit for $C = 2.93$ in perturbed case ($q = 0.9845$, $A_2 = 0.0001$) and ideal case ($q = 1, A_2 = 0$) for the Sun–Earth system 158
6.8	Variation in location and eccentricity of first order interior three–loops orbit when $q = 0.9845$ and $A_2 = 0.0001$ for Sun–Earth system 158
6.9	Variation in location of the first order interior and exterior resonant periodic orbit for $C = 2.93$ in perturbed case $(q = 0.9845, A_2 = 0.0001)$ and ideal case $(q = 1, A_2 = 0)$ in the Sun–Mars system 159
6.10	Variation in eccentricity of the first order interior and exterior res- onant periodic orbit for $C = 2.93$ in perturbed case $(q = 0.9845, A_2 = 0.0001)$ and ideal case $(q = 1, A_2 = 0)$ for the Sun–Mars system. 159
6.11	Variation in location and eccentricity of interior first order three–loops orbit for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for the Sun–Mars system
6.12	Variation in interior third order resonant seven–loops orbit for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun – Earth system 161
6.13	PSS of interior third order resonant seven–loops orbit of Family–I for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system 161
6.14	Family–I interior third order resonant orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
6.15	PSS of interior third order resonant seven loops orbits from Family–II for $q=0.9845, A_2=0.0001$ and $C=2.93$ for Sun–Earth system 164

6.16	Family–II interior third order resonant orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
6.17	PSS of interior fifth order resonant eleven– loops orbits from Family– II for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ in the Sun–Earth system. 166
6.18	Family-I interior fifth order resonant orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
6.19	Family–II interior fifth order resonant orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
6.20	Variation in location of the interior third and interior fifth order res- onant periodic orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
6.21	Variation in eccentricity of the interior third and interior fifth order resonant periodic orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
6.22	Variation in period of the interior third and interior fifth order res- onant periodic orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
6.23	Variation in location of the interior third and interior fifth order res- onant periodic orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Mars system
6.24	Variation in eccentricity of the interior third and interior fifth order resonant periodic orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Mars system
6.25	Variation in period of the interior third and interior fifth order res- onant periodic orbits for $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ Sun-Mars system
7.1	PSS of interior seventh order resonant fifteen–loops orbit when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
7.2	Interior seventh order resonant orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system
7.3	PSS of interior ninth order resonant twenty two–loops orbits when $q = 0.9845, A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system 183

7.4	Interior ninth order resonant orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun-Earth system	3
7.5	PSS of interior eleventh order resonant twenty three–loops orbits when $q=0.9845,A_2=0.0001$ and $C=2.93$ for Sun–Earth system 18	35
7.6	Interior eleventh order resonant orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun-Earth system	\$6
7.7	Variation in location of the interior seventh, interior ninth and interior eleventh order resonant periodic orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system	37
7.8	Variation in eccentricity of the interior seventh, interior ninth and interior eleventh order resonant periodic orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system	37
7.9	Variation in period of the interior seventh, interior ninth and interior eleventh order resonant periodic orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Earth system	88
7.10	Variation in location of the interior seventh, interior ninth and interior eleventh order resonant periodic orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Mars system	38
7.11	Variation in eccentricity of the interior seventh, interior ninth and interior eleventh order resonant periodic orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Mars system	38
7.12	Variation in period of the interior seventh, interior ninth and interior eleventh order resonant periodic orbits when $q = 0.9845$, $A_2 = 0.0001$ and $C = 2.93$ for Sun–Mars system	39