


A rectangular frame with a textured vertical bar on the right side. The frame is composed of a double-line border. The right side of the frame is a vertical bar with a dense, grainy texture, resembling a book's spine or a decorative element. The word "BIBLIOGRAPHY" is centered at the bottom of the frame.

BIBLIOGRAPHY

BIBLIOGRAPHY


"Our senses transmit to us the raw materials on which our thinking is based."

1. Ray O, Ksir C, editor. Drugs, Society and Human behaviour. 5th edition. Times/Misby college Publishing; 1990;6
2. Nakajima H, Editor. Substance abuse is health issue. World health 1995; 4:3
3. UNDCP World Drug Report. New York; Oxford University press Inc; 1997
4. Smith MJ, Johnson RK, Wang MQ. The associated between smoking and the diet & health attitudes, awareness and knowledge of low income parents. Fam Econ Nutr Rev, Winter, 1997; 10: 16-25.
5. Gupta PC, Warnakulsuriyas. Global epidemiology of arecanut usage. Addiction biology 2002;7:77-83.
6. DN Sinha, report on oral tobacco use and its implications in south East Asia. World health organization searo 2004;1-63
7. K. Srinath Reddy, Prakash C.G. Report on Tobacco Control in India. WHO Tobacco Control Papers; 2004: 1-398.
8. S.L. Tomar et al. Oral Mucosal Smokeless Tobacco Lesions among Adolescents in the United States: Jour Dent Res 1997; 76(6):1277-1286.

9. Saraswathi TR et al. Prevalence of Oral Lesions in relation to Habits: Cross-sectional study in South India. Ind J Dent Res 2006; 17(3) :121-125.
10. James C. Anthony et al. Epidemiologic Analysis of Alcohol and Tobacco Use, Patterns of Co-Occurring Consumption and Dependence in the United States. Alcohol Research & Health 2000; 24(4): 201-208.
11. K Shamsuddin et al. Family Influence on Current Smoking Habits Among Secondary School Children in Kota Bharu, Kelantan. Singapore Med J 2000; 41(4) : 167-171.
12. M Rani et al. tobacco use in india: prevalence and predictors of smoking and chewing in a national cross sectional household survey. Jour Tobacco Control 2003; 12:1-8.
13. DV Bala et al. Epidemiological Determinants of Tobacco Use in Gujarat State, India. Indian Journal of Community Medicine 2006; 31(3) : 173-176.
14. Sharma Rameshwar et al. Tobacco use among school personnel in Rajasthan, India. Ind Jour of Cancer 2004; 41(4) :162-166.
15. V Singh et al. Prevalence of Tobacco Use and Awareness of Risks among School Children in Jaipur. Jour Assoc Phys India 2006; 54: 609-612.
16. Ahmad M. S. et al. Epidemiological & Etiological study of Oral Submucous Fibrosis among Gutkha chewers of Patna, Bihar, India. Jour Indian Soc Pedod Prev Dent 2006; 84-89.

17. TH Norbanee et al. Prevalence and factors influencing Smoking amongst Malay primary School Children in Tumpat, Kelantan. Southeast Asian J Trop Med Public Health 2006; 37(1):230-235.
18. S.K. Jindal et al- Prevalence of Tobacco Use among School Going Youth in North Indian States. Indian J Chest Dis Allied Sci 2005; 47: 161-166.
19. M.A. Fisher et al. Smokeless Tobacco and Severe Active Periodontal Disease, NHANES III : jour of Dent Res 2005; 84: 705-710.
20. Naresh R. Makwana et al. A Study on Prevalence of Smoking and Tobacco Chewing among Adolescents in rural areas of Jamnagar District, Gujarat State: Journal of Medical Sciences Research 2007;30(1):47-50.
21. Gunaseelan Rajan et al. Arecanut use in Rural Tamilnadu: A Growing Threat. Indian jour med sci. 2007 ; 61(6): 332-337.
22. Dharendra Narain Sinha et al. Tobacco Use among Students and School Personnel in India. Asian Pacific J Cancer Prev 2007; 8: 417-421.
23. PC Gupta et al. epidemiology of betel quid usage: Ann Acad Med Singapore 2004;33(suppl): 31s-36s.
24. Gowda M. The story of pan chewing in India. Botanical Mus Leaflets (Harvard University) 1951;14:181-214.
25. Rooney DF. Betel chewing traditions in South-East Asia. Kuala Lumpur: Oxford University Press; 1993. p. 24-9.

26. Marshall M. An overview of drugs in Oceania. In: Lindstrom L, editor. Drugs in Western Pacific societies: relations of substance. Association for Social Anthropology in Oceania Monograph 11. Lanham (MD): University Press of America; 1987;15-21.
27. Raghavan V, Baruah HK. Arecanut: India's popular masticatory—history, chemistry and utilization. Econ Botany 1958;12:315-45.
28. Burton-Bradley BG. Arecaidinism: betel chewing in transcultural perspective. Can J Psychiatry 1979;24:481-8.
29. Bhargava K, Smith LW, Mani NJ, Silverman S Jr, Malaowalla AM, Bilimoria KF. A follow up study of oral cancer and precancerous lesions in 57,518 industrial workers of Gujarat, India. Indian Journal of Cancer 1975;12:124.9.
30. Gupta PC. Socio-demographic characteristic if tobacco use among 99 598 individuals in Bombay, India using hand-held computers. Tobacco Control 1996;5:114± 20.
31. Theodoratus RJ. Betel chewing. MA Thesis, University of Washington, Seattle, 1953
32. Mujumdar AM, Kapadi AH, Pendse GS. Chemistry and pharmacology of betel nut Areca catechu Linn. J Plantation Crops 1979;7:69-92.
33. Taylor RFH, Al-Jarad N, John LME, Conroy DM, Barnes NC. Betel-nut chewing and asthma. Lancet 1992;339:1134

- 
34. Pickwell SM, Schimelpfenig S, Palinkas LA. "Betelmania":
betel quid chewing by Cambodian women in the United
States and its potential health effects. West J Med
1994;160:326-30
35. Arjungi KN. Areca nut: a review. Arzneimittelforschung
1976;26:951-6.
36. S.R. Prabhu. Oral Diseases in the Tropics.
37. Tobacco-related Oral mucosal lesions and conditions in
India. Fali. S.Mehta,James E.Hammer, iii.
38. Surendra S.S, Sharmila A.P et al. Handbook on Guidelines
for tobacco control in india. Tata memorial hospital 2007;1-
83.
39. Wahi PN. The epidemiology of oral and oropharyngeal
cancer. A report of the study in Mainpuri district, Uttar
Pradesh, India. Bulletin of the World Health Organization
1968;38:495.521.
40. Mehta FS, Gupta PC, Daftary DK, Pindborg JJ, Choksi K. An
epidemiologic study of oral cancer and precancerous
conditions among 101,761 villagers in Maharashtra, India.
International Journal of Cancer 1972;10:134.41.
41. Pindborg JJ, Kier J, Gupta PC, Chawla TN. Studies in oral
leukoplakias. Prevalence of leukoplakia among 10,000
persons in Lucknow, India, with special reference to
tobacco and betel nut. Bulletin of the World Health
Organization 1967;37:109.16.

42. Bhargava K, Smith LW, Mani NJ, Silverman S Jr, Malaowalla AM, Bilimoria KF. A follow up study of oral cancer and precancerous lesions in 57,518 industrial workers of Gujarat, India. *Indian Journal of Cancer* 1975;12:124.9.
43. Bhonsle RB, Murti PR, Gupta PC. Tobacco habits in India. In: Gupta PC, Hamner J III, Murti P (eds). *Control of tobacco-related cancers and other diseases. Proceedings of an International Symposium, 15.19 January 1990; Mumbai: TIFR, Oxford University Press;1992:25.46.*
44. Mehta FS, Pindborg JJ, Gupta PC, Daftary DK. Epidemiologic and histologic study of oral cancer and leukoplakia among 50,915 villagers in India. *Cancer* 1969;24:832.49.
45. Sinha DN, Gupta PC, Pednekar M. Tobacco use among students in eight north-eastern states in India. *Indian Journal of Cancer* 2003;40:43.59.
46. Sinha DN, Gupta PC, Pednekar M. Use of tobacco products as dentifrice among adolescents in India: Questionnaire study. *British Medical Journal* 2004a;328:323.4.
47. Vaidya SG, Vaidya NS, Naik UD. Epidemiology of tobacco habits in Goa, India. In: Gupta PC, Hamner J III, Murti P (eds). *Control of tobacco-related cancers and other diseases. Proceedings of an International Symposium, 15.19 January 1990; Mumbai: TIFR, Oxford University Press; 1992:315.20.*

48. Sinha DN, Gupta PC, Pednekar M. Tobacco water: A special form of tobacco use in Mizoram and Manipur. National Medical Journal of India 2004;17(5):245-7.
49. Majra JP, Basnet Junita. Prevalence of tobacco use among the children in the age group of 13-15 years in sikkim after 5 years of prohibitory legislation. Indian journal of community medicine, 2008: 33(2): 124-6.
50. Park K. Social sciences and medicine. Park's textbook of preventive and social medicine. 17th ed. Jabalpur India; M/s Banarsidas Bhanot publishers: 2002: pp 459-488.
51. Dunning J M. The social sciences. Principles of dental public health. 4th ed. Cambridge (England); Harvard University Press: 1986: pp 185- 207.
52. Majumdar D N, Madan TN. An introduction to social anthropology. 1st ed. Bombay; Asia Publication house: 1956.
53. Gupta MC, Mahajan BK. Social environment. Textbook of preventive and social medicine. 3rd ed. New Delhi; Jaypee brothers medical publishers (P) Ltd; 2003: pp 109-120.
54. Peel, John and Potts, Malcom. Textbook of contraceptive practice. Cambridge University press: 1970.

- 55.Sathe PV, Mali A. Social sciences. Textbook of community dentistry. 2nd ed. Hyderabad; Paras Medical Publisher: 2001: pp 17-45.
- 56.Passmore DMR. Mixed deficiency diseases in India: A clinical .Trans R Soc Trop Med 1947;41(2):189-206.
- 57.Karthikeyan K and Thappa DM. Pellagra and skin. Int J Dermatol 2002; 41(8): 476-481.
- 58.Gopalan C. The changing epidemiology of malnutrition in a developing society – The effect of unforeseen factors. Bulletin of the Nutrition Foundation of India, 1999; 20: 1– 5.
- 59.Krishnamachari KAVR and Sivakumar B. Endemic genu valgum a new dimension to the fluorosis problem in India. Fluoride 1976; 9: 185-200.
- 60.Antony AC. Vegetarianism and vitamin B-12 (cobalamin) deficiency. Am J Clin Nutr 2003; 78(1): 3-6.
- 61.Banerjee DK, Chatterjee JB. Serum vitamin B12 in vegetarians. Br Med J 1960;2: 992–994.
- 62.Chanarin I, Malkowska V, O’Hea AM, Rinsler MG, Price AB. Megaloblastic anemia in a vegetarian Hindu community. The Lancet 1985;2:1168–1172.
- 63.Ito A, Nakao M and Wandra T. Human taeniasis and cysticercosis in Asia.The Lancet 2003; 362-9399:1918 –1920.

64. Drugs for Parasitic Infections. Red Book 2009: 783-816.
65. Moller IJ. Impact of oral diseases across cultures. *Int Dent J* 1978; 28: 376-80.
66. Mosha HJ and Scheutz F. Dental caries in permanent dentition of school children in Dar es salaam in 1979, 1983 and 1989. *Community Dent Oral Epidemiol* 1992; 20: 381- 382.
67. Chironga L, Manji F. Dental caries in 12 year old urban and rural children in Zimbabwe. *Community Dent Oral Epidemiol* 1989; 17: 31-33.
68. Corruccini R.S. and Beecher R.M.: Occlusal variation related to soft diet in a nonhuman primate. *Science* 1982(October);218 (4567): 74 – 76.
69. Kiliaridis S, Engström C and Thilander B. The relationship between masticatory function and craniofacial morphology - I. A cephalometric longitudinal analysis in the growing rat fed a soft diet. *Eur J Orthod* 1985; 7(4):273-283.
70. Begg P.R. Correct occlusion, the basis for orthodontics. *Begg Orthodontic Theory and practice*. 3rd ed. W B Saunders. Philadelphia. pp 7-50.
71. Zoitopoulos L, Brailsford SR, Gelbier S, Ludford RW, Marchant SH and Beighton D. Dental caries and caries associated microorganisms in the saliva and plaque of 3-and

4-year-old Afro-Caribbean and Caucasian children in South London. Arch Oral Biol 1996; 41(11): 1011-1018.

72.Kaseva ME. Contribution of trona (magadi) into excessive fluorosis—a case study in Maji ya Chai ward, northern Tanzania. Science of The Total Environment 2006; 366(1):92-100.

73.Prabhu SR. Oral diseases in the tropics. Oxford University Press UK (November 1992).

74.Franceschi S, Talamini R, Barra S. Smoking and drinking in relation to cancer of the oral cavity, pharynx, larynx and esophagus in Northern Italy. Cancer Res 1990; 50: 6502-6507.

75.Franco EL, Kowalski LP, Oliveira BV. Risk factors for oral cancer in Brazil: A case control study. Int J Cancer 1989; 43:992-1000.

76.Amarasena N, Ekanayaka ANI, Hearath L and Hideo Miyazaki. Tobacco use and oral hygiene as risk indicators for periodontitis. Community Dent Oral Epidemiol 2002; 30:115-123.

77.Murthi PR, Gupta PC, Bhonsle RB. Effect on the incidence of oral sub mucous fibrosis with special reference to the role of areca nut chewing. J Oral Pathol Med 1995; 24: 145-152.

78. Auluck A, Hislop G, Poh C, Zhang L, Rosin MP. Areca nut and betel quid chewing among South Asian immigrants to Western countries and its implications for oral cancer screening. *Rural and Remote Health* 9 (online), 2009: 1118.
79. Lloyd JJ, Ricketts EP, Strathdee SA, Cornelius LJ, Bishai D, Huettner S et.al. Social contextual factors associated with entry into opiate agonist treatment among injection drug users. *Am J Drug A/c Abuse* 2005 Nov: 1-11.
80. Thomson WM and Locker D. Dental neglect among 26-year olds in the Dunedin multidisciplinary health and development study. *Community Dent Oral Epidemiol* 2000; 28: 414-418.
81. Ismail AL and Szpunar SM. Oral health status of Mexican-Americans with low and high acculturation status: findings from South western HHANES, 1982-84. *J Public Health Dent* 1990; 50(1): 24-31.
82. Anderson RJ, James PMC, James DM, and Norden H. Dental caries experience and treatment patterns. Social differences in 1,252 University students. *Br Dent J* 1971; 131(2): 67-71.
83. Antoft PE, Gadegaard E, and Lind OP. Social inequality and caries studied in 1,719 Danish military recruits. *Community Dent Oral Epidemiol* 1974; 2: 305-315.
84. Elwood JM, Pearson JC, Skippen DH and Jackson SM. Alcohol, smoking, social and occupational factors in the

- etiology of cancer of the oral cavity, pharynx and larynx. *Int. J. Cancer*. 1984 Nov 15; 34(5):603-12.
85. World Health Organization. Technical Report Series; 1986: No. 731.
86. Surekha kishore, b.s. garg, khursheed muzammil. Tobacco addiction amongst adolescents in rural areas of district wardha. *Jk science* 2007; 9(2) 79-82.
87. K.R.Thankappan, C.U. Thresia. Tobacco use & social status in kerala. *Indian j med res*:2007:126:300-8
88. Rahman M, Sakamoto J, Fukui T. Bidi smoking and oral cancer: a meta-analysis. *Int J Cancer*. 2003 Sep 10; 106(4): 600-4.
89. Colombo P, Scarpino V, Zuccaro P, Apolone G, Gallus S, La Vecchia C. Smoking in Italian women and men, 2001. *Tumori*. 2002 Jan-Feb;88(1):10-2.
90. V Singh et al. Prevalence of Tobacco Use and Awareness of Risks among School Children in Jaipur. *Jour Assoc Phys India* 2006; 54: 609-612.
91. Chadda RK, Sengupta SN. Tobacco use by Indian adolescents. *Tobacco induced diseases*:2002:1(2):111-9
92. Silent Tovosia, Ping-Ho Chen, Allen Min-Jen Ko, Hung-Pin Tu, Pei-Chien Tsai, and Ying-Chin Ko. Prevalence and Associated Factors of Betel Quid Use in the Solomon Islands: A

- Hyperendemic Area for Oral and Pharyngeal Cancer. *Am. J. Trop. Med. Hyg.*, 77(3), 2007, pp. 586–590.
- 93.K.S.Negi,S.D.Kandpal, CMS Rawat.Prevalence of alcoholism among the males in a rural and urban area of district dehradun (uttaranchal). *Indian j. prev. soc. Med.*:2003;34(3,4):85-89.
- 94.Joseph Mbatia, Rachel Jenkins, Nicola Singleton and Bethany White. Prevalence of Alcohol Consumption and Hazardous Drinking, Tobacco and Drug Use in Urban Tanzania, and Their Associated Risk Factors. *Int. J. Environ. Res. Public Health* 2009, 6, 1991-2006.
- 95.Campisi G, Margiotta V: Oral mucosal lesions and risk habits among men in an Italian study population; *J Oral Pathol Med* 2002 Sep; 31(8): 504.
- 96.Ching-Hung C et al. oral precancerous disorders associated with areca quid chewing, smoking and alcohol drinking in southern taiwan. *J oral pathol med* 2005; 34:460-6.
- 97.Anuna laila mathew, keerthilatha M Pai, Amar A Solapurkar, Manoj Vengal. The prevalence of oral mucosal lesions in patients visiting a dental school in southern india. *Indian j dent res*, 2008;19(2):99-103.
- 98.Zain R B; Gupta P C; Warnakulasuriya S; Shrestha P; Ikeda N; Axell T Oral lesions associated with betel quid and tobacco chewing habits.*Oral diseases* 1997;3(3):204-5.

- 99.Kiran KK et al.Oral submucous fibrosis: a clinico-histopathological study in Chennai. *Ijdr* 2007;18(3): 106-11.
- 100.Marija KK, Skaleric U. The prevalence of oral mucosal lesions in a population in Ljubljana, Slovenia. *J Oral Pathol Med* 2000;29:331-5.
- 101.Yeh CJ. Fatigue root fracture: a spontaneous root fracture in non-endodontically treated teeth. *Br Dent J* 1997;182:261-266.
- 102.Trivedy C. R. et al. The oral health consequences of chewing areca nut. *Addiction Biology* (2002) 7, 115 - 125.
- 103.Jeng JH et al. Effects of areca nut, inflorescence piper betle extracts and arecoline on cytotoxicity, total and unscheduled DNA synthesis in cultured gingival keratinocytes. *J Oral Pathol Med* 1999;28:64-71.
- 104.Chang MC et al. Areca nut extract inhibits the growth, attachment, and matrix protein synthesis of cultured human gingival fibroblasts. *J Periodontol* 1998;69:1092-7.
- 105.Maher R et al. Role of areca nut in the causation of oral submucous fibrosis: a case-control studying in Pakistan. *J Oral Pathol Med* 1994;23:65-9.
- 106.Sinor PN, Gupta PC, Murti PR *et al.* A case control study of oral submucous fibrosis with special reference to the etiologic role of areca nut. *J Oral Pathol Med* 1990;19:94-8.
- 107.*Rafei U.M.* Tobacco epidemic. *J Indian Med Assoc* 1999;97:99.

108. Report on tobacco control in India" . K S Reddy and P C Gupta. Published by Ministry of Health and Family Welfare, Government of India, 2004.
109. *Rinu Khanna and Ranju Ralhan.* "Tobacco menace in India". Department of Biochemistry ;AIMS, New Delhi, India :1998.
110. *Christen A, Swanson B.Z, Glover E.D, Henderson A.H.* Smokeless tobacco :the folklore and social history of snuffing, sneezing, dipping and chewing. J AM Dent Association 1982;182;105;821-829.
111. Tobacco-related Oral mucosal lesions and conditions in India. Fali. S.Mehta, James E.Hammer, iii.
112. *Omar SL.* Dentistry's role in tobacco control. J Am Dent Assoc. 2001 Nov;132 Suppl:30S-35S.
113. *Gupta PC, Ray CS.* Smokeless tobacco and health in India and South Asia. Respiratory. 2003 Dec;8(4): 419-31.
114. *Heloma A, Nurminen M, Reijula K, Rantanen J.* Smoking prevalence, smoking-related lung diseases, and national tobacco control legislation. Chest. 2004 Dec;126(6):1825-31.
115. *Bakhru A, Erlinger TP.* Smoking cessation and cardiovascular disease risk factors: results from the Third National Health and Nutrition Examination Survey. PLoSMed. 2005 Jun; 2(6): e160. Epub 2005 Jun 28.

- 116.Fisher, R.A. & Yates, F. Statistical tables for biological, agricultural and medical research, 6th ed., Longman Group Ltd., London, 1974.
- 117.Khechinashvili G, Andall-Brereton G, Razum O. Cigarette smoking among school teachers in Tobago. West Indian Med J. 2004 Sep;53(4):260-2.
- 118.Gajalakshmi V, Asma S, Warren CW. Tobacco survey among youth in South India. Asian Pac J Cancer Prev. 2004 Jul-Sep;5(3):273-8.
- 119.Al-Haddad N, Hamadeh RR. Smoking among secondary-school boys in Bahrain: prevalence and risk factors. East Mediterr Health J. 2003 Jan-Mar; 9(1-2):78-86.
- 120.Centers for Disease Control and Prevention (CDC). Tobacco use among students aged 13-15 years--Philippines, 2000 and 2003. MMWR Morb Mortal Wkly Rep. 2005 Feb 4;54(4):94-7.
- 121.Wickholm S, Galanti MR, Soder B, Gilljam. Cigarette smoking, snuff use and alcohol drinking: coexisting risk behaviours for oral health in young males. Community Dent Oral Epidemiol. 2003 Aug; 31(4):269-74.
- 122.Almas K, Maroof F, McAllister C, Freeman R. Smoking behaviour and knowledge in high school students in Riyadh and Belfast. Odontostomatol Trop. 2002 Jun; 25(98): 40-4.

123. Almas K, al-Shammari B, al-Dukhyeel S. Education level, oral hygiene and smoking habits of an elderly Saudi population in Riyadh. *Odontostomatol Trop*. 2003 Mar;26(101):4-6.
124. Campisi G, Margiotta V: Oral mucosal lesions and risk habits among men in an Italian study population; *J Oral Pathol Med* 2002 Sep; 31(8): 504.
125. Reichart P, Mohr U. Correlation between chewing and smoking habits and precancerous lesions in hill tribes of northern Thailand. *IARC Sci Publ*. 1987;(84): 463-4.
126. Sinha DN, Gupta PC. Tobacco use among students in Uttar Pradesh & Uttaranchal, India. *Indian J Public Health*. 2004 Jul-Sep;48(3):132-7.
127. Tamim H, Terro A, Kassem H, Ghazi A, Khamis TA, Hay MM, Musharrafieh U. Tobacco use by university students, Lebanon, 2001. *Addiction*. 2003 Jul;98(7):933-9.
128. Kapoor SK, Anand K, Kumar G. Prevalence of tobacco use among school and college going adolescents of Haryana. *Indian J Pediatr*. 1995 Jul-Aug;62(4):461-6.
129. Smolen A, Darocha T, Lagowska A, Skoczylas P, Gozdzik K. [Active and passive smoking among students of Polish high schools]. *Przegl Lek*. 2004; 61(10): 1164-6.

130. *Sinha DN, Gupta PC.* Tobacco use among school personnel in Orissa. *Indian J Public Health.* 2004 Jul-Sep;48(3):123-7.
131. *Sinha DN, Gupta PC, Pednekar MS.* Tobacco use among students in the eight North-eastern states of India. *Indian J Cancer.* 2003 Apr-Jun; 40(2):43-59.
132. *Sharma R, Pednekar MS, Rehman AU, Gupta R.* Tobacco use among school personnel in Rajasthan, India. *Indian J Cancer.* 2004 Oct-Dec; 41(4): 162-6.
133. *Pednekar MS, Gupta PC.* Tobacco use among school students in Goa, India. *Indian J Public Health.* 2004 Jul-Sep; 48(3): 147-52.
134. *Delnevo CD, Pevzner ES, Hrywna M, Lewis MJ.* Bidi cigarette use among young adults in 15 states. *Prev Med.* 2004 Jul;39(1):207-11.
135. *Hrywna M, Delnevo CD, Pevzner ES, Abatemarco DJ.* Correlates of bidi use among youth. *Am J Health Behav.* 2004 Mar-Apr;28(2):173-9.
136. *Rahman M, Fukui T.* Bidi smoking and health. *Public Health.* 2000 Mar; 114(2):123-7.
137. *Taylor TM, Bieney.* Bidi Smoking among Massachusetts Teenagers. *Prev Med.* 2001 Jan;32(1):89-92..

- 138.Rahman M, Sakamoto J, Fukui T. Bidi smoking and oral cancer: a meta-analysis. *Int J Cancer*. 2003 Sep 10; 106(4): 600-4.
- 139.Mehta FS, Bhonsle RB, Murti PR, Daftary DK, Gupta PC, Pindborg JJ. Central papillary atrophy of the tongue among bidi smokers in India. a 10-year study of 182 lesions. *J Oral Pathol Med*. 1989 Sep; 18(8): 475-80.
- 140.Varsano S, Ganz I, Eldor N, Garenkin M. [Water-pipe tobacco smoking among school children in Israel: frequencies, habits, and attitudes]. *Harefuah*. 2003 Nov;142(11):736-41, 807.
- 141.Maziak W, Eissenberg T, Rastam S, Hammal F, Asfar T, Bachir ME, Fouad MF, Ward KD. Beliefs and attitudes related to narghile (waterpipe) smoking among university students in Syria. *Ann Epidemiol*. 2004 Oct;14(9):646-54.
- 142.Henley SJ, Thun MJ, Chao A, Calle EE. Association between exclusive pipe smoking and mortality from cancer and other diseases. *J Natl Cancer Inst*. 2004 Jun 2;96(11):853-61.
- 143.Van der Eb MM, Leyten EM, Gavarasana S, Vandenbroucke JP, Kahn PM, Cleton FJ. Reverse smoking as a risk factor for palatal cancer: a cross-sectional study in rural Andhra Pradesh, India. *Int J Cancer*. 1993 Jul 9;54(5):754-8.

- 144.Gavarasana S, Susarla MD. Palatal mucosal changes among reverse smokers in an Indian village. *Jpn J Cancer Res.* 1989 Mar;80(3):209-11.
- 145.Delnevo CD, Hrywna M, Foulds J, Steinberg MB. Cigar use before and after a cigarette excise tax increase in New Jersey. *Addict Behav.* 2004 Dec;29(9):1799-807.
- 146.Soldz S, Huyser DJ, Dorsey E. The cigar as a drug delivery device: youth use of blunts. *Addiction.* 2003 Oct; 98(10):1379-86.
- 147.Soldz S, Huyser DJ, Dorsey E. Characteristics of users of cigars, bidis, and kreteks and the relationship to cigarette use. *Prev Med.* 2003 Sep;37(3):250-8.
- 148.Soldz S, Huyser DJ, Dorsey E. Youth preferences for cigar brands: rates of use and characteristics of users. *Tob Control.* 2003 Jun;12(2):155-60.
- 149.Everett SA, Malarcher AM, Sharp DJ, Husten CG, Giovino GA. Relationship between cigarette, smokeless tobacco, and cigar use, and other health risk behaviors among U.S. high school students. *J Sch Health.* 2000 Aug;70(6):234-40.
- 150.Sanchez RP, Bray RM. Cigar and pipe smoking in the U.S. military: prevalence, trends, and correlates. *Mil Med.* 2001 Oct;166(10):903-8.

- 151.Colombo P, Scarpino V, Zuccaro P, Apolone G, Gallus S, La Vecchia C. Smoking in Italian women and men, 2001. Tumori. 2002 Jan-Feb;88(1):10-2.
- 152.Hashibe M, Ford DE, Zhang ZF. Marijuana smoking and head and neck cancer. J Clin Pharmacol. 2002 Nov;42(11 Suppl):103S-107S.
- 153.Rosenblatt KA, Daling JR, Chen C, Sherman KJ, Schwartz SM. Marijuana use and risk of oral squamous cell carcinoma. Cancer Res. 2004 Jun 1;64(11):4049-54.
- 154.Zhang ZF, Morgenstern H, Spitz MR, Tashkin DP, Yu GP, Marshall JR, Hsu TC, Schantz SP. Marijuana use and increased risk of squamous cell carcinoma of the head and neck. Cancer Epidemiol Biomarkers Prev. 1999 Dec;8(12):1071-8.
- 155.Prentiss D, Power R, Balmas G, Tzuang G, Israelski DM. Patterns of marijuana use among patients with HIV/AIDS followed in a public health care setting. J Acquir Immune Defic Syndr. 2004 Jan 1;35(1):38-45.
- 156.Hiawalyer G. Smoking prevalence among young people in Papua New Guinea .Pac Health Dialog. 2002 Sep; 9(2):209-13.]

- 157.Peretti-Watel P, Lorente FO. Cannabis use, sport practice and other leisure activities at the end of adolescence. *Drug Alcohol Depend.* 2004 Mar 8;73(3):251-7.
- 158.Wang SC, Tsai CC, Huang ST, Hong YJ. Betel nut chewing: the prevalence and the intergenerational effect of parental behavior on adolescent students. *J Adolesc Health.* 2004 Mar; 34(3):244-9.
- 159.Wang SC, Tsai CC, Huang ST, Hong YJ. Betel nut chewing and related factors in adolescent students in Taiwan. *Public Health.* 2003 Sep;117(5):339-45.
- 160.Bedi R, Gilthorpe MS. The prevalence of betel-quid and tobacco chewing among the Bangladeshi community resident in a United Kingdom area of multiple deprivations. *Prim Dent Care.* 1995 Sep;2(2):39-42.
- 161.Shah SM, Merchant AT, Luby SP, Chotani RA. Addicted schoolchildren: prevalence and characteristics of areca nut chewers among primary school children in Karachi, Pakistan. *J Paediatr Child Health.* 2002 Oct;38(5):507-10.
- 162.Tsai YF, Wong TK, Chen SC. Prevalence and related risk factors of areca quid chewing among junior high students in eastern Taiwan. *Public Health.* 2002 Jul;116(4):190-4.

163. Summers RM, Williams SA, Curzon ME. The use of tobacco and betel quid ('pan') among Bangladeshi women in West Yorkshire. *Community Dent Health*. 1994 Mar;11(1):12-6.
164. Lu CT, Lan SJ, Hsieh CC, Yang MJ, Ko YC, Tsai CC, Yen YY. Prevalence and characteristics of areca nut chewers among junior high school students in Changhua county, Taiwan. *Community Dent Oral Epidemiol*. 1993 Dec;21(6):370-3.
165. Sinha DN, Gupta PC, Pednekar M. Tobacco use among students in Bihar (India). *Indian J Public Health*. 2004 Jul-Sep;48(3):111-7.
166. O'Connor RJ, Kozlowski LT, Flaherty BP, Edwards BQ. Most smokeless tobacco use does not cause cigarette smoking: results from the 2000 National Household Survey on Drug Abuse. *Addict Behav*. 2005 Feb;30(2):325-36.
167. Niraula SR. Tobacco use among women in Dharan, eastern Nepal. *J Health Popul Nutr*. 2004 Mar;22(1):68-74.
168. Ho CS, Gee MJ, Tsai CC, Lo CI, Hwang MN. Factors related to betel chewing among junior high school students in Taiwan. *Community Dent Oral Epidemiol*. 2000 Apr;28(2):150-4.
169. Ahmed S, Rahman A, Hull S. Use of betel quid and cigarettes among Bangladeshi patients in an inner-city practice: prevalence and knowledge of health effects. *Br J Gen Pract*. 1997 Jul;47(420):431-4.

- 170.Chen JW, Shaw JH.A study on betel quid chewing behavior among Kaohsiung residents aged 15 years and above. *J Oral Pathol Med.* 1996 Mar;25(3):140-3.
- 171.Yang MS, Su IH, Wen JK, Ko YC. Prevalence and related risk factors of betel quid chewing by adolescent students in southern Taiwan. *J Oral Pathol Med.* 1996 Feb;25(2):69-71.
- 172.Ko YC, Huang YL, Lee CH, Chen MJ, Lin LM, Tsai CC. Betel quid chewing, cigarette smoking and alcohol consumption related to oral cancer in Taiwan. *J Oral Pathol Med.* 1995 Nov;24(10):450-3.
- 173.Tang JG, Jian XF, Gao ML, Ling TY, Zhang KH: Epidemiological survey of oral submucous fibrosis in Xiangtan City, Hunan Province, China. *Community Dent Oral Epidemiol.* 1997 Apr;25(2):177-80.
- 174.Ho PS, Ko YC, Yang YH, Shieh TY, Tsai CC. The incidence of oropharyngeal cancer in Taiwan: an endemic betel quid chewing area. *J Oral Pathol Med.* 2002 Apr;31(4):213-9.
- 175.Reichart PA, Philipsen HP, Mohr U, Geerlings H, Srisuwan S:Mieng chewing in northern Thai villagers. *Trop Geogr Med.* 1988 Jan;40(1):39-44.
- 176.Idris AM, Ahmed HM, Malik MO. Toombak dipping and cancer of the oral cavity in the Sudan: a case-control study. *Int J Cancer.* 1995 Nov 15;63(4):477-80.

- 177.Sankaranarayanan *R*, Duffy *SW*, Padmakumary *G*, Day *NE*,
Padmanabhan TK. Tobacco chewing, alcohol and nasal snuff
in cancer of the gingiva in Kerala, India. : Br J Cancer. 1989
Oct; 60(4):638-43.
- 178.Ritzer, George, Classical sociological Theory (2nd edition)
New York. etc. Tata McGraw – Hill Companies Inc. 1996.
- 179.Dhanaghre D. N: 1993: Themes & perspectives in Indian
Sociology, Rawat Publications.
- 180.Desai, Neera and Maithreyi Krishnaraj; Women and Society
in Indian Delhi: Ajanta Publishers 1987.
- 181.Archer, Margaret S. Culture and Agency: The place of
culture in social theory. Cambridge: Cambridge University
Press, 1988.
- 182.Langness, L. L: The study of culture (Rev. Ed.) Novato; C.A:
Chandler and Sharp 1987.
- 183.Steward, J. H. Theory of culture change, Urbana Ill. 1995.
- 184.Murdock G.P.: culture and society, Pittsburgh: University of
Pittsburgh Press 1965.
- 185.Benedict Ruth: Pattern of cultures, Boston: Houghton Mifflin
1934.

- 186.Foster, Geogre M. – Traditional culture and the impact of technology change. 1965.**
- 187.Panchamdikar – Determinants of social structure and social changes in India, 1970**
- 188.Ahuja Ram: Social Problems in India 2004.**
- 189.Desai, A. R.: Introduction to rural sociology in India.**
- 190.Levine, Robert A. Culture behavior and personality (2nd Ed.) Aldine 1982.**