## LIST OF TABLES

Table No.	Description F	age No.
Table –1	Difference between patients with alexithymic and	034
	neurotic defects.	
Table – 2	DSM – IV classification of anxiety disorders.	113
Table – 3	Correlations of the TAS-20 and factor scales with	176
	interview ratings on the Beth Israel Hospital	
	Psychosomatic Questionnaire	
Table – 4	Distribution of items in the neuroticism and extraversion	178
	dimensions of the long scale of the MPI.	
Table – 5	Conversion of raw scores to standard scores (in the MPI)	180
Table – 6	Number of items related to areas of adjustment in	182
	Mohsin Shamshad adapted version (Hindi) of BAI.	
Table – 7	Scoring key to BAI	183
Table – 8	Reliability values of BAI.	185
Table – 9	ANOVA on Alexithymia dimensions for normal and	196
	clinical groups.	
Table – 10	ANOVA on Adjustment dimensions for normal and	198
	clinical groups	
Table – 11	ANOVA on Personality dimensions for normal and	200
	clinical groups	
Table – 12	ANOVA on Anxiety dimensions for normal and clinical	201
	groups	

Table – 13	ANOVA for Depression dimensions for normal and	203
	clinical groups.	
Table – 14	$\overline{X}$ s, SD, $\overline{X}$ ds, <i>df</i> , <i>t</i> -values on the dimensions of	204
	alexithymia for the normal male group and APD male	
	group.	
Table – 15	$\overline{X}$ s, SD, $\overline{X}$ ds, $df$ , $t$ -values on the dimensions of	206
	alexithymia for the normal male group and IBS male	
	group.	
Table – 16	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	208
	alexithymia for IBS male group and APD male group.	
Table – 17	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	210
	alexithymia for normal female group and APD female	
	group.	
Table – 18	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	211
	alexithymia for normal female group and IBS female	
	group.	
Table – 19	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	212
	alexithymia for IBS female group and APD female group.	
Table – 20	Showing $\overline{\mathbf{X}}$ , SDs, $\overline{\mathbf{X}}$ ds, $df$ , $t$ - values on the dimensions of	213
	alexithymia for normal male group and normal female	
	group.	
Table – 21	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	215
	alexithymia for APD male group and APD female group	

Table – 22	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	216
	alexithymia for IBS male group and APD female group.	
Table – 23	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	218
	adjustment for APD male group and normal male group	
Table – 24	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	219
	adjustment for IBS male group and normal male group.	
Table – 25	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	220
	adjustment for IBS male group and APD male group.	
Table – 26	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	221
	adjustment for APD female group and normal female	
	group	
Table – 27	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	222
	adjustment for IBS female group and normal female	
	group	
Table – 28	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	223
	adjustment for IBS female group and APD female group.	
Table – 29	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	224
	adjustment for normal male group and normal female	
	group.	
Table – 30	Showinwg $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions	225
	of adjustment for APD male group and APD female	
	group	
Table – 31	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ – values on the dimensions of	227
	adjustment for IBS male group and IBS female group.	

Table – 32	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	228
	personality for normal male group and APD male group.	
Table – 33	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	229
	personality for normal male group and IBS male group	
Table – 34	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	230
	personality for IBS male group and APD male group	
Table – 35	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	231
	personality for normal female group and APD female	
	group	
Table – 36	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	232
	personality for normal female group and IBS female	
	group	
Table – 37	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	233
	personality for IBS female group and APD female group.	
Table – 38	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	234
	personality for normal male group and normal female	
	group.	
Table – 39	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	235
	personality for APD male group and APD female group.	
Table – 40	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	236
	personality for IBS male group and IBS female group.	
Table – 41	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	237
	anxiety for APD male group and normal male group.	

	,	
Table – 42	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	238
	anxiety for IBS male group and normal male group.	
Table – 43	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	239
	anxiety for IBS male group and APD male group	
Table – 44	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	240
	anxiety for APD female group and normal female group.	
Table – 45	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	241
	anxiety for IBS female group and normal female group.	
Table – 46	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	242
	anxiety for IBS female group and APD female group.	
Table – 47	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	243
	anxiety for normal male group and normal female group.	
Table – 48	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	245
	anxiety for APD male group and APD female group.	
Table – 49	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	247
	anxiety for IBS male group and IBS female group.	
Table – 50	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	249
	depression for normal male group and APD male group.	
Table – 51	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	250
	depression for normal male group and IBS male group.	
Table – 52	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	251
	depression for IBS male group and APD male group.	

Table No.	Description	Page No.
Table – 53	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	252
	depression for normal female group and APD female	
	group.	
Table – 54	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	253
	depression for normal female group and IBS female	
	group	
Table – 55	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	254
	depression for IBS female group and APD female group.	
Table – 56	Showing $\overline{\mathbf{X}}$ , SDs, $\overline{\mathbf{X}}$ ds, $d\mathbf{f}$ , $t$ - values on the dimensions of	255
	depression for normal male group and normal female	
	group	
Table – 57	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	256
	depression for APD male group and APD female group.	
Table – 58	Showing $\overline{X}$ , SDs, $\overline{X}$ ds, $df$ , $t$ - values on the dimensions of	257
	depression for IBS male group and IBS female group.	