

References:

- ❖ Abbot, M.B. and Refsgaard, J.C. (1996). Distributed Hydrological Modelling (Dordrecht: Kluwer Academic).
- ❖ Abbot, M.B., Havno, K. and Lindberg, S. (1991). The fourth generation of numerical modeling in hydraulics. *Journal of Hydraulic Research*, 29, pp. 581–600.
- ❖ Agnew C.T. (2000) Using the SPI to identify drought. *Drought Netw News Volume-12(1)*, PP: 5–12. (<http://digitalcommons.unl.edu/droughtnetnews/1/>) and <https://digitalcommons.unl.edu/droughtnetnews>).
- ❖ Agricultural Census, (2011). Department of Agriculture, Cooperation and Farmers Welfare, Ministry of Agriculture and Farmers Welfare. (<http://agcensus.dacnet.nic.in/>).
- ❖ Alonso, F.G., Cuevas, J.M., Casanova, J.L., Calle, A. and Illera, A.P. (1997). A forest fire risk assessment using NOAA AVHRR images in the Valencia area, eastern Spain. *International Journal of Remote Sensing*, 18, pp. 2201–2207.
- ❖ Anderson, M.C., Hain, C., Wardlow, B., Pimstein, A., Mecikalski, J. R., and Kustas, W.P. (2011). Evaluation of Drought Indices Based on Thermal Remote Sensing of Evapotranspiration over the Continental United States, *Journal of Climate*, 24, 2025–2044.
- ❖ Bajgiran, P. R., Shimizu, Y., Hosoi, F. and OMASA, K. (2009). MODIS vegetation and water indices for drought assessment in semi-arid ecosystems of Iran. *Journal of Agricultural Meteorology* 65 (4), 349-355.
- ❖ Bakr, M., Nasr, M. and Hazman, M. (2015). Cooperative Spatial Decision Support System for Controlling Animal Diseases Outbreaks in Egypt., *International Journal of Advanced Networking and Applications*, Volume: 06 Issue: 06 Pages: 2533-2541 (2015) ISSN: 0975-0290.
- ❖ Bhuiyan C., Kogan F.N. (2010) Monsoon variation and vegetative drought patterns in the Luni Basin in the rain-shadow zone. *Int J Remote Sens* 31(12):3223–3242.

- ❖ Bhuiyan, C. Singh, R.P. and Kogan, F.N. (2006). Monitoring drought dynamics in the Aravalli region (India) using different indices based on ground and remote sensing data. International Journal of Applied Earth Observation and Geoinformation, 8 (2006) 289–302.
- ❖ Biswas, S. K. (1987). Regional tectonic framework, structure and evolution of the western margin basins of India. Tectonophysics, 1987, 135, 307–327.
- ❖ Biswas, S. K. and Deshpande S. V. (1970). Geological and tectonic map of the Kutch. Bull. ONGC, V. 7, pp. 115-116.
- ❖ Black, P. and Stockton, T. (2009). Basic Steps for the Development of Decision Support Systems in Decision Support Systems for Risk-Based Management of Contaminated Sites, A. Marcomini, G. W. Suter II, A. Critto eds. Springer.
- ❖ Boboşatu, F. (2008). Sisteme avansate de asistare a deciziilor. PhD Thesis, Universitatea Politehnica, Bucureşti.
- ❖ Bravar, L. and Kavvas, M.L. (1991). On the physics of droughts. I. A conceptual framework, Journal of Hydrology, Volume 129, Issues 1–4, Pages 281-297, ISSN 0022-1694, [https://doi.org/10.1016/0022-1694\(91\)90055-M](https://doi.org/10.1016/0022-1694(91)90055-M).
- ❖ Bruce, J. P. (1994). Natural disaster reduction and global change. Bulletin of the American Meteorological Society 75 (10), 1831-1835.
- ❖ Burdziej, J. A (2012). web-based spatial decision support system for accessibility analysis-concepts and methods. Appl. Geomat. Volume 4(2), Pages 75-84. <https://doi.org/10.1007/s12518-011-0057-x>.
- ❖ Bushair, M. T., Prakash, S., Patel, S., and Gairola, R.M. (2015). Assessment of Kalpana-1 Rainfall Product over Indian Meteorological Sub-Divisions during the Summer Monsoon Season, Journal of the Indian Society of Remote Sensing, DOI 10.1007/s12524-015-0465-1
- ❖ Campbell, J. B. and R. H. Wynne (2011). Introduction to remote sensing. Guilford Press.

- ❖ Cao, W., Pan J., Zhu Y. and Liu X. (2007). Growth model and Web application-based decision support system for wheat management. Transactions of the Chinese Society of Agricultural Engineering, volume 23(1), pages 133-138.
- ❖ Carrao, H., Russo, S., Sepulcre-Canto, G., and Barbosa, P. (2016). An empirical standardized soil moisture index for agricultural drought assessment from remotely sensed data, International Journal of Applied Earth Observation and Geoinformation, Volume 48, Pages 74-84, ISSN 0303-2434, <https://doi.org/10.1016/j.jag.2015.06.011>.
- ❖ Census Book of Gujarat, 1961, 1971, 1981, 1991, 2001 and 2011.
- ❖ Chakraborty, A., Sai, M. S., Murthy, C., Roy, P. and Behera, G. (2012). Assessment of area favourable for crop sowing using amsr-e derived soil moisture index (amsr-e smi). International Journal of Applied Earth Observation and Geoinformation 18, 537-547.
- ❖ Chen, L., Singh, V. P., Guo, S., Mishra, A. K., and Guo, J. (2012). Drought analysis using copulas. Journal of Hydrologic Engineering 18 (7), 797-808.
- ❖ Cohen, Y., Cohen, A., Hetzroni, A., Alchanatis, V., Broday, D., Gazit, Y., and Timar, D. (2008). Spatial decision support system for Medfly control in citrus, Computers and Electronics in Agriculture, Volume 62, Issue 2, Pages 107-117, ISSN 0168-1699, <https://doi.org/10.1016/j.compag.2007.12.005>.
- ❖ DAC (2009). “Manual for Drought Management”, Department of agriculture and cooperation, Ministry of agriculture, Government of India.
- ❖ Delbart, N., Kergoat, L., Toan, T. L., Lhermitte, J., Picard, G. (2005). Determination of phenological dates in boreal regions using normalized difference water index, Remote Sensing of Environment, Volume 97, Issue 1, Pages 26-38, ISSN: 0034-4257, <https://doi.org/10.1016/j.rse.2005.03.011>.
- ❖ Densham, P. J. (1991). Spatial decision support systems. In Geographical information systems: Principles and applications, edited by. J. Maguire, M. S. Goodchild, and D. W. Rhind. London: Longman Publishing Group.
- ❖ Department of Agriculture (DoA), (2007). Study on Development Potential of Kutch; Gujarat infrastructure Development Board.

- ❖ District Institution of Education & Training, Kutch-Bhuj (2017). www.diet-kutch.org
- ❖ Dragan, M., Feoli, E., Ferneti, M., and Zerihun, W. (2003). Application of a spatial decision support system (SDSS) to reduce soil erosion in northern Ethiopia, Environmental Modelling & Software, Volume 18, Issue 10, Pages 861-868, ISSN 1364-8152, [https://doi.org/10.1016/S1364-8152\(03\)00104-X](https://doi.org/10.1016/S1364-8152(03)00104-X).
- ❖ Drobne, S. and Liseč, A. (2009). Multi-attribute decision analysis in gis: weighted linear combination and ordered weighted averaging. Informatica 33(4).
- ❖ Du, L., Tian, Q., Yu, T., Meng, Q., Jancso, T., Udvardy, P. and Huang, Y. (2013). A comprehensive drought monitoring method integrating modis and trmm data. International Journal of Applied Earth Observation and Geoinformation, volume 23, pages 245-253.
- ❖ Dung, E.J., and Sugumaran, R. (2005). Development of an agricultural land evaluation and site assessment (LESA) decision support tool using remote sensing and geographic information system. Journal of Soil and Water Conservation, volume 60(5), <http://proquest.umi.com/pqdweb?did=917129071&sid=4&Fmt=3&clientId=68815&RQT=309&VName=PQD>.
- ❖ Dye, S. and Shaw, S. (2007). A GIS-based spatial decision support system for tourists of Great Smoky Mountains National Park, Journal of Retailing and Consumer Services 14(4), pages 269–278, doi: 10.1016/j.jretconser.2006.07.005.
- ❖ Entekhabi, D., Njoku, E. G., O'Neill, P. E., Kellogg, K. H., Crow, W. T., Edelstein, W. N. , Entin, J. K., Goodman, S. D., Jackson, T. J., Johnson, J. (2010). The soil moisture active passive (SMAP) mission. Proceedings of the IEEE 98 (5), 704-716.
- ❖ Escalante, H., Castro, L., Gauthier-Maradei, P., and Vega, R.R.D.L. (2016). Spatial decision support system to evaluate crop residue energy potential by anaerobic digestion, Bioresource Technology, Volume 219, Pages 80-90, ISSN 0960-8524, <https://doi.org/10.1016/j.biortech.2016.06.136>.
- ❖ Esmaelian, M., Tavana, M., Arteaga, F.J.S., and Mohammadi, S. (2015). A Multicriteria Spatial Decision Support System for Solving Emergency Service Station Location

Problems. International Journal of Geographical Information Science, DOI: 10.1080/13658816.2015.1025790

- ❖ Farahmand, A., and AghaKouchak, A. (2015). A Generalized Framework for Deriving Nonparametric Standardized Drought Indicators. *Advances in Water Resources*, 76, 140-145. Doi:10.1016/j.advwatres.2014.11.012.
http://amir.eng.uci.edu/publications/15_Drought_Standardized_Index_AWR.pdf
- ❖ Fensholt, R., Sandholt, I., Stisen, S. and Tucker, C. (2006). Analysing ndvi for the african continent using the geostationary meteosat second generation seviri sensor. *Remote Sensing of Environment* 101 (2), 212-229.
- ❖ Gao, B.C. (1996). NDWI a normalized difference water index for remote sensing of vegetation liquid water from space. *Remote sensing of environment*, 58 (3), PP 257-266.
- ❖ Gebrehiwot, T., Veen, A., and Maathuis, B. (2011). “Spatial and Temporal Assessment of Drought in the Northern Highlands of Ethiopia.” *International Journal of Applied Earth Observation and Geoinformation* 13: 309–321.
- ❖ General, U. S. (1994). United Nations convention to combat drought and desertification in countries experiencing serious droughts and/or desertification, particularly in Africa. Particularly in Africa.
- ❖ Ghulam, A., Li, Z.-L., Qin, Q., Yimit, H., Wang, J., 2008. Estimating crop water stress with ETM+ NIR and SWIR data. *Agric. For. Meteorol.* 148, 1679–1695.
- ❖ Ghulam, A., Q. Qin, and Z. Zhan (2007). Designing of the perpendicular drought index. *Environmental Geology* 52 (6), 1045-1052.
- ❖ Goddard, S., Harms, S. K., Reichenbach, S. E., Tadesse, T. and Waltman, W. J. (2005). "Geospatial Decision Support for Drought Risk Management". CSE Journal Articles. Paper 2. <http://digitalcommons.unl.edu/csearticles/2>.
- ❖ Goddard, S., Harms, S.K., Reichenbach, S.E., Tadesse, T., and Waltman, W. J. (2003). Geospatial Decision Support for Drought Risk Management, University of Nebraska – Lincoln, Communications of the ACM, Vol. 46, CSE Journal Articles. 2. <https://digitalcommons.unl.edu/csearticles/2>

- ❖ Goodchild, M.F. (2010). Twenty years of progress: GIScience in 2010. *Journal of Spatial Information Science* 1:3-20[494].
- ❖ Gu, Y., Brown, J. F., Verdin, J. P., and Wardlow, B. (2007). A five-year analysis of MODIS NDVI and NDWI for grassland drought assessment over the central Great Plains of the United States. *Geophysical Research Letters* 34 (6).
- ❖ Gutman, G. G. (1990). Towards monitoring droughts from space. *Journal of Climate*, Volume 3 (2), Page: 282-295, DOI: 10.1175/1520-0442(1990)003<0282:TMDFS>2.0.CO;2.
- ❖ Hao, Z. and AghaKouchak, A. (2014). A nonparametric multivariate multi-index drought monitoring framework. *Journal of Hydrometeorol.*, 15, 89–101; doi:10.1175/JHM-D-12-0160.1.
- ❖ Hayes, M.J., Decker, W.L. (1998). Using satellite and real-time weather data to predict maize production. *International Journal of Biometeorology*, Volume 42(Issue: 1), PP: 10–15.
- ❖ He, J. and Sun, Y. (2015). Applying a spatial decision support system to the integrated regional planning of China, *Environment and Planning B* 2015, volume 47, pages 1 – 16, doi: 10.1177/0265813515603858.
- ❖ Hewitt, K. (2014). *Regions of risk: a geographical introduction to disasters*. Routledge.
- ❖ Horita, F.E.A., Albuquerque, J.P.D, Degrossi, L.C., Mendiondo, E.M. and Ueyama, J. (2015). Development of a spatial decision support system for flood risk management in Brazil that combines volunteered geographic information with wireless sensor networks. *Computers & Geosciences*, Volume 80, PP 84–94, <http://dx.doi.org/10.1016/j.cageo.2015.04.001>.
- ❖ <http://agcensus.dacnet.nic.in/>, 2016. National Informatics Centre (NIC).
- ❖ Huang, L. X., and Sheng, G. (2006). Web-services-based spatial decision support system to facilitate nuclear waste siting. Paper presented at Geoinformatics 2006: Geospatial Information Technology, Wuhan, China.

- ❖ Huete, A. R. (1988). A soil-adjusted vegetation index (SAVI). *Remote sensing of environment* 25 (3), 295-309.
- ❖ Huete, A., K. Didan, T. Miura, E. P. Rodriguez, X. Gao, and L. G. Ferreira (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote sensing of environment* 83 (1), 195-213.
- ❖ IMD (2012). Southwest monsoon, end-of-season report. Technical report, Pune, India.
- ❖ Institute of Seismological Research, Government of Gujarat, (2018). India. www.isr.gujarat.gov.in/activefault.php
- ❖ Jain S.K., Keshri, R., Goswami, A., and Sarkar, A. (2010). Application of meteorological and vegetation indices for evaluation of drought impact: a case study for Rajasthan, India. *Nat Hazards* 54(3):643–656.
- ❖ Jamieson, D.G. and Fedra, K. (1996). The ‘Waterware’ decision support system for river basin planning. 1. Conceptual design. *Journal of Hydrology*, 177, pp. 163–175.
- ❖ Ji, L. and Peters, A. J. (2003). Assessing vegetation response to drought in the northern Great Plains using vegetation and drought indices. *Remote Sensing of Environment*, volume 87(1), pages 85-98.
- ❖ Jones, M. and Taylor, G. (2004), Data Integration Issues for a Farm Decision Support System. *Transactions in GIS*, 8: 459-477. <https://doi.org/10.1111/j.1467-9671.2004.00196.x>.
- ❖ Kaparthi, P., and R. Sugumaran. (2009). A Web-based agricultural crop condition and yield prediction modeling system using realtime data. Paper presented at the Iowa Geographical Information Council Conference, Waterloo, Iowa.).
- ❖ Karniel, A., Agam, N., Pinker, R.T., Anderson, M., Imhoff, M.L., Gutman, G.G., Natalya, P., Alexander, G. (2010). Use of NDVI and land surface temperature for drought assessment: merits and limitations. *J. Clim.* 23 (3), 618–633.
- ❖ Karunakaren, N. (2008). Drought in India: Challenges & initiatives. Technical report, New Delhi, India.

- ❖ Keenan, P. B. (2006). Spatial decision support systems: A coming of age. *Control and Cybernetics* 35(1):9–27.
- ❖ Keller, K.L. (1997). "Twenty-First Century Branding," *Journal of Brand Management*, 368-370.
- ❖ Kogan F.N. (1990). Remote sensing of weather impacts on vegetation in non-homogeneous areas. *International Journal of Remote Sensing*, 11:1405–1419.
- ❖ Kogan F.N. (1991). Observations of the 1990 US drought from the NOAA-11 polar-orbiting satellite. *Drought Netw News* 3(2):7–11.
- ❖ Kogan F.N. (1995). Droughts of the late 1980s in the United States as derived from NOAA polar orbiting satellite data. *Bull Am Meteorol Soc* 76:655–668.
- ❖ Kogan, F. N. (1997). Global drought watch from space. *Bulletin of the American Meteorological Society*, 78(4), 621-636.
- ❖ Kogan, F. N. (2000). Contribution of remote sensing to drought early warning. *Early warning systems for drought preparedness and drought management*, 75-87.
- ❖ Kogan, F.N. (1995). Application of vegetation index and brightness temperature for drought detection. *Adv. Space Res.* 15 (11), 91–100.
- ❖ Kogan, F.N., Gitelson, A., Zakarin, E., Spivak, L. and Lebed, L. (2003). AVHRR based spectral vegetation index for quantitative assessment of vegetation state and productivity: calibration and validation. *Photogrammetric Engineering and Remote Sensing*, 69, 899–906.
- ❖ Krishnan, M.S. (1982). *Geology of India and Burrna Higginbothajrib*, Madras, 6th Ed., 536 p.
- ❖ Kutchdp, (2017). Web portal; Government of Gujarat. (<https://kutchdp.gujarat.gov.in/kutch/taluka/nakhatrana>).
- ❖ Lagacherie, P., Cazemier, D.R., Martin-Clouaire, R., and Wassenaar, T. (2000). A spatial approach using imprecise soil data for modelling crop yields over vast areas, *Agriculture,*

- ❖ Leung, Y., Lee, Y., Lam, K. C., Lin, K. and Zeng, F.-T. (2005). An environmental decision-support system for the management of water pollution in a tidal river network, International Journal of Geographical Information Science, 19:4, 483-500, DOI: 10.1080/13658810412331317751.
- ❖ Li, B., Su, H., Chen, F., Wu, J., Qi, J. (2013). The changing characteristics of drought in China from 1982 to 2005. Nat Hazards. Doi: 10.1007/s11069-013-0649-3.
- ❖ Li, L., Wang, J. and Wang, C. (2005). Typhoon insurance pricing with spatial decision support tools., International Journal of Geographical Information Science Vol. 19, No. 3, March 2005, 363–384, ISSN 1365-8816 print/ISSN 1362-3087 online, DOI: 10.1080/13658810412331317742.
- ❖ Lillesand, T., Kiefer, R. W. and Chipman, J. (2014). Remote sensing and image interpretation. John Wiley & Sons.
- ❖ Liu, W. and Kogan, F. (1996). Monitoring regional drought using the vegetation condition index. International Journal of Remote Sensing 17 (14), 2761-2782.
- ❖ MacMurdo, J. (1823). Paper relating to the earthquake which occurred in India in 1819. Philos. Mag., V. 63, pp. 105–177.
- ❖ Majid, E., Madjid, T., Francisco, J.S.A., Sommayeh, M. (2015).A multicriteria spatial decision support system for solving emergency service station location problems, Volume 29 (7), PP 1187-1213. doi: 10.1080/13658816.2015.1025790.
- ❖ Manual for Drought Management (2016), Department of Agriculture, Cooperation & Farmers Welfare Ministry of Agriculture & Farmers Welfare Government of India New Delhi.
- ❖ Matthews, K.B., Sibbald, A.R., and Craw, S. (1999). Implementation of a spatial decision support system for rural land use planning: integrating geographic information system and environmental models with search and optimisation algorithms, Computers and

Electronics in Agriculture, Volume 23, Issue 1, Pages 9-26, ISSN 0168-1699,
[https://doi.org/10.1016/S0168-1699\(99\)00005-8](https://doi.org/10.1016/S0168-1699(99)00005-8).

- ❖ McKee, T.B., Doesken, N.J. and Kleist, J. (1993). The Relationship of Drought Frequency and Duration to Time Scales. Preprints, 8th Conference on Applied Climatology, 179-184. January 17-22, Anaheim, California.
- ❖ McVicar, T. R. and Jupp, D. L. (1998). The current and potential operational uses of remote sensing to aid decisions on drought exceptional circumstances in Australia: a review. Agricultural systems 57 (3), 399-468.
- ❖ Mendicino, G. and Versace P. (2006). Integrated Drought Watch System: A Case Study in Southern Italy, Water Resour Manage, DOI: 10.1007/s11269-006-9091-6.
- ❖ Merh S.S (1995). Geology of Gujarat. Publisher: Geological society of India
- ❖ Merh, S. S. and Patel, P. P. (1988): Quaternary Geology and Geomorphology of the Ranns of Kutch. Proc. Nat. Sem., Recent Quaternary studies in India, M. S. Uni. Baroda, pp. 371-191.
- ❖ Mishra, A. K., and Singh, V. P. (2010). “A Review of Drought Concepts.” Journal of Hydrology 391: 202–216.
- ❖ Moore, M., and Loper, K.A. (2011). Journal of Electronic Resources in Medical Libraries, Volume 8(4), PP 348-366. doi: 10.1080/15424065.2011.626345.
- ❖ Moran, M., Clarke, T., Inoue, Y. and Vidal, A. (1994). Estimating crop water deficit using the relation between surface-air temperature and spectral vegetation index. Remote sensing of environment 49 (3), 246-263.
- ❖ Nagarajan, N., Poongothai, S. (2011). Trend in Land Use/Land Cover Change Detection by RS and GIS Application. International Journal of Engineering and Technology Volume 3 (4), pp. 263-269.
- ❖ Nagarajan, R. (2004). Drought Vulnerability Assessment Using Geoinformatics (Bombay, India: CSRE, Indian Institute of Technology).

- ❖ Nagarajan, R. (2010). Drought assessment. Springer Science & Business Media.
- ❖ NDMA (2010), National Disaster Management Guidelines: Management of Drought, Government of India.
- ❖ Niemeyer, S. (2008). New drought indices. In: López-Francos A. (ed.). Drought management: scientific and technological innovations. Zaragoza: CIHEAM, 2008. p. 267-274 (Options Méditerranéennes : Série A. Séminaires Méditerranéens; n. 80)
- ❖ O'Brien, R., Cook, S. and Peters, M. (2004). A BAYESIAN MODELING APPROACH TO SITE SUITABILITY UNDER CONDITIONS OF UNCERTAINTY. International Center for Tropical Agriculture Cali, Colombia.
- ❖ Obasi, G. O. P. (1994). WMO's Role in the international decade for natural disaster reduction. Bull. Amer. Meteor. Soc., 75, 1655-1661.
- ❖ Oladipio, E.O. (1985). A comparative performance analysis of three meteorological drought indices. International Journal of Climatology, Volume 5, pp. 655–664. <https://doi.org/10.1002/joc.3370050607>.
- ❖ Olsson, L. and Pilesjo, P. (2002). Approaches to spatially distributed hydrological modelling in a GIS environment. In Environmental Modelling with GIS and Remote Sensing, A. Skidmore (Ed.), pp. 166–199 (New York: Taylor & Francis).
- ❖ Omondi, P. (2011). Agricultural drought indices in the greater horn of Africa (gha) countries. In AGRICULTURAL DROUGHT INDICES PROCEEDINGS OF AN EXPERT MEETING, pp. 128.
- ❖ Open layers: Home. URL <http://openlayers.org/>. Last visited 2019-11-25.
- ❖ Pai D.S., Latha Sridhar, Rajeevan M., Sreejith O.P., Satbhai N.S. and Mukhopadhyay B. (2014). Development of a new high spatial resolution ($0.25^\circ \times 0.25^\circ$) Long period (1901-2010) daily gridded rainfall data set over India and its comparison with existing data sets over the region; MAUSAM, 65, 1(January 2014), pp1-18.

- ❖ Pai, D.S., Sridhar, L., Guhathakurta, P., Hatwar, H.R. (2011). District-wide drought climatology of the southwest monsoon season over India based on standardized precipitation index (SPI). *Nat Hazards* 59(3):1797–1813.
- ❖ Palmer, W. C. (1968). Keeping track of crop moisture conditions, nationwide: The new crop moisture index. *Weatherwise*, Volume 21(4), PP. 156-161, DOI: 10.1080/00431672.1968.9932814
- ❖ Palmer, W.C. (1965). Meteorological drought. U.S. Weather Bureau, Res. Pap. No. 45.
- ❖ Patel, N.R., Chopra, P., Dadhwal, V.K. (2007). Analyzing spatial patterns of meteorological drought using standardized precipitation index. *Meteorol. Appl.*, Volume 14, PP. 329–336.
- ❖ Patel, S., Joshi, J.P. and Bhatt, B. (2017). An assessment of spatio-temporal variability of land surface temperature using MODIS data: A study of Gujarat state, India. *Geography Compass*, <https://doi.org/10.1111/gec3.12312>.
- ❖ Patel, S., Khopkar, P., Mishra, S., Sharma, S., Chaudhary, K.,and Oza., M. (2016). Web GIS Based Vegetation Monitoring System (WGVMS). Technical Report-SAC/EPSA/VRG/CGDD/TR_02/JULY-2016.
- ❖ Patel, S., Prakash, S. and Bindu Bhatt (2015). An assessment of Kalpana-1 rainfall product for drought monitoring over India at meteorological sub-division scale, *Water International*, DOI: <http://dx.doi.org/10.1080/02508060.2015.1072784>
- ❖ Peters, A., Walter-Shea, E., Ji, L., Vina, A., Hayes, M., and Svoboda, M. (2002). Drought Monitoring with NDVI-Based Standardized Vegetation Index. *Photogrammetric Engineering and Remote Sensing*, 68, 71-75.
- ❖ Peterson, K. (1998). Development of spatial decision support systems for residential real estate. *Journal of Housing Research* 9(1):135–56.
- ❖ Peterson, M. (2012). *Online Maps with APIs and Web Services*. Berlin, Heidelberg: Springer.
- ❖ Population Census Book, (2011). *Census of India*, Government of India.

- ❖ Prakash, S. (2018). Capabilities of satellite-derived datasets to detect consecutive Indian monsoon droughts of 2014 and 2015, 2018, CURRENT SCIENCE, VOL. 114, NO. 11.
- ❖ Qi, J., Chehbouni, A., Huete, A.R., Kerr, Y. H. and Sorooshian, S.(1994). A modified soil adjusted vegetation index. Remote sensing of environment 48 (2), 119-126.
- ❖ Rahimzadeh, B.P., Darvishsefat, A. A., Khalili, A., and Makhdoom, M.F. (2008).Using AVHRR-based vegetation indices for drought monitoring in the Northwest of Iran, Journal of Arid Environments, Volume 72, Issue 6, Pages 1086-1096, ISSN 0140-1963, <https://doi.org/10.1016/j.jaridenv.2007.12.004>.
- ❖ Rao, K.H.V.D. and Bhaumik, M.K. (2003). Spatial Expert Support System in Selecting Suitable Sites for Water Harvesting Structures- A Case Study of Song Watershed, Uttaranchal, India. Geocarto International, Vol. 18, No. 4, December 2003.
- ❖ Rastogi, B. K., Gadhvi, M. S., Malik, J. N., Tyagi, A.K., Singhvi, A.K., Morino, M. (200). Institute of Seismological Research, Raisan, Gandhinagar, Indian Institute of Technology, Kanpur, Physical Research Laboratory, Ahmedabad, Oyo International Corporation. (www.isr.gujarat.gov.in/activefault.php)
- ❖ Redmond, K. T. (2002). The depiction of drought. Bulletin of the American Meteorological Society, 83, 1143e1147.
- ❖ Reis, S. (2008). Analyzing Land Use/Land Cover Changes Using Remote Sensing and GIS in Rize, North-East Turkey. Sensors 2008, 8, 6188-6202; DOI: 10.3390/s8106188
- ❖ Ribsame, W. E., Changnon, S. A., and Karl, T. R. (1991). Drought and natural resources management in the United States. Impacts and implications of the 1987-89 drought. Westview Press Inc. <http://n2t.net/ark:/85065/d7kd205j>
- ❖ Rojas, O., Vrieling, A., and Rembold, F. (2011). “Assessing Drought Probability for Agricultural Areas in Africa with Coarse Resolution Remote Sensing Imagery.” Remote Sensing of Environment 115: 343–352. <https://doi.org/10.1016/j.rse.2010.09.006>
- ❖ Roy, A. K., Hirway, I. (2007): Multiple Impacts of Droughts and Assessment of Drought Policy in Major Drought Prone States in India, Project Report: Centre for Development Alternatives. (http://planningcommission.nic.in/reports/sereport/ser/stdy_droght.pdf).

- ❖ Roy, B. and Merh, S. S (1981): The Great Rann of Kachchh: an intriguing quaternary terrain. *Rec. Res. Geol.*, Volume 9 pp. 100-108.
- ❖ Ruiz, M. C., Romero, E., Perez, M.A. and Fernandez, I. (2012). Development and application of a multi-criteria spatial decision support system for planning sustainable industrial areas in Northern Spain., *Automation in Construction* 22 (2012) 320–333, DOI: 10.1016/j.autcon.2011.09.009.
- ❖ Sandholt, I., Rasmussen, K., and Andersen, J. (2002). A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status. *Remote Sensing of environment* 79 (2), 213-224. [https://doi.org/10.1016/S0034-4257\(01\)00274-7](https://doi.org/10.1016/S0034-4257(01)00274-7)
- ❖ Schneider, S. H., Root, T., L., and Mastrandrea, M.D. (1996). *Encyclopaedia of climate and weather*. Oxford University Press.
- ❖ Seiler, R.A., Kogan, F., and Sullivan, J.(1998). AVHRR-based vegetation and temperature condition indices for drought detection in Argentina, *Advances in Space Research*, Volume 21, Issue 3, Pages 481-484, ISSN 0273-1177, [https://doi.org/10.1016/S0273-1177\(97\)00884-3](https://doi.org/10.1016/S0273-1177(97)00884-3).
- ❖ Sha, Z., & Bian, F. (2004). An Integrated Gis and Knowledge-based Decision Support System in Assisting Farm-level Agronomic Decision-making. <https://www.semanticscholar.org/paper/An-Integrated-Gis-and-Knowledge-based-Decision-in-Sha-Bian/>.
- ❖ Shamsipour, A.A., Zawar-Reza, P., Panah, S.K.A., and Azizi, G. (2011) Analysis of drought events for the semi-arid central plains of Iran withsatellite and meteorological based indicators, *International Journal of Remote Sensing*, 32:24, 9559-9569, DOI: 10.1080/01431161.2011.566587.
- ❖ Silva, S., Almeida, L.A., Luis C. and Dias, L.C. (2014), Development of a Web-based Multi-Criteria Spatial Decision Support System for the assessment of environmental sustainability of dairy farms. *Computers and Electronics in Agriculture* 108 (2014) 46–57, <http://dx.doi.org/10.1016/j.compag.2014.06.009>.

- ❖ Singh, R.P., Roy, S., Kogan, F. (2003) Vegetation and temperature condition indices from NOAA AVHRR data for drought monitoring over India. *International Journal of Remote Sensing*. Volume 24(22):4393–4402.
- ❖ Singh, B.B., Ajeigbe, H.A., Tarawali, S.A., Fernandez-Rivera, S., Musa Abubakar, M. (2003). Improving the production and utilization of cowpea as food and fodder, *Field Crops Research*, Volume 84, Issues 1–2, Pages 169-177, ISSN 0378-4290, [https://doi.org/10.1016/S0378-4290\(03\)00148-5](https://doi.org/10.1016/S0378-4290(03)00148-5).
- ❖ Srivastava, A. K., Rajeevan, M. and Kshirsagar, S. R. (2008). Development of a High Resolution Daily Gridded Temperature Data Set (1969-2005) for the Indian Region. *Atmospheric Science Letters*. Volume 10 (4):249-254. <https://doi.org/10.1002/asl.232>
- ❖ Sugumaran, R., and DeGroote, J. (2011). *Spatial Decision Support System: Principle and Practices (Book)*, ISBN: 13: 978-1-4200-6212-0, CRC Press Taylor & Francis Group.
- ❖ Sugumaran, R., Ilavajhala, S., and Sugumaran, V. (2007). Development of a web based intelligent spatial decision support system WEBSDSS: A case study with snow removal operations. In *emerging spatial information systems and applications*, ed. B. N. Hilton, 184–202. Hershey, PA: Idea Group.
- ❖ Swain, N.R., Latu, K., Christensen, S.D., Jones, N.L., Nelson, E.J., Ames, D.P., and Williams, G.P. (2015). A review of open source software solutions for developing water resources web applications. *Environ. Model. Softw.* 67, C (May 2015), 108–117. DOI: <https://doi.org/10.1016/j.envsoft.2015.01.014>
- ❖ Tadesse, T., Wilhite, D.A., Harms, S.K., Hayes, M.J., and Goddard, S. (2004). Drought monitoring using data mining techniques: a case study for Nebraska, USA. *Natural Hazards*, 33, pp. 137–159. <https://doi.org/10.1023/B:NHAZ.0000035020.76733.0b>
- ❖ Tatli, H. and Turkes, M. (2011). Empirical orthogonal function analysis of the palmer drought indices. *Agricultural and Forest Meteorology* 151 (7), 981-991. doi:10.1016/j.agrformet.2011.03.004

- ❖ Taylor, K., Walker, G. and Abel, D. (1999). A framework for model integration in spatial decision support systems. International Journal of Geographical Information Science. Volume 13 (6):533-555. <https://doi.org/10.1080/136588199241102>
- ❖ Thenkabail P.S., Gamage, N., Smakhin, V. (2004). The use of remote sensing data for drought assessment and monitoring in south west Asia, volume 85. IWMI Research report, IWMI, Colombo, p-25.
- ❖ Thornthwaite, C. (1948). An Approach toward a Rational Classification of Climate. *Geographical Review*, 38(1), 55-94. doi:10.2307/210739
- ❖ Thorp, K.R., DeJonge, K.C., Kaleita, A.L., Batchelor, W.D., and Paz, J.O. (2008). Methodology for the use of DSSAT models for precision agriculture decision support, *Computers and Electronics in Agriculture*, Volume 64, Issue 2, Pages 276-285, ISSN 0168-1699, <https://doi.org/10.1016/j.compag.2008.05.022>.
- ❖ Tran, T.H., Campbell, J.B., Tran, T.D., and Tran, H.T. (2017). Monitoring drought vulnerability using multispectral indices observed from sequential Remote Sens. (Case Study: Tuy Phong, Binh Thuan, Vietnam). *GISci. Remote Sens.* 2017, 54, 1–18.
- ❖ Tsakiris, G., Pangalou, D., and Vangelis, H. (2007). Regional Drought Assessment Based on the Reconnaissance Drought Index (RDI), *Water Resources Management*, Volume 21(5), PP 821- 833, DOI: 10.1007/s11269-006-9105-4.
- ❖ Tucker, C. J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote sensing of Environment* 8 (2), 127-150. ISSN 0034-4257, [https://doi.org/10.1016/0034-4257\(79\)90013-0](https://doi.org/10.1016/0034-4257(79)90013-0).
- ❖ Tucker, C. J. and Choudhury, B. J. (1987). Satellite remote sensing of drought conditions. *Remote sensing of Environment* 23 (2), 243-251. ISSN 0034-4257, [https://doi.org/10.1016/0034-4257\(87\)90040-X](https://doi.org/10.1016/0034-4257(87)90040-X).
- ❖ Tucker, C. J., Vanpraet, C. L., Sharman, M. J., and Van Ittersum, G. (1985). Satellite remote sensing of total herbaceous biomass production in the Senegalese Sahel: 1980–1984. *Remote Sensing of Environment*, 17 (3), pp. 233–249. DOI: 10.1016/0034-4257(85)90097-5

- ❖ Turban, E., Aronson, J.E., Liang, T. and Sharda, R. (2007). Decision Support and Business Intelligence Systems. 8th edition, Pearson-Prentice Hall, Upper Saddle River, NJ, 2007. ISBN-978-81 -203-2961 -4 (Book).
- ❖ Tyagi, A. Hatwar, H. R. and Pai, D. S. (2009). Monsoon Report: National Climate Centre, India Meteorological Department, Pune, India.
- ❖ Unganai, L.S. and Kogan, F.N., (1998). Drought monitoring and corn yield estimation in Southern Africa from AVHRR data. *Remote Sensing of Environment*, 63, 219–232. DOI: 10.1016/s0034-4257(97)00132-6
- ❖ Unger, P. W. (1984). Guidelines: land evaluation for rainfed agriculture. Food & Agriculture Org (FAO).
- ❖ University of Florida (1998). The Disaster Handbook National Edition Institute of Food and Cultural Sciences.
- ❖ Vazifedoust, M. (2007). Development of an agricultural drought assessment system: integration of agrohydrological modelling, remote sensing and geographical information. Wageningen Universiteit (Book), ISBN: 9789085047971.
- ❖ Vogel, R.M. and Kroll, C.N. (1992). Regional geohydrologic-geomorphic relationships for the estimation of low-flow statistics. *Water Resources Research* 28: doi: 10.1029/92WR01007. ISSN: 0043-1397.
- ❖ Wallace, R. M., Zhang, Y. and Wright, J. R. (2001). Distributed System for Coastal Infrastructure Modeling and Assessment. *Journal of Computing in Civil Engineering*, Vol. 15(1), pp. 67-73.
- ❖ Wan, K., and Liang, S. (2009). Evaluation of ASTER and MODIS land surface temperature and emissivity products using longterm surface longwave radiation observations at SURFRAD sites. *Remote Sensing of Environment*, 113(7), 1556–1565. <https://doi.org/10.1016/j.rse.2009.03.009>.
- ❖ Wan, Z., Wang, P., and Li, X. (2004). Using MODIS land surface temperature and normalized difference vegetation index products for monitoring drought in the southern

Great Plains, USA. International Journal of Remote Sensing 25 (1), 61-72. doi: 10.1080/0143116031000115328

- ❖ Wang, L. and Qu, J. J. (2007). NMDI: A normalized multi-band drought index for monitoring soil and vegetation moisture with satellite remote sensing. Geophysical Research Letters 34 (20).
- ❖ Wang, L., Li, Z., Chen, Q. and Wei, X. (2008). A microwave vegetation water index from passive microwave radiometer data, International Journal of Remote Sensing, 29:23, 6779-6787, DOI: 10.1080/01431160802220144.
- ❖ Wang, P-X., Li, X.-w., Gong, J.-y., and Song, C. (2001). Vegetation temperature condition index and its application for drought monitoring. In Geoscience and Remote Sensing Symposium, 2001. IGARSS'01. IEEE 2001 International, Volume 1, pp. 141-143. IEEE.
- ❖ Wang, Z. and Chen, Z. (2010), A Web-based Agricultural Decision Support System on Crop Growth Monitoring and Food Security Strategies, Proceedings of the Third International Symposium on Computer Science and Computational Technology (ISCSCST '10), Jiaozuo, P. R. China, 14-15, August 2010, pp. 487-491
- ❖ Water Resource Report (2017). Narmada, Water Resources, Water Supply and Kalpsar Department. Government of Gujarat. <https://guj-nwrws.gujarat.gov.in/>
- ❖ Wilhite, D. A. (2000). Drought as a natural hazard: concepts and definitions. Published in Drought: A Global Assessment, Vol. 1, edited by Donald A. Wilhite, chapter 1, pp. 3–18 (London: Routledge, 2000).
- ❖ Wilhite, D. A. (2005). Drought and water crises: science, technology, and management issues. CRC Press, 406 pp. ISBN 0 8247 2771 1
- ❖ Wilhite, D. A. (2006). Drought monitoring and early warning: Concepts, progress and future challenges. World Meteorological Organization (1006). ISBN: 978-92-63-11006-0.
- ❖ Wilhite, D. A., and Glantz, M. H. (1985). Understanding: the drought phenomenon: the role of definitions. Water international 10 (3), 111-120.

- ❖ Wilhite, D. A., Sivakumar, M. V. K., and Pulwarty, R. (2014). Managing drought risk in a changing climate: The role of national drought policy. Drought Mitigation Center Faculty Publications. 47. <http://digitalcommons.unl.edu/droughtfacpub/47>
- ❖ Wilson, W. J., S. H. Yueh, S. J. Dinardo, S. L. Chazano_, A. Kitiyakara, F. K. Li, and Y. Rahmat-Samii (2001). Passive active l-and s-band (pals) microwave sensor for ocean salinity and soil moisture measurements. IEEE Transactions on Geoscience and Remote Sensing 39 (5), 1039-1048.
- ❖ WMO (2006). Drought monitoring and early warning: Concepts, progress and future challenges. World Meteorological Organization, Report WMO-No. 100692-63-11006-9 (24 pp.).
- ❖ WMO (1986). World Meteorological Organization, Report of the International Conference on the Assessment of the Role of Carbon Dioxide and of Other Greenhouse Gases in Climate Variations and Associated Impacts, (Villach, Austria, 9–15 October 1985) (WMO-No. 661), Geneva.
- ❖ Woodhouse, C. A., and Overpeck, J. T. (1998). 2000 years of drought variability in the central united states. Bulletin of the American Meteorological Society 79 (12), 2693.
- ❖ Zargar, A., Sadiq, R., Naser, B. and Khan, F.I. (2011). A review of drought indices Environ. Rev. Vol. 19: 333–349 (2011) DOI: 10.1139/A11-013, Published by NRC Research Press.
- ❖ Zecharias, Y.B., and Brutsaert, W. (1988). The influence of basin-morphology on groundwater outflow. Water Resources Research 24: DOI: 10.1029/88WR03083. issn: 0043-1397.
- ❖ Zhu, X., Aspinall, R.J., Healey, R.G. (1996). ILUDSS: A knowledge-based spatial decision support system for strategic land-use planning, Computers and Electronics in Agriculture, Volume 15, Issue 4, Pages 279-301, ISSN 0168-1699, [https://doi.org/10.1016/0168-1699\(96\)00022-1](https://doi.org/10.1016/0168-1699(96)00022-1)